

## DAFTAR PUSTAKA

- Almatsier, S. (2010). Prinsip Dasar Ilmu Gizi. Jakarta: Gramedia Pustaka Utama.
- American Diabetes Association. (2014). Diagnosis and Classification of Diabetes Mellitus. *Diabetes Care*, 37(Supplement 1), S81-S90.
- Arifin, W.N., Zahiruddin, W.M., (2017). Sample Size Calculation in Animal Studies Using Resource Equation Approach. *Malays. J. Med. Sci. MJMS* 24, 101–105.
- Astawan, M., Wresdiyati, T. and Sirait, J., (2015). Pengaruh Konsumsi Tempe Kedelai Grobogan terhadap Profil Serum, Hematologi dan Antioksidan Tikus. *Jurnal Teknologi dan Industri Pangan*, 26(2),155-162.
- Badan Pusat Statistik. (2018). Impor Kedelai menurut Negara Asal Utama, 2010-2018. [www.bps.go.id](http://www.bps.go.id). Diakses 31 November 2020. *Badan Pusat Statistik*.
- Blandino, G., Inturri, R., Lazzara, F., Di Rosa, M., & Malaguarnera, L. (2016). Impact of Gut Microbiota on Diabetes Mellitus. *Diabetes & metabolism*, 42(5), 303-315.
- Brunner & Suddarth, (2013). Buku Ajar Keperawatan Medikal Bedah Edisi 8 volume 2. Jakarta. EGC.
- Cahyadi, W. (2006). Kedelai Khasiat dan Teknologi. Jakarta: Bumi Aksara.
- Cho, N., Shaw, J. E., Karuranga, S., Huang, Y. D., da Rocha Fernandes, J. D., Ohlrogge, A. W., & Malanda, B. (2018). IDF Diabetes Atlas: Global Estimates of Diabetes Prevalence for 2017 and Projections for 2045. *Diabetes Research and Clinical Practice*, 138, 271-281.
- Daneswari, Prita.(2010). Tiga Pangan Pokok. Media Indonesia: Jakarta.
- De Souza, D. N., de Souza, E. M. N., da Silva Pedrosa, M., Nogueira, F. N., Simões, A., & Nicolau, J. (2021). Effect of Tungstate Administration on the Lipid Peroxidation and Antioxidant Parameters in Salivary Glands of STZ-

Induced Diabetic Rats. *Biological Trace Element Research*, 199(4), 1525-1533.

De Vuyst, L. M. (2014). Summer meeting 2013: growth and physiology of bifidobacteria. *J.Appl.Microbiol*, 116, 477–491.

Den Besten, G., Van Eunen, K., Groen, A. K., Venema, K., Reijngoud, D. J., & Bakker, B. M. (2013). The role of short-chain fatty acids in the interplay between diet, gut microbiota, and host energy metabolism. *Journal of lipid research*, 54(9), 2325-2340.

International Diabetes Federation. (2017). IDF Diabetes Atlas Eighth. *IDF Diabetes Atlas*, 8, 150.

Fatimah, R. N. (2015). Diabetes melitus tipe 2. *Jurnal Majority*, 4(5).

Febriana, M. H., Purwijantiningsih, E., & Yuda, P. (2021). Identifikasi dan Uji Aktivitas Antimikrobia Bakteri Asam Laktat dari Fermentasi Singkong (Gatot) terhadap *Bacillus cereus* dan *Aspergillus flavus*. *Biota: Jurnal Ilmiah Ilmu-Ilmu Hayati*, 6(1), 15-24.

Feng, X. M., Larsen, T. O., & Schnürer, J. (2007). Production of volatile compounds by *Rhizopus oligosporus* during soybean and barley tempeh fermentation. *International journal of food microbiology*, 113(2), 133-141.

Food and Agriculture Organization (FAO), World Health Organization (WHO). (2002). Report of a Joint FAO/WHO working group on drafting guidelines for the evaluation of probiotics in food. *Guidelines for the evaluation of probiotics in food*.

Gibson, G. R., Hutkins, R., Sanders, M. E., Prescott, S. L., Reimer, R. A., Salminen, S. J., & Reid, G. (2017). Expert consensus document: The International Scientific Association for Probiotics and Prebiotics (ISAPP) consensus statement on the definition and scope of prebiotics. *Nature reviews Gastroenterology & hepatology*, 14(8), 491-502.

- Granner, D.K. 2003. Hormon Pankreas dan Traktus Gastrointestinal. Dalam: Murray, R.K., Granner, D.K., Mayes, P.A., & Rodwell, V.W. Biokimia Harper. Edisi 25. Jakarta: EGC, 582 – 593.
- Herman & Karmini, M., 1999. The Development of Tempe Technology. In J. Agranoff, ed. The Complete Handbook of Tempe. Singapura: The American Soybean Association, pp. 80–92.
- Hijova, E. C. (2007). Short Chain Fatty Acid and Colonic Health. Bratisl Lek Listy, 108(8), 354-358.
- Huang, F., Nilholm, C., Roth, B., Linninge, C., Höglund, P., Nyman, M., & Ohlsson, B. (2018). Anthropometric and metabolic improvements in human type 2 diabetes after introduction of an Okinawan-based Nordic diet are not associated with changes in microbial diversity or SCFA concentrations. *International journal of food sciences and nutrition*, 69(6), 729-740.
- Huang, Y. C., Wu, B. H., Chu, Y. L., Chang, W. C., & Wu, M. C. (2018). Effects of tempeh fermentation with *Lactobacillus plantarum* and *Rhizopus oligosporus* on streptozotocin-induced type II diabetes mellitus in rats. *Nutrients*, 10(9), 1143.
- Indonesia, P. E. (2015). Pengelolaan dan pencegahan diabetes melitus tipe 2 di Indonesia. *Pb. Perkeni*.
- Isnaini, N., & Ratnasari, R. (2018). Faktor risiko mempengaruhi kejadian Diabetes mellitus tipe dua. *Jurnal Kebidanan Dan Keperawatan Aisyiyah*, 14(1), 59-68.
- Jasin, I., & Sugiyono, S. (2014). Pengaruh Penambahan Tepung Gaplek dan Isolat Bakteri Asam Laktat dari Cairan Rumen Sapi PO Terhadap Kualitas Silase Rumput Gajah (*Pennisetum purpureum*). *Jurnal Peternakan Indonesia (Indonesian Journal of Animal Science)*, 16(2), 96-103.
- Kadar, A. D., Aditiawati, P., Astawan, M., Putri, S. P., & Fukusaki, E. (2018). Gas Chromatography Coupled With Mass Spectrometry-Based Metabolomics

for the Classification of Tempe from Different Regions and Production Processes in Indonesia. *Journal of bioscience and bioengineering*, 126(3), 411-416.

Kasubuchi, M., Hasegawa, S., Hiramatsu, T., Ichimura, A., & Kimura, I. (2015). Dietary Gut Microbial Metabolites, Short-Chain Fatty Acids, and Host Metabolic Regulation. *Nutrients*, 7(4), 2839-2849.

Kharroubi, A. T., & Darwish, H. M. (2015). Diabetes mellitus: The epidemic of the century. *World journal of diabetes*, 6(6), 850.

Kinasih, K. P. (2021). *Pengaruh Kecutan Dalam Pembuatan Tempe Terhadap Keragaman Mikrobiota Saluran Cerna Pada Model Tikus Diabetes Mellitus* (Doctoral dissertation, Universitas Gadjah Mada).

Kuligowski, M., Jasińska-Kuligowska, I. W. O. N. A., & Nowak, J. (2013). Evaluation of bean and soy tempeh influence on intestinal bacteria and estimation of antibacterial properties of bean tempeh. *Polish journal of microbiology*, 62(2), 189.

Kurnia, A. (2019). Diet rendah karbohidrat pada pasien diabetes mellitus tipe 2: Literature review. *NURSCOPE: Jurnal Penelitian dan Pemikiran Ilmiah Keperawatan*, 5(2), 46-52.

Kurniati, A. M. (2016). Mikrobiota Saluran Cerna: Tinjauan dari Aspek Pemilihan Asupan Makanan. *Jurnal Kedokteran Universitas Lampung*, 1(2), 380-384.

Kusuma, R., Widada, J., Huriyati, E., & Julia, M. (2021). Naturally Acquired Lactic Acid Bacteria from Fermented Cassava Improves Nutrient and Anti-dysbiosis Activity of Soy Tempeh. *Open Access Macedonian Journal of Medical Sciences*, 9(A), 1148-1155.

Larsen, N., Vogensen, F. K., Van Den Berg, F. W., Nielsen, D. S., Andreassen, A. S., Pedersen, B. K., ... & Jakobsen, M. (2010). Gut microbiota in human adults with type 2 diabetes differs from non-diabetic adults. *PloS one*, 5(2), e9085.

- Lau, W. L., & Vaziri, N. D. (2019). Gut microbial short-chain fatty acids and the risk of diabetes. *Nature Reviews Nephrology*, 15(7), 389-390.
- Lestari, L. A., Soesatyo, M. H. N. E., Iravati, S., & Harmayani, E. (2012). Peningkatan aktivitas fagositosis dan produksi nitrit oksida pada makrofag peritoneum tikus Sprague Dawley yang diberi *Lactobacillus plantarum* Mut7 dan ekstrak serat ubi jalar. *J. Gizi Klin. Indones*, 9, 64-72.
- Lestari, N. (2021). *Pengaruh Pemberian Tempe Modifikasi dengan Penambahan Air Rendaman Gaplek terhadap Sensitivitas Insulin dan Kapasitas Sekresi Insulin pada Model Hewan Coba yang Diinduksi Diabetes Melitus* (Skripsi, Universitas Gadjah Mada).
- Louis, P., & Flint, H. J. (2017). Formation of propionate and butyrate by the human colonic microbiota. *Environmental microbiology*, 19(1), 29-41.
- Macfarlane, S., & Macfarlane, G. T. (2003). Regulation of short-chain fatty acid production. *Proceedings of the Nutrition Society*, 62(1), 67-72.
- Mailia, R., Yudhistira, B., Pranoto, Y., Rochdyanto, S., & Rahayu, E. S. (2015). Ketahanan Panas Cemarkan *Escherichia coli*, *Staphylococcus aureus*, *Bacillus cereus* dan Bakteri Pembentuk Spora yang Diisolasi dari Proses Pembuatan Tahu di Sudagaran Yogyakarta. *Agritech*, 35(3), 300-308.
- Makmun, A., Rodya, W. D., Zulfahmidah, Z., & Aisyah, W. N. A. (2020). Peran Mikrobiota Usus Terhadap kondisi Obesitas. *Indonesian Journal of Health*, 31-42
- Morrison, D. J., & Preston, T. (2016). Formation of short chain fatty acids by the gut microbiota and their impact on human metabolism. *Gut microbes*, 7(3), 189-200.
- Mujeeb, M., Ahad, A., Aqil, M., Siddiqui, W.A., Najmi, A.K., Akhtar, M., Shrivastava, A., Qadir, A. and Moolakkadath, T., (2021). Ameliorative effect of rubiadin-loaded nanocarriers in STZ-NA-induced diabetic nephropathy in rats:

formulation optimization, molecular docking, and in vivo biological evaluation. *Drug Delivery and Translational Research*, pp.1-14.

Muslikah, S. (2013). Etnografi Pangan Pokok Gaplek pada Masyarakat Desa Joho, Kecamatan Kalidawir, Kabupaten Tulungagung. *Jurnal Tata Boga*, 2(1).

Nair, A.B., Jacob, S., (2016). A simple practice guide for dose conversion between animals and human. *J. Basic Clin. Pharm.* 7, 27–31.

Needell, J. C., Ir, D., Robertson, C. E., Kroehl, M. E., Frank, D. N., & Zipris, D. (2017). Maternal Treatment With Short-Chain Fatty Acids Modulates The Intestinal Microbiota And Immunity And Ameliorates Type 1 Diabetes In The Offspring. *PloS one*, 12(9), e0183786.

Okon, U. A., Owo, D. U., Udokang, N. E., Udobang, J. A., & Ekpenyong, C. E. (2012). Oral Administration Of Aqueous Leaf Extract Of *Ocimum Gratissimum* Ameliorates Polyphagia, Polydipsia And Weight Loss In Streptozotocin-Induced Diabetic Rats. *American Journal of Medicine and Medical Sciences*, 2(3), 45-49.

Oktaviyanti, H., Soetoro, S., & Pardani, C. (2017). Analisis Kelayakan Finansial Pada Agroindustri Tempe. *Jurnal Ilmiah Mahasiswa Agroinfo Galuh*, 2(3), 181-188.

Pangastuti, A., Alfisah, R. K., Istiana, N. I., Sari, S. L. A., Setyaningsih, R., Susilowati, A., & Purwoko, T. (2019). Metagenomic Analysis Of Microbial Community In Over-Fermented Tempeh. *Biodiversitas Journal of Biological Diversity*, 20(4), 1106-1114.

Peters, M. L., Huisman, E. L., Schoonen, M., & Wolffenbuttel, B. H. R. (2017). The Current Total Economic Burden Of Diabetes Mellitus In The Netherlands. *Neth J Med*, 75(7), 281-297.

Pramono, C., Mawarsih, E., & Kurniawan, H. (2018). Kajian Beban Pendorong Mesin Pemotong Tempe. *Journal of Mechanical Engineering*, 2(1), 44-53.

- Puddu, A., Sanguineti, R., Montecucco, F., & Viviani, G. L. (2014). Evidence For The Gut Microbiota Short-Chain Fatty Acids As Key Pathophysiological Molecules Improving Diabetes. *Mediators of inflammation*, 2014.
- Purwoko, T.(2004). Kandungan Isoflavon Aglikon Pada Tempe Hasil Fermentasi Rhizopus Microsporus Var. Oligosporus: Pengaruh Perendaman. *BioSMART*, 6(2), 85-87.
- Qin, J., Li, Y., Cai, Z., Li, S., Zhu, J., Zhang, F., & Wang, J. (2012). A metagenome-wide association study of gut microbiota in type 2 diabetes. *Nature*, 490(7418), 55-60.
- Radiati, A., & Sumarto, S. (2015). Analisis sifat fisik, sifat organoleptik, dan kandungan gizi pada produk tempe dari kacang non-kedelai. *Jurnal Aplikasi Teknologi Pangan*, 5(1).
- Radita, R., Suwanto, A., Kurosawa, N., Wahyudi, A. T., & Rusmana, I. (2018). Firmicutes is the predominant bacteria in tempeh. *International Food Research Journal*, 25(6), 2313-2320.
- Ríos-Covián, D., Ruas-Madiedo, P., Margolles, A., Gueimonde, M., De Los Reyes-gavilán, C. G., & Salazar, N. (2016). Intestinal short chain fatty acids and their link with diet and human health. *Frontiers in microbiology*, 7, 185.
- Riskesdas. (2018). Hasil Utama Riset Kesehatan Dasar 2018. *Jakarta: Badan Penelitian dan Pengembangan Kesehatan Kementerian Kesehatan Republik Indonesia*.
- Rizzo, G., & Baroni, L. (2018). Soy, soy foods and their role in vegetarian diets. *Nutrients*, 10(1), 43.
- Sari, A. W. (2016). Pemanfaatan Singkong Pada Masyarakat Di Dusun Krampyang Desa Kalipang Kecamatan Grogol Kabupaten Kediri. *Jurnal Tata Boga*, 5(1).



- Sharma, S. and Tripathi, P. (2019) „Gut microbiome and type 2 diabetes: where we are and where to go?“, *Journal of Nutritional Biochemistry*, 63, pp. 101–108.
- Souisa, G. M., Sidharta, B. R., & Pranata, F. S. (2019). Pengaruh *Acetobacter xylinum* dan Ekstrak Kacang Hijau (*Phaseolus radiatus* L.) terhadap Produksi Nata dari Substrat Limbah Cair Tahu. *Biota: Jurnal Ilmiah Ilmu-Ilmu Hayati*, 11(1), 27-33.
- Stephanie, Ratih, N.K., Soka, S. and Suwanto, A. (2017). Effect of tempeh supplementation on the profiles of human intestinal immune system and gut microbiota. *Microbiology Indonesia*, 11(1), 11-17.
- Subekti, S. (2011). Pengolahan limbah cair tahu menjadi biogas sebagai bahan bakar alternatif. *Prosiding SNST Fakultas Teknik*, 1(1).
- Suwardi, S., Ambarkahi, R. P. Y., Putri, A. A. G., & Putra, D. E. (2019). Pelatihan Dan Pendampingan Agroinovasi Quick Tempeh “Tempe Cepat” Pada Ukm Pengolahan Tempe. *Prosiding*.
- Wang, X., Zhang, Y., Li, Y., Luo, Y. L., Pan, Y. R., Liu, J., & Butler, D. (2021). Alkaline environments benefit microbial K-strategists to efficiently utilize protein substrate and promote valorization of protein waste into short-chain fatty acids. *Chemical Engineering Journal*, 404, 127147.
- Wangko, W. S. (2020). Aspek Fisiologik Short Chain Fatty Acid (SCFA). *Medical Scope Journal*, 2(1).
- Wu, Y., Ding, Y., Tanaka, Y., & Zhang, W. (2014). Risk factors contributing to type 2 diabetes and recent advances in the treatment and prevention. *International journal of medical sciences*, 11(11), 1185.
- Yadav, H., Lee, J. H., Lloyd, J., Walter, P., & Rane, S. G. (2013). Beneficial metabolic effects of a probiotic via butyrate-induced GLP-1 hormone secretion. *Journal of biological chemistry*, 288(35), 25088-25097.



- Yarlina, V. P., & Astuti, D. I. (2021). Karakterisasi kandungan vitamin B12, folat dan isoflavon tempe kedelai dengan isolat murni *Rhizopus oryzae*, *Rhizopus oligosporus*, dan *Rhizopus stolonifer* sebagai bahan pangan fungsional. *Teknologi Pangan: Media Informasi Dan Komunikasi Ilmiah Teknologi Pertanian*, 12(1), 95-105.
- Zhang, Q. e. (2018). Inulin-type fructan improves diabetic phenotype and gut microbiota profiles in rats. 1–24.
- Zhao, C., Yang, C., Wai, S. T. C., Zhang, Y., P. Portillo, M., Paoli, P., ... & Cao, H. (2019). Regulation of glucose metabolism by bioactive phytochemicals for the management of type 2 diabetes mellitus. *Critical Reviews in Food Science and Nutrition*, 59(6), 830-847.
- Zulaikhah, S. T., Wahyuwibowo, J., Suharto, M. N., Enggartiasto, B. H., Ortanto, M. I. R., & Pratama, A. A. (2021). Effect of Tender Coconut Water (TCW) on TNF- $\alpha$ , IL-1 and IL-6 in Streptozotocin (STZ) and Nicotinamid (NA) Induced Diabetic Rats. *Pharmacognosy Journal*, 13(2).