



DAFTAR PUSTAKA

- Agustian, J. & L. Hermida. (2019). Capability of immobilised glucoamylase on mesostructured cellular foam silica to hydrolyse tapioca starch. *IOP Conf. Series: Materials Science and Engineering*, 509, 1-8. <https://doi.org/10.1088/1757-899X/509/1/012058>
- Alamgir, A. N. M. (2018). *Therapeutic Use of Medicinal Plants and their Extracts: Volume 2: Phytochemistry and Bioactive Compounds*. New York: Springer. <https://doi.org/10.1007/978-3-319-92387-1>
- Alqah, H., M. S. Alamri, A. A. Mohamed, S. Hussain, A. A. Qasem, M. A. Ibraheem & I. A. Ababtain. (2020). The effect of germinated sorghum extract on the pasting properties and swelling power of different annealed starches. *Polymers*, 12(7), 1-15. <https://doi.org/10.3390/polym12071602>
- Anwar, S. H., Y. C. Dewi, & N. Safriani. (2021). Karakterisasi sifat fisiko kimia pati ganyong (*Canna edulis Kerr.*) and pati bengkuang (*Pachirrhyzus erosus*) modifikasi. *Jurnal Teknologi & Industri Hasil Pertanian*, 26(1), 25-36.
- Apriyantono, A., D. Fardiaz, N. L. Puspitasari, Sedarnawati, & S. Budiyanto. (1998). *Analisis Pangan*. Bogor: IPB Press.
- Apriyantoro, A. P, B. S. Amanto, & Kiswuri. (2020). Effect of heat moisture treatment (HMT) on physicochemical characteristics of sorghum flour (*sorghum bicolor L. moench*). *IOP Conf. Series: Earth and Environmental Science*, 518, 1-7. <http://dx.doi.org/10.1088/1755-1315/518/1/012067>
- Benavent-Gil, Y. & C. M. Rosell. (2017). Comparison of porous starches obtained from different enzyme types and levels. *Carbohydrate Polymers*, 157, 533-540. <http://dx.doi.org/10.1016/j.carbpol.2016.10.047>
- [BSN] Standar Nasional Indonesia. 2011. SNI 3451:2011. *Tapioka*. Jakarta : Badan Standarisasi Nasional.
- C'aceres, N. C. Y., H. S. Mahecha, A. de Francisco, S. M. V. Mejia, & C. D. Moreno. (2021). Physicochemical, thermal, microstructural and paste properties comparison of four achira (*Canna edulis* sp.) starch ecotypes.



International Journal of Gastronomy and Food Science, 25, 1-10.

<https://doi.org/10.1016/j.ijgfs.2021.100380>

- Carolina, A. & F. N. Ilmi. (2016). Production of Indonesian *Canna edulis* type IV resistant starch through acetylation modification. *International Food Research Journal*, 23(2), 491-497.
- Chen, J., Y. Wang, J. Liu, & X. Xu. (2020). Preparation, characterization, physicochemical property and potential application of porous starch: A review. *International Journal of Biological Macromolecules*, 148, 1169-1181. <https://doi.org/10.1016/j.ijbiomac.2020.02.055>
- Egharevba, H. O. (2019). *Chemical properties of starch and its application in the food industry*. *Chemical Properties of Starch*. UK: Intech Open. <http://dx.doi.org/10.5772/intechopen.87777>
- Gonzalez, A. & Y. Wang. (2020). Enhancing the formation of porous potato starch by combining alpha amylase or glucoamylase digestion with acid hydrolysis. *Starch/Stärke*, 72(7-8), 1-30. <https://doi.org/10.1002/star.201900269>
- Guo, L., J. Li, Y. Gui, Y. Zhu, B. Yu, C. Tan, Y. Fang, & B. Cui. (2020). Porous starches modified with double enzymes: Structure and adsorption properties. *International Journal of Biological Macromolecules*, 164, 1758-1765. <https://doi.org/10.1016/j.ijbiomac.2020.07.323>
- Guo, L., Y. Yuan, J. Li, C. Tan, S. Janaswamy, L. Lu, Y. Fang, & B. Cui. (2021). Comparison of functional properties of porous starches produced with different enzyme combinations. *International Journal of Biological Macromolecules*, 174, 110-119. <https://doi.org/10.1016/j.ijbiomac.2021.01.165>
- Haliza, W., Widayani, Widaningrum & R. Thahir. (2011). Pati ganyong (*Canna edulis* Kerr) termodifikasi hmt: sifat pasta pati dan aplikasi dalam formulasi mi kering. *Jurnal Pascapanen*, 8(2), 47-55.
- Han, X., H. Wen, Y. Luo, J. Yang, W. Xiao, X. Ji, & J. Xie. (2021). ts - amylase and glucoamylase on the characterization and function of maize



porous starches. *Food Hydrocolloids*, 116, 1-8.

<https://doi.org/10.1016/j.foodhyd.2021.106661>

Hasanah, F. & R. F. Hasrini. (2018). Pemanfaatan anyong (*Canna edulis* Kerr) sebagai bahan baku sohun dan analisis kualitasnya. *Journal of Agro-based Industry*, 35(2), 99-105.

Hj. Latip, D. N., H. Samsudin, U. Ultra, & A. K. Alias. (2021). Modification methods toward the production of porous starch: a review. *Critical Reviews in Food Science and Nutrition*, 61, 2841-2862.
<https://doi.org/10.1080/10408398.2020.1789064>

Huang, L., M. Shan, J. Ma, Y. Li, Z. Xu, S. Shao, X. Wang, K. Wang, D. Xiao, F. Lu, & Y. Liu. (2019). Preparation of α-amylase from *Bacillus licheniformis* to enhance its acid-stable performance. *Journal of Agro-based Industry*, 74, 1363-1372. <https://doi.org/10.2478/s11756-019-00262-7>

Jung, Y., B. Lee, & S. Yoo. (2017). Physical structure and absorption properties of tailor-made porous starch granules produced by selected amylolytic enzymes. *Plos One*, 12(7), 1-14.
<https://doi.org/10.1371/journal.pone.0181372>

Kapusniak, K., K. Lubas, M. Wojcik, J. R. Kaczmarek, V. Pavlyuk, K. Kluziak, I. Gonçalves, J. Lopes, M. A. Coimbra, & J. Kapusniak. (2021). Effect of continuous and discontinuous microwave-assisted heating on starch-derived dietary fiber production. *Molecules*, 26(18), 1-17.
<https://doi.org/10.3390/molecules26185619>

Keeratiburana, T., A. R. Hansen, S. Soontaranon, A. Blennow, & A. Tongta. (2020). Porous high amylose rice starch modified by amyloglucosidase and α-amylase. *Carbohydrate Polymers*, 230, 1-8.
<https://doi.org/10.1016/j.carbpol.2019.115611>

Lacerda, L. D., D. C. Leite, R. M. D. Soares & N. P. da Silveira. (2018). Effects of α-amylase, amyloglucosidase, and their mixture on hierarchical porosity of rice starch. *Starch/Stärke*, 70(11-12), 1-7.
<https://doi.org/10.1002/star.201800008>



Lacerda, D. L., D. C. Leite, & N. P. da Silveira. (2019). Relationships between enzymatic hydrolysis conditions and properties of rice porous starches.

Journal of Cereal Science, 89, 1-10.

<https://doi.org/10.1016/j.jcs.2019.102819>

Lan, X., Y. Li, S. Xie, & Z. Wang. (2015). Ultrastructure of underutilized tuber starches and its relationto physicochemical properties. *Food Chemistry*, 188, 632-640. <https://doi.org/10.1016/j.foodchem.2015.05.025>

Liu, L., W. Shen, W. Zhang, F. Li, & Z. Zhu. (2018). *Porous Starch and Its Applications*. Singapore: Springer. https://doi.org/10.1007/978-981-13-1077-5_4

Liu, Y. J. Gao, D. Feng, J. Zhao, Y. Guo, J. Zhao, W. Li & W. Yan. (2020). Modification of structural and physicochemical properties of repeated freeze-thawed cycle maize starch. *International Journal of Food Properties*, 23(1), 1579–1610. <https://doi.org/10.1080/10942912.2020.1817070>

Liu, Q., H. Zhang, h. Dai, P. Zhao, Y. Mao, K. Chen, dan Z. Chen. (2021). Inhibition of starch digestion: The role of hydrophobic domain of both - amylase and substrates. *Food Chemistry*, 341(1), 1-8. <https://doi.org/10.1016/j.foodchem.2020128211>

Longas, F. F. & A. P. Diaz. (2020). Accumulation dynamics and physicochemical variability of starch in cultivars of *Canna edulis* Ker. *Pesquisa Agropecuária Tropical*, 50, 1-10. <https://doi.org/10.1590/1983-40632020v5058827>

Martens, B. M., W. J. J. Gerrits, E. M. A. M. Bruininx, & H. A. Schols. (2018). Amylopectin structure and crystallinity explains variation in digestion kinetics of starches across botanic sources in an in vitro pig model. *Journal of Animal Science and Biotechnology*, 9(91), 1-13. <https://doi.org/10.1186/s40104-018-0303-8>

Martinez-Alejo, J. M., Y. Benavent-Gil, C. M. Rosell, T. Carvajal, dan M. M. MArtinez. 2018. Quantifying the surface properties of enzymatically-made porous starches by using a surface energy analyzer. *Carbohydrate Polymers*. 200: 543-551. <https://doi.org/10.1016/j.carbpol.2018.08.035>



- Ningsih, D. R., Zusfahair, & A. Fatoni. (2013). Hidrolisis pati ganyong (*Canna edulis*) dengan amilase bakteri *flavobacterium* sp. PTBT I untuk produksi bioetanol. *Jurnal Natur Indonesia*, 15(2), 92-98.
- Oftadehgan, S., A. P. Marjani, J. Khalafy, & A. Zamani. (2020). Templated cross-linked nanoporous starch. *South African Journal of Chemistry*, 73, 131-136. <http://dx.doi.org/10.17159/0379-4350/2020/v73a19>
- Oliveira, A. R., A. E. C. Ribeiro, Í. C. Gondim, E. A. Santos, É. R. Oliveira, G. S. M. Coutinho, M. Junior, & M. Caliari. (2021). Isolation and characterization of yam (*Dioscorea alata* L.) starch from Brazil. *LWT*, 149, 111843. doi:10.1016/j.lwt.2021.111843
- Oyeyinka, S. A., R. O. Akinware, A. T. Bankole, P. B. Njobeh, & E. Kayitesi. (2021). Influence of microwave heating and time on functional, pasting and thermal properties of cassava starch. *International Journal of Food Science & Technology*, 56, 215-223 <https://doi.org/10.1111/ijfs.14621>
- Pramasari, D. A., D. Sondari, D. S. Adi, B. A. Widyanigrum, A. Fajar, R. Putri, W. K. Restu, & E. H. Putri. (2020). Karakteristik pati berpori mikro dari tapioka hasil perlakuan amilase sebagai agen penyerapan minyak. *Jurnal Teknologi & Industri Hasil Pertanian*, 25(2), 71-80. <http://dx.doi.org/10.23960/jtihp.v25i2>
- Putri, A. P., T. Octari, N. Annisa, A. Gadri, & H. Aprilia. (2016). Evaluasi fisikokimia pati ganyong (*Canna indica* L) modifikasi esterifikasi dan hidrolisis asam. *Indonesian Journal of Pharmaceutical Science and Technology*, 3(3), 78-82. <https://doi.org/10.15416/ijpst.v3i3.9361>
- Qian, J., Y. Chen, H. Yang, C. Zhao, X. Zhao, & H. Gao. (2020). Preparation and characterization of crosslinked porous starch hemostatic. *International Journal of Biological Macromolecules*, 160, 429–436. <https://doi.org/10.1016/j.ijbiomac.2020.05.189>
- Rina, D. (2017). Ganyong, Si Pulen yang Hampir Terlupakan. kaltim.litbang.pertanian.go.id. Diakses pada tanggal 9 Agustus 2021 pukul 11.00 WIB



- Rodriguez-Garcia, M. E., M. A. H. Landaverde, J. M. Delgado, C. F. R. Gutierrez, M. R. Cardona, B. M. M. Malo, dan S. M. L. restrepo. (2021). Crystalline structures of the main components of starch. *Current Opinion in Food Science*, 37, 107-111. <https://doi.org/10.1016/j.cofs.2020.10.002>
- Santoso, B., F. Pratama, B. Hamzah, & R. Pambayun. (2015). Karakteristik fisik dan kimia pati ganyong dan gadung termodifikasi metode ikatan silang. *AGRITECH*, 35(3), 273-279.
- Silano, V., J. M. B. Baviera, C. Bolognesi, B. J. Bruschweiler, P. S. Cocconcelli, R. Crebelli, D. M. Gott, K. Grob, E. Lampi, A. Mortensen, G. Riviere, I. Steffensen, C. Tlustos, H. V. Loveren, L. Vernis, H. Zorn, K. Jany, B. Glandorf, A. Penninks, D. Zeljezic, M. Andryszkiewicz, D. Arcella, Y. Liu, A. Rossi, K. Engel & A. Chesson. (2019). Safety evaluation of the food enzyme alpha-amylase from non-genetically modified *Aspergillus niger* strain (strain DP-Azb60). *EFSA Journal*, 17(5), 1-14. <https://doi.org/10.2903/j.efsa.2019.5680>
- Smith, M. E. & D.G. Morton. (2010). *The Digestive System: Digestion and Absorption*. UK: Churchill Livingstone. <https://doi.org/10.1016/C2009-0-51554-1>
- Soest, J. J. G. V., H. Tournois, D.D. Wit & J. F. G. Vlijenthart. (1995). Short-range structure in (partially) crystalline potato starch determined with attenuated total reflectance fourier-transform ir spectroscopy. *Carbohydrate Research*, 279, 201-214. [https://doi.org/10.1016/0008-6215\(95\)00270-7](https://doi.org/10.1016/0008-6215(95)00270-7)
- Song, Z., Y. Zhong, W. Tian, C. Zhang, A. R. Hansen, A. Blennow, W. Liang, & D. Guo. (2020). Structure and function of heat-treated -amylase-treated porous popcorn starch. *Food Hydrocolloids*, 108, 1-8. <https://doi.org/10.1016/j.foodhyd.2019.105606>
- Sreenivasulu, N. (2019). *Rice Grain Quality*. New York: Springer. <https://doi.org/10.1007/978-1-4939-8914-0>
- Suryaningtyas, S. M. (2015). Asetilasi pati ganyong (*Canna edulis Kerr.*) dan aplikasinya untuk substitusi gelatin dalam pembuatan permen jelly. Fakultas Teknologi Pertanian. Universitas Gadjah Mada, Yogyakarta.



- Thitipraphunkul K., D. Uttapap, K. Piyachomkwan, & Y. Takeda. (2003). A comparative study of edible canna (*Canna edulis*) starch from different cultivars. Part I. Chemical composition and physicochemical properties. *Carbohydrate Polymers*, 53(3), [https://doi.org/10.1016/S0144-8617\(03\)00081-X](https://doi.org/10.1016/S0144-8617(03)00081-X)
- Tiwari, S. P., R. Srivastava, C. S. Singh, K. Shukla, R. K. Singh, P. Singh, R. Shingh, N. L. Singh & R. Sharma. (2015). Amylases: an overview with specil reference to alpha amylase. *Journal of Global Biosciences*, 4(1), 1886-1901.
- Umam, A. K., M. J. Lin, L. E. Radiati, & S. Y. Peng. (2018). The capability of *Canna edulis* ker starch as carboxymethyl cellulose replacement on yogurt drink during cold storage. *Animal Production*, 20(2), 109-118.
- Wang, H., J. Lv, S. Jiang, B. Niu, M. Pang & S. Jiang. (2016). Preparation and characterization of porous corn starch and its adsorption toward grape seed proanthocyanidins. *Starch*, 68, 1-10. <https://doi.org/10.1002/star.201600009>
- Windarsih, A., Irnawati & A. Rohman. (2020). Application of FTIR-ATR spectroscopy and chemometrics for the detection and quantification of lard oil in bovine milk fat. *Food Research*, 4(5), 1732-1738. [https://doi.org/10.26656/fr.2017.4\(5\).087](https://doi.org/10.26656/fr.2017.4(5).087)
- Xu, F., L. Zhang, W. Liu, Q. Liu, F. Wang, H. Zhang, H. Hu & C. Blecker. (2021). Physicochemical and structural characterization of potato starch with different degrees of gelatinization. *Foods*, 10(1104), 1-15. <https://doi.org/10.3390/foods10051104>
- Zhang, J., Z. W. Wang, & J. A. Yang. (2010). Physicochemical properties of *Canna edulis* ker starch on heat-moisture treatment. *International Journal of Food Properties*, 13, 1266-1279. <https://doi.org/10.1080/10942910903061828>
- Zhang, C., M. Qiu, T. Wang, L. Luo, W. Xu, J. Wu, F. Zhao, K. Liu, Y. Zhang, & X. Wang. 2021. Preparation, structure characterization, and specific gut microbiota properties related to anti-hyperlipidemic action of type 3



resistant starch from Canna edulis. *Food Chemistry*, 351, 1-10.

<https://doi.org/10.1016/j.foodchem.2021.129340>

Zhao, A., L. Yu, M. Yang, C. Wang, M. Wang & X. Bai. (2018). Effects of the combination of freeze-thawing and enzymatic hydrolysis on the microstructure and physicochemical properties of porous corn starch. *Food Hydrocolloids*, 83, 466-472. <https://doi.org/10.1016/j.foodhyd.2018.04.041>