

DAFTAR PUSTAKA

- Al-Agha, M., Abushab, K., Quffa, K., Al-Agha, S., Alajerami, Y., and Tabash, M. (2020). Efficiency of High and Standard b Value Diffusion-Weighted Magnetic Resonance Imaging in Grading of Gliomas. *Journal of Oncology Volume 2020*, 9 pages <https://doi.org/10.1155/2020/6942406>
- Baig, M., Klein, J. and Mechtler, L. (2016). Imaging of brain tumors. *Continuum: Lifelong Learning in Neurology*, 22(5), pp.1529-1552.
- Bosma, I., Vos, M.J., Heimans, J.J., Taphoorn, M.J., Aaronson, N.K., Postma, T.J. *et al.* (2007). The course of neurocognitive functioning in high-grade glioma patients. *Neuro-oncology*, 9(1), pp.53-62.
- Bueger, P.C., Khandji, A.G., Komotar, R.J. (2004) 'Pilomyxoid astrocytoma: A review', *Medscape Health Network*; 6 (4): 42
- Bulakbasi, N., Guvenc, I., Onguru, O., Erdogan, E., Tayfun, C., Ucoz, T. (2004) 'The added value of the apparent diffusion coefficient calculation to magnetic resonance imaging in the differentiation and grading of malignant brain tumors', *Journal of Computer Assisted Tomography*, 28(6), pp. 735-746. doi: 10.1097/00004728-200411000-00003.
- Chishty, I. A., Rafique, M.Z., Hussain, M., Akhtar, W., Ahmed, M.N., Sajjad, Z. *et al.* (2010) 'MRI characterization and histopathological correlation of primary intra-axial brain glioma', *Journal of the Liaquat University of Medical and Health Sciences*, 9(2), pp. 64-69.
- Dahlan, M. S. (2009). Menentukan Besar Sampel. in *Besar Sampel dan Cara Pengambilan Sampel dalam Penelitian Kedokteran dan Kesehatan*. 2nd edn. Jakarta: Salemba Medika, 18-19.
- Dogan, G.M., Sıgırcı, A., Tasolar, S., Cengiz, A., Ulubaba, H.E., Onal, S.C. *et al.* (2020). Do Intratumoral and Peritumoral Apparent Diffusion Coefficient (ADC) Values Have A Role in the Diagnosis of Pediatric Brain Tumors?. *Journal of Dr Behcet Uz Children s Hospital*. January 2020. *Dergisi* 2020;10(3):251-259.
- Dorsey, J.F., Salinas, R.D., Dang, M., Basanta, M.A, Judy, K.D., Maity, A. *et al.* (2019). Cancer of the Central Nervous System. In: *Niederhuber JE, Armitage*
- Ellenbogen, R.G., Abdulrauf, S.I., and Sekhar, L.N. (2012). Low-grade and Highgrade Glioma. In: *Principles of Neurological Surgery. Ed ke3. Elsevier, Philadelphia. Chapter 34. hlm. 527.*

- Elousrouti, L.T., Lamchahab, M., Bougtoub, N., Elfatemi, H., Chbani, L., Taoufik Harmouch, T. *et al.*(2016). Subependymal giant cell astrocytoma (SEGA): a case report and review of the literature. *Journal of Medical Case Report*. 10:35 DOI 10.1186/s13256-016-0818-6
- ElSayed, M.El-S.K.A., El-Toukhy, M.M.B., Asaad, R.E., El-Serafy, O.A. (2019) ‘Diffusion tensor imaging for assessment of normally appearing white matter of the brain and spinal cord in cases of multiple sclerosis: a multi-parametric correlation in view of patient’s clinical status’, *Egyptian Journal of Radiology and Nuclear Medicine*, 50(1). doi: 10.1186/s43055-019-0031-x.
- Ferlay, J., Colombet, M., Soerjomataram, I., Mathers, C., Parkin, D.M., Piñeros, M. *et al*, F. (2019). Estimating the global cancer incidence and mortality in 2018: GLOBOCAN sources and methods. *International Journal of Cancer*, 144(8), pp.1941-1953
- Ferri, F.F. (2009). Brain Neoplasms. In: *Ferri’s Color Atlas and Text of Clinical Medicine*. Chapter 38. Saunders Elsevier, Philadelphi. hlm. 186.
- Galgano, M.A., Padalino, D.J., Fullmer, J, Krishnamurthy, S. February 24, (2016). Hemorrhagic Pilocytic Astrocytomas in Adults: A Case Report and Literature Review. *Cureus* 8(2): e510.
- Geneidi, E. A.SH., Habib, L. A., Chalabi, N.A., Haschim, M. H. (2016) ‘Potential role of quantitative MRI assessment in differentiating high from low-grade gliomas’, *Egyptian Journal of Radiology and Nuclear Medicine*, 47(1), pp. 243–253. doi: 10.1016/j.ejrnm.2015.11.005.
- Houzel, S.H., Dos Santos, S. E. (2018) ‘You Do Not Mess with the Glia’, *Neuroglia*, 1(1), pp. 193–219. doi: 10.3390/neuroglia1010014.
- Johnson, D.R., Guerin, J.B., Giannini, C., Morris, J.M., Eckel, L.J. and Kaufmann, T.J. (2017). 2016 updates to the WHO brain tumor classification system: what the radiologist needs to know. *Radiographics*, 37(7), pp.2164-2180
- Junqueira, L.C, Carneiro, J. (2007). Histologi Dasar Atlas & Teks. In: Jaringan dan Susunan Saraf. Edisi 10. EGC.p.153-181.
- Kabel, A.M., Modais, K., Salim, A., Ahmad,R., Ahmad, A., Alnumari, K.A. (2018). Astrocytoma: Insights into Risk Factors, Pathogenesis, Diagnosis and Management. *Journal of Cancer Research and Treatment*. 6(3).p.73- 70.
- Kesari, S. (2011). Understanding glioblastoma tumor biology: the potential to improve current diagnosis and treatments. In *Seminars in oncology*. WB Saunders. 38.

- Kristiani, E., (2018). Gambaran Klinikopatologik Astrositoma High Grade. *Medicinus*, 4(8):302-312
- Koo, T. K. and Li, M. Y. (2016) ‘A Guideline of Selecting and Reporting Intraclass Correlation Coefficients for Reliability Research’, *Journal of Chiropractic Medicine*, 15(2), pp. 155–163. doi: 10.1016/j.jcm.2016.02.012
- Larjavaara, S., Mäntylä, R., Salminen, T., Haapasalo, H., Raitanen, J., Jääskeläinen, J. (2007). Incidence of gliomas by anatomic location, *Neuro-Oncology*, Volume 9, Issue 3, Pages 319–325.
- Lee, E.J., TerBrugge, K., Mikulis, D., Choi, D.S., Bae, J.M., Lee, S.K. *et al.* (2011) ‘Diagnostic value of peritumoral minimum apparent diffusion coefficient for differentiation of glioblastoma multiforme from solitary metastatic lesions’, *American Journal of Roentgenology*, 196(1), pp. 71–76. doi: 10.2214/AJR.10.4752
- Lee, K.M., Kim, E.J., Jahng, G-H., Park, B.J. (2014) Value of Perfusion Weighted Magnetic Resonance Imaging in the Diagnosis of Supratentorial Anaplastic Astrocytoma, *Journal of Korean Neurosurgical Society*; 56(3): 261-264. DOI: <https://doi.org/10.3340/jkns.2014.56.3.261>.
- Lequin, M. and Hendrikse, J. (2017). Advanced MR imaging in pediatric brain tumors, Clinical Applications. *Neuroimaging Clinics of North America*, 27(1), pp.167-190.
- Louis, D.N., Perry, A., Reifenberger, G., von Deimling, A., Figarella-Branger, D., Cavenee, W.K. *et al* (2016). The 2016 World Health Organization classification of tumors of the central nervous system: a summary. *Acta neuropathologica*, 131(6), pp.803- 820.
- Mukherjee, R., Das, T.K., Roy, K., Mukherjee, J. (2016). Current Understanding of Epidemiology, Genetic Etiology and Treatment of Gliomas from Indian Population. 5(2)p.4-1.
- Murakami, R., Hirai, T., Sugahara, T., Fukuoka, H., Toya, R., Nishimura, S. *et al.* (2009) ‘Grading astrocytic tumors by using apparent diffusion coefficient parameters: Superiority of a one- versus two-parameter pilot method’, *Radiology*, 251(3), pp. 838–845. doi: 10.1148/radiol.2513080899.
- Nabors, L.B. (2016). Central nervous system: notable developments in the management of primary and recurrent gliomas. *Journal of the National Comprehensive Cancer Network*, 14(5S), pp.681-684.
- Noorhadi, M. I., Supriatna, Y., Dwidanarti, S.R., Marchira, C.R., Utomo, B.P. (2019) ‘The Accuracy of Diffusion Weighted Imaging And Apparent Diffusion Coefficient Value On Peritumoral Edema In Determining The Degree Of Malignancy Of Astrocytoma, Faculty of Medicine, Public Health, and Nursing, Gadjah Mada University.

- Ono, Y., Chernov, M.F., Muragaki, Y., Maruyama, T., Abe, K. and Iseki, H. (2018). Imaging of intracranial gliomas. In *Intracranial Gliomas Part I-Surgery*. Karger Publishers. Vol. 30, pp. 12-62.
- Osborn, A.G., Salzman, K.L., Anderson, J.S., Toga, A.W., Law, M., Ross, J.S. *et al.* (2020) *Imaging Anatomy Brain and Spine*. Edited by Elsevier. Canada: Elsevier Inc.
- Ostrom, Q.T., Gittleman, H., Truitt, G., Boscia, A., Kruchko, C., Barnholtz-Sloan, J.S. (2018) 'CBTRUS statistical report: Primary brain and other central nervous system tumors diagnosed in the United States in 2011-2015', *Neuro-Oncology*, 20, pp. iv1–iv86. doi: 10.1093/neuonc/noy131.
- Panyaping, T., Taebunpakul, P., and Tritanon, O. (2020) 'Accuracy of apparent diffusion coefficient values and magnetic resonance imaging in differentiating suprasellar germinomas from chiasmatic/hypothalamic gliomas', *Neuroradiology Journal*, 33(3), pp. 201–209. doi: 10.1177/1971400920912656.
- Porto, L., Jurcoane, A., Schwabe, D., Kieslich, M., Hattingen, E. (2013) 'Differentiation between high and low grade tumours in paediatric patients by using apparent diffusion coefficients', *European Journal of Paediatric Neurology*, 17(3), pp. 302–307. doi: 10.1016/j.ejpn.2012.12.002.
- Qin, J-B., Zhang, H., Wang, X-C., Tan, Y., Wu, X-F. (2019) 'Combination value of diffusion-weighted imaging and dynamic.pdf', *Oncology Letters* 18: 2763-2770.
- Rees, J.H., Smirniotopoulos, J.G., Jones, R.V. and Wong, K., (1996). Glioblastoma multiforme: radiologic-pathologic correlation. *Radiographics*, 16(6), pp.1413-1438
- Sarkar, A., and Chiocca, E.A. (2012) 'Glioblastoma and Malignant Astrocytoma', *Brain Tumors*, pp. 384–407. doi: 10.1016/B978-0-443-06967-3.00021-1.
- Sastroasmoro, S., Ismael, S., (2011) *Dasar-dasar Metodologi Penelitian Klinis*. Edisi ke-4. Edited by Sagung seto. Jakarta: Sagung Seto.
- Shakal, A.A.S. and Mokbel, E.A.H. (2014). Hemorrhage after stereotactic biopsy from intra-axial brain lesions: incidence and avoidance. *Journal of Neurological Surgery Part A: Central European Neurosurgery*, 75(03), pp.177-182.
- Shaikh, N., Brahmabhatt, N., and Lukas, R.V., Kruser, T.J., Kam, K.L., Appin, C.L. *et al.* (2019). Pleomorphic xanthoastrocytoma: a brief review. *CNS Oncology*, 8(3), DOI 10.2217/cns-2019-0000.

- Shukla, G., Alexander, G.S., Bakas, S., Nikam, R., Talekar, K., Palmer, J.D. *et al.* (2017) 'Advanced magnetic resonance imaging in glioblastoma: A review', *Chinese Clinical Oncology*, 6(4), pp. 1–12. doi: 10.21037/cco.2017.06.28.
- Sun, S., Zhou, H., Ding, Z. Z., Shi, H. (2018) 'Cerebellar pilocytic astrocytomas with spontaneous intratumoral hemorrhage in the elderly A case report and review of the literature', *Medicine (United States)*, 97(31). doi: 10.1097/MD.00000000000011329.
- Wang, X., Mack, S.C., Taylor, M.D. (2016). Genetics of pediatric brain tumors. In: Win HR, Editor. Youman & Winn *Neurological surgery*. Seventh edition. Philadelphia: Elsevier..1651-3
- Waugh, A., Grant A. (2004). Anatomy and physiology in Health and Illnes. In: The *Nervous System. Ninth Edition*. Churcill Living Stone; Elsevier.p. 139-190.
- Winn, H.R. (2017). Low-grade Glioma. In: Youmans & Winn *Neurological Surgery*. Ed ke7. Elsevier, New York. hlm. 4396.
- Xiao, H-F., Chen, Z-Y., Lou, X., Wang, Y-L., Gui, Q-P., Wang, Y. *et al.* (2015) 'Astrocytic tumour grading: a comparative study of three-dimensional pseudocontinuous arterial spin labelling, dynamic susceptibility contrast-enhanced perfusion-weighted imaging, and diffusion-weighted imaging', *European Radiology*, 25(12), pp. 3423–3430. doi: 10.1007/s00330-015-3768-2.
- Zhang, L., Min, Z., Tang, M., Chen, S., Lei, X. and Zhang, X. (2017). The utility of diffusion MRI with quantitative ADC measurements for differentiating high-grade from low-grade cerebral gliomas: evidence from a meta- analysis. *Journal of the Neurological Sciences*, Volume 373, pp.09-15.
- Zhang, J. (2019) 'Secrets of the Brain: An Introduction to the Brain Anatomical Structure and Biological Function', pp. 1–34. Available at: <http://arxiv.org/abs/1906.03314>.
- Zulfiqar, M., Yousem, D. M. and Lai, H. (2013) 'ADC values and prognosis of malignant astrocytomas: Does lower ADC predict a worse prognosis independent of grade of tumor?-a meta-analysis', *American Journal of Roentgenology*, 200(3), pp. 624–629. doi: 10.2214/AJR.12.8679.