

DAFTAR PUSTAKA

Acar, H. C., Can, G., Karaali, R., Börekçi, Ş., Balkan, İ. İ., Gemicioğlu, B., Konukoğlu, D., Erginöz, E., Erdoğan, M. S. and Tabak, F. (2021) 'An easy-to-use nomogram for predicting in-hospital mortality risk in COVID-19: a retrospective cohort study in a university hospital', *BMC Infectious Diseases*, 21(1), p. 148. doi: 10.1186/s12879-021-05845-x.

Agarwal, N., Biswas, B., Singh, C., Nair, R., Mounica, G., H, H., Jha, A. R. and Das, K. M. (2021) 'Early Determinants of Length of Hospital Stay: A Case Control Survival Analysis among COVID-19 Patients admitted in a Tertiary Healthcare Facility of East India', *Journal of Primary Care & Community Health*, 12, p. 215013272110542. doi: 10.1177/21501327211054281.

Ali, A., Noman, M., Guo, Y., Liu, X., Zhang, R., Zhou, J., Zheng, Y., Zhang, X.-E., Qi, Y., Chen, X. and Men, D. (2021) 'Myoglobin and C-reactive protein are efficient and reliable early predictors of COVID-19 associated mortality', *Scientific Reports*, 11(1), p. 5975. doi: 10.1038/s41598-021-85426-9.

Atmaja, K. S., Wicaksana, A. A. G. O. S., Putra, I. W. A. S. and Putra, W. W. S. (2020) 'Hubungan konsentrasi serum C-Reactive Protein dan D-dimer dengan derajat keparahan dan mortalitas pasien COVID-19', *Intisari Sains Medis*, p. 6.

Blanco-Melo, D., Nilsson-Payant, B. E., Liu, W.-C., Uhl, S., Hoagland, D., Møller, R., Jordan, T. X., Oishi, K., Panis, M., Sachs, D., Wang, T. T., Schwartz, R. E., Lim, J. K., Albrecht, R. A. and tenOever, B. R. (2020) 'Imbalanced Host Response to SARS-CoV-2 Drives Development of COVID-19', *Cell*, 181(5), pp. 1036-1045.e9. doi: 10.1016/j.cell.2020.04.026.

Channappanavar, R. and Perlman, S. (2017) 'Pathogenic human coronavirus infections: causes and consequences of cytokine storm and immunopathology', *Seminars in Immunopathology*, 39(5), pp. 529–539. doi: 10.1007/s00281-017-0629-x.

Chen, F.-J., Li, F.-R., Zheng, J.-Z., Zhou, R., Liu, H.-M., Wu, K.-Y., Zhang, B., Dong, H., Lu, J.-Y., Lei, C.-L. and Wu, X.-B. (2021) 'Factors associated with duration of hospital stay and complications in patients with COVID-19', *Journal of Public Health and Emergency*, 5, pp. 6–6. doi: 10.21037/jphe-20-74.

Chen, W., Zheng, K. I., Liu, S., Yan, Z., Xu, C. and Qiao, Z. (2020) 'Plasma CRP level is positively associated with the severity of COVID-19', *Annals of Clinical Microbiology and Antimicrobials*, 19(1), p. 18. doi: 10.1186/s12941-020-00362-2.

Chen, Y., Liu, Q. and Guo, D. (2020) 'Emerging coronaviruses: Genome structure, replication, and pathogenesis', *Journal of Medical Virology*, 92(4), pp. 418–423. doi: 10.1002/jmv.25681.

Drain, P. K., Kupka, R., Msamanga, G. I., Urassa, W., Mugusi, F. and Fawzi, W. W. (2007) 'C-reactive protein independently predicts HIV-related outcomes among women and children in a resource-poor setting', *AIDS*, 21(15), pp. 2067–2075. doi: 10.1097/QAD.0b013e32826fb6c7.

Farooqi, F., Dhawan, N., Morgan, R., Dinh, J., Nedd, K. and Yatzkan, G. (2020) 'Treatment of Severe COVID-19 with Tocilizumab Mitigates Cytokine Storm and Averts Mechanical Ventilation during Acute Respiratory Distress: A Case Report and Literature Review', *Tropical Medicine and Infectious Disease*, 5(3), p. 112. doi: 10.3390/tropicalmed5030112.

Fatima, S. H., Viquar, U., Ahmed, T. and Kazmi, M. H. (2020) 'The possible immunopathogenesis of SARS-Cov-2 Infection - A review of immune changes in patients with COVID-19', *Indian Journal of Pathology and Oncology*, 7(4), pp. 519–526. doi: 10.18231/j.ijpo.2020.105.

Gao, R., Wang, L., Bai, T., Zhang, Y., Bo, H. and Shu, Y. (2017) 'C-Reactive Protein Mediating Immunopathological Lesions: A Potential Treatment Option for Severe Influenza A Diseases', *EBioMedicine*, 22, pp. 133–142. doi: 10.1016/j.ebiom.2017.07.010.

Grasselli, G., Tonetti, T., Protti, A., Langer, T., Girardis, M., Bellani, G., Laffey, J., Carrafiello, G., Carsana, L., Rizzuto, C., Zanella, A., Scaravilli, V., Pizzilli, G., Grieco, D. L., Di Meglio, L., de Pascale, G., Lanza, E., Monteduro, F., Zompatori, M., Filippini, C., Locatelli, F., Cecconi, M., Fumagalli, R., Nava, S., Vincent, J.-L., Antonelli, M., Slutsky, A. S., Pesenti, A., Ranieri, V. M., Lissoni, A., Rossi, N., Guzzardella, A., Valsecchi, C., Madotto, F., Bevilacqua, F., Di Laudo, M., Querci, L. and Seccafico, C. (2020) 'Pathophysiology of COVID-19-associated acute respiratory distress syndrome: a multicentre prospective observational study', *The Lancet Respiratory Medicine*, p. S2213260020303702. doi: 10.1016/S2213-2600(20)30370-2.

Guan, W., Ni, Z., Hu, Y., Liang, W., Ou, C., He, J., Liu, L., Shan, H., Lei, C., Hui, D. S. C., Du, B., Li, L., Zeng, G., Yuen, K.-Y., Chen, R., Tang, C., Wang, T., Chen, P., Xiang, J., Li, S., Wang, J., Liang, Z., Peng, Y., Wei, L., Liu, Y., Hu, Y., Peng, P., Wang, J., Liu, J., Chen, Z., Li, G., Zheng, Z., Qiu, S., Luo, J., Ye, C., Zhu, S. and Zhong, N. (2020) 'Clinical Characteristics of Coronavirus Disease 2019 in China', *New England Journal of Medicine*, 382(18), pp. 1708–1720. doi: 10.1056/NEJMoa2002032.

Guo, A., Lu, J., Tan, H., Kuang, Z., Luo, Y., Yang, T., Xu, J., Yu, J., Wen, C. and Shen, A. (2021) 'Risk factors on admission associated with hospital length of stay in patients with COVID-19: a retrospective cohort study', *Scientific Reports*, 11(1), p. 7310. doi: 10.1038/s41598-021-86853-4.

Harapan, H., Itoh, N., Yufika, A., Winardi, W., Keam, S., Te, H., Megawati, D., Hayati, Z., Wagner, A. L. and Mudatsir, M. (2020) 'Coronavirus disease 2019

(COVID-19): A literature review', *Journal of Infection and Public Health*, 13(5), pp. 667–673. doi: 10.1016/j.jiph.2020.03.019.

Harrison, A. G., Lin, T. and Wang, P. (2020) 'Mechanisms of SARS-CoV-2 Transmission and Pathogenesis', *Trends in Immunology*, 41(12), pp. 1100–1115. doi: 10.1016/j.it.2020.10.004.

Hou, W., Zhang, W., Jin, R., Liang, L., Xu, B. and Hu, Z. (2020) 'Risk factors for disease progression in hospitalized patients with COVID-19: a retrospective cohort study', *Infectious Diseases*, 52(7), pp. 498–505. doi: 10.1080/23744235.2020.1759817.

Huang, C., Wang, Y., Li, X., Ren, L., Zhao, J., Hu, Y., Zhang, L., Fan, G., Xu, J., Gu, X., Cheng, Z., Yu, T., Xia, J., Wei, Y., Wu, W., Xie, X., Yin, W., Li, H., Liu, M., Xiao, Y., Gao, H., Guo, L., Xie, J., Wang, G., Jiang, R., Gao, Z., Jin, Q., Wang, J. and Cao, B. (2020) 'Clinical features of patients infected with 2019 novel coronavirus in Wuhan, China', *The Lancet*, 395(10223), pp. 497–506. doi: 10.1016/S0140-6736(20)30183-5.

In, J. and Lee, D. K. (2018) 'Survival analysis: Part I — analysis of time-to-event', *Korean Journal of Anesthesiology*, 71(3), pp. 182–191. doi: 10.4097/kja.d.18.00067.

Kemenkes (2019) *Pedoman Pencegahan dan Pengendalian Covid-19 Revisi 5, Kementerian Kesehatan Republik Indonesia*. doi: 10.33654/math.v4i0.299.

Kemenkes (2020) 'Kementerian Kesehatan RI', *Info Infeksi Emerging Kementerian Kesehatan RI*, 8 July. Available at: <https://covid19.kemkes.go.id/category/situasi-infeksi-emerging/info-corona-virus/> (Accessed: 8 July 2020).

Kompaniyets, L., Goodman, A. B., Belay, B., Freedman, D. S., Sucusky, M. S., Lange, S. J., Gundlapalli, A. V., Boehmer, T. K. and Blanck, H. M. (2021) 'Body Mass Index and Risk for COVID-19–Related Hospitalization, Intensive Care Unit Admission, Invasive Mechanical Ventilation, and Death — United States, March–December 2020', *MMWR. Morbidity and Mortality Weekly Report*, 70(10), pp. 355–361. doi: 10.15585/mmwr.mm7010e4.

Landry, A., Frcpc, P. D., Frcpc, S. O. and Cartier, L. J. (2017) 'Causes and outcomes of markedly elevated C-reactive protein levels', p. 8.

Liu, F., Li, L., Xu, M., Wu, J., Luo, D., Zhu, Y., Li, B., Song, X. and Zhou, X. (2020) 'Prognostic value of interleukin-6, C-reactive protein, and procalcitonin in patients with COVID-19', *Journal of Clinical Virology*, 127, p. 104370. doi: 10.1016/j.jcv.2020.104370.

Liu, J., Liu, Y., Xiang, P., Pu, L., Xiong, H., Li, C., Zhang, M., Tan, J., Xu, Y., Song, R., Song, M., Wang, L., Zhang, W., Han, B., Yang, L., Wang, X., Zhou, G.,

Zhang, T., Li, B., Wang, Y., Chen, Z. and Wang, X. (2020) *Neutrophil-to-Lymphocyte Ratio Predicts Severe Illness Patients with 2019 Novel Coronavirus in the Early Stage*. preprint. Infectious Diseases (except HIV/AIDS). doi: 10.1101/2020.02.10.20021584.

Liu, X., Lv, J., Gan, L., Zhang, Y., Sun, F., Meng, B., Jheon, A., Yan, F., Li, B., Xuan, Z., Ma, X. and Wulasihana, M. (2020) ‘Comparative analysis of clinical characteristics, imaging and laboratory findings of different age groups with COVID-19’, *Indian Journal of Medical Microbiology*, 38(1), p. 87. doi: 10.4103/ijmm.IJMM_20_133.

Luan, Y., Yin, C. and Yao, Y. (2021) ‘Update Advances on C-Reactive Protein in COVID-19 and Other Viral Infections’, *Frontiers in Immunology*, 12, p. 720363. doi: 10.3389/fimmu.2021.720363.

Lubell, Y., Blacksell, S. D., Dunachie, S., Tanganuchitcharnchai, A., Althaus, T., Watthanaworawit, W., Paris, D. H., Mayxay, M., Peto, T. J., Dondorp, A. M., White, N. J., Day, N. P. J., Nosten, F., Newton, P. N. and Turner, P. (2015) ‘Performance of C-reactive protein and procalcitonin to distinguish viral from bacterial and malarial causes of fever in Southeast Asia’, *BMC Infectious Diseases*, 15(1), p. 511. doi: 10.1186/s12879-015-1272-6.

Luna, C. M. (2004) ‘C-Reactive Protein in Pneumonia’, *Chest*, 125(4), pp. 1192–1195. doi: 10.1378/chest.125.4.1192.

Luo, X., Zhou, W., Yan, X., Guo, T., Wang, B., Xia, H., Ye, L., Xiong, J., Jiang, Z., Liu, Y., Zhang, B. and Yang, W. (2020) *Prognostic value of C-reactive protein in patients with COVID-19*. preprint. Infectious Diseases (except HIV/AIDS). doi: 10.1101/2020.03.21.20040360.

Maguire, D., Woods, M., Richards, C., Dolan, R., Veitch, J. W., Sim, W. M. J., Kemmett, O. E. H., Milton, D. C., Randall, S. L. W., Bui, L. D., Goldmann, N., Cameron, A., Laird, B., Talwar, D., Godber, I., Davidson, A. and McMillan, D. C. (2020) ‘Prognostic factors in patients admitted to an urban teaching hospital with COVID-19 infection’, *Journal of Translational Medicine*, 18(1), p. 354. doi: 10.1186/s12967-020-02524-4.

Martin, J. B. and Badeaux, J. E. (2017) ‘Interpreting Laboratory Tests in Infection’, *Critical Care Nursing Clinics of North America*, 29(1), pp. 119–130. doi: 10.1016/j.cnc.2016.09.004.

Melnikov, I. S., Kozlov, S. G., Saburova, O. S., Avtaeva, Y. N., Prokofieva, L. V. and Gabbasov, Z. A. (2020) ‘Current Position on the Role of Monomeric C-reactive Protein in Vascular Pathology and Atherothrombosis’, *Current Pharmaceutical Design*, 26(1), pp. 37–43. doi: 10.2174/1381612825666191216144055.

Mosquera-Sulbaran, J. A., Pedreañez, A., Carrero, Y. and Callejas, D. (2021) 'C-reactive protein as an effector molecule in Covid-19 pathogenesis', *Reviews in Medical Virology*, 31(6). doi: 10.1002/rmv.2221.

Olivas-Martínez, A., Cárdenas-Fragoso, J. L., Jiménez, J. V., Lozano-Cruz, O. A., Ortiz-Brizuela, E., Tovar-Méndez, V. H., Medrano-Borromeo, C., Martínez-Valenzuela, A., Román-Montes, C. M., Martínez-Guerra, B., González-Lara, M. F., Hernandez-Gilsoul, T., Herrero, A. G., Tamez-Flores, K. M., Ochoa-Hein, E., Ponce-de-León, A., Galindo-Fraga, A., Kershenobich-Stalnikowitz, D. and Sifuentes-Osornio, J. (2021) 'In-hospital mortality from severe COVID-19 in a tertiary care center in Mexico City; causes of death, risk factors and the impact of hospital saturation', *PLOS ONE*. Edited by C. Lazzeri, 16(2), p. e0245772. doi: 10.1371/journal.pone.0245772.

Pasin, L., Cavalli, G., Navalesi, P., Sella, N., Landoni, G., Yavorovskiy, A. G., Likhvantsev, V. V., Zangrillo, A., Dagna, L. and Monti, G. (2021) 'Anakinra for patients with COVID-19: a meta-analysis of non-randomized cohort studies.', *European Journal of Internal Medicine*, p. S0953620521000169. doi: 10.1016/j.ejim.2021.01.016.

Pepys, M. B. and Hirschfield, G. M. (2003) 'C-reactive protein: a critical update', *Journal of Clinical Investigation*, 111(12), pp. 1805–1812. doi: 10.1172/JCI200318921.

Poggiali, E., Zaino, D., Immovilli, P., Rovero, L., Losi, G., Dacrema, A., Nuccetelli, M., Vadacca, G. B., Guidetti, D., Vercelli, A., Magnacavallo, A., Bernardini, S. and Terracciano, C. (2020) 'Lactate dehydrogenase and C-reactive protein as predictors of respiratory failure in CoVID-19 patients', *Clinica Chimica Acta*, 509, pp. 135–138. doi: 10.1016/j.cca.2020.06.012.

Potempa, L. A., Rajab, I. M., Hart, P. C., Bordon, J. and Fernandez-Botran, R. (2020) 'Insights into the Use of C-Reactive Protein as a Diagnostic Index of Disease Severity in COVID-19 Infections', *The American Journal of Tropical Medicine and Hygiene*, 103(2), pp. 561–563. doi: 10.4269/ajtmh.20-0473.

Rai, D., Ranjan, A., H, A. and Pandey, S. (2021) 'Clinical and Laboratory Predictors of Mortality in COVID-19 Infection: A Retrospective Observational Study in a Tertiary Care Hospital of Eastern India', *Cureus*. doi: 10.7759/cureus.17660.

Rajpal, A., Rahimi, L. and Ismail-Beigi, F. (2020) 'Factors leading to high morbidity and mortality of COVID -19 in patients with type 2 diabetes', *Journal of Diabetes*, 12(12), pp. 895–908. doi: 10.1111/1753-0407.13085.

Riedel, S. (2012) 'Procalcitonin and the role of biomarkers in the diagnosis and management of sepsis', *Diagnostic Microbiology and Infectious Disease*, 73(3), pp. 221–227. doi: 10.1016/j.diagmicrobio.2012.05.002.

Risitano, A. M., Mastellos, D. C., Huber-Lang, M., Yancopoulou, D., Garlanda, C., Ciceri, F. and Lambris, J. D. (2020) ‘Complement as a target in COVID-19?’, *Nature Reviews Immunology*, 20(6), pp. 343–344. doi: 10.1038/s41577-020-0320-7.

Ruan, Q., Yang, K., Wang, W., Jiang, L. and Song, J. (2020) ‘Clinical predictors of mortality due to COVID-19 based on an analysis of data of 150 patients from Wuhan, China’, *Intensive Care Medicine*, 46(5), pp. 846–848. doi: 10.1007/s00134-020-05991-x.

Sastroasmoro, S. and Ismael, S. (2014) *Dasar-dasar metodologi penelitian klinis/ Prof. dr. Sudigdo Sastroasmoro, Prof. dr. Sofyan Ismael*. Available at: <https://opac.perpusnas.go.id/DetailOpac.aspx?id=1111569> (Accessed: 7 February 2022).

Schwedler, S. B., Filep, J. G., Galle, J., Wanner, C. and Potempa, L. A. (2006) ‘C-Reactive Protein: A Family of Proteins to Regulate Cardiovascular Function’, p. 11.

Shao, L., Li, X., Zhou, Y., Yu, Y., Liu, Y., Liu, M., Zhang, R., Zhang, H., Wang, X. and Zhou, F. (2020) ‘Novel Insights Into Illness Progression and Risk Profiles for Mortality in Non-survivors of COVID-19’, *Frontiers in Medicine*, 7, p. 246. doi: 10.3389/fmed.2020.00246.

Sharifpour, M., Rangaraju, S., Liu, M., Alabyad, D., Nahab, F. B., Creel-Bulos, C. M., Jabaley, C. S., and on behalf of the Emory COVID-19 Quality & Clinical Research Collaborative (2020) ‘C-Reactive protein as a prognostic indicator in hospitalized patients with COVID-19’, *PLOS ONE*. Edited by S. Loukides, 15(11), p. e0242400. doi: 10.1371/journal.pone.0242400.

Smilowitz, N. R., Kunichoff, D., Garshick, M., Shah, B., Pillinger, M., Hochman, J. S. and Berger, J. S. (2021) ‘C-reactive protein and clinical outcomes in patients with COVID-19’, *European Heart Journal*, 42(23), pp. 2270–2279. doi: 10.1093/eurheartj/ehaa1103.

Song, C.-Y., Xu, J., He, J.-Q. and Lu, Y.-Q. (2020) *COVID-19 early warning score: a multi-parameter screening tool to identify highly suspected patients*. preprint. Infectious Diseases (except HIV/AIDS). doi: 10.1101/2020.03.05.20031906.

Soraya, G. V. and Ulhaq, Z. S. (2020) ‘CRUCIAL LABORATORY PARAMETERS IN COVID-19 DIAGNOSIS AND PROGNOSIS: AN UPDATED META-ANALYSIS’, p. 20.

Sproston, N. R. and Ashworth, J. J. (2018) ‘Role of C-Reactive Protein at Sites of Inflammation and Infection’, *Frontiers in Immunology*, 9, p. 754. doi: 10.3389/fimmu.2018.00754.

Susilo, A., Rumende, C. M., Pitoyo, C. W., Santoso, W. D., Yulianti, M., Herikurniawan, H., Sinto, R., Singh, G., Nainggolan, L., Nelwan, E. J., Chen, L. K., Widhani, A., Wijaya, E., Wicaksana, B., Maksum, M., Annisa, F., Jasirwan, C. O. M. and Yuniastuti, E. (2020) 'Coronavirus Disease 2019: Tinjauan Literatur Terkini', *Jurnal Penyakit Dalam Indonesia*, 7(1), p. 45. doi: 10.7454/jpdi.v7i1.415.

Thiem, U., Niklaus, D., Sehlhoff, B., Stuckle, C., Heppner, H. J., Endres, H. G. and Pientka, L. (2009) 'C-reactive protein, severity of pneumonia and mortality in elderly, hospitalised patients with community-acquired pneumonia', *Age and Ageing*, 38(6), pp. 693–697. doi: 10.1093/ageing/afp164.

Tian, R., Wu, W., Wang, C., Pang, H., Zhang, Z., Xu, H., Luo, Q., Gao, P., Shi, J., Li, W., Qian, H., Guo, F., Li, T., Liu, Z., Wang, J., Zhou, X., Qin, Y., Yan, X. and Zhang, S. (2020) 'Clinical characteristics and survival analysis in critical and non-critical patients with COVID-19 in Wuhan, China: a single-center retrospective case control study', *Scientific Reports*, 10(1), p. 17524. doi: 10.1038/s41598-020-74465-3.

Vasileva, D. and Badawi, A. (2019) 'C-reactive protein as a biomarker of severe H1N1 influenza', *Inflammation Research*, 68(1), pp. 39–46. doi: 10.1007/s00011-018-1188-x.

WHO (2020) *Clinical management of COVID-19*. Available at: <https://www.who.int/publications-detail-redirect/clinical-management-of-covid-19> (Accessed: 1 November 2020).

WHO (2020) *Coronavirus Disease (COVID-19) Situation Reports*. Available at: <https://www.who.int/emergencies/diseases/novel-coronavirus-2019/situation-reports> (Accessed: 1 November 2020).

WHO (2020) *Laboratory testing for 2019 novel coronavirus (2019-nCoV) in suspected human cases*. Available at: <https://www.who.int/publications-detail-redirect/10665-331501> (Accessed: 1 November 2020).

Wiersinga, W. J., Rhodes, A., Cheng, A. C., Peacock, S. J. and Prescott, H. C. (2020) 'Pathophysiology, Transmission, Diagnosis, and Treatment of Coronavirus Disease 2019 (COVID-19): A Review', *JAMA*, 324(8), p. 782. doi: 10.1001/jama.2020.12839.

Wu, J., Jin, Y., Li, H., Xie, Z., Li, J., Ao, Y. and Duan, Z. (2015) 'Evaluation and significance of C-reactive protein in the clinical diagnosis of severe pneumonia', *Experimental and Therapeutic Medicine*, 10(1), pp. 175–180. doi: 10.3892/etm.2015.2491.

Wu, W., Shi, D., Fang, D., Guo, F., Guo, J., Huang, F., Chen, Y., Lv, L. and Li, L. (2016) 'A new perspective on C-reactive protein in H7N9 infections', *International Journal of Infectious Diseases*, 44, pp. 31–36. doi: 10.1016/j.ijid.2016.01.009.

Yang, A.-P., Liu, J., Tao, W. and Li, H. (2020) 'The diagnostic and predictive role of NLR, d-NLR and PLR in COVID-19 patients', *International Immunopharmacology*, 84, p. 106504. doi: 10.1016/j.intimp.2020.106504.

Yeo, C., Kaushal, S. and Yeo, D. (2020) 'Enteric involvement of coronaviruses: is faecal–oral transmission of SARS-CoV-2 possible?', *The Lancet Gastroenterology & Hepatology*, 5(4), pp. 335–337. doi: 10.1016/S2468-1253(20)30048-0.

Yogyakarta Tanggap COVID19 (2020) *Yogyakarta Tanggap COVID-19, Informasi Covid-19 Daerah Istimewa Yogyakarta*. Available at: <https://corona.jogjapro.go.id/data-statistik> (Accessed: 8 July 2020).

Yoon, C., Chaisson, L. H., Patel, S. M., Drain, P. K., Wilson, D. and Cattamanchi, A. (2018) 'Diagnostic accuracy of C-reactive protein for active pulmonary tuberculosis: a systematic review and meta-analysis', p. 17.

Youssef, H. A., Nasseh, Sh., Hafiz, H. A. and Gawesh, A. (2013) 'Evaluation of diagnostic and prognostic value of high sensitivity C reactive protein (Hs-CRP) in community acquired pneumonia', *Egyptian Journal of Chest Diseases and Tuberculosis*, 62(2), pp. 301–304. doi: 10.1016/j.ejcdt.2013.05.011.

Yustinawati, R. and Achadi, A. (2020) 'Risk Factors for Mortality in Patients with Covid-19: A Systematic Review', in *Childhood Stunting, Wasting, and Obesity, as the Critical Global Health Issues: Forging Cross-Sectoral Solutions. The 7th International Conference on Public Health 2020*, Masters Program in Public Health, Universitas Sebelas Maret. doi: 10.26911/the7thicph.01.26.

Zhang, J., Yu, M., Tong, S., Liu, L.-Y. and Tang, L.-V. (2020) 'Predictive factors for disease progression in hospitalized patients with coronavirus disease 2019 in Wuhan, China', *Journal of Clinical Virology*, 127, p. 104392. doi: 10.1016/j.jcv.2020.104392.

Zhao, X., Zhang, B., Li, P., Ma, C., Gu, J., Hou, P., Guo, Z., Wu, H. and Bai, Y. (2020) *Incidence, clinical characteristics and prognostic factor of patients with COVID-19: a systematic review and meta-analysis*. preprint. Infectious Diseases (except HIV/AIDS). doi: 10.1101/2020.03.17.20037572.

Zimmerman, O., Rogowski, O., Aviram, G., Mizrahi, M., Zeltser, D., Justo, D., Dahan, E., Arad, R., Touvia, O., Tau, L., Tarabeia, J., Berliner, S. and Paran, Y. (2010) 'C-reactive protein serum levels as an early predictor of outcome in patients with pandemic H1N1 influenza A virus infection', *BMC Infectious Diseases*, 10(1), p. 288. doi: 10.1186/1471-2334-10-288.