



## DAFTAR PUSTAKA

- Akhtar, M., Arshad, M., Bakkar, A., Raza, M., Chaudhary, M. I., Iram, N., Akhtar, N., & Mahmood, T. (2013). Repellent Effects of Certain Plant Extracts Against Rice Weevil, *Sitophilus Oryzae L.* (Coleoptera: Curculionidae). *Int. J. Agric. Appl. Sci.*, 5(1).
- Anh, T. T., Duyen, L. T., Hang, L. M., Lam, T. D., Bach, L. G., Nguyen, D. C., & Toan, T. Q. (2019). Effect of drying temperature and storage time on *Ocimum gratissimum* Linn. leaf essential oil from Central Highlands, Vietnam. *Materials Today: Proceedings*, 18, 4648–4658. <https://doi.org/10.1016/j.matpr.2019.07.449>
- Arsa, A. K., & Achmad, Z. (2020). Ekstraksi Minyak Atsiri dari Rimpang Temu Ireng (*Curcuma aeruginosa Roxb*) Dengan Pelarut Etanol dan N-Heksana. *Jurnal Teknologi Technoscientia*, 13(1), 83–94.
- Arunprasath, A. (2019). Screening of phytochemical compounds and mosquito larvicidal activity of *Allmania nodiflora* (L.) R.Br.ex Wight (Amaranthaceae). ~ 1 ~ *International Journal of Herbal Medicine*, 7(3), 1–6.
- Asbahani, A. El, Miladi, K., Badri, W., Sala, M., Addi, E. H. A., Casabianca, H., Mousadik, A. El, Hartmann, D., Jilale, A., Renaud, F. N. R., & Elaissari, A. (2015). Essential oils: From extraction to encapsulation. *International Journal of Pharmaceutics*, 483(1–2), 220–243. <https://doi.org/10.1016/j.ijpharm.2014.12.069>
- Badan Litbang Kesehatan Kementerian Kesehatan Republik Indonesia, A. (2012). ETNOMEDISIN DAN TUMBUHAN OBAT DI INDONESIA BERBASIS KOMUNITAS : RISET KHUSUS EKSPLORASI PENGETAHUAN LOKAL. In *Laporan Teknis*.
- Badra, B., Saoudi, A., & Akila, A. (2016). Essential oil chemical composition of myrtle growing in Northeastern Algeria and estimation of its antibacterial effectiveness. *American Journal of Biochemistry and Biotechnology*, 12(2), 110–121. <https://doi.org/10.3844/ajbbsp.2016.110.121>
- Bakhite, E. A., Abd-Ella, A. A., El-Sayed, M. E. A., & Abdel-Raheem, S. A. A. (2017). Pyridine derivatives as insecticides. Part 2: Synthesis of some piperidinium and morpholinium cyanopyridinethiolates and their insecticidal activity. *Journal of Saudi Chemical Society*, 21(1), 95–104. <https://doi.org/10.1016/j.jscs.2016.02.005>
- Baranitharan, M., Sawicka, B., & Gokulakrishnan, J. (2019). Phytochemical Profiling and Larval Control of *Erythrina variegata* Methanol Fraction against Malarial and Filarial Vector . *Advances in Preventive Medicine*, 2019, 1–9. <https://doi.org/10.1155/2019/2641959>
- Barbosa, G. B., & Nueva, M. C. Y. (2019). Antioxidant Activity and Phenolic Content of *Hornstedtia conoidea* (Zingiberaceae). *Asian Journal of Biological and Life Sciences*, 8(1), 01–07. <https://doi.org/10.5530/ajbls.2019.8.1>



- Becan, L., Pyra, A., & Rembiałkowska, N. (2022). Synthesis , Structural Characterization and Anticancer Activity of New 5-Trifluoromethyl-2-thioxo-thiazolo [ 4 , 5- d ] pyrimidine Derivatives. *Pharmaceuticals*, 15(92), 20. <https://doi.org/https://doi.org/10.3390/ph15010092>
- Bezerra, L. D. A., Mangabeira, P. A. O., de Oliveira, R. A., Costa, L. C. D. B., & Da Cunha, M. (2018). Leaf blade structure of Verbesina macrophylla (Cass.) F. S. Blake (Asteraceae): ontogeny, duct secretion mechanism and essential oil composition. *Plant Biology*, 20(3), 433–443. <https://doi.org/10.1111/plb.12700>
- Bhagyasri, Y., Nagalatha, G., Reddy, N. V., & Subramanian, N. S. (2017). Analgesic and anti-inflammatory activity of leaf extracts of Erythrina variegata. *Indo American Journal of Pharmaceutical Research*, 7(8), 681–692. <http://www.iajpr.com/archive/volume-7/aug-2017.html>
- Burt, S. (2004). Essential oils: Their antibacterial properties and potential applications in foods - A review. *International Journal of Food Microbiology*, 94(3), 223–253. <https://doi.org/10.1016/j.ijfoodmicro.2004.03.022>
- Calvo-Irabien, L. M. (2018). Native Mexican aromatic flora and essential oils: Current research status, gaps in knowledge and agro-industrial potential. *Industrial Crops and Products*, 111(November 2017), 807–822. <https://doi.org/10.1016/j.indcrop.2017.11.044>
- Carlson, D. A. (2003). *Enhancing Tsetse Fly Suppression. September.*
- Carpentieri, A., Vicchio, D., Fontanarosa, C., Melchiorre, C., Trifuggi, M., & Amoresano, A. (2020). Molecular Characterization Of Olive Cultivars From Italy (Campania): A Mass Spectrometry Approach. *Food Science and Nutrition*, 6(1), 1–12. <https://doi.org/10.24966/fsn-1076/100052>
- Chinoye, I. I., N., O. R., Lynda, O. U., A, U. A., Fidelis, O., & Maureen, C.-O. (2019). Characterization and Antimicrobial Properties of Volatile Component of The Ethanol Leaf Extract of Momordica Charantia. *International Research Journal of Natural Sciences*, 7(1), 14–27.
- Chota, A., Sikasunge, C. S., Phiri, A. M., Musukwa, M. N., Haazele, F., & Phiri, I. K. (2010). A comparative study of the efficacy of piperazine and Carica papaya for the control of helminth parasites in village chickens in Zambia. *Tropical Animal Health and Production*, 42(3), 315–318. <https://doi.org/10.1007/s11250-009-9432-6>
- Combrinck, S., Bosman, A. A., Botha, B. M., Du Plooy, W., McCrindle, R. I., & Retief, E. (2006). Effects of post-harvest drying on the essential oil and glandular trichomes of lippia scaberrima sond. *Journal of Essential Oil Research*, 18(SPEC. ISS.), 80–84. <https://doi.org/10.1080/10412905.2006.12067126>
- de Santana, A. C. M., Pereira, G. S., Boaventura, C. M., Uetenabaro, A. P. T., Costa, L. C. d. B., & de Oliveira, R. A. (2014). Rupture of glandular trichomes in Ocimum gratissimum leaves influences the content of essential oil during the drying method. *Revista Brasileira de Farmacognosia*, 24(5), 524–530. <https://doi.org/10.1016/j.bjp.2014.10.006>
- Devendran, G., & Sivamani, G. (2015). Phytochemical Analysis of Leaf Extract



- of Plant Costus Spicatus By Gcms Method. *Journal of Drug Delivery and Therapeutics*, 5(4), 24–26. <https://doi.org/10.22270/jddt.v5i4.1160>
- Dharmaputra, O., Halid, H., & Sunjaya, S. (2014). Serangan *Tribolium castaneum* pada Beras di Penyimpanan dan Pengaruhnya terhadap Serangan Cendawan dan Susut Bobot. *Jurnal Fitopatologi Indonesia*, 10(4), 126–132. <https://doi.org/10.14692/jfi.10.4.126>
- Dima, C., & Dima, S. (2015). Essential oils in foods: Extraction, stabilization, and toxicity. *Current Opinion in Food Science*, 5, 29–35. <https://doi.org/10.1016/j.cofs.2015.07.003>
- Dmitruk, M., Sulborska, A., Żuraw, B., Stawiarsz, E., & Weryszko-Chmielewska, E. (2019). Sites of secretion of bioactive compounds in leaves of *Dracocephalum moldavica* L.: anatomical, histochemical, and essential oil study. *Revista Brasileira de Botanica*, 42(4), 701–715. <https://doi.org/10.1007/s40415-019-00559-6>
- Drake, N. L., Eaker, C. M., Affton, M., & Shenk, W. J. (1994). US2605207A Insect Repellent. *United States Patent Office*, 28(2), 131–134. <https://doi.org/10.1145/178951.178972>
- El Hawary, S., Badr, W., Rabeh, M., & Eltantawy, M. (2020). Chemical Composition and Antimicrobial Activity of Volatile Constituents of Cladodes, Fruits peel and Fruits pulp from *Opuntia ficus indica* (L.) Mill. (Prickly Pear) growing in Egypt. *Egyptian Journal of Chemistry*, 64(1), 437–444. <https://doi.org/10.21608/ejchem.2020.21137.2260>
- Elma, S. N., Badarusham, K., Rosli, D., Salvamani, S., Hassan, M. S., & Hashim, R. (2018). Solvents extraction effects on bioactive compounds of ajwa date (*Phoenix Dactylifera* L.) flesh using mixture design. *Chemical Engineering Transactions*, 63, 817–822. <https://doi.org/10.3303/CET1863137>
- Fernandes, M. J. G., Pereira, D. M., Pereira, R. B., Fortes, A. G., Castanheira, E. M. S., & Gonçalves, M. S. T. (2021). Synthesis and Insecticidal Activity of 1,3,2-Oxazaphospholidines. *Chemistry Proceedings*, 3(36), I–14. <https://doi.org/10.1016/b978-0-08-023930-9.50018-6>
- Flath, R. A., Cunningham, R. T., Mon, T. R., & John, J. O. (1994). Additional male mediterranean fruitfly (*Ceratitis capitata* wied.) Attractants from Angelica seed oil (*Angelica archangelica* L.). *Journal of Chemical Ecology*, 20(8), 1969–1984. <https://doi.org/10.1007/BF02066237>
- Giacometti, J., Bursać Kovačević, D., Putnik, P., Gabrić, D., Bilušić, T., Krešić, G., Stulić, V., Barba, F. J., Chemat, F., Barbosa-Cánovas, G., & Režek Jambrak, A. (2018). Extraction of bioactive compounds and essential oils from mediterranean herbs by conventional and green innovative techniques: A review. *Food Research International*, 113(March), 245–262. <https://doi.org/10.1016/j.foodres.2018.06.036>
- Goelen, T. (2020). *Potential of Insect-Microbe Chemical Interactions To Improve Biological Control of Insect Pests* (Issue March 2020). KU Leuven, Science, Engineering & Technology.
- Gong, D., Bi, Y., Li, S., Li, Y., & Wang, Y. (2019). *Trichothecium roseum* infection promotes ripening of harvested muskmelon fruits and induces the release of specific volatile compound. *Journal of Plant Pathology*, 101(3),



- 529–538. <https://doi.org/10.1007/s42161-018-00231-0>
- Goodhue, L. D., & Cantrel, K. E. (1964). Method of Repelling Birds with Substituted Pyrimidine Compounds (Patent No. 3,156,613). In *The United States Patent Office* (3,156,613). 10 November 1964.  
<https://doi.org/10.2307/1190003>
- Hagner, M., Kuoppala, E., Fagernäs, L., Tiilikka, K., & Setälä, H. (2015). Using the copse snail Arianta arbustorum (Linnaeus) to detect repellent compounds and the quality of wood vinegar. *International Journal of Environmental Research*, 9(1), 53–60. <https://doi.org/10.22059/ijer.2015.873>
- Hagner, Marleena, Tiilikka, K., Lindqvist, I., Niemelä, K., Wikberg, H., Källi, A., & Rasa, K. (2020). Performance of Liquids from Slow Pyrolysis and Hydrothermal Carbonization in Plant Protection. *Waste and Biomass Valorization*, 11(3), 1005–1016. <https://doi.org/10.1007/s12649-018-00545-1>
- Hagstrum, D. W., & Mahroof, R. M. (2012). Biology, Behavior, and Ecology of Insects in Processed Commodities. In D. W. Hagstrum, T. W. Phillips, & G. Cuperus (Eds.), *Stored Product Protection* (pp. 33–45). Kansas State Research and Extension.
- Hamberg, A., Maurer, S., & Hult, K. (2012). Rational engineering of *Candida antarctica* lipase B for selective monoacylation of diols. In *Chemical Communications* (Vol. 48, Issue 80). <https://doi.org/10.1039/c2cc34684b>
- Harahap, R. H., Lubis, Z., & Kaban, J. (2018). Komponen Flavor Volatil Tempe yang Dibungkus dengan Daun Pisang dan Plastik. *Agritech*, 38(2), 194. <https://doi.org/10.22146/agritech.24720>
- Hariharan, B., Singaravelivel, K., & Alagusundaram, K. (2014). Identification of volatile compounds in coconut toddy by GC-MS - Assisted with different solvent system. *Journal of Microbial and Biochemical Technology*, 6(1), 017–023. <https://doi.org/10.4172/1948-5948.1000115>
- Hasbi Muhammad, P., Wrasiati, N., & Anggreni, A. (2015). Pengaruh Suhu dan Lama Curing Terhadap Kandungan Senyawa Bioaktif Ekstrak Etanol Bunga Kecombrang (*Nicolaia speciosa* Horan). *Jurnal Rekayasa Dan Manajemen Agroindustri*, 3(4), 92–102.
- Herlina, T. (2009). Senyawa Antikanker dari Dadap Ayam (*Erythrina variegata*). *Indonesian Journal of Cancer*, III(4), 151–154.  
<http://www.indonesianjournalofcancer.or.id/e-journal/index.php/ijoc/article/view/135>
- Hodhod, M. S. E. D., Gaafar, A. R. Z., Alshameri, A., Qahtan, A. A., Noor, A., & Abdel-Wahab, M. (2020). Molecular characterization and bioactive potential of newly identified strains of the extremophilic black yeast *Hortaea werneckii* isolated from Red Sea mangrove. *Biotechnology and Biotechnological Equipment*, 34(1), 1288–1298.  
<https://doi.org/10.1080/13102818.2020.1835535>
- Hussein, H. J., Hadi, M. Y., & Hameed, I. H. (2016). Study of chemical composition of *Foeniculum vulgare* using Fourier transform infrared spectrophotometer and gas chromatography - mass spectrometry. *Journal of Pharmacognosy and Phytotherapy*, 8(3), 60–89.  
<https://doi.org/10.5897/JPP2015.0372>



- Hyun, S. S., KYOON, K. D., JEONG, R. H., SEOK, K. H., YOUNG, C. S., & A, R. J. (2017). *Method of manufacturing vinegar by adding pine needles, mung bean and vinegar manufactured* (Patent No. KR101875486B1). <https://patents.google.com/patent/KR101875486B1>
- Ilato, J., Dien, M. F., & Rante, C. S. (2012). Jenis Dan Populasi Serangga Hama Pada Beras Di Gudang Tradisional Dan Modern Di Provinsi Gorontalo. *Eugenia*, 21(3). <https://doi.org/10.35791/eug.18.2.2012.3564>
- Inazuka, S., & Tsuchiya, S. (1980). *Insect Repellents and Method of Repelling Insects* (Patent No. 4219570). 19.
- Iqbal, J., Qayyum, A., & Mustafa, S. Z. (2010). Repellent effect of ethanol extracts of plant materials on *Tribolium castaneum* (Herbst) (Tenebrionidae: Coleoptera). *Pakistan Journal of Zoology*, 42(1), 81–86.
- Jeyalalitha T., K. M. M. U. and V. S. (2016). Repellent activity and gcms analysis of anthocephalus cadamba leaf extract against *Culex quinquefasciatus*. *International Journal of Recent Scientific Research*, 7(7), 12726–12731.
- Jiang, J. (1999). Volatile composition of Pandan Leaves (Pandanus amaryllifolius). In Shahidi & Ho (Eds.), *Flavor Chemistry of Ethnic Foods* (1st ed., Vol. 1). Kluwer Academic/Plenum Publisher.
- Julianto, T. S. (2019). Fitokimia Tinjauan Metabolit Sekunder dan Skrining Fitokimia. In *Journal of Chemical Information and Modeling* (Vol. 53, Issue 9). <http://library.uii.ac.id;e-mail: perpustakaan@uii.ac.id>
- Kerr, J. T. W., & Harris, W. D. (1949). Alkenyl Naphthyl Ethers as Insecticides. In *Patented Nov. 29, 1949*. United States Patent Office.
- Kłyś, M., Malejky, N., & Nowak-Chmura, M. (2017). The repellent effect of plants and their active substances against the beetle storage pests. *Journal of Stored Products Research*, 74, 66–77. <https://doi.org/10.1016/j.jspr.2017.10.006>
- Konarska, A., & Domaciuk, M. (2017). *Differences in the fruit structure and the location and content of bioactive substances in Viburnum opulus and Viburnum lantana fruits*. <https://doi.org/10.1007/s00709-017-1130-z>
- Kumari, P. (2017). *Erythrina variegata L.*” The Coral Tree: A Review. *Journal of Medical Science and Clinical Research*, 5(8), 26705–26715. <https://doi.org/10.18535/jmscr/v5i8.119>
- Li, Y., Chen, J., Yang, Y., Li, C., & Peng, W. (2020). Molecular characteristics of volatile components from willow bark. *Journal of King Saud University - Science*, 32(3), 1932–1936. <https://doi.org/10.1016/j.jksus.2020.01.025>
- Licciardello, F., Muratore, G., Suma, P., Russo, A., & Nerín, C. (2013). Effectiveness of a novel insect-repellent food packaging incorporating essential oils against the red flour beetle (*Tribolium castaneum*). *Innovative Food Science and Emerging Technologies*, 19, 173–180. <https://doi.org/10.1016/j.ifset.2013.05.002>
- Liu, X., Bastian, S., Snow, C. D., Brustad, E. M., Saleski, T. E., Xu, J. H., Meinhold, P., & Arnold, F. H. (2012). Structure-guided engineering of *Lactococcus lactis* alcohol dehydrogenase LlAdhA for improved conversion of isobutyraldehyde to isobutanol. *Journal of Biotechnology*, 164(2), 188–195. <https://doi.org/10.1016/j.jbiotec.2012.08.008>



- Ly, T. N., Shimoyamada, M., Kato, K., & Yamauchi, R. (2003). Isolation and characterization of some antioxidative compounds from the rhizomes of smaller galanga (*Alpinia officinarum* Hance). *Journal of Agricultural and Food Chemistry*, 51(17), 4924–4929. <https://doi.org/10.1021/jf034295m>
- Ma, B., Aditama, A., Muti, R., Sidha Bhagawan, W., Amiruddin, R., Farmasi, J., Kedokteran dan Ilmu Kesehatan, F., Islam Negeri Maulana Malik Ibrahim, U., & Farmasi Jember, A. (2019). *PROFIL METABOLIT BERBAGAI EKSTRAK DAUN Chrysophyllum cainito L. MENGGUNAKAN UPLC-QTOF-MS/MS Metabolite Profile of Chrysophyllum cainito L. Leaves Extract with Solvent Variation Using UPLC-QTOF-MS/MS*. 12(1), 10–24.
- Maha Lakshmi, C. N. D., Rantham Prabhakara, J. P., Saritha, K., Prasad Raju, B. D., & Sushma, N. J. (2018). Phytoconstituents Profile of *Clitoria Ternatea* By Gc-Ms and Its Age-Related Anticholinergic Activity Against Aluminum and Restraint Stress. *International Research Journal Of Pharmacy*, 9(2), 38–44. <https://doi.org/10.7897/2230-8407.09224>
- Mandatjan, K. I. (2016). *Potensi Ekstrak Tumbuhan Drimys spp. Sebagai Repellent terhadap Tribolium castaneum Herbst*. Universitas Gadjah Mada.
- Mayasari, D., Jayuska, A., & Wibowo, M. A. (2013). Pengaruh variasi waktu dan ukuran sampel terhadap komponen minyak atsiri dari daun jeurk purut (*Citrus hystrix* DC.). *Jkk*, 2(2), 74–77.
- Mukandiwa, L., Naidoo, V., & Katerere, D. R. (2016). The use of *Clausena anisata* in insect pest control in Africa: A review. *Journal of Ethnopharmacology*, 194(November), 1103–1111. <https://doi.org/10.1016/j.jep.2016.11.002>
- Murugesan, R., Vasuki, K., Kaleeswaran, B., Santhanam, P., Ravikumar, S., Alwahibi, M. S., Soliman, D. A., Mohsen Ahmed Almunqedhi, B., & Alkahtani, J. (2021). Insecticidal and repellent activities of *Solanum torvum* (Sw.) leaf extract against stored grain Pest, *Callosobruchus maculatus* (F.) (Coleoptera: Bruchidae). *Journal of King Saud University - Science*, 33(3), 101390. <https://doi.org/10.1016/j.jksus.2021.101390>
- Nawaz, H., Shad, M. A., Rehman, N., Andaleeb, H., & Ullah, N. (2020). Effect of solvent polarity on extraction yield and antioxidant properties of phytochemicals from bean (*Phaseolus vulgaris*) seeds. *Brazilian Journal of Pharmaceutical Sciences*, 56. <https://doi.org/10.1590/s2175-97902019000417129>
- Nerio, L. S., Olivero-Verbel, J., & Stashenko, E. (2010). Repellent activity of essential oils: A review. *Bioresource Technology*, 101(1), 372–378. <https://doi.org/10.1016/j.biortech.2009.07.048>
- Nugroho, A. (2017). Buku Ajar: Teknologi Bahan Alam. In *Lambung Mangkurat University Press* (Issue January 2017).
- Parker, M., Pollnitz, A. P., Cozzolino, D., Francis, I. L., & Herderich, M. J. (2007). Identification and quantification of a ‘pepper’ marker compound in shiraz grape berries by combination of chemometrics and GC-MS. *Journal of Agricultural and Food Chemistry*, 55(15), 5948–5955.
- Pathan, A. K., Bond, J., & Gaskin, R. E. (2010). Sample preparation for SEM of plant surfaces. *Materials Today*, 12(SUPPL.), 32–43.



[https://doi.org/10.1016/S1369-7021\(10\)70143-7](https://doi.org/10.1016/S1369-7021(10)70143-7)

Permata, D. A., & Asben, A. (2017). Karakteristik dan Senyawa Bioaktif Ekstrak Kering Daun Kluwih dari Posisi Daun yang Berbeda. *Jurnal Teknologi Pertanian Andalas*, 21(2), 79–85.

Portillo-Estrada, M., Okereke, C. N., Jiang, Y., Talts, E., Kaurilind, E., & Niinemets, Ü. (2021). Wounding-induced voc emissions in five tropical agricultural species. *Molecules*, 26(9), 1–20.  
<https://doi.org/10.3390/molecules26092602>

Protection, E., & Agency (EPA). (2020). Propanamide, 2-hydroxy-N, N-dimethyl-; Exemption From the Requirement of a Tolerance. In *Federal Register* (Vol. 85, Issue 31). <https://doi.org/10.31563/2308-9644-2020-35-1-203-212>

Pugazhvendan, S. R., Ross, P. R., & Elumalai, K. (2012). Insecticidal and Repellant Activities of Four indigenous medicinal Plants Against Stored Grain Pest, *Tribolium castaneum* (Herbst) (Coleoptera: Tenebrionidae). *Asian Pacific Journal of Tropical Disease*, 2(SUPPL.1), S16–S20.  
[https://doi.org/10.1016/S2222-1808\(12\)60116-9](https://doi.org/10.1016/S2222-1808(12)60116-9)

Queiroz, G. A., Silva, P. H. L., de Oliveira, R. A., Sodré, G. A., & do Costa, L. C. B. (2018). Drying temperature changes trichome integrity, chemical content and composition of the essential oil of pepper-rosmarin. *Ciencia Rural*, 48(11), 1–8. <https://doi.org/10.1590/0103-8478cr20180283>

Rering, C. C., Beck, J. J., Vannette, R. L., & Willms, S. D. (2018). Quantitative Assessment of Nectar Microbe-Produced Volatiles. *ACS Symposium Series*, 1294, 127–142. <https://doi.org/10.1021/bk-2018-1294.ch010>

Saiful, & Sudarsono. (2013). INFLUENCE OF TEA LEAVES *Camelia sinensis* L. PHENOLIC CONTENT AS PREFERENCE FACTOR OF EMPOASCA SP. (Homoptera : Cicadellidae). *Traditional Medicine Journal*, 18(2), 88–94.  
<https://doi.org/10.22146/tradmedj.8033>

Sefidkon, F., Abbasi, K., & Khaniki, G. B. (2006). Influence of drying and extraction methods on yield and chemical composition of the essential oil of Satureja hortensis. *Food Chemistry*, 99(1), 19–23.  
<https://doi.org/10.1016/j.foodchem.2005.07.026>

Seow, Y. X., Yeo, C. R., Chung, H. L., & Yuk, H. G. (2014). Plant Essential Oils as Active Antimicrobial Agents. *Critical Reviews in Food Science and Nutrition*, 54(5), 625–644. <https://doi.org/10.1080/10408398.2011.599504>

Shah, M. M. R., Prodhan, H., Siddquie, M. N. A., Mamun, M. A. A., & Shahjahan, M. (2008). Repellent Effect of Some Indigenous Plant Extracts Against Saw-Toothed Grain Beetle, *Oryzaephilus surinamensis* (L.). *Int. J. Sustain. Crop Prod.*, 3(5).

Skubatz, H., Kunkel, D. D., Howald, W. N., Trenkle, R., & Mookherjee, B. (1996). The *Sauromatum guttatum* appendix as an osmophore: Excretory pathways, composition of volatiles and attractiveness to insects. *New Phytologist*, 134(4), 631–640. <https://doi.org/10.1111/j.1469-8137.1996.tb04928.x>

Syam, S., Harahap, I. S., & Dadang, N. (2018). Efek Fumigan dan Repelen Fraksi Minyak Atsiri Mentha piperita terhadap *Tribolium castaneum* (Coleoptera:



- Tenebrionidae). *Buletin Penelitian Tanaman Rempah Dan Obat*, 28(2), 181. <https://doi.org/10.21082/bullittro.v28n2.2017.181-190>
- Taban, A., Saharkhiz, M. J., & Hooshmandi, M. (2017). Insecticidal and repellent activity of three Satureja species against adult red flour beetles, *Tribolium castaneum* (Coleoptera: Tenebrionidae). *Shengtai Xuebao/ Acta Ecologica Sinica*, 37(3), 201–206. <https://doi.org/10.1016/j.chnaes.2017.01.001>
- Thanoza, H., Silsia, D., & Efendi, Z. (2016). Pengaruh Kualitas Pucuk dan Persentase Layu Terhadap Sifat Fisik dan Organoleptik Teh CTC (Crushing Tearing Curling). *Agroindustri*, 6(1), 42–50.
- Toth, S., Lee, K. J., Havkin-Frenkel, D., Belanger, F. C., & Hartman, T. G. (2018). Volatile Compounds in Vanilla. In F. Havkin Frenkel, Daphna & Belanger (Ed.), *Handbook of Vanilla Science and Technology* (2nd ed., pp. 285–348). John Wiley & Sons Ltd. <https://doi.org/10.1002/9781119377320>
- Utami, H. F., Hastuti, R. B., & Hastuti, E. D. (2015). Kualitas Daun Binahong (*Anredera cordifolia*) pada Suhu Pengeringan Berbeda. *Jurnal Biologi*, 4(2), 1–9. <https://ejournal3.undip.ac.id/index.php/biologi/article/viewFile/19411/18410> dari jurnal 19411-39334-1-SM.pdf
- Vasconcelos, A. L., Santos, A. V., Padilha, R. J. R., Alves, L. C., & Randau, K. P. (2017). Anatomical characterization of ultra-structures, biominerals and histolocalization of metabolites in leaves of genipa americana. *Revista Brasileira de Farmacognosia*, 27(5), 541–548. <https://doi.org/10.1016/j.bjp.2017.05.002>
- Vinaliza, Wiyati, T., & Gozali, D. (2014). Pembuatan dan Uji Aktivitas Sediaan Obat Nyamuk Elektrik Dari Bunga Plumeria acuminate W.T ait. *JSTFI Indonesian Journal of Pharmaceutical Science and Technology*, 3(2), 15–21.
- Wang, A., Luca, A., & Edelenbos, M. (2019). Emission of volatile organic compounds from yellow onion (*Allium cepa* L.) bulbs during storage. *Journal of Food Science and Technology*, 56(6), 2940–2948. <https://doi.org/10.1007/s13197-019-03764-z>
- Wang, P., Chen, J., Chen, L., Shi, L., & Liu, H. (2021). Characteristic Volatile Composition of Seven Seaweeds from the Yellow Sea of China. *Marine Drugs*, 19(4), 1–13. <https://doi.org/10.3390/md19040192>
- Wang, Y., Zhang, L. T., Feng, Y. X., Zhang, D., Guo, S. S., Pang, X., Geng, Z. F., Xi, C., & Du, S. S. (2019). Comparative evaluation of the chemical composition and bioactivities of essential oils from four spice plants (Lauraceae) against stored-product insects. *Industrial Crops and Products*, 140(July), 111640. <https://doi.org/10.1016/j.indcrop.2019.111640>
- Warnke, P. H., Becker, S. T., Podschun, R., Sivananthan, S., Springer, I. N., Russo, P. A. J., Wiltfang, J., Fickenscher, H., & Sherry, E. (2009). The battle against multi-resistant strains: Renaissance of antimicrobial essential oils as a promising force to fight hospital-acquired infections. *Journal of Cranio-Maxillofacial Surgery*, 37(7), 392–397. <https://doi.org/10.1016/j.jcms.2009.03.017>
- Wartini, N. M., Harijono, Susanto, T., Retnowati, R., & Yuniata. (2007). Pengaruh Proses Curing Terhadap Komposisi Daun Salam (*Eugenia*



- polyantha Wight.), Profil Komponen dan Tingkat Kesukaan Ekstrak Flavor Hasil Distilasi-Ekstraksi Simultan. *Jurnal Teknologi Pertanian*, 8(1), 10–18.
- Wartini, N. M., Ina, P. T., & Putra, G. P. G. (2010). Perbedaan Kandungan Senyawa Volatil Daun Salam (*Eugenia polyantha* WIght) pada Beberapa Proses Curing. *Agritech*, 30(4), 231–236.
- Wartini, N. M., Ina, P. T., & Putra, G. P. G. (2015). Komposisi Kimia Absolut Minyak Atsiri Daun Pandan Wangi Hasil Perlakuan Curing. *Media Ilmiah Teknologi Pangan*, 12(1), 016–022.
- World Intellectual Property Organization. (2020). *Pesticidal mixtures comprising a mesoionic compound* (Vol. 90, Issue 51, p. 62). International Application Published Under The Patent Cooperation Treaty (PCT).
- Yuliarto, F. T., Khasanah, L. U., & Anandito, R. B. K. (2012). Pengaruh Ukuran Bahan dan Metode Destilasi (Destilasi Airdan Destilasi Uap Air) Terhadap Kualitas Minyak Atsiri Kulit Kayu Manis (*cinnamomum burmannii*). *Jurnal Teknoscains Pangan*, 1(1), 12–23.
- Zhang, W., & Liang, X. (2019). Headspace gas chromatography-mass spectrometry for volatile components analysis in *Ipomoea cairica* (L.) sweet leaves: Natural deep eutectic solvents as green extraction and dilution matrix. *Foods*, 8(6). <https://doi.org/10.3390/foods8060205>