



DAFTAR PUSTAKA

- Abu Goukh ABA, Shattir AET, Mahdi EFM. 2010. Physico-chemical Changes during Growth and Development of Papaya Fruit. II: Chemical Changes. *J. Agriculture and Biology Journal of North America*. 1(5):871-877.
- Addai, Z.R., Abdullah, A., Mutalib, S.A., 2013. Influence of ripening stages on antioxidant properties of papaya fruit (*Carica papaya L.*). AIP Conf. Proc. 1571, 696–701
- Agustin, AT. 2013. Gelatin ikan: sumber, komposisi kimia dan potensi pemanfaatannya. *Jurnal Media Teknologi Hasil Perikanan*. 1(2): 44-46.
- Aider, M. (2010). Chitosan application for active bio-based films production and potential in the food industry: review. *LWT Food Science Technology*, 43, 837–842.
- Alvarez-Parrilla, L.A., Rosa, del a, Amarowicz, R., Shahidi, F., 2010. Antioxidant activity of fresh and processed Jalapeño and Serrano peppers. *J. Agric. Food Chem.* 59, 163–173.
- Basaglia, R. R., Pizato, S., Santiago, N. G., Maciel de Almeida, M. M., Pinedo, R. A., & Cortez-Vega, W. R. (2021). Effect of edible chitosan and cinnamon essential oil coatings on the shelf life of minimally processed pineapple (Smooth cayenne). *Food Bioscience*, 41, 100966.
- Bermúdez-Oria, A., Rodríguez-Gutiérrez, G., Rubio-Senent, F., Fernández-Prior, Á., & Fernández-Bolaños, J. (2018). Effect of edible pectin-fish gelatin films containing the olive antioxidants hydroxytyrosol and 3,4-dihydroxyphenylglycol on beef meat during refrigerated storage. *Meat Science*.
- Bonilla, J., Atarés, L., Vargas, M., Chiralt, A., 2012. Effect of essential oils and homogenization conditions on properties of chitosan-based films. *Food Hydrocoll.* 26 (1), 9–16.
- Charlton, A. J., Baxter, N. J., Khan, M. L., Moir, A. J. G., Haslam, E., Davies, A. P., ... Williamson, M. P. (2002). Polyphenol/peptide binding and precipitation. *Journal of Agricultural and Food Chemistry*, 50, 1593–1601.
- Costa, C.N., Teixeira, V.G., Delpech, M.C., Souza, J.V.S., Costa, M.A.S, 2015. Viscometric study of chitosan solutions in acetic acid/sodium acetate and acetic acid/sodium chloride. *Carbohydr. Polym.* 133, 245–250.
- Daglia, M. (2012). Polyphenols as antimicrobial agents. *Current Opinion in Biotechnology*, 23, 174–181.



- Dea, S., Ghidelli, Ch., Pérez-Gago, M. B., & Plotto, A. (2011). Coatings for minimally processed fruits and vegetables. In E. A., Baldwin, R., Hagenmaier, & J., Bai (Eds). *Edible coatings and films to improve food quality* (pp. 243-289). Boca Raton: CRC Press LLC
- Dhall, R. K. (2013). Advances in *edible coatings* for fresh fruits and vegetables: a review. *Critical Reviews in Food Science and Nutrition*, 53 (5), 435-450.
- Dou, L., Li, B., Zhang, K., Chu, X., & Hou, H. (2018). Physical properties and antioxidant activity of gelatin-sodium alginate edible films with tea polyphenols. *International Journal of Biological Macromolecules*.
- Dutta, P. K., Tripathi, S., Mehrotra, G. K., & Dutta, J. (2009). Perspectives for chitosan based antimicrobial films in food applications. *Food Chemistry*, 114, 1173–1182
- Fabi, J. P., Broetto, S. G., Silva, S. L., Da, G. L., Zhong, S., Lajolo, F. M., & Do Nascimento, J. R. O. (2014). Analysis of papaya cell wall-related genes during fruit ripening indicates a central role of polygalacturonases during pulp softening. *PloS One*, 9, e105685.
- Falah, M. A. F., Nadine, M. D., & Suryandono, A. (2015). Effects of Storage Conditions on Quality and Shelf-life of Fresh-cut Melon (*Cucumis Melo* L.) and Papaya (*Carica Papaya* L.). *Procedia Food Science*, 3, 313–322
- Gao, H.-X., He, Z., Sun, Q., He, Q., & Zeng, W.-C. (2019). A functional polysaccharide film forming by pectin, chitosan, and tea polyphenols. *Carbohydrate Polymers*.
- GMIA, G. H. 2012. Gelatin Manufacturers Institute of America. New York.
- González-Aguilar, G.A., Valenzuela-Soto, E., Lizardi-Mendoza, J., Goycoolea, F., Martínez-Téllez, M.A., Villegas-Ochoa, M.A., Monroy-García, I.N., Ayala-Zavala, J.F., 2009. Effect of chitosan coating in preventing deterioration and preserving the quality of fresh-cut papaya ‘Maradol’. *J. Sci. Food Agric.* 89 (1), 15–23.
- Henríquez-Aedo K., Vega H, M., & Aranda B, M. (2013). Evaluation Of Tea Functionality: Determination Of L-Theanine Content In Green And Black Teas By Liquid Chromatography. *Journal Of The Chilean Chemical Society*, 58(4), 2168–2171Huang, J., Huang, K., Liu, S., Luo, Q., & Xu, M. (2007). Adsorption properties of tea polyphenols onto three polymeric adsorbents with amide group. *Journal of Colloid and Interface Science*, 315(2), 407-414.
- Jamróz, E., Kulawik, P., Krzyściak, P., Talaga-Ćwiertnia, K., & Juszczak, L. (2018). Intelligent and active furcellaran-gelatin films containing green or pu-erh tea extracts: Characterization, antioxidant and antimicrobial



potential. International Journal of Biological Macromolecules.

- Jamróz, E., Para, G., Jachimska, B., Szczepanowicz, K., Warszyński, P., & Para, A. (2014). Albumin–furcellaran complexes as cores for nanoencapsulation. *Colloids and Surfaces A: Physicochemical and Engineering Aspects*, 441, 880–884
- Kanakis, C. D., Hasni, I., Bourassa, P., Tarantilis, P. A., Polissiou, M. G., & Tajmir-Riahi, H. A. (2011). Milk beta-lactoglobulin complexes with tea polyphenols. *Food Chemistry*, 127, 1046–1055.
- Kore T, Tawade S, Kabir J. 2017. Application of *edible coatings* on fruits and vegetables. *Imperial Journal of Interdisciplinary Research*. 3(1) : 591-603.
- Li, X., Ma, X. X., D., F. D., & Zhu, C. H. (2012). New suitable for tissue reconstruction injectable chitosan/collagen-based hydrogels. *Soft Matter*, 8(14), 3781-3790
- Lu P, Wang C, Yin T, Zhong S, Grierson D, Chen K, et al. Cytological and molecular characterization of carotenoid accumulation in normal and highlycopene mutant oranges. *Sci Rep*. 2017;7(1):761–76
- Marshall, M.R., Kim, J., dan Wei, C-I. 2000. Enzymatic Browning in Fruits, Vegetables, and Seafoods
- Mendy, T. K., Misran, A., Mahmud, T. M. M., & Ismail, S. I. (2019). Application of Aloe vera coating delays ripening and extend the shelf life of papaya fruit. *Scientia Horticulturae*, 246, 769–776.
- Naveed, M., BiBi, J., Kamboh, A. A., Suheryani, I., Kakar, I., Fazlani, S. A Zhou, X. H. (2018). Pharmacological values and therapeutic properties of black tea (*Camellia sinensis*): A comprehensive overview. *Biomedicine & Pharmacotherapy*, 100, 521–531.
- Nenadis, N.; Sigalas, M.P. A DFT Study on the Radical Scavenging Activity of Maritimetin and Related Aurones. *J. Phys. Chem. A* 2008, 112, 12196–12202.
- Nur Hanani, Z. A., Roos, Y. H., & Kerry, J. P. (2012). Use of beef, pork and fish gelatin sources in the manufacture of films and assessment of their composition and mechanical properties. *Food Hydrocolloids*, 29(1), 144–151
- Ozdal, T.; Capanoglu, E.; Altay, F. A review on protein–phenolic interactions and associated changes. *Food Res. Int.* 2013, 51, 954–970.
- Peluso, I., & Serafini, M. (2017). Antioxidants from black and green tea: From dietary modulation of oxidative stress to pharmacological mechanisms.



British Journal of Pharmacology, 174(11), 1195–1208.

Perera, C.O. 2007. Minimal Processing of Fruits and Vegetables. *Di dalam : Rahman, M. S. (Ed), Handbook of Food Preservation*, 2nd Ed. CRC Press, New York, p. 137-150.

Pranoto Y, Marseno DW, Rahmawati H. 2011. Characteristics of gelatins extracted from fresh and sun-dried seawater fish skins in Indonesia. *International Food Research Journal*. 18(4):1335-1341.

Pranoto, Y., Rakshit, S. K., & Salokhe, V. M. (2005). Enhancing antimicrobial activity of chitosan films by incorporating garlic oil, potassium sorbate and nisin. *LWT Food Science and Technology*, 38, 859–865.

Radi, M., Firouzi, E., Akhavan, H., & Amiri, S. (2017). *Effect of Gelatin-Based Edible coatings Incorporated with Aloe vera and Black and Green Tea Extracts on the Shelf Life of Fresh-Cut Oranges*. *Journal of Food Quality*

Rahayoe, Sri. 2015. Pengendalian Karakteristik Film Kitosan Sebagai Coating Buah Dengan Variasi Jenis Dan Komposisi Aditif Pada Pembuatan Larutan Coating. Disertasi. Yogyakarta. Universitas Gadjah Mada

Rangana, S., 2006. *Handbook of Analysis and Quality Control for Fruits and Vegetable Products*. Tata McGraw-Hill Publication Co. Ltd., New Delhi, pp. 105–106

Sánchez-González, L., Cháfer, M., Chiralt, A., González-Martínez, C., 2010. Physical properties of edible chitosan films containing bergamot essential oil and their inhibitory action on *Penicillium italicum*. *Carbohydr. Polym.* 82 (2), 277–283

Schweiggert RM, Mezger D, Schimpf F, Steingass CB, Carle R. Influence of chromoplast morphology on carotenoid bioaccessibility of carrot, mango, papaya, and tomato. *Food Chem.* 2012;135(4):2736–42.

Shi, J. and M. LeMaguer. 2000. Lycopene in Tomatoes : Chemical and Physical Properties Affected by Food Processing. *Critical Review of Food Science and Nutrition*. 40(1) : 1-42.

Soto-Zamora, G., Yahia, E.M., Brecht, J.K., Gardea, A., 2005. Effects of postharvest hot air treatment on the quality of “Rhapsody” tomato fruit. *J. Food Quality* 28 (5-6), 492–504

Strauss, G.; Gibson, S.M. Plant Phenolics as Cross-Linkers of Gelatin Gels and Gelatin-Based Coacervates for Use as Food Ingredients. *Food Hydrocoll.* 2004

Tabassum, N., & Khan, M. A. (2020). Modified atmosphere packaging of fresh-cut



papaya using alginate based edible coating: Quality evaluation and shelf life study. *Scientia Horticulturae*, 259, 108853.

Taris ML, Widodo WD, Suketi K. 2014. Kriteria Kematangan Pascapanen Buah Pepaya (*Carica papaya L.*) IPB Callina dari Berbagai Umur Panen. *Prossiding Seminar Nasional PERHORTI* 2014.

Tirkey, B., Pal, U. S., Bal, L. M., Sahoo, N. R., Bakhara, C. K., & Panda, M. K. 2014. Evaluation of physico-chemical changes of fresh-cut unripe papaya during storage. *Food Packaging and Shelf Life*, 1(2), 190–197

Tkaczewska, J., Morawska, M., Kulawik, P., Zajac, M. 2018. Characterization of Carp (*Cyprinus carpio*) Skin Gelatin Extracted Using Different Pretreatments Method. *Food Hydrocolloids*. 81 : 169-179

Waghmare,R.B.,Annapure, U.S., 2013. Combined effect of chemical treatment and/or modified atmosphere packaging (MAP) on quality of fresh-cut papaya. *Postharvest Biol. Technol.* 85, 147–153.

Woo JW, Yu SJ, Cho SM, Lee YB dan Kim SB. 2008. Extraction optimization and properties of collagen from yellowfin tuna (*Thunnus albacares*) dorsal skin. *Food Hydrocolloids*. 22(5): 879-887.

Yang, C. S., Lambert, J. D., & Sang, S. (2009). Antioxidative and anti-carcinogenic activities of tea polyphenols. *Archives of Toxicology*, 83(1), 11-21.

Yousuf, B., Srivastava, A.K., 2017. A novel approach for quality maintenance and shelf life extension of fresh-cut Kajari melon: effect of treatments with honey and soy protein isolate. *LWT - Food Sci. Technol.* 79, 568–578

Zhang, X.; Do, M.D.; Casey, P.; Sulistio, A.; Qiao, G.G.; Lundin, L.; Lillford, P.; Kosaraju, S. Chemical Cross-Linking Gelatin with Natural Phenolic Compounds as Studied by High-Resolution NMR Spectroscopy. *Biomacromolecules* 2010, 11, 1125–1132.

Zhao, Y.; Sun, Z. Effects of Gelatin-Polyphenol and Gelatin–Genipin Cross-Linking on the Structure of Gelatin Hydrogels. *Int. J. Food Prop.* 2018, 20, 1–11.

Zillo, R.R., da Silva, P.P.M., de Oliveira, J., da Glória, E.M., Spoto, M.H.F., 2018. Carboxymethylcellulose coating associated with essential oil can increase papaya shelf life. *Sci. Hortic.* 239, 70–77.