

## DAFTAR PUSTAKA

- Afshin, A., *et al.* 2019. Health effects of dietary risks in 195 countries, 1990–2017: a systematic analysis for the Global Burden of Disease Study 2017. *The Lancet*, 393(10184), pp. 1958–1972.
- Awasthi, S. 2014. Toll-like receptor-4 modulation for cancer immunotherapy. 5(July), pp. 1–5.
- Berg, A. H. And Scherer, P. E. 2005. Adipose tissue, inflammation, and cardiovascular disease. *Circulation Research*, 96(9), 939–949.
- Biosciences, T. 2019. Sprague Dawley Rat. *Taconic*. <https://www.taconic.com/pdfs/sprague-dawley-rat.pdf>. Diakses pada Juni 2020.
- Cani, P. D., *et al.* 2007. Metabolic endotoxemia initiates obesity and insulin resistance. *Diabetes* 56(July), pp.1761–1772.
- Cavalcante-Silva, L. H. A., *et al.* 2015. Obesity-driven gut microbiota inflammatory pathways to metabolic syndrome. *Frontiers in Physiology*, 6(11).
- Chen, W., Zheng, R., Baade, P. D., *et al.* 2016. Cancer statistics in China, 2015. *CA: a cancer journal for clinicians*, 66(2), 115–132.
- Chénard, T., *et al.* 2020. Immune system modulations by products of the gut microbiota. *Vaccines*, 8(3), pp. 1–15.
- Cirunay, A. R. T., *et al.* 2021. In vitro fermentation and prebiotic potential of pigeon pea (*Cajanus cajan* (L.) millsp.) flour. *Food Research*, 5(1), pp. 174–184.
- Cordner, Z. A. and Tamashiro, K. L. K. 2015. Effects of high-fat diet exposure on learning & memory. *Physiology and Behavior*. Elsevier Inc., 152, pp. 363–371.
- Dai, F. J., *et al.* 2013. Effect of pigeon pea (*Cajanus cajan* L.) on high-fat diet-induced hypercholesterolemia in hamsters. *Food and Chemical Toxicology*, 53, pp. 384–391.
- Den Besten, G. *et al.* 2013. The role of short-chain fatty acids in the interplay between diet, gut microbiota, and host energy metabolism. *Journal of Lipid Research*, 54(9), pp. 2325–2340.

- Ding, S. And Lund, P. K. 2011. Role of intestinal inflammation as an early event in obesity and insulin resistance. *Current opinion in clinical nutrition and metabolic care*, 14(4), 328–333.
- Eghbaliferiz, S., and Iranshahi, M. 2016. Prooxidant Activity of Polyphenols, Flavonoids, Anthocyanins and Carotenoids: Updated Review of Mechanisms and Catalyzing Metals. *Phytotherapy research : PTR*, 30(9), 1379–1391.
- Faulds, M. H. And Dahlman-Wright, K. 2012. Metabolic diseases and cancer risk. *Current opinion in oncology*, 24(1), 58–61.
- Fuller, D. Q., *et al.* 2019. *Cajanus cajan* (L.) Millsp. origins and domestication: the South and Southeast Asian archaeobotanical evidence. *Genetic Resources and Crop Evolution*. Springer Netherlands, 66(6), pp. 1175–1188.
- Ganesan, K. and Xu, B. 2017. Polyphenol-Rich Dry Common Beans (*Phaseolus vulgaris* L .) and Their Health Benefits. *International journal of molecular sciences*.
- Gavaldà-navarro, A. and Moreno-navarrete, J. M. 2016. Lipopolysaccharide-binding protein is a negative regulator of adipose tissue browning in mice and humans. *Diabetologia*, pp. 2208–2218.
- Ha, E. K., *et al.* 2021. Association of serum lipopolysaccharide-binding protein level with sensitization to food allergens in children. *Scientific Reports*. Nature Publishing Group UK, 11(1), pp. 1–8.
- Hassan, E. M., *et al.* 2016. Assessment of anti-inflammatory, antinociceptive, immunomodulatory, and antioxidant activities of *Cajanus cajan* L. seeds cultivated in Egypt and its phytochemical composition. *Pharmaceutical Biology*, 54(8), pp. 1380–1391.
- Hernández-Díazcorder, A., Romero-Nava, R., Carbó, R., *et al.* 2019. High Fructose Intake and Adipogenesis. *International journal of molecular sciences*, 20(11), 2787.
- Hersoug, L., Møller, P. and Loft, S. 2018. Role of microbiota-derived lipopolysaccharide in adipose tissue in inflammation, adipocyte size and pyroptosis during obesity. *Nutrition Research Reviews*.
- Hohos, N. M. and Skaznik-Wikiel, M. E. 2017. High-fat diet and female fertility. *Endocrinology*, 158(8), pp. 2407–2419.

- Iweala, E. E. J., Evbakhavbokun, W. O. and Maduagwu, E. N. 2019. Antioxidant and hepatoprotective effect of *Cajanus cajan* in N-nitrosodiethylamine-induced liver damage. *Scientia Pharmaceutica*, 87(3).
- Kim, C.H. 2021. Control of lymphocyte functions by gut microbiota-derived short-chain fatty acids. *Cell Mol Immunol*, 18, 1161–1171.
- Kim, K. A., *et al.* 2012. High Fat Diet-Induced Gut Microbiota Exacerbates Inflammation and Obesity in Mice via the TLR4 Signaling Pathway. *PLoS ONE*, 7(10).
- Liu, X., *et al.* 2014. Lipopolysaccharide binding protein, obesity status and incidence of metabolic syndrome: a prospective study among middle-aged and older Chinese. *Diabetologia*. pp. 1834–1841.
- Livak, K. J. and Schmittgen, T. D. 2001. Analysis of relative gene expression data using real-time quantitative PCR and the 2- $\Delta\Delta$ CT method. *Methods*, 25(4), pp. 402–408.
- Mallillin, A., Trinidad, T., Raterta, R., *et al.* 2008. Dietary fibre and fermentability characteristics of root crops and legumes. *British Journal of Nutrition*, 100(3), 485-488.
- Manuel-y-keenoy, B. and Perez-gallardo, L. 2012. Metabolic Impact of the Amount and Type of Dietary Carbohydrates on the Risk of Obesity and Diabetes. *The Open Nutrition Journal*, pp. 21–34.
- Maury, E. and Brichard, S. M. 2010. Molecular and Cellular Endocrinology Adipokine dysregulation, adipose tissue inflammation and metabolic syndrome. *Molecular and Cellular Endocrinology*, 314, pp. 1–16.
- Nair, A. B. and Jacob, S. 2016. A simple practice guide for dose conversion between animals and human. *Journal of basic and clinical pharmacy*, 7(2), 27–31.
- Nemes, A., *et al.* 2019. Effect of anthocyanin-rich tart cherry extract on inflammatory mediators and adipokines involved in type 2 diabetes in a high fat diet induced obesity mouse model. *Nutrients*, 11(9), pp. 1–17.
- Nix, A., Paull, C. A. and Colgrave, M. 2015. The flavonoid profile of pigeonpea, *Cajanus cajan*: a review. *SpringerPlus*, 4(1), pp. 0–5.
- Pal, D., *et al.* 2011. Biological activities and medicinal properties of *Cajanus cajan*

- (L) Millsp. *Journal of Advanced Pharmaceutical Technology and Research*, 2(4), pp. 207–214.
- Pazhamala, L., *et al.* 2015. Genomics-assisted breeding for boosting crop improvement in pigeonpea (*Cajanus cajan*). *Frontiers in Plant Science*, 6(2), pp. 1–12.
- Popeijus, Herman E., Willem Zwaan, *et al.* 2021. Potential Contribution of Short Chain Fatty Acids to Hepatic Apolipoprotein A-I Production. *International Journal of Molecular Sciences* 22, no. 11: 5986.
- Reilly, S. M. and Saltiel, A. R. 2017. Tissue inflammation. *Nature Publishing Group*. Nature Publishing Group, 13(11), pp. 633–643.
- Saxena, R. K. and Varshney, R. K. 2017. The Pigeonpea Genome. *Springer*, Champ pp. 81–91.
- Schumann, R. R. 2011. Old and new findings on lipopolysaccharide-binding protein: A soluble pattern- recognition molecule. *Biochemical Society Transactions*, 39(4), pp. 989–993.
- Spruss, A., *et al.* 2009. Toll-like receptor 4 is involved in the development of fructose-induced hepatic steatosis in mice. *Hepatology (Baltimore, Md.)*, 50(4), 1094–1104.
- Tan, B. L. 2019. Inflammatory Response and Cognitive Function. *Nutrients*, pp. 1–22.
- Ter Horst KW, Serlie MJ. 2017. Fructose Consumption, Lipogenesis, and Non-Alcoholic Fatty Liver Disease. *Nutrients*, 9(9):981.
- Tuomi, K. Logomarsino, J. V. 2016. Bacterial Lipopolysaccharide, Lipopolysaccharide-Binding Protein, and Other Inflammatory Markers in Obesity and After Bariatric Surgery. *Metab Syndr Relat Disord*, ;14:279-288.
- Tungmunnithum D, Hano C. 2020. Cosmetic Potential of *Cajanus cajan* (L.) Millsp: Botanical Data, Traditional Uses, Phytochemistry and Biological Activities. *Cosmetics*, 7(4):84.
- Tsukamoto, H. *et al.* 2018. cro Lipopolysaccharide ( LPS ) -binding protein stimulates CD14-dependent Toll-like receptor 4 internalization and LPS-induced TBK1 – IKK ! – IRF3 axis activation, *Journal of Biological Chemistry*, 293(26), pp. 10186–10201.

- Vaure, C. and Liu, Y. 2014. A comparative review of toll-like receptor 4 expression and functionality in different animal species. *Frontiers in immunology*, 5(7), pp. 1–15.
- Venegas, D. P., *et al.* 2019. Short chain fatty acids (SCFAs) mediated gut epithelial and immune regulation and its relevance for inflammatory bowel diseases. *Frontiers in Immunology*, 10(MAR).
- Vo, T. L., *et al.* 2020. Effects of *Cajanus cajan* (L.) millsp. roots extracts on the antioxidant and anti-inflammatory activities. *Chinese Journal of Physiology*, 63(3), pp. 137–148.
- Yan, H., & Ajuwon, K. M. 2017. Butyrate modifies intestinal barrier function in IPEC-J2 cells through a selective upregulation of tight junction proteins and activation of the Akt signaling pathway. *PloS one*, 12(6), e0179586.
- Yang, S.E., *et al.* 2020. Nutritional Composition, Bioactive Compounds and Functional Evaluation of Various Parts of *Cajanus cajan* (L.) Millsp. *Agriculture*, 10, 558.
- Zhang, D. M., Jiao, R. Q. and Kong, L. D. 2017. High dietary fructose: Direct or indirect dangerous factors disturbing tissue and organ functions. *Nutrients*, 9(4).
- Zhang, M. and Yang, X. J. 2016. Effects of a high fat diet on intestinal microbiota and gastrointestinal diseases. *World Journal of Gastroenterology*, 22(40), pp. 8905–8909.