

DAFTAR PUSTAKA

- Ahmadi, M., Rajaei, Z., Hadjzadeh, M.A., Nemati, H., & Hosseini, M., 2017. Crocin improves spatial learning and memory deficits in the Morris water maze via attenuating cortical oxidative damage in diabetic rats. *Neurosci. Lett.* 642: 1–6. doi:10.1016/j.neulet.2017.01.049
- Arfian, N., Wahyudi, D.A.P., Zulfatima, I.B., Citta, A.N., Anggorowati, N., Multazam, A., et al., 2019. Chlorogenic acid attenuates kidney ischemic/reperfusion injury via reducing inflammation, tubular injury, and myofibroblast formation. *Biomed Res. Int.* 2019. doi:10.1155/2019/5423703
- Bagdas, D., Cam Etoz, B., Inan Ozturkoglu, S., Cinkilic, N., Ozyigit, M.O., Gul, Z., et al., 2014. Effects of systemic chlorogenic acid on random-pattern dorsal skin flap survival in diabetic rats. *Biol. Pharm. Bull.* 37: 361–370. doi:10.1248/bpb.b13-00635
- Beurel, E., Grieco, S.F., & Jope, R.S., 2015. Diseases. *Pharmacol Ther. Author* April: 114–131. doi:10.1017/S0003598X00113821
- Biessels, G.J., Kerssen, A., de Haan, E.H.F., & Kappelle, L.J., 2007. Cognitive dysfunction and diabetes: Implications for primary care. *Prim. Care Diabetes* 1: 187–193. doi:10.1016/j.pcd.2007.10.002
- Brands, A.M.A., Kessels, R.P.C., Haan, E.H.F. De, Kappelle, L.J., & Jan, G., 2004. Cerebral dysfunction in type 1 diabetes : effects of insulin , vascular risk factors and blood-glucose levels. *Eur. J. Pharmacol.* 490: 159–168. doi:10.1016/j.ejphar.2004.02.053
- Catani, M., 2019. The anatomy of the human frontal lobe, 1st ed, Handbook of Clinical Neurology. Elsevier B.V. doi:10.1016/B978-0-12-804281-6.00006-9
- Chayer, C., & Freedman, M., 2001. Frontal lobe functions. *Curr. Neurol. Neurosci. Rep.* 1: 547–552. doi:10.1007/s11910-001-0060-4
- Chen, C., Wang, Y., Zhang, J., Ma, L., Gu, J., & Ho, G., 2014a. Contribution of neural cell death to depressive phenotypes of streptozotocin-induced diabetic mice. *Dis. Model. Mech.* 7: 723–730. doi:10.1242/dmm.016162
- Chen, C., Wang, Y., Zhang, J., Ma, L., Gu, J., & Ho, G., 2014b. Contribution of neural cell death to depressive phenotypes of streptozotocin-induced diabetic mice. *DMM Dis. Model. Mech.* 7: 723–730. doi:10.1242/dmm.016162
- Chen, R., Shi, J., Yin, Q., Li, X., Sheng, Y., Han, J., et al., 2018. Morphological and Pathological Characteristics of Brain in Diabetic Encephalopathy. *J. Alzheimers. Dis.* 64: 1337–1345. doi:10.3233/JAD-180377
- Cowan, N., 2008. Chapter 20 What are the differences between long-term, short-term, and working memory?, Progress in Brain Research. Elsevier. doi:10.1016/S0079-6123(07)00020-9
- Datusalia, A.K., & Sharma, S.S., 2014. Amelioration of Diabetes-induced Cognitive Deficits by GSK-3 β Inhibition is Attributed to Modulation of

- Neurotransmitters and Neuroinflammation. *Mol. Neurobiol.* 50: 390–405. doi:10.1007/s12035-014-8632-x
- Drake, R.L., Vogl, A.W., Mitchell, A.W.M., & Gray, H., 2015. Gray's Anatomy For Students, 3rd Ed (2015), 3rd ed. Elsevier, Philadelphia.
- Dubový, P., Klusáková, I., Hradilová-Svíženská, I., Joukal, M., & Boadas-Vaello, P., 2018. Activation of astrocytes and microglial cells and CCL2/CCR2 upregulation in the dorsolateral and ventrolateral nuclei of periaqueductal gray and rostral ventromedial medulla following different types of sciatic nerve injury. *Front. Cell. Neurosci.* 12: 1–17. doi:10.3389/fncel.2018.00040
- Gao, J., He, X., Ma, Y., Zhao, X., Hou, X., Hao, E., et al., 2018. Chlorogenic acid targeting of the AKT PH domain activates AKT/GSK3 β /FOXO1 signaling and improves glucose metabolism. *Nutrients* 10. doi:10.3390/nu10101366
- Giugliano, D., Ceriello, A., & Esposito, K., 2008. Glucose metabolism and hyperglycemia. *Am. J. Clin. Nutr.* 87: 217–222. doi:10.1093/ajcn/87.1.217s
- Glovaci, D., Fan, W., & Wong, N.D., 2019. Epidemiology of Diabetes Mellitus and Cardiovascular Disease. *Curr. Cardiol. Rep.* 21: 1–8. doi:10.1007/s11886-019-1107-y
- Gonthier, M.P., Verny, M.A., Besson, C., Rémésy, C., & Scalbert, A., 2003. Chlorogenic acid bioavailability largely depends on its metabolism by the gut microflora in rats. *Am. Soc. Nutr. Sci.* 133: 1853–1859. doi:10.1093/jn/133.6.1853
- Hall, J.E., & Guyton, A.C., 2011. Guyton and Hall Textbook of medical Physiology, 12th ed. Philadelphia.
- Heitman, E., & Ingram, D.K., 2014. Cognitive and neuroprotective effects of chlorogenic acid. *Nutr. Neurosci.* 1–6.
- Hermawati, E., Arfian, N., Mustofa, M., & Partadiredja, G., 2020. Chlorogenic acid ameliorates memory loss and hippocampal cell death after transient global ischemia. *Eur. J. Neurosci.* 51: 651–669. doi:10.1111/ejn.14556
- Jamaat, E.E., Kiasalari, Z., Sanaeirad, A., & Roghani, M., 2018. The effect of chlorogenic acid on learning and memory and acetylcholinesterase activity in rats with cognitive deficit induced by intracerebroventricular stre. *J. Basic Clin. Pathophysiol.* 6: 17–22.
- Kaidanovich-Beilin, O., & Woodgett, J.R., 2011. GSK-3: Functional Insights from Cell Biology and Animal Models. *Front. Mol. Neurosci.* 4: 1–25. doi:10.3389/fnmol.2011.00040
- Kolb, B., 1984. Functions of the frontal cortex of the rat: a comparative review. *Brain Res. Revies* 320: 65–98.
- Kwon, S., Lee, H., Kim, J., Hong, S., Kim, H., Jo, T., et al., 2010. Neuroprotective effects of chlorogenic acid on scopolamine-induced amnesia via anti-acetylcholinesterase and anti-oxidative activities in mice. *Eur. J. Pharmacol.* 649: 210–217. doi:10.1016/j.ejphar.2010.09.001

- Liu, Y., Li, M., Zhang, Z., Ye, Y., & Zhou, J., 2018. Role of microglia-neuron interactions in diabetic encephalopathy. *Ageing Res. Rev.* 42: 28–39. doi:10.1016/j.arr.2017.12.005
- Lynch, M.A., 2004. Long-Term Potentiation and Memory. *Physiol. Rev.* 84: 87–136. doi:10.1152/physrev.00014.2003
- Ma, Y., Gao, M., & Liu, D., 2015. Chlorogenic acid improves high fat diet-induced hepatic steatosis and insulin resistance in mice. *Pharm. Res.* 32: 1200–1209. doi:10.1007/s11095-014-1526-9
- McCrimmon, R.J., Ryan, C.M., & Frier, B.M., 2012. Diabetes and cognitive dysfunction. *Lancet* 379: 2291–2299. doi:10.1016/S0140-6736(12)60360-2
- Moheet, A., Mangia, S., & Seaquist, E.R., 2015. Impact of diabetes on cognitive function and brain structure. *Ann. N. Y. Acad. Sci.* 1353: 60–71. doi:10.1111/nyas.12807
- Naveed, M., Hejazi, V., Abbas, M., Kamboh, A.A., Khan, G.J., Shumzaid, M., et al., 2018. Chlorogenic acid (CGA): A pharmacological review and call for further research. *Biomed. Pharmacother.* 97: 67–74. doi:10.1016/j.biopha.2017.10.064
- Piatkowska-Chmiel, I., Herbet, M., Gawronska-Grzywacz, M., Ostrowska-Lesko, M., & Dudka, J., 2021. The role of molecular and inflammatory indicators in the assessment of cognitive dysfunction in a mouse model of diabetes. *Int. J. Mol. Sci.* 22. doi:10.3390/ijms22083878
- Rom, S., Zuluaga-Ramirez, V., Gajghate, S., Seliga, A., Winfield, M., Heldt, N.A., et al., 2019. Hyperglycemia-driven neuroinflammation compromises BBB leading to memory loss in both diabetes mellitus (DM) type 1 and type 2 mouse models. *Mol Neurobiol.* 56: 1883–1896. doi:10.1007/s12035-018-1195-5. Hyperglycemia-driven
- Roshan, H., Nikpayam, O., Sedaghat, M., & Sohrab, G., 2018. Effects of green coffee extract supplementation on anthropometric indices, glycaemic control, blood pressure, lipid profile, insulin resistance and appetite in patients with the metabolic syndrome: A randomised clinical trial. *Br. J. Nutr.* 119: 250–258. doi:10.1017/S0007114517003439
- Sandireddy, R., Yerra, V.G., Areti, A., Komirishetty, P., & Kumar, A., 2014. Neuroinflammation and oxidative stress in diabetic neuropathy: Futuristic strategies based on these targets. *Int. J. Endocrinol.* 2014. doi:10.1155/2014/674987
- Singh, A.K., Rana, H.K., Singh, V., Chand Yadav, T., Varadwaj, P., & Pandey, A.K., 2021. Evaluation of antidiabetic activity of dietary phenolic compound chlorogenic acid in streptozotocin induced diabetic rats: Molecular docking, molecular dynamics, in silico toxicity, in vitro and in vivo studies. *Comput. Biol. Med.* 134: 104462. doi:10.1016/j.compbiomed.2021.104462
- Souder, D.C., & Anderson, R.M., 2019. An expanding GSK3 network: implications for aging research. *GeroScience* 41: 369–382.

doi:10.1007/s11357-019-00085-z

- Vorhees, C. V., & Williams, M.T., 2006. Morris water maze: Procedures for assessing spatial and related forms of learning and memory. *Nat. Protoc.* 1: 848–858. doi:10.1038/nprot.2006.116
- Yang, Z., & Wang, K.K.W., 2015. Glial fibrillary acidic protein: From intermediate filament assembly and gliosis to neurobiomarker. *Trends Neurosci.* 38: 364–374. doi:10.1016/j.tins.2015.04.003
- Yoo, Y.M., & Park, Y.C., 2018. Streptozotocin-induced autophagy reduces intracellular insulin in insulinoma INS-1E cells. *DNA Cell Biol.* 37: 160–167. doi:10.1089/dna.2017.3874
- Zong, H., Ward, M., Madden, A., Yong, P.H., Limb, G.A., Curtis, T.M., et al., 2010. Hyperglycaemia-induced pro-inflammatory responses by retinal Müller glia are regulated by the receptor for advanced glycation end-products (RAGE). *Diabetologia* 53: 2656–2666. doi:10.1007/s00125-010-1900-z
- Zuñiga, L.Y., Aceves-De La Mora, M.C.A. De, González-Ortiz, M., Ramos-Núñez, J.L., & Martínez-Abundis, E., 2018. Effect of Chlorogenic Acid Administration on Glycemic Control, Insulin Secretion, and Insulin Sensitivity in Patients with Impaired Glucose Tolerance. *J. Med. Food* 21: 469–473. doi:10.1089/jmf.2017.0110