



REFERENSI

- Adham, M., Kurniawan, A. N., Muhtadi, A. I., Roezin, A., Hermani, B., Gondhowiardjo, S., Bing Tan, I., *et al.* (2012) ‘Nasopharyngeal carcinoma in indonesia: Epidemiology, incidence, signs, and symptoms at presentation’, *Chinese Journal of Cancer*, 31(4), pp. 185–196. doi: 10.5732/cjc.011.10328.
- Adham, M., Kurniawan, A. N., Muhtadi, A. I., Roezin, A., Hermani, B., Gondhowiardjo, S., Tan, I. B., *et al.* (2012) ‘Nasopharyngeal carcinoma in Indonesia: epidemiology, incidence, signs, and symptoms at presentation’, *Chinese Journal of Cancer*, 31(4), pp. 185–196. doi: 10.5732/cjc.011.10328.
- Adham, M. (2019) ‘Pendahuluan’, in farhat. adham, marlinda. dewi, yussy afriani. indrasari, sagung rai. (ed.) *karsinoma nasofaring*. Jakarta: EGC, p. 2.
- Ayoub, N. *et al.* (2017) ‘Efficacy of endoscopic sinus surgery for chronic rinosinusitis following primary radiotherapy and concurrent chemotherapy for nasopharyngeal carcinoma’, *International Forum of Allergy & Rhinology*, 7(11), pp. 1045–1051. doi: 10.1002/alr.22002.
- B.K, E. A. *et al.* (2012) ‘Karakteristik dan Profil ElektronBeam Therapy’, *Radioterapi & Onkologi Indonesia*, 3, pp. 60–64.
- Bakiu, E. *et al.* (2013) ‘Comparison of 3D CRT and IMRT Treatment Plans’, *Acta Informatica Medica*. The British Association of Oral and Maxillofacial Surgeons, 21(3), p. 211. doi: 10.5455/aim.2013.21.211-212.
- Beachler, D. C. and Engels, E. A. (2017) ‘Chronic Sinusitis and Risk of Head and Neck Cancer in the US Elderly Population’, *JAMA Otolaryngology–Head & Neck Surgery*, 143(1), p. 25. doi: 10.1001/jamaoto.2016.2624.
- Beyzadeoglu, M., Ozyigit, G. and Ebruli, C. (2010) ‘Radiobiology’, in *Basic Radiation Oncology*. Berlin, Heidelberg: Springer Berlin Heidelberg, pp. 71–144. doi: 10.1007/978-3-642-11666-7_2.
- Bhattacharyya, N. and Fried, M. P. (2003) ‘The Accuracy of Computed Tomography in the Diagnosis of Chronic Rinosinusitis’, *The Laryngoscope*, 113(1), pp. 125–129. doi: 10.1097/00005537-200301000-00023.
- Blanco, A. I. and Chao, C. (2006) ‘Management of radiation-induced head and neck injury.’, *Cancer treatment and research*, 128, pp. 23–41. doi: 10.1007/0-387-25354-8_3.
- Cao, S.-M., Simons, M. J. and Qian, C.-N. (2011) ‘The prevalence and prevention of nasopharyngeal carcinoma in China’, *Chinese Journal of Cancer*, 30(2), pp. 114–119. doi: 10.5732/cjc.010.10377.
- Chang, E. T. and Adami, H.-O. (2006) ‘The Enigmatic Epidemiology of Nasopharyngeal Carcinoma’, *Cancer Epidemiology Biomarkers & Prevention*, 15(10), pp. 1765–1777. doi: 10.1158/1055-9965.EPI-06-0353.
- Cheng, Y. J. *et al.* (1999) ‘Cigarette smoking, alcohol consumption and risk of nasopharyngeal carcinoma in Taiwan.’, *Cancer causes & control : CCC*. Netherlands, 10(3), pp. 201–207. doi: 10.1023/a:1008893109257.
- Chien, Y.-C. *et al.* (2001) ‘Serologic Markers of Epstein–Barr Virus Infection and Nasopharyngeal Carcinoma in Taiwanese Men’, *New England Journal of*



Medicine, 345(26), pp. 1877–1882. doi: 10.1056/NEJMoa011610.

‘chwie’ (no date).

Crawford, J., Dale, D. C. and Lyman, G. H. (2004) ‘Chemotherapy-induced neutropenia’, *Cancer*, 100(2), pp. 228–237. doi: 10.1002/cncr.11882.

Dalgof, D. M. and Harvey, R. J. (2013) ‘Sinonasal Anatomy and Function’, *American Journal of Rhinology & Allergy*, 27(3_suppl), pp. S3–S6. doi: 10.2500/ajra.2013.27.3888.

Dawolo, A. P., Utama, D. S. and Kasim, B. I. (2019) ‘Profil Klinis Karsinoma Nasofaring di Departemen THTKL RSUP Dr. Mohammad Hoesin Palembang Tahun 2014-2015’, *Majalah Kedokteran Sriwijaya*, 49(1), pp. 1–9. doi: 10.32539/MKS.V49I1.8318.

Farhat *et al.* (eds) (2020) ‘KARSINOMA NASOFARING’, in *Karsinoma Nasofaring*. Jakarta: EGC, pp. 159–189.

Fasyah, I. (2019) *Response Rate Post Kemoradioterapi pada Penderita KNF di RSUP.H.Adam Malik Medan Tahun 2014 - 2016*. Universitas Sumatera Utara. Available at: <http://repositori.usu.ac.id/handle/123456789/12325>.

Fatmah (2006) ‘Respons Imunitas yang Rendah pada Tubuh Manusia Usia Lanjut’, *Makara Kesehatan*, 10(1), pp. 47–53.

Fitriatuzzakiyyah, N., Sinuraya, R. K. and Puspitasari, I. M. (2017) ‘Cancer Therapy with Radiation: The Basic Concept of Radiotherapy and Its Development in Indonesia’, *Indonesian Journal of Clinical Pharmacy*, 6(4), pp. 311–320. doi: 10.15416/ijcp.2017.6.4.311.

Fokkens, W. J. *et al.* (2012) ‘EPOS 2012 Summary’, *Rhinology*, 50, pp. 1–12. doi: 10.4193/Rino12.000.

Gustinetti, G. and Mikulska, M. (2016) ‘Bloodstream infections in neutropenic cancer patients: A practical update’, *Virulence*. Taylor & Francis, 7(3), pp. 280–297. doi: 10.1080/21505594.2016.1156821.

Hasan, I. and Djakaria, H. . (2013) ‘Kematian Sel Akibat Radiasi’, *Radioterapi & Onkologi Indonesia*, 4(2). doi: 10.32532/jori.v4i2.14 <.

Hidayatullah, R. (2017) ‘Dampak Tingkat Radiasi Pada Tubuh Manusia’, *Jurnal Mutiara Elektromedik*, 1(1), pp. 16–23. Available at: <http://e-journal.sari-mutiara.ac.id/index.php/Elektromedik/article/download/140/157/>.

Hildesheim, A. *et al.* (2001) ‘Occupational exposure to wood, formaldehyde, and solvents and risk of nasopharyngeal carcinoma.’, *Cancer epidemiology, biomarkers & prevention : a publication of the American Association for Cancer Research, cosponsored by the American Society of Preventive Oncology*. United States, 10(11), pp. 1145–1153.

Hu, K.-H. *et al.* (2008) ‘Effect of endoscopic sinus surgery on irradiation-induced rhinosinusitis in patients with nasopharyngeal carcinoma’, *Otolaryngology–Head and Neck Surgery*, 139(4), pp. 575–579. doi: 10.1016/j.otohns.2008.07.006.

Huang, C. J. *et al.* (2019) ‘Post-radiation sinusitis is associated with recurrence in nasopharyngeal carcinoma patients treated with intensity-modulated radiation



therapy’, *Radiation Oncology*. Radiation Oncology, 14(1), pp. 1–8. doi: 10.1186/s13014-019-1261-9.

Hung, S.-H. et al. (2014) ‘Association of rinosinusitis with nasopharyngeal carcinoma: A population-based study’, *The Laryngoscope*, 124(7), pp. 1515–1520. doi: 10.1002/lary.24435.

Kamel, R. et al. (2004) ‘Nasal and paranasal sinus changes after radiotherapy for nasopharyngeal carcinoma’, *Acta Oto-Laryngologica*, 124(4), pp. 532–535. doi: 10.1080/00016480410018106.

Kementerian Kesehatan RI (2017) *Pedoman Nasional Pelayanan Kedokteran : Kanker Nasofaring, Komite Penanggulangan Kanker Nasional*.

Kentjono, W. A. (2013a) ‘Perkembangan Terkini Penatalaksanaan Karsinoma Nasofaring’, *KOMPILASI*. KOMPILASI, (Prof.Dr.Widodo Ario

Kentjono,dr.,Sp.THT-KL(K)). Available at:

<http://journal.lib.unair.ac.id/index.php/JK/article/view/928>.

Kentjono, W. A. (2013b) ‘Rinosinusitis : Etiologi Dan Patofisiologi’, *Kompilasi*. KOMPILASI, (Prof.Dr.Widodo Ario Kentjono,dr.,Sp.THT-KL(K)). Available at: <http://journal.lib.unair.ac.id/index.php/JK/article/view/931>.

Komite Penanggulangan Kanker Nasional Kemenkes RI (2015) ‘Panduan Penatalaksanaan Kanker Nasofaring’, *Kementerian Kesehatan Republik Indonesia. Komite Penanggulangan Kanker Nasional.*, pp. 1–56.

Kurniawan, P. and Pawart, D. R. (2012) ‘TRANSPORT MUKOSILIAR HIDUNG PADA RINITIS ALERGI’, *THT-KL Fakultas Kedokteran Universitas Airlangga-RSUD Dr. Soetomo Surabaya*, 5(1), pp. 62–73. Available at: <http://www.journal.unair.ac.id/download-fullpapers-thtkl6f03634336full.pdf>.

Lou, P.-J., Chen, W. P. and Tai, C. C. (1999) ‘Delayed Irradiation Effects on Nasal Epithelium in Patients with Nasopharyngeal Carcinoma; An Ultrastructural Study’, *Annals of Otology, Rhinology & Laryngology*, 108(5), pp. 474–480. doi: 10.1177/000348949910800510.

Lundqvist, E. Å., Fujiwara, K. and Seoud, M. (2015) ‘Principles of chemotherapy’, *International Journal of Gynecology & Obstetrics*, 131, pp. S146–S149. doi: 10.1016/j.ijgo.2015.06.011.

Lyman, G. H. et al. (2003) ‘Risk of Febrile Neutropenia among Patients with Intermediate-grade non-Hodgkin’s Lymphoma Receiving CHOP Chemotherapy’, *Leukemia & Lymphoma*, 44(12), pp. 2069–2076. doi: 10.1080/1042819031000119262.

Magdalena Adamus-Górka (2008) *Improved dose response modeling for normal tissue damage and therapy optimization*. Stockholm: Department of Medical Radiation Physics, Stockholm University & Karolinska Institute. Available at: <https://www.diva-portal.org/smash/get/diva2:198264/FULLTEXT01.pdf>.

Makhlof, S. A. et al. (1994) ‘Surgical Anatomy and Embryology of the Frontal Sinus’, *J Egypt Soc Parasitol*, 24(1), pp. 137–145. doi: 10.1007/978-3-662-48523-1_2.

Muqmiroh, I. Et al. (2018) ‘the radiation dose profile in pediatric interventional



cardiology to estimate the stochastic effect risk: the radiation dose profile in pediatric interventional cardiology to estimate the stochastic effect risk: preliminary study cardiology to estimate th', *journal of vocational health studies*, 01(01), pp. 117–120. Doi: 10.20473/jvhs. V1i3.2018.107-112.

Naomi, S. M., Dewi, Y. A. and Agustina, H. (2018) 'Association between Histopathological Grading and Clinical Staging in Nasopharyngeal Carcinoma', *Journal of Medicine & Health*, 2(2). doi: 10.28932/jmh.v2i2.1010.

Nurul, F. and Gunawan, C. R. (2019) 'Segmentasi Citra Ct Scan Paru-Paru Dengan Menggunakan Metode Active Contour', *JURIKOM*, 6(2). doi: 10.30865/jurikom.v6i2.1166.

Perez-Ordoñez, B. (2007) 'An Update on Epstein-Barr Virus and Nasopharyngeal Carcinogenesis', *Head and Neck Pathology*, 1(2), pp. 141–145. doi: 10.1007/s12105-007-0020-7.

Perhimpunan Onkologi Indonesia (POI) (2010) *Pedoman Tatalaksana Kanker*. Badan Penerbit FKUI. Jakarta.

Rosenblatt, E. et al. (2014) 'Brachytherapy boost in loco-regionally advanced nasopharyngeal carcinoma: a prospective randomized trial of the International Atomic Energy Agency', *Radiation Oncology*, 9(1), p. 67. doi: 10.1186/1748-717X-9-67.

Schwartz, L. H. et al. (2016) 'RECIST 1.1 - Update and clarification: From the RECIST committee', *European Journal of Cancer*, 62(March), pp. 132–137. doi: 10.1016/j.ejca.2016.03.081.

Siahaan, S. (2011) *Analisis paparan radiasi hambur akibat ketebalan dan luas lapangan penyinaran pada radiografi sinar X*. UNDIP.

Sreekavya, P. (2020) 'Diagnosis of Chronic Rinosinusitis – CT Paranasal Sinus and Diagnostic Nasal Endoscopy: A Comparative Study', *Journal of Medical Science And clinical Research*, 08(01). doi: 10.18535/jmscr/v8i1.41.

Su, Y. et al. (2014) 'Factors influencing the incidence of sinusitis in nasopharyngeal carcinoma patients after intensity-modulated radiation therapy', *European Archives of Oto-Rino-Laryngology*, 271(12), pp. 3195–3201. doi: 10.1007/s00405-014-3004-8.

Sudiono, J. and Hassan, I. (2013) 'DNA Epstein-Barr virus (EBV) sebagai biomarker diagnosis karsinoma nasofaring', *Dental Journal (Majalah Kedokteran Gigi)*, 46(3), p. 140. doi: 10.20473/j.djmkg.v46.i3.p140-147.

Susworo, R. (2007) *Radioterapi: Dasar-Dasar Radioterapi, Tata laksana Radioterapi Penyakit Kanker*. Jakarta: UI-Press.

Sveistrup, J. et al. (2014) 'Improvement in toxicity in high risk prostate cancer patients treated with image-guided intensity-modulated radiotherapy compared to 3D conformal radiotherapy without daily image guidance', *Radiation Oncology*, 9(1), pp. 1–8. doi: 10.1186/1748-717X-9-44.

Syahria, setiawati, e. And firdausi, k. S. (2012) 'pembuatan kurva isodosis paparan radiasi di ruang pemeriksaan instalasi radiologi rsud kabupaten kolaka - sulawesi tenggara', *berkala fisika*, 15(4), pp. 123–132.



FAKTOR RISIKO KEJADIAN RINOSINUSITIS PADA PASIEN KARSINOMA NASOFARING YANG MENJALANI KEMORADIOTERAPI

M. GIMA FAIZAL GANI, dr. Kartono Sudarman Sp. T.H.T.K.L (K); Dr. dr. Camelia Herdini, M. Kes., Sp. T.H.T.K.L (K)

UNIVERSITAS
GADJAH MADA

Universitas Gadjah Mada, 2022 | Diunduh dari <http://etd.repository.ugm.ac.id/>

Tejpal, G. *et al.* (2010) ‘IMRT and IGRT in head and neck cancer: Have we delivered what we promised?’, *Indian Journal of Surgical Oncology*, 1(2), pp. 166–185. doi: 10.1007/s13193-010-0030-x.

Wijaya, F. O. and Soeseno, B. (2017) ‘Deteksi Dini dan Diagnosis Karsinoma Nasofaring’, *Cdk-254*, 44(7), pp. 478–481.

Wyllie, A. H., Kerr, J. F. R. and Currie, A. R. (1980) ‘Cell Death: The Significance of Apoptosis’, in, pp. 251–306. doi: 10.1016/S0074-7696(08)62312-8.

Yuan, T.-Z. *et al.* (2008) ‘[Occurrence and influencing factors of paranasal sinusitis in nasopharyngeal carcinoma patients after radiotherapy].’, *Ai zheng = Aizheng = Chinese journal of cancer*, 27(8), pp. 866–9. Available at: <http://www.ncbi.nlm.nih.gov/pubmed/18710623>.

Zhang, X.-L. *et al.* (2014) ‘The Tumor-Stroma Ratio Is an Independent Predictor for Survival in Nasopharyngeal Cancer’, *Oncology Research and Treatment*, 37(9), pp. 480–484. doi: 10.1159/000365165.