

- Akaike, H. (1973) 'Information theory and an extension of the maximum likelihood principle. In Second International Symposium on Information Theory (eds B.N. Petrov & B.F. Csaki).', *Akademiai Kiado, Budapest, Hungary*, pp. 267–81.
- Allen, M.L. *et al.* (2020) 'Terrestrial mammal community richness and temporal overlap between tigers and other carnivores in Bukit Barisan Selatan National Park, Sumatra', *Animal Biodiversity and Conservation*, pp. 97–107. doi:10.32800/abc.2020.43.0097.
- Allen, M.L., Sibarani, M.C. and Krofel, M. (2020) 'Predicting preferred prey of Sumatran tigers *Panthera tigris sumatrae* via spatio-temporal overlap', *Oryx*, 55(2), pp. 197–203. doi:10.1017/S0030605319000577.
- Andheria, A.P., Karanth, K.U. and Kumar, N.S. (2007) 'Diet and prey profiles of three sympatric large carnivores in Bandipur Tiger Reserve, India', *Journal of Zoology*, 273(2), pp. 169–175. doi:10.1111/j.1469-7998.2007.00310.x.
- Azlan, J.Mohd. and Sharma, D.S.K. (2006) 'The diversity and activity patterns of wild felids in a secondary forest in Peninsular Malaysia', *Oryx*, 40(1), pp. 36–41. doi:10.1017/S0030605306000147.
- Balme, G.A., Slotow, R. and Hunter, L.T.B. (2010) 'Edge effects and the impact of non-protected areas in carnivore conservation: leopards in the Phinda-Mkhuze Complex, South Africa: Impact of edge effects on carnivore conservation', *Animal Conservation*, 13(3), pp. 315–323. doi:10.1111/j.1469-1795.2009.00342.x.
- Barner, A.K. *et al.* (2018) 'Fundamental contradictions among observational and experimental estimates of non-trophic species interactions', *Ecology*, 99(3), pp. 557–566. doi:10.1002/ecy.2133.
- Barros, A.L. *et al.* (2020) 'Accounting for detection unveils the intricacy of wild boar and rabbit co-occurrence patterns in a Mediterranean landscape', *Scientific Reports*, 10(1), p. 6651. doi:10.1038/s41598-020-63492-9.
- Batschelet, E. (1981) *Circular statistics in biology*. Academic Press, New York.
- Bhandari, A. *et al.* (2021) 'Dhole pack size variation: Assessing the effect of prey availability and apex predator', *Ecology and Evolution*, 11(9), pp. 4774–4785. doi:10.1002/ece3.7380.
- BIG (2013) 'Badan Informasi Geospasial (Geospatial Information Agency)'. Bogor, Indonesia.
- Bischof, R. *et al.* (2014) 'Being the underdog: an elusive small carnivore uses space with prey and time without enemies', *Journal of Zoology*, 293(1), pp. 40–48. doi:10.1111/jzo.12100.
- Blanchet, F.G., Cazelles, K. and Gravel, D. (2020) 'Co-occurrence is not evidence of ecological interactions', *Ecology Letters*. Edited by E. Jeffers, 23(7), pp. 1050–1063. doi:10.1111/ele.13525.



- Brodie, J.F. *et al.* (2014) 'Evaluating multispecies landscape connectivity in a threatened tropical mammal community: multispecies habitat corridors', *Conservation Biology*, 29(1), pp. 122–132. doi:10.1111/cobi.12337.
- Brodie, J.F., Giordano, A.J. and Ambu, L. (2015) 'Differential responses of large mammals to logging and edge effects', *Mammalian Biology*, 80(1), pp. 7–13. doi:10.1016/j.mambio.2014.06.001.
- Burnham, K.P. and Anderson, D.R. (2002) *Model selection and multimodel inference: A practical information-theoretic approach 2nd edition*. New York: Springer-Verlag.
- Carter, N. *et al.* (2020) 'Road development in Asia: Assessing the range-wide risks to tigers', *Science Advances*, 6(18), p. eaaz9619. doi:10.1126/sciadv.aaz9619.
- Carter, N.H. *et al.* (2012) 'Coexistence between wildlife and humans at fine spatial scales', *Proceedings of the National Academy of Sciences*, 109(38), pp. 15360–15365. doi:10.1073/pnas.1210490109.
- Cheyne, S. *et al.* (2013) 'First estimates of population ecology and threats to Sunda clouded leopards *Neofelis diardi* in a peat-swamp forest, Indonesia', *Endangered Species Research*, 22(1), pp. 1–9. doi:10.3354/esr00525.
- Davis, C.L. *et al.* (2018) 'Ecological correlates of the spatial co-occurrence of sympatric mammalian carnivores worldwide', *Ecology Letters*. Edited by J. Davies, 21(9), pp. 1401–1412. doi:10.1111/ele.13124.
- Dinerstein, E. *et al.* (2006) 'Setting priorities for the conservation and recovery of wild tigers 2005–2015. a user's guide'. WWF, WCS, Smithsonian, and NFWF-STF, Washington, D.C. – New York.
- Dudley, N. *et al.* (2020) 'How effective are Tiger conservation areas at managing their sites against the Conservation Assured | Tiger Standards (CA|TS)?', *PARKS*, (26.2), pp. 115–128. doi:10.2305/IUCN.CH.2020.PARKS-26-2ND.en.
- Dwiyahreni, A.A. *et al.* (2021) 'Changes in the human footprint in and around Indonesia's terrestrial national parks between 2012 and 2017', *Scientific Reports*, 11(1), p. 4510. doi:10.1038/s41598-021-83586-2.
- Elmhagen, B. and Rushton, S.P. (2007) 'Trophic control of mesopredators in terrestrial ecosystems: top-down or bottom-up?', *Ecology Letters*, 10(3), pp. 197–206. doi:10.1111/j.1461-0248.2006.01010.x.
- ESRI (2016) *ArcGIS desktop release 10.4*. Redlands, CA: Environmental Systems Research Institute.
- Farris, Z.J. *et al.* (2015) 'Hunting, exotic carnivores, and habitat loss: anthropogenic effects on a native carnivore community, Madagascar', *PLOS ONE*. Edited by B.L. Allen, 10(9), p. e0136456. doi:10.1371/journal.pone.0136456.
- Gaston, K.J. *et al.* (2000) 'Abundance-occupancy relationships', *Journal of Applied Ecology*, 37(s1), pp. 39–59. doi:10.1046/j.1365-2664.2000.00485.x.



Gayeau, D.L.A. *et al.* (2009) 'Evaluating whether protected areas reduce tropical deforestation in Sumatra', *Journal of Biogeography*, 36(11), pp. 2165–2175. doi:10.1111/j.1365-2699.2009.02147.x.

Genz, A. *et al.* (2020) *Package 'mvtnorm' version 1.1-1: multivariate normal and t distributions*. Available at: <http://mvtnorm.R-forge.R-project.org>.

Gerber, B.D., Karpanty, S.M. and Randrianantenaina, J. (2012) 'Activity patterns of carnivores in the rain forests of Madagascar: implications for species coexistence', *Journal of Mammalogy*, 93(3), pp. 667–676. doi:10.1644/11-MAMM-A-265.1.

Goodrich, J. *et al.* (2015) '*Panthera tigris*. The IUCN Red List of Threatened Species 2015: e.T15955A50659951. <https://dx.doi.org/10.2305/IUCN.UK.2015-2.RLTS.T15955A50659951.en>. Downloaded on 16 October 2021.'

Gray, T.N.E. *et al.* (2018) 'The wildlife snaring crisis: an insidious and pervasive threat to biodiversity in Southeast Asia', *Biodiversity and Conservation*, 27(4), pp. 1031–1037. doi:10.1007/s10531-017-1450-5.

Gregory, A. *et al.* (2021) 'Toward best management practices for ecological corridors', *Land*, 10(2), p. 140. doi:10.3390/land10020140.

Haidir, I., Macdonald, D.W. and Linkie, M. (2020) 'Sunda clouded leopard *Neofelis diardi* densities and human activities in the humid evergreen rainforests of Sumatra', *Oryx*, 55(2), pp. 189–196. doi:10.1017/S0030605319001005.

Haidir, I.A. *et al.* (2013) 'Asiatic golden cat and Sunda clouded leopard occupancy in the Kerinci Seblat landscape, West-Central Sumatra', *CATnews 59 Autumn 2013* [Preprint].

Haidir, Iding Achmad *et al.* (2020) 'Felids, forest and farmland: identifying high priority conservation areas in Sumatra', *Landscape Ecology*, 36(2), pp. 475–495. doi:10.1007/s10980-020-01146-x.

Haidir, Iding A. *et al.* (2020) 'Population dynamics of threatened felids in response to forest cover change in Sumatra', *PLOS ONE*. Edited by A. Viña, 15(8), p. e0236144. doi:10.1371/journal.pone.0236144.

Haidir, I.A., Macdonald, D.W. and Linkie, M. (2018) 'Assessing the spatiotemporal interactions of mesopredators in Sumatra's tropical rainforest', *PLOS ONE*. Edited by C.A. Lepczyk, 13(9), p. e0202876. doi:10.1371/journal.pone.0202876.

Harihar, A. *et al.* (2018) 'Recovery planning towards doubling wild tiger *Panthera tigris* numbers: Detailing 18 recovery sites from across the range', *PLOS ONE*. Edited by J.K. Bump, 13(11), p. e0207114. doi:10.1371/journal.pone.0207114.

Harrison, R.D. *et al.* (2013) 'Consequences of defaunation for a tropical tree community', *Ecology Letters*. Edited by V. Novotny, 16(5), pp. 687–694. doi:10.1111/ele.12102.

Hayward, M.W., Lyngdoh, S. and Habib, B. (2014) 'Diet and prey preferences of dholes (*Cuon alpinus*): dietary competition within Asia's apex predator guild', *Journal of Zoology*, 294(4), pp. 255–266. doi:10.1111/jzo.12171.



Hearn, A. *et al.* (2015) '*Neofelis diardi* (errata version published in 2016). The IUCN Red List of Threatened Species 2015: e.T136603A97212874'. doi:<https://dx.doi.org/10.2305/IUCN.UK.2015-4.RLTS.T136603A50664601.en>.

Hunter, L. and Barrett, P. (2018) *A field guide to the carnivores of the world (Second Edition)*. Bloomsbury Wildlife, Bloomsbury Publishing Plc, UK.

Imron, M.A., Herzog, S. and Berger, U. (2010) 'The influence of agroforestry and other land-use types on the persistence of a Sumatran tiger (*Panthera tigris sumatrae*) population: an individual-based model approach', *Environmental Management*, 48(2), pp. 276–288. doi:10.1007/s00267-010-9577-0.

Karanth, K.K. (2016) 'Wildlife in the Matrix: Spatio-Temporal Patterns of Herbivore Occurrence in Karnataka, India', *Environmental Management*, 57(1), pp. 189–206. doi:10.1007/s00267-015-0595-9.

Karanth, K.U. *et al.* (2004) 'Tigers and their prey: Predicting carnivore densities from prey abundance', *Proceedings of the National Academy of Sciences*, 101(14), pp. 4854–4858. doi:10.1073/pnas.0306210101.

Karanth, K.U. *et al.* (2017) 'Spatio-temporal interactions facilitate large carnivore sympatry across a resource gradient', *Proceedings of the Royal Society B: Biological Sciences*, 284(1848), p. 20161860. doi:10.1098/rspb.2016.1860.

Kautz, T.M. *et al.* (2021) 'Large carnivore response to human road use suggests a landscape of coexistence', *Global Ecology and Conservation*, 30, p. e01772. doi:10.1016/j.gecco.2021.e01772.

Keuling, O. and Leus, K. (2018) '*Sus scrofa*. The IUCN Red List of Threatened Species 2019: e.T41775A44141833'. International Union for Conservation of Nature. doi:10.2305/IUCN.UK.2019-3.RLTS.T41775A44141833.en.

Laumonier, Y. *et al.* (2010) 'Eco-floristic sectors and deforestation threats in Sumatra: identifying new conservation area network priorities for ecosystem-based land use planning', *Biodiversity and Conservation*, 19(4), pp. 1153–1174. doi:10.1007/s10531-010-9784-2.

Li, S. *et al.* (2020) 'Retreat of large carnivores across the giant panda distribution range', *Nature Ecology & Evolution*, 4(10), pp. 1327–1331. doi:10.1038/s41559-020-1260-0.

Linkie, M. *et al.* (2006) 'Assessing the viability of tiger subpopulations in a fragmented landscape', *Journal of Applied Ecology*, 43(3), pp. 576–586. doi:10.1111/j.1365-2664.2006.01153.x.

Linkie, M. *et al.* (2007) 'Estimating occupancy of a data deficient mammalian species living in tropical rainforests: Sun bears in the Kerinci Seblat region, Sumatra', *Biological Conservation*, 137(1), pp. 20–27. doi:10.1016/j.biocon.2007.01.016.

Linkie, M. *et al.* (2010) 'Monitoring tigers with confidence', *Integrative Zoology*, 5(4), pp. 342–350. doi:10.1111/j.1749-4877.2010.00215.x.

Linkie, M. *et al.* (2015) 'Safeguarding Sumatran tigers: evaluating effectiveness of law enforcement patrols and local informant networks', *Journal of Applied Ecology*. Edited by M. Hayward, 52(4), pp. 851–860. doi:10.1111/1365-2664.12461.



Linkie, M. and Ridout, M.S. (2011) 'Assessing tiger-prey interactions in Sumatran rainforests: tiger-prey temporal interactions', *Journal of Zoology*, 284(3), pp. 224–229. doi:10.1111/j.1469-7998.2011.00801.x.

Lubis, M.I. *et al.* (2020) 'Unraveling the complexity of human–tiger conflicts in the Leuser Ecosystem, Sumatra', *Animal Conservation*, 23(6), pp. 741–749. doi:10.1111/acv.12591.

Lund, U. *et al.* (2017) *Package 'circular': circular statistics*. Available at: <https://cran.r-project.org/web/packages/circular/index.html>.

Luskin, M.S. *et al.* (2013) 'Modern hunting practices and wild meat trade in the oil palm plantation-dominated landscapes of Sumatra, Indonesia', *Human Ecology*, 42(1), pp. 35–45. doi:10.1007/s10745-013-9606-8.

Luskin, M.S. *et al.* (2020) 'African Swine Fever threatens Southeast Asia's 11 endemic wild pig species', *Conservation Letters*, 14(3). doi:10.1111/conl.12784.

Luskin, M.S., Albert, W.R. and Tobler, M.W. (2017) 'Sumatran tiger survival threatened by deforestation despite increasing densities in parks', *Nature Communications*, 8(1), p. 1783. doi:10.1038/s41467-017-01656-4.

Mackenzie, D.I. *et al.* (2002) 'Estimating site occupancy rates when detection probabilities are less than one', 83(8), p. 8.

MacKenzie, D.I. *et al.* (eds) (2006) *Occupancy estimation and modeling: inferring patterns and dynamics of species*. Amsterdam ; Boston: Elsevier.

Mackenzie, D.I. and Royle, J.A. (2005) 'Designing occupancy studies: general advice and allocating survey effort: *Designing occupancy studies*', *Journal of Applied Ecology*, 42(6), pp. 1105–1114. doi:10.1111/j.1365-2664.2005.01098.x.

Manlick, P.J. and Pauli, J.N. (2020) 'Human disturbance increases trophic niche overlap in terrestrial carnivore communities', *Proceedings of the National Academy of Sciences*, 117(43), pp. 26842–26848. doi:10.1073/pnas.2012774117.

Margono, B.A. *et al.* (2012) 'Mapping and monitoring deforestation and forest degradation in Sumatra (Indonesia) using Landsat time series data sets from 1990 to 2010', *Environmental Research Letters*, 7(3), p. 034010. doi:10.1088/1748-9326/7/3/034010.

McShane, T.O. *et al.* (2011) 'Hard choices: Making trade-offs between biodiversity conservation and human well-being', *Biological Conservation*, 144(3), pp. 966–972. doi:10.1016/j.biocon.2010.04.038.

Meredith, M. *et al.* (2020) *Package 'wiqid': quick and dirty estimates for wildlife populations*. Available at: <https://cran.r-project.org/web/packages/wiqid/index.html>.

Meredith, M. and Ridout, M. (2020) *Package 'overlap': Estimates of coefficient of overlapping for animal activity version 0.3.3*. Available at: <https://cran.r-project.org/web/packages/overlap/index.html>.

MoEF (2017) 'Rencana pengelolaan jangka panjang Suaka Margasatwa Bukit Rimbang Bukit Baling Provinsi Riau periode 2018-2027 (Long term management plan of Bukit Rimbang Bukit Baling Wildlife Reserve Riau Province period 2018-2027)'. The Ministry of Environment and Forestry, Indonesia.



(2019) 'Counting Sunda clouded leopards with confidence: incorporating individual heterogeneity in density estimates', *Oryx*, 55(1), pp. 56–65. doi:10.1017/S0030605318001503.

Monterroso, P., Alves, P.C. and Ferreras, P. (2014) 'Plasticity in circadian activity patterns of mesocarnivores in Southwestern Europe: implications for species coexistence', *Behavioral Ecology and Sociobiology*, 68(9), pp. 1403–1417. doi:10.1007/s00265-014-1748-1.

Murphy, A. et al. (2018) 'Using camera traps to investigate spatial co-occurrence between exotic predators and native prey species: a case study from northeastern Madagascar', *Journal of Zoology*, 307(4), pp. 264–273. doi:10.1111/jzo.12645.

Naing, H. et al. (2020) 'Large carnivores as potential predators of sun bears', *Ursus*, 2019(30e4), p. 51. doi:10.2192/URSU-D-18-0022.2.

Nichols, J.D. et al. (2008) 'Multi-scale occupancy estimation and modelling using multiple detection methods', *Journal of Applied Ecology*, 45(5), pp. 1321–1329. doi:10.1111/j.1365-2664.2008.01509.x.

Nyhus, P.J. and Tilson, R. (2004) 'Characterizing human-tiger conflict in Sumatra, Indonesia: implications for conservation', *Oryx*, 38(01). doi:10.1017/S0030605304000110.

O'Brien, T.G. and Kinnaid, M.F. (2011) 'Density estimation of sympatric carnivores using spatially explicit capture–recapture methods and standard trapping grid', *Ecological Applications*, 21(8), pp. 2908–2916. doi:10.1890/10-2284.1.

O'Brien, T.G., Kinnaid, M.F. and Wibisono, H.T. (2003) 'Crouching tigers, hidden prey: Sumatran tiger and prey populations in a tropical forest landscape', *Animal Conservation*, 6(2), pp. 131–139. doi:10.1017/S1367943003003172.

Peoples, B.K. and Frimpong, E.A. (2016) 'Biotic interactions and habitat drive positive co-occurrence between facilitating and beneficiary stream fishes', *Journal of Biogeography*, 43(5), pp. 923–931. doi:10.1111/jbi.12699.

Phan, T. et al. (2020) '*Capricornis sumatraensis*. The IUCN Red List of Threatened Species 2020: e.T162916735A162916910'. Available at: <https://dx.doi.org/10.2305/IUCN.UK.2020-2.RLTS.T162916735A162916910.en>.

Phumanee, W. et al. (2020) 'Occupancy-based monitoring of ungulate prey species in Thailand indicates population stability, but limited recovery', *Ecosphere*, 11(9). doi:10.1002/ecs2.3208.

Poor, E.E., Shao, Y. and Kelly, M.J. (2019) 'Mapping and predicting forest loss in a Sumatran tiger landscape from 2002 to 2050', *Journal of Environmental Management*, 231, pp. 397–404. doi:10.1016/j.jenvman.2018.10.065.

Pudyatmoko, S. (2019) 'Spatiotemporal inter-predator and predator–prey interactions of mammalian species in a tropical savanna and deciduous forest in Indonesia', *Mammal Research*, 64(2), pp. 191–202. doi:10.1007/s13364-018-0391-z.

Pusparini, W. et al. (2014) 'Small and medium sized cats in Gunung Leuser National Park, Sumatra, Indonesia', *CATnews Special Issue 8 Spring 2014* [Preprint].



et al. (2017) 'A pathway to recovery: the Critically Endangered Sumatran tiger *Panthera tigris sumatrae* in an "in danger" UNESCO World Heritage Site', *Oryx*, 52(1), pp. 25–34. doi:10.1017/S0030605317001144.

Ramesh, T., Kalle, R. and Downs, C.T. (2017) 'Staying safe from top predators: patterns of co-occurrence and inter-predator interactions', *Behavioral Ecology and Sociobiology*, 71(2), p. 41. doi:10.1007/s00265-017-2271-y.

Ratnayeke, S. *et al.* (2018) 'Carnivore hotspots in Peninsular Malaysia and their landscape attributes', *PLOS ONE*. Edited by E. Webb, 13(4), p. e0194217. doi:10.1371/journal.pone.0194217.

Rich, L.N. *et al.* (2017) 'Assessing global patterns in mammalian carnivore occupancy and richness by integrating local camera trap surveys', *Global Ecology and Biogeography*, 26(8), pp. 918–929. doi:10.1111/geb.12600.

Richmond, O.M.W., Hines, J.E. and Beissinger, S.R. (2010) 'Two-species occupancy models: a new parameterization applied to co-occurrence of secretive rails', *Ecological Applications*, 20(7), pp. 2036–2046. doi:10.1890/09-0470.1.

Ripple, W.J. *et al.* (2014) 'Status and ecological effects of the world's largest carnivores', *Science*, 343(6167), p. 1241484. doi:10.1126/science.1241484.

Ripple, W.J. and Beschta, R.L. (2012) 'Large predators limit herbivore densities in northern forest ecosystems', *European Journal of Wildlife Research*, 58(4), pp. 733–742. doi:10.1007/s10344-012-0623-5.

Risdianto, D. *et al.* (2016) 'Examining the shifting patterns of poaching from a long-term law enforcement intervention in Sumatra', *Biological Conservation*, 204, pp. 306–312. doi:10.1016/j.biocon.2016.10.029.

Roberge, J.-M. and Angelstam, P. (2004) 'Usefulness of the Umbrella Species Concept as a Conservation Tool', *Conservation Biology*, 18(1), pp. 76–85. doi:10.1111/j.1523-1739.2004.00450.x.

Rota, C.T. *et al.* (2016) 'A multispecies occupancy model for two or more interacting species', *Methods in Ecology and Evolution*. Edited by D. Warton, 7(10), pp. 1164–1173. doi:10.1111/2041-210X.12587.

Schuetz, P. *et al.* (2013) 'Occupancy patterns and niche partitioning within a diverse carnivore community exposed to anthropogenic pressures', *Biological Conservation*, 158, pp. 301–312. doi:10.1016/j.biocon.2012.08.008.

Scotson, L. *et al.* (2017) '*Helarctos malayanus* (errata version published in 2018). The IUCN Red List of Threatened Species 2017: e.T9760A123798233'. doi:<http://dx.doi.org/10.2305/IUCN.UK.2017-3.RLTS.T9760A45033547.en>.

Scotson, L. (2019) 'Exploring potential range connectivity of sun bear (Carnivora: Ursidae: Ursinae)', *Raffles Bulletin of Zoology*, p. 10. doi:DOI: 10.26107/RBZ-2019-0006.

Setiabudi, S. (2012) 'Land use map 2012 of Sumatra'. WWF-Indonesia, Jakarta, Indonesia.



Shannon, G. Lewis, J.S. and Gerber, B.D. (2014) 'Recommended survey designs for occupancy modelling using motion-activated cameras: insights from empirical wildlife data', *PeerJ*, 2, p. e532. doi:10.7717/peerj.532.

Simcharoen, A. *et al.* (2014) 'Ecological factors that influence sambar (*Rusa unicolor*) distribution and abundance in western Thailand: implications for tiger conservation', *Raffles Bulletin of Zoology*, p. 7.

Singh, R. *et al.* (2014) 'Tiger density in a tropical lowland forest in the Eastern Himalayan Mountains', *SpringerPlus*, 3(1), p. 462. doi:10.1186/2193-1801-3-462.

Srivathsa, A. *et al.* (2019) 'Examining human–carnivore interactions using a socio-ecological framework: sympatric wild canids in India as a case study', *Royal Society Open Science*, 6(5), p. 182008. doi:10.1098/rsos.182008.

Struebig, M.J. *et al.* (2018) 'Addressing human-tiger conflict using socio-ecological information on tolerance and risk', *Nature Communications*, 9(1), p. 3455. doi:10.1038/s41467-018-05983-y.

Sulistiyawan, B.S. *et al.* (2017) 'Connecting the fragmented habitat of endangered mammals in the landscape of Riau–Jambi–Sumatera Barat (RIMBA), central Sumatra, Indonesia (connecting the fragmented habitat due to road development)', *Global Ecology and Conservation*, 9, pp. 116–130. doi:10.1016/j.gecco.2016.12.003.

Sunarto *et al.* (2013) 'Threatened predator on the equator: multi-point abundance estimates of the tiger *Panthera tigris* in central Sumatra', *Oryx*, 47(2), pp. 211–220. doi:10.1017/S0030605311001530.

Sunarto, S. *et al.* (2012) 'Tigers need cover: multi-scale occupancy study of the big cat in Sumatran forest and plantation landscapes', *PLoS ONE*, 7(1), p. e30859. doi:10.1371/journal.pone.0030859.

Sunarto, S. *et al.* (2013) 'Camera trapping for the study and conservation of tropical carnivores', *The Raffles Bulletin of Zoology*, 28, pp. 21–42.

Sunarto, S. *et al.* (2015) 'Cat coexistence in central Sumatra: ecological characteristics, spatial and temporal overlap, and implications for management', *Journal of Zoology*, 296(2), pp. 104–115. doi:10.1111/jzo.12218.

Timmins, R. *et al.* (2015) '*Rusa unicolor* (errata version published in 2015). The IUCN Red List of Threatened Species 2015:eT41790A85628124'. Available at: <https://dx.doi.org/10.2305/IUCN.UK.2015-2.RLTS.T41790A22156247.en>.

Timmins, R., Duckworth, J. and Hedges, S. (2016) '*Muntiacus muntjak*. The IUCN Red List of Threatened Species 2016: eT42190A56005589'. Available at: <https://dx.doi.org/10.2305/IUCN.UK.2016-1.RLTS.T42190A56005589.en>.

Uryu, Y. *et al.* (2010) 'Sumatra's forests, their wildlife and the climate windows in time: 1985, 1990, 2000 and 2009'. WWF-Indonesia, Jakarta, Indonesia. Available at: http://awsassets.wwf.or.id/downloads/wwf_indonesia__2010__sumatran_forests_wildlife__climate_report_for_dkn___bappenas.pdf.



Wibisono, H.T. *et al.* (2011) 'Population status of a cryptic top predator: an island-wide assessment of tigers in Sumatran rainforests', *PLoS ONE*. Edited by B. Gratwicke, 6(11), p. e25931. doi:10.1371/journal.pone.0025931.

Wibisono, H.T. and Pusparini, W. (2010) 'Sumatran tiger (*Panthera tigris sumatrae*): a review of conservation status', *Integrative Zoology*, 5(4), pp. 313–323. doi:10.1111/j.1749-4877.2010.00219.x.

Widodo, F.A. *et al.* (2017) 'Tigers and their prey in Bukit Rimang Bukit Baling: abundance baseline for effective wildlife reserve management', *Jurnal Ilmu Kehutanan*, 11(2), p. 118. doi:10.22146/jik.28275.

Widodo, F.A. *et al.* (2020) 'Preliminary assessment of abundance and distribution of dholes *Cuon alpinus* in Rimang Baling and Tesso Nilo landscapes, Sumatra', *Raffles Bulletin of Zoology*, p. 9. doi:DOI: 10.26107/RBZ-2020-0055.

Widodo, F.A., Mazzolli, M. and Hammer, M. (2016) *Forest flagship: Monitoring & conserving critically endangered Sumatran tigers in Bukit Rimang Bukit Baling Wildlife Reserve, Sumatra, Indonesia (Report published: May 2016)*. The Biosphere Expeditions, WWF Indonesia and Batu Dinding Community Group, p. 48.

Wintle, B.A. *et al.* (2005) 'Estimating and dealing with detectability in occupancy surveys for forest owls and arboreal marsupials', *Journal of Wildlife Management*. Edited by Vojta, 69(3), pp. 905–917. doi:10.2193/0022-541X(2005)069[0905:EADWDI]2.0.CO;2.

Wolf, C. and Ripple, W.J. (2018) 'Rewilding the world's large carnivores', *Royal Society Open Science*, 5(3), p. 172235. doi:10.1098/rsos.172235.

Wong, W.-M., Leader-Williams, N. and Linkie, M. (2012) 'Quantifying changes in sun bear distribution and their forest habitat in Sumatra: Sun bear population trends and deforestation in Sumatra', *Animal Conservation*, 16(2), pp. 216–223. doi:10.1111/j.1469-1795.2012.00587.x.