UNIVERSITAS
GADJAH MADA
Konstruksi dan Ekspresi ProteinChimeric L1L2 HPV 52 pada Escherichia coli BL21 (DE3)
MUH. CHAERIL I, Prof. dr. Tri Wibawa, Ph.D, Sp.MK(K).; Dr. Apon Zaenal Mustopa M.Si.
Universitas Gadjah Mada, 2022 | Diunduh dari http://etd.repository.ugm.ac.id/

DAFTAR PUSTAKA

Al-Tubuly, A. A. (2000). SDS-PAGE and western blotting. In *Diagnostic and Therapeutic Antibodies* (pp. 391-405). Humana, Totowa, NJ.

Annisa. (2012). *Isolasi RNA dan Pengklonan Gen Transkripsi Kation dari Pankreas Sapi ke Escherichia coli DH5α*. DEPOK: Universitas Indonesia.

Apindiati, R. K., Suastika, G., & Mutaqin, K. H. (2015). Ekspresi Rekombinan Gen Protein Selubung Pepper vein yellows virus. *Jurnal Fitopatologi Indonesia*, 11(4), 137-137.

Arbyn, M., Weiderpass, E., Bruni, L., de Sanjosé, S., Saraiya, M., Ferlay, J., & Bray, F. (2020). Estimates of incidence and mortality of cervical cancer in 2018: a worldwide analysis. *The Lancet Global Health*, *8*(2), e191–e203. https://doi.org/10.1016/S2214-109X(19)30482-6

Azhar, M., Natalia, D., Syukur, S., Andriani, N., & Jamsari, J. (2018). Partial Gene Cloning and Enzyme Structure Modeling of Exolevanase Fragment from Bacillus subtilis. *IOP Conference Series: Materials Science and Engineering*, *335*(1). https://doi.org/10.1088/1757-899X/335/1/012026.

Beaumont, E., Patient, R., Hourioux, C., Dimier-Poisson, I., & Roingeard, P. (2013). Chimeric hepatitis B virus/hepatitis C virus envelope proteins elicit broadly neutralizing antibodies and constitute a potential bivalent prophylactic vaccine. *Hepatology*, *57*(4), 1303–1313. https://doi.org/10.1002/hep.26132

Bergkessel, M., & Guthrie, C. (2013). Colony PCR. *Methods in Enzymology*, *529*, 299–309. https://doi.org/10.1016/B978-0-12-418687-3.00025-2.

Bis, R. L., Stauffer, T. M., Singh, S. M., Lavoie, T. B., & Mallela, K. M. (2014). High yield soluble bacterial expression and streamlined purification of recombinant human interferon α-2a. *Protein Expression and Purification*, 99, 138-146. https://doi.org/10.1016/j.pep.2014.04.010

Bissett, S. L., Godi, A., & Beddows, S. (2016). The de and FG loops of the HPV major capsid protein contribute to the epitopes of vaccine-induced cross-neutralising antibodies. *Scientific Reports*, *6*(May), 1–10. https://doi.org/10.1038/srep39730

Bonde, J. S., & Bülow, L. (2013). Chimeric Genes, Proteins. In *Brenner's Encyclopedia of Genetics: Second Edition* (Vol. 1). Elsevier Inc. https://doi.org/10.1016/B978-0-12-374984-0.00229-1

Boxus, M., Fochesato, M., Miseur, A., Mertens, E., Dendouga, N., Brendle, S., Balogh, K. K., Christensen, N. D., & Giannini, S. L. (2016). Broad Cross-Protection Is Induced in Preclinical Models by a Human Papillomavirus Vaccine Composed of L1L2 Chimeric Virus-Like Particles. *Journal of Virology*, *90*(14), 6314–6325.

UNIVERSITAS
GADJAH MADA
Konstruksi dan Ekspresi ProteinChimeric L1L2 HPV 52 pada Escherichia coli BL21 (DE3)
MUH. CHAERIL I, Prof. dr. Tri Wibawa, Ph.D, Sp.MK(K).; Dr. Apon Zaenal Mustopa M.Si.
Universitas Gadjah Mada, 2022 | Diunduh dari http://etd.repository.ugm.ac.id/

https://doi.org/10.1128/jvi.00449-16

Bredell, H., Smith, J. J., Görgens, J. F., & van Zyl, W. H. (2018). Expression of unique chimeric human papilloma virus type 16 (HPV-16) L1-L2 proteins in Pichia pastoris and Hansenula polymorpha. *Yeast*, *35*(9), 519–529. https://doi.org/10.1002/yea.3318

Bruni, L. B. R. L., Barrionuevo-Rosas, L., Albero, G., Serrano, B., Mena, M., Gómez, D., ... & de Sanjosé, S. (2022). Human papillomavirus and related diseases report. *ICO/IARC Information Centre on HPV and Cancer (HPV Information Centre)*.

Bryksin, A., & Matsumura, I. (2013). Overlap extension PCR cloning. In *Synthetic Biology* (pp. 31-42). Humana Press, Totowa, NJ.

Buck, C. B., Cheng, N., Thompson, C. D., Lowy, D. R., Steven, A. C., Schiller, J. T., & Trus, B. L. (2008). Arrangement of L2 within the Papillomavirus Capsid. *Journal of Virology*, *82*(11), 5190–5197. https://doi.org/10.1128/jvi.02726-07

Buck, C. B., Day, P. M., & Trus, B. L. (2013). The papillomavirus major capsid protein L1. *Virology*, *445*(1–2), 169–174. https://doi.org/10.1016/j.virol.2013.05.038

Carter, J., & Saunders, V. (2007). *Virology: Principles and Applications*. Jhon Wiley & Sons, Ltd: Chichester UK.

Castorena-Torres, F., Peñuelas-Urquides, K., & de León, M. B. (2016). Site-Directed Mutagenesis by Polymerase Chain Reaction. In A. Samadikuchaksaraei, *Polymerase Chain Reaction for Biomedical Applications* (pp. 159-174). Croatia: Intech Open.

Cha-Aim, K., Hoshida, H., Fukunaga, T., & Akada, R. (2012). Fusion PCR via novel overlap sequences. In Gene Synthesis (pp. 97-110). Humana Press.

Chabeda, A., van Zyl, A. R., Rybicki, E. P., & Hitzeroth, I. I. (2019). Substitution of human papillomavirus type 16 L2 neutralizing epitopes into L1 surface loops: The effect on virus-like particle assembly and immunogenicity. *Frontiers in Plant Science*, *10*(June). https://doi.org/10.3389/fpls.2019.00779

Chen, H. S., Conway, M. J., Christensen, N. D., Alam, S., & Meyers, C. (2011). Papillomavirus capsid proteins mutually impact structure. *Virology*, 412(2), 378-383. https://doi.org/10.1016/j.virol.2011.01.018

Chen, X. S., Garcea, R. L., Goldberg, I., Casini, G., & Harrison, S. C. (2000). Structure of small virus-like particles assembled from the L1 protein of human papillomavirus 16. *Molecular Cell*, *5*(3), 557–567. https://doi.org/10.1016/S1097-2765(00)80449-9

Chen, X., Zhang, T., Liu, H., Hao, Y., Liao, G., & Xu, X. (2018). Displaying 31RG-1

UNIVERSITAS
GADJAH MADA
Konstruksi dan Ekspresi ProteinChimeric L1L2 HPV 52 pada Escherichia coli BL21 (DE3)
MUH. CHAERIL I, Prof. dr. Tri Wibawa, Ph.D, Sp.MK(K).; Dr. Apon Zaenal Mustopa M.Si.
Universitas Gadjah Mada, 2022 | Diunduh dari http://etd.repository.ugm.ac.id/

peptide on the surface of HPV16 L1 by use of a human papillomavirus chimeric virus-like particle induces cross-neutralizing antibody responses in mice. *Human Vaccines and Immunotherapeutics*, *14*(8), 2025–2033. https://doi.org/10.1080/21645515.2018.1464355

Conway, M. J., Cruz, L., Alam, S., Christensen, N. D., & Meyers, C. (2011). Cross-neutralization potential of native human papillomavirus N-terminal L2 epitopes. *PLoS ONE*, *6*(2). https://doi.org/10.1371/journal.pone.0016405

Cortazzo, P., Cerveñansky, C., Martín, M., Reiss, C., Ehrlich, R., & Deana, A. (2002). Silent mutations affect in vivo protein folding in Escherichia coli. *Biochemical and Biophysical Research Communications*, *293*(1), 537–541. https://doi.org/10.1016/S0006-291X(02)00226-7.

De La Rosa, G. P., Monroy-García, A., Mora-García, M. D. L., Peña, C. G. R., Hernández-Montes, J., Weiss-Steider, B., & Lim, M. A. G. (2009). An HPV 16 L1-based chimeric human papilloma virus-like particles containing a string of epitopes produced in plants is able to elicit humoral and cytotoxic T-cell activity in mice. *Virology Journal*, *6*, 1–11. https://doi.org/10.1186/1743-422X-6-2

de Oliveira, N. R., Jorge, S., Gomes, C. K., Rizzi, C., Pacce, V. D., Collares, T. F., Monte, L. G., & Dellagostin, O. A. (2017). A novel chimeric protein composed of recombinant Mycoplasma hyopneumoniae antigens as a vaccine candidate evaluated in mice. *Veterinary Microbiology*, *201*, 146–153. https://doi.org/10.1016/j.vetmic.2017.01.023

de Sanjosé, S., Serrano, B., Castellsagué, X., Brotons, M., Muñoz, J., Bruni, L., & Bosch, F. X. (2012). Human papillomavirus (HPV) and related cancers in the Global Alliance for Vaccines and Immunization (GAVI) countries. A WHO/ICO HPV Information Centre Report. *Vaccine*, *30 Suppl 4*(November). https://doi.org/10.1016/S0264-410X(12)01435-1

Donovan, R. S., Robinson, C. W., & Click, B. R. (1996). Review: Optimizing inducer and culture conditions for expression of foreign proteins under the control of the lac promoter. *Journal of Industrial Microbiology*, *16*(3), 145–154. https://doi.org/10.1007/BF01569997

Doorbar, J., Egawa, N., Griffin, H., Kranjec, C., & Murakami, I. (2015). Human papillomavirus molecular biology and disease association. *Reviews in medical virology*, 25, 2-23.

Dwipoyono, B. (2007). Kanker Servik dan Vaksin HPV. In *Indonesian Journal of Cancer* (Vol. 3, pp. 87–91).

Fadhila, S.R. (2017). *Sekilas Tentang Vaksin HPV*. https://www.idai.or.id/artikel/klinik/imunisasi/sekilas-tentang-vaksin-hpv.

UNIVERSITAS
GADJAH MADA
Konstruksi dan Ekspresi ProteinChimeric L1L2 HPV 52 pada Escherichia coli BL21 (DE3)
MUH. CHAERIL I, Prof. dr. Tri Wibawa, Ph.D, Sp.MK(K).; Dr. Apon Zaenal Mustopa M.Si.
Universitas Gadjah Mada, 2022 | Diunduh dari http://etd.repository.ugm.ac.id/

Diakses 17 Oktober 2020

Faridi, R., Zahra, A., Khan, K., & Idrees, M. (2011). Oncogenic potential of human papillomavirus (HPV) and its relation with cervical cancer. *Virology Journal*, *8*, 1–8. https://doi.org/10.1186/1743-422X-8-269

Favre, M., Ramoz, N., & Orth, G. (1997). Human papillomaviruses: General features. *Clinics in Dermatology*, *15*(2), 181–198. https://doi.org/10.1016/S0738-081X(97)00008-4

Ferrer-Miralles, N., Saccardo, P., Corchero, J. L., Xu, Z., & García-Fruitós, E. (2015). General Introduction: Recombinant Protein Production and Purification of Insoluble Proteins. In E. García-Fruitós (Ed.), *Insoluble Proteins: Methods and Protocols* (pp. 1–24). Springer New York. https://doi.org/10.1007/978-1-4939-2205-5_1

Finnen, R. L., Erickson, K. D., Chen, X. S., & Garcea, R. L. (2003). Interactions between Papillomavirus L1 and L2 Capsid Proteins. *Journal of Virology*, *77*(8), 4818–4826. https://doi.org/10.1128/jvi.77.8.4818-4826.2003

Fleury, M. J. J., Touzé, A., Maurel, M. C., Moreau, T., & Coursaget, P. (2009). Identification of neutralizing conformational epitopes on the human papillomavirus type 31 major capsid protein and functional implications. *Protein Science*, *18*(7), 1425–1438. https://doi.org/10.1002/pro.156

Francis, D. M., & Page, R. (2010). Strategies to optimize protein expression in E. coli. *Current Protocols in Protein Science*, *SUPPL. 61*, 1–29. https://doi.org/10.1002/0471140864.ps0524s61.

Gaffar, S. (2010). *Produksi Protein Rekombinan dalam Sistem Ekspresi Pichia Pastoris*. Bandung: UNPAD PRESS.

Galloway, C. A., Sowden, M. P., & Smith, H. C. (2003). Increasing the yield of soluble recombinant protein expressed in E. coli by Induction during late log phase. *BioTechniques*, *34*(3), 524–530. https://doi.org/10.2144/03343st04.

Gambhira, R., Karanam, B., Jagu, S., Roberts, J. N., Buck, C. B., Bossis, I., Alphs, H., Culp, T., Christensen, N. D., & Roden, R. B. S. (2007). A Protective and Broadly Cross-Neutralizing Epitope of Human Papillomavirus L2. *Journal of Virology*, *81*(24), 13927–13931. https://doi.org/10.1128/jvi.00936-07

Girgis, H. Z., James, B. T., & Luczak, B. B. (2021). Identity: rapid alignment-free prediction of sequence alignment identity scores using self-supervised general linear models. *NAR genomics and bioinformatics*, 3(1), lqab001.

Giri-Rachman, E. A., Pratama, F., Aji, O. R., Patriati, A., Ihsanawati, I., Moeis, M. R., & Putra, E. G. R. (2015). Expression and Purification of PhoR Sensor-Domain

UNIVERSITAS
GADJAH MADA
Konstruksi dan Ekspresi ProteinChimeric L1L2 HPV 52 pada Escherichia coli BL21 (DE3)
MUH. CHAERIL I, Prof. dr. Tri Wibawa, Ph.D, Sp.MK(K).; Dr. Apon Zaenal Mustopa M.Si.
Universitas Gadjah Mada, 2022 | Diunduh dari http://etd.repository.ugm.ac.id/

Histidine Kinase of Mycobacterium tuberculosis in Escherichia coli. *Microbiology Indonesia*, *9*(2), 1-1.

Gopal, G. J., & Kumar, A.(2013). Strategies for the production of recombinant protein in escherichia coli. *Protein Journal*, *32*(6), 419–425. https://doi.org/10.1007/s10930-013-9502-5

Graham, S. V. (2010). Human papillomavirus: Gene expression, regulation and prospects for novel diagnostic methods and antiviral therapies. *Future Microbiology*, *5*(10), 1493–1506. https://doi.org/10.2217/fmb.10.107

Griffiths, A. J., Wessler, S., Carrol, S., & Doebley, J. (2015). *Introduction To Genetic Analysis.* New York: W. H. Freeman and Company.

Guan, J., Bywaters, S. M., Brendle, S. A., Lee, H., Ashley, R. E., Makhov, A. M., Conway, J. F., Christensen, N. D., & Hafenstein, S. (2015). Structural comparison of four different antibodies interacting with human papillomavirus 16 and mechanisms of neutralization. *Virology*, *483*, 253–263. https://doi.org/10.1016/j.virol.2015.04.016

Gunawan, L. (2015). Kloning Gen Pengkode Endo-β-1,3-1,4 Glukanase *Bacillus subtillis subsp. spizizenii* W23 pada Plasmid pMMB67EH dalam *Escherichia coli* DH5α dan *Escherichia coli* Origami. *Jurnal Sains Veteriner*.*33*(1), 110–122.

Gutiérrez-González, M., Farías, C., Tello, S., Pérez-Etcheverry, D., Romero, A., Zúñiga, R., Ribeiro, C. H., Lorenzo-Ferreiro, C., & Molina, M. C. (2019). Optimization of culture conditions for the expression of three different insoluble proteins in Escherichia coli. *Scientific Reports*, *9*(1), 1–11. https://doi.org/10.1038/s41598-019-53200-7

Heckman, K. L., & Pease, L. R. (2007). Gene splicing and mutagenesis by PCR-driven overlap extension. *Nature Protocols*, *2*(4), 924–932. https://doi.org/10.1038/nprot.2007.132.

Heitmann, E. R., & Harper, D. M. (2012). Prophylactic HPV Vaccines and Prevention of Cervical Intraepithelial Neoplasia. *Current Obstetrics and Gynecology Reports*, *1*(3), 95–105. https://doi.org/10.1007/s13669-012-0017-4

Hitzeroth, I. I., Chabeda, A., Whitehead, M. P., Graf, M., & Rybicki, E. P. (2018). Optimizing a human papillomavirus type 16 L1-based chimaeric gene for expression in plants. *Frontiers in Bioengineering and Biotechnology*, *6*(July), 1–10. https://doi.org/10.3389/fbioe.2018.00101

Holmgren, S. C., Patterson, N. A., Ozbun, M. A., & Lambert, P. F. (2005). The Minor Capsid Protein L2 Contributes to Two Steps in the Human Papillomavirus Type 31 Life Cycle. *Journal of Virology*, *79*(7), 3938–3948. https://doi.org/10.1128/jvi.79.7.3938-3948.2005

UNIVERSITAS
GADJAH MADA
Konstruksi dan Ekspresi ProteinChimeric L1L2 HPV 52 pada Escherichia coli BL21 (DE3)
MUH. CHAERIL I, Prof. dr. Tri Wibawa, Ph.D, Sp.MK(K).; Dr. Apon Zaenal Mustopa M.Si.
Universitas Gadjah Mada, 2022 | Diunduh dari http://etd.repository.ugm.ac.id/

Huang, C. J., Peng, H. L., Patel, A. K., Singhania, R. R., Dong, C. D., & Cheng, C. Y. (2021). Effects of lower temperature on expression and biochemical characteristics of HCV ns3 antigen recombinant protein. *Catalysts*, *11*(11), 1297. https://doi.org/10.3390/catal11111297.

Huber, B., Schellenbacher, C., Shafti-Keramat, S., Jindra, C., Christensen, N., & Kirnbauer, R. (2017). Chimeric L2-based virus-like particle (VLP) vaccines targeting cutaneous human papillomaviruses (HPV). *PLoS ONE*, *12*(1), 1–27. https://doi.org/10.1371/journal.pone.0169533

Jagu, S., Karanam, B., Gambhira, R., Chivukula, S. V., Chaganti, R. J., Lowy, D. R., Schiller, J. T., & Roden, R. B. S. (2009). Concatenated multitype L2 fusion proteins as candidate prophylactic pan-human papillomavirus vaccines. *Journal of the National Cancer Institute*, *101*(11), 782–792. https://doi.org/10.1093/jnci/djp106

Jeong H, Kim HJ, Lee SJ. (2015). Complete genome sequence of *Escherichia coli* strain BL21. *Genome Announc* 3(2):e00134-15. doi:10.1128/genomeA.00134-15

Karanam, B., Jagu, S., Huh, W. K., & Roden, R. B. S. (2009). Developing vaccines against minor capsid antigen L2 to prevent papillomavirus infection. *Immunology and Cell Biology*, *87*(4), 287–299. https://doi.org/10.1038/icb.2009.13

Kaur, J., Kumar, A., & Kaur, J. (2018). Strategies for optimization of heterologous protein expression in E. coli: Roadblocks and reinforcements. *International Journal of Biological Macromolecules*, *106*, 803–822. https://doi.org/10.1016/j.ijbiomac.2017.08.080.

Kawana, K., Yasugi, T., Kanda, T., Kino, N., Oda, K., Okada, S., Kawana, Y., Nei, T., Takada, T., Toyoshima, S., Tsuchiya, A., Kondo, K., Yoshikawa, H., Tsutsumi, O., & Taketani, Y. (2003). Safety and immunogenicity of a peptide containing the cross-neutralization epitope of HPV16 L2 administered nasally in healthy volunteers. *Vaccine*, *21*(27–30), 4256–4260. https://doi.org/10.1016/S0264-410X(03)00454-7

Kemenkes RI. (2016). *Pengelolaan Vaksin di Indonesia*. Pusat Data dan Informasi Kementerian Kesehatan RI. https://www.kemkes.go.id/article/view/17010500001/infodatin-pengelolaan-vaksin-di-indonesia.html. Diakses 17 Oktober 2020.

Kemenkes RI. (2019). *Hari Kanker Sedunia 2019*. https://www.kemkes.go.id/article/view/19020100003/hari-kanker-sedunia-2019.html. Diakses 17 Oktober 2020.

Kiefhaber, T., Rudolph, R., Kohler, H. H., & Buchner, J. (1991). Protein aggregation in vitro and in vivo: a quantitative model of the kinetic competition between

UNIVERSITAS
GADJAH MADA
Konstruksi dan Ekspresi ProteinChimeric L1L2 HPV 52 pada Escherichia coli BL21 (DE3)
MUH. CHAERIL I, Prof. dr. Tri Wibawa, Ph.D, Sp.MK(K).; Dr. Apon Zaenal Mustopa M.Si.
Universitas Gadjah Mada, 2022 | Diunduh dari http://etd.repository.ugm.ac.id/

folding and aggregation. *Bio/technology*, 9(9), 825-829. https://doi.org/10.1038/nbt0991-825

Kirnbauer, R., Booy, F., Cheng, N., Lowy, D. R., & Schiller, J. (1992). Papillomavirus L1 major capsid protein self-assembles into virus-like particles that are highly immunogenic. *Proceedings of the National Academy of Sciences*, 89(24), 12180-12184. https://doi.org/10.1073/pnas.89.24.12180

Krammer, F., Pica, N., Hai, R., Margine, I., & Palese, P. (2013). Chimeric Hemagglutinin Influenza Virus Vaccine Constructs Elicit Broadly Protective Stalk-Specific Antibodies. *Journal of Virology*, *87*(12), 6542–6550. https://doi.org/10.1128/jvi.00641-13.

Kurien, B. T., & Scofield, R. H. (Eds.). (2015). Western blotting: Methods and protocols (pp. 465-467). New York:: Humana Press.

Kusdianawati, Mustopa AZ, Suharsono, Budiarto BR, Fatimah, Danuri H. (2015). Construction, expression and purification of recombinan pre-mature peptide of plantaricin F from *Lactobacillus plantarum* S34 in *Escherichia coli*. *Indonesian Journal of Agricultural Science*. 16:31-38.

Kusdianawati. (2014). *Konstruksi Vektor, Ekspresi dan Purifikasi Plantarisin F Rekombinan di Escherichia coli*. BOGOR: Institut Pertanian Bogor.

Kusumawati, A. (2013). *Kloning Gen Human Interferon Alpha 2a Pada Vektor pET-32b (+) dan Ekspresi Pada Escherichia coli*. Depok. Universitas Indonesia.

Lee, J., Shin, M.-K., Ryu, D.-K., Kim, S., & Ryu, W.-S. (2010). Insertion and Deletion Mutagenesis by Overlap Extension PCR. In *Methods in Molecular Biology* (Vol. 634). https://doi.org/10.1007/978-1-60761-652-8_21

Li, M., Cripe, T. P., Estes, P. A., Lyon, M. K., Rose, R. C., & Garcea, R. L. (1997). Expression of the human papillomavirus type 11 L1 capsid protein in Escherichia coli: characterization of protein domains involved in DNA binding and capsid assembly. *Journal of virology*, 71(4), 2988-2995. https://doi.org/10.1128/jvi.71.4.2988-2995.1997

Li, Z., Yan, X., Yu, H., Wang, D., Song, S., Li, Y., He, M., Hong, Q., Zheng, Q., Zhao, Q., Gu, Y., Zhang, J., Janssen, M. E. W., Cardone, G., Olson, N. H., Baker, T. S., Li, S., & Xia, N. (2016). The C-Terminal Arm of the Human Papillomavirus Major Capsid Protein Is Immunogenic and Involved in Virus-Host Interaction. *Structure*, *24*(6), 874–885. https://doi.org/10.1016/j.str.2016.04.008

Lin, Y. L., Borenstein, L. A., Selvakumar, R., Ahmed, R., & Wettstein, F. 0. (1992). Effective vaccination against papilloma development by immunization with L1 or L2 structural protein of cottontail rabbit papillomavirus. *Virology*, *187*(2), 612–619. https://doi.org/10.1016/0042-6822(92)90463-Y

UNIVERSITAS
GADJAH MADA
Konstruksi dan Ekspresi ProteinChimeric L1L2 HPV 52 pada Escherichia coli BL21 (DE3)
MUH. CHAERIL I, Prof. dr. Tri Wibawa, Ph.D, Sp.MK(K).; Dr. Apon Zaenal Mustopa M.Si.
Universitas Gadjah Mada, 2022 | Diunduh dari http://etd.repository.ugm.ac.id/

Marchioro, S. B., Fisch, A., Gomes, C. K., Jorge, S., Galli, V., Haesebrouck, F., Maes, D., Dellagostin, O., & Conceição, F. R. (2014). Local and systemic immune responses induced by a recombinant chimeric protein containing Mycoplasma hyopneumoniae antigens fused to the B subunit of Escherichia coli heat-labile enterotoxin LTB. *Veterinary Microbiology*, *173*(1–2), 166–171. https://doi.org/10.1016/j.vetmic.2014.07.009

Margreiter, G., Schwanninger, M., Bayer, K., & Obinger, C. (2008). Impact of different cultivation and induction regimes on the structure of cytosolic inclusion bodies of TEM1-β-lactamase. *Biotechnology Journal*, *3*(9–10), 1245–1255. https://doi.org/10.1002/biot.200800072

Marlina, M., Aldi, Y., Putra, A. E., Sopianti, D. S., Hari, D. G., Arfiandi, A., Djamaan, A., & Rustini, R. (2016). Identifikasi Type Human Papillomavirus (HPV) pada Penderita Kanker Serviks. *Jurnal Sains Farmasi & Klinis*, *3*(1), 54. https://doi.org/10.29208/jsfk.2016.3.1.100

McGrath, M., de Villiers, G. K., Shephard, E., Hitzeroth, I. I., & Rybicki, E. P. (2013). Development of human papillomavirus chimaeric L1L2 candidate vaccines. *Archives of Virology*, *158*(10), 2079–2088. https://doi.org/10.1007/s00705-013-1713-8

McInerney, P., Adams, P., & Hadi, M. Z. (2014). Error Rate Comparison during Polymerase Chain Reaction by DNA Polymerase. *Molecular Biology International*, *2014*, 1–8. https://doi.org/10.1155/2014/287430

Mustaffa, A. B. S., & Wagiran, A. (2013). Molecular Cloning and Bioinformatic Analysis of Endosperm Specific. *Jurnal Teknologi (Sciences & Engineering)*, *2*, 1–5.

Mustopa AZ, Kusdianawati, Fatimah, Umami RN, Budiarto RB, Danuri H. (2016). Cloning and expression of plantaricin E dan F genes of *Lactobacillus plantarum* S34 isolated from Indonesia traditional-fermented meat (bekasam). *International Food Research Journal*. 23(2):726-769.

Mustopa, A. Z., Meilina, L., Irawan, S., Ekawati, N., Fathurahman, A. T., Triratna, L., Kusumawati, A., Prastyowati, A., Nurfatwa, M., Hertati, A., & Harmoko, R. (2022). Construction, expression, and in vitro assembly of virus-like particles of L1 protein of human papillomavirus type 52 in Escherichia coli BL21 DE3. *Journal, Genetic Engineering & Biotechnology*, *20*(1), 19. https://doi.org/10.1186/s43141-021-00281-5

Papaneophytou, C. P., & Kontopidis, G. (2014). Statistical approaches to maximize recombinant protein expression in Escherichia coli: A general review. *Protein Expression and Purification*, *94*, 22–32. https://doi.org/10.1016/j.pep.2013.10.016

UNIVERSITAS
GADJAH MADA
Konstruksi dan Ekspresi ProteinChimeric L1L2 HPV 52 pada Escherichia coli BL21 (DE3)
MUH. CHAERIL I, Prof. dr. Tri Wibawa, Ph.D, Sp.MK(K).; Dr. Apon Zaenal Mustopa M.Si.
Universitas Gadjah Mada, 2022 | Diunduh dari http://etd.repository.ugm.ac.id/

Phue, J. N., Sang, J. L., Trinh, L., & Shiloach, J. (2008). Modified Escherichia coli B (BL21), a superior producer of plasmid DNA compared with Escherichia coli K (DH5α). *Biotechnology and Bioengineering*, *101*(4), 831–836. https://doi.org/10.1002/bit.21973

Pineo, C. B., Hitzeroth, I. I., & Rybicki, E. P. (2013). Immunogenic assessment of plant-produced human papillomavirus type 16 L1L2 chimaeras. *Plant Biotechnology Journal*, *11*(8), 964–975. https://doi.org/10.1111/pbi.12089

Roden, R. B. S., Yutzy IV, W. H., Fallon, R., Inglis, S., Lowy, D. R., & Schiller, J. T. (2000). Minor capsid protein of human genital papillomaviruses contains subdominant, cross-neutralizing epitopes. *Virology*, *270*(2), 254–257. https://doi.org/10.1006/viro.2000.0272

Roos, N., Breiner, B., Preuss, L., Lilie, H., Hipp, K., Herrmann, H., Horn, T., Biener, R., Iftner, T., & Simon, C. (2020). Optimized production strategy of the major capsid protein HPV 16L1 non- assembly variant in E . coli. *Protein Expression and Purification*, *175*(June), 105690. https://doi.org/10.1016/j.pep.2020.105690

Rosano, G. L., & Ceccarelli, E. A. (2014). Recombinant protein expression in Escherichia coli: Advances and challenges. *Frontiers in Microbiology*, *5*(APR), 1–17. https://doi.org/10.3389/fmicb.2014.00172.

Rosano, G. L., Morales, E. S., & Ceccarelli, E. A. (2019). New tools for recombinant protein production in Escherichia coli: A 5-year update. Protein science, 28(8), 1412-1422. https://doi.org/10.1002/pro.3668

Roth, S. D., Sapp, M., Streeck, R. E., & Selinka, H. C. (2006). Characterization of neutralizing epitopes within the major capsid protein of human papillomavirus type 33. *Virology Journal*, *3*, 1–11. https://doi.org/10.1186/1743-422X-3-83

Rubio, I., Seitz, H., Canali, E., Sehr, P., Bolchi, A., Tommasino, M., Ottonello, S., & Müller, M. (2011). The N-terminal region of the human papillomavirus L2 protein contains overlapping binding sites for neutralizing, cross-neutralizing and non-neutralizing antibodies. *Virology*, *409*(2), 348–359. https://doi.org/10.1016/j.virol.2010.10.017

Sambrook J, Fritsch EF, Maniatis T. (2001). *Molecular cloning: a laboratorymanual*. New York : Cold spring harbor laboratory.

Schellekens, M. C., Dijkman, A., Aziz, M. F., Siregar, B., Cornain, S., Kolkman-Uljee, S., Peters, L. A. W., & Fleuren, G. J. (2004). Prevalence of single and multiple HPV types in cervical carcinomas in Jakarta, Indonesia. *Gynecologic Oncology*, *93*(1), 49–53. https://doi.org/10.1016/j.ygyno.2003.12.015

Schellenbacher, C., Roden, R., & Kirnbauer, R. (2009). Chimeric L1-L2 Virus-Like Particles as Potential Broad-Spectrum Human Papillomavirus Vaccines. *Journal*

UNIVERSITAS
GADJAH MADA
Konstruksi dan Ekspresi ProteinChimeric L1L2 HPV 52 pada Escherichia coli BL21 (DE3)
MUH. CHAERIL I, Prof. dr. Tri Wibawa, Ph.D, Sp.MK(K).; Dr. Apon Zaenal Mustopa M.Si.
Universitas Gadjah Mada, 2022 | Diunduh dari http://etd.repository.ugm.ac.id/

of Virology, *83*(19), 10085–10095. https://doi.org/10.1128/jvi.01088-09

Schiller, J. T., & Lowy, D. R. (2012). Understanding and learning from the success of prophylactic human papillomavirus vaccines. *Nature Reviews Microbiology*, *10*(10), 681–692. https://doi.org/10.1038/nrmicro2872

Seidman, C.E., Struhl, K., Sheen, J. and Jessen, T. (1997), Introduction of Plasmid DNA into Cells. *Current Protocols in Molecular Biology*, 37: 1.8.1-1.8.10. https://doi.org/10.1002/0471142727.mb0108s37

Silaban, S., Gaffar, S., Simorangkir, M., Maksum, I.P., & Subroto, T. (2019) Effect of IPTG Concentration on Recombinant Human Prethrombin-2 Expression in Escherichia coli BL21(DE3) ArcticExpress. *IOP Conference Series: Earth and Environmental Science*. **217**(1).

Singh, A., Upadhyay, V., Upadhyay, A. K., Singh, S. M., & Panda, A. K. (2015). Protein recovery from inclusion bodies of Escherichia coli using mild solubilization process. *Microbial Cell Faktories*, *14*(1), 1–10. https://doi.org/10.1186/s12934-015-0222-8.

Singh, S.M. & Panda, A.M. (2005). Solubilization and Refolding of Bacterial Inclusion Body Protein. *Journal of Bioscience and Bioengineering*. **99**(4), 303-310.

Slupetzky, K., Gambhira, R., Culp, T. D., Shafti-Keramat, S., Schellenbacher, C., Christensen, N. D., Roden, R. B. S., & Kirnbauer, R. (2007). A papillomavirus-like particle (VLP) vaccine displaying HPV16 L2 epitopes induces cross-neutralizing antibodies to HPV11. *Vaccine*, *25*(11), 2001–2010. https://doi.org/10.1016/j.vaccine.2006.11.049

Soria-Guerra, R. E., Moreno-Fierros, L., & Rosales-Mendoza, S. (2011). Two decades of plant-based candidate vaccines: A review of the chimeric protein approaches. *Plant Cell Reports*, *30*(8), 1367–1382. https://doi.org/10.1007/s00299-011-1065-3

Strohl, W. (2017). Chimeric Genes, Proteins ☆. *Reference Module in Life Sciences*, *August 2016*, 1–7. https://doi.org/10.1016/b978-0-12-809633-8.06199-9

Stryjewska, A., Kiepura, K., Librowski, T., & Lochyñski, S. (2013). Biotechnology and genetic engineering in the new drug development. Part II. Monoclonal antibodies, modern vaccines and gene therapy. *Pharmacological Reports*, *65*(5), 1086–1101. https://doi.org/10.1016/S1734-1140(13)71467-1

Suhandono, S., Kencana Ungu, D. A., Kristianti, T., Sahiratmadja, E., & Susanto, H. (2014). Cloning, Expression and Bioinformatic Analysis of Human Papillomavirus Type 52 L1 Capsid Gene from Indonesian Patient. *Microbiology Indonesia*, *8*(3), 94–102. https://doi.org/10.5454/mi.8.3.2

UNIVERSITAS
GADJAH MADA
Konstruksi dan Ekspresi ProteinChimeric L1L2 HPV 52 pada Escherichia coli BL21 (DE3)
MUH. CHAERIL I, Prof. dr. Tri Wibawa, Ph.D, Sp.MK(K).; Dr. Apon Zaenal Mustopa M.Si.
Universitas Gadjah Mada, 2022 | Diunduh dari http://etd.repository.ugm.ac.id/

Sun, Z., Xia, Z., Bi, F., & Liu, J. N. (2008). Expression and purification of human urodilatin by small ubiquitin-related modifier fusion in Escherichia coli. *Applied Microbiology and Biotechnology*, 78(3), 495-502. https://doi.org/10.1007/s00253-007-1330-0

Takagi, M., Nishioka, M., Kakihara, H., Kitabayashi, M., Inoue, H., Kawakami, B., Oka, M., & Imanaka, T. (1997). Characterization of DNA polymerase from Pyrococcus sp. strain KOD1 and its application to PCR. *Applied and Environmental Microbiology*, *63*(11), 4504–4510. https://doi.org/10.1128/aem.63.11.4504-4510.1997

Takami, Y., G., K., J., S., K., N., J.M., S., A., S., U.C., W., & M., Y. (1991). Cloning and characterization of human papillomavirus type 52 from cervical carcinoma in Indonesia. *International Journal of Cancer*, *48*(4), 516–522. http://ovidsp.ovid.com/ovidweb.cgi?T=JS&PAGE=reference&D=emed4&NEWS=N&AN=21207115

Tan, M. S., Teh, Y. H., Ho, K. L., & Stanslas, J. (2020). An Application of pET SUMO Protein Expression System in Escherichia coli: Cloning, Expression, Purification, and Characterisation of Native Kras4BG12V Oncoprotein. *Protein Journal*, *39*(1), 54–61. https://doi.org/10.1007/s10930-019-09872-1

Tommasino, M. (2014). The human papillomavirus family and its role in carcinogenesis. *Seminars in Cancer Biology*, *26*, 13–21. https://doi.org/10.1016/j.semcancer.2013.11.002

Tumban, E., Peabody, J., Peabody, D. S., & Chackerian, B. (2011). A Pan-HPV vaccine based on bacteriophage PP7 VLPs displaying broadly cross-neutralizing epitopes from the HPV minor capsid protein, L2. *PLoS ONE*, *6*(8), 1–11. https://doi.org/10.1371/journal.pone.0023310

Tumban, E., Peabody, J., Tyler, M., Peabody, D. S., & Chackerian, B. (2012). VLPs Displaying a Single L2 Epitope Induce Broadly Cross-Neutralizing Antibodies against Human Papillomavirus. *PLoS ONE*, *7*(11). https://doi.org/10.1371/journal.pone.0049751.

Umami, R. N., Mustopa, A. Z., Sukmarini, L., Danuri, H., Putri, A. S., & Wibowo, K. D. (2017). Cloning, Expression, And Partial Purification Of Plantaricin W Locus Produced By Lactobacillus plantarum S34. *Berita Biologi Jurnal Ilmu-ilmu Hayati*, 59-67.

Varsani, A., Williamson, A.-L., de Villiers, D., Becker, I., Christensen, N. D., & Rybicki, E. P. (2003). Chimeric Human Papillomavirus Type 16 (HPV-16) L1 Particles Presenting the Common Neutralizing Epitope for the L2 Minor Capsid Protein of HPV-6 and HPV-16. *Journal of Virology*, *77*(15), 8386–8393. https://doi.org/10.1128/jvi.77.15.8386-8393.2003

UNIVERSITAS
GADJAH MADA
Konstruksi dan Ekspresi ProteinChimeric L1L2 HPV 52 pada Escherichia coli BL21 (DE3)
MUH. CHAERIL I, Prof. dr. Tri Wibawa, Ph.D, Sp.MK(K).; Dr. Apon Zaenal Mustopa M.Si.
Universitas Gadjah Mada, 2022 | Diunduh dari http://etd.repository.ugm.ac.id/

Vet, J. N. I., De Boer, M. A., Van Den Akker, B. E. W. M., Siregar, B., Lisnawati, Budiningsih, S., Tyasmorowati, D., Moestikaningsih, Cornain, S., Peters, A. A. W., & Fleuren, G. J. (2008). Prevalence of human papillomavirus in Indonesia: A population-based study in three regions. *British Journal of Cancer*, *99*(1), 214–218. https://doi.org/10.1038/sj.bjc.6604417

Wang, D., Li, Z., Xiao, J., Wang, J., Zhang, L., Liu, Y., Fan, F., Xin, L., Wei, M., Kong, Z., Yu, H., Gu, Y., Zhang, J., Li, S., & Xia, N. (2015). Identification of broad-genotype HPV L2 neutralization site for pan-HPV vaccine development by a cross-neutralizing antibody. *PLoS ONE*, *10*(4), 1–18. https://doi.org/10.1371/journal.pone.0123944

Wang, H., Xiao, Y., Fu, L., Zhao, H., Zhang, Y., Wan, X., ... & Li, X. (2010). High-level expression and purification of soluble recombinant FGF21 protein by SUMO fusion in Escherichia coli. *BMC biotechnology*, *10*(1), 1-9. https://doi.org/10.1186/1472-6750-10-14

Wang, J. W., & Roden, R. B. S. (2013). L2, the minor capsid protein of papillomavirus. *Virology*, *445*(1–2), 175–186. https://doi.org/10.1016/j.virol.2013.04.017

Wang, Y., & Li, Y. Z. (2014). Cultivation to improve in vivo solubility of overexpressed arginine deiminases in Escherichia coli and the enzyme characteristics. *BMC Biotechnology*, *14*, 1–10. https://doi.org/10.1186/1472-6750-14-53

Waty, R. (2017). Ekspresi Dan Purifikasi Protein Inti Virus Hepatitis B (HbcAg) Pada Inang *Escherichia coli.* Bogor: IPB University.

WHO. (2016). *Guide to Introducing HPV Vaccine into National Immunization Programmes*. Department of Immunization, Vaccines and Biologicals WHO: Geneva.

WHO. (2017). *Human papillomavirus vaccines: WHO position paper*. Weekly Epidemiological Record. WHO: Geneva.

Wild CP, Weiderpass E, Stewart BW, editors (2020). *World Cancer Report: Cancer Research for Cancer Prevention*. Lyon, France: International Agency for Research on Cancer. Available from: http://publications.iarc.fr/586. Licence: CC BY-NC-ND 3.0 IGO.

Woodman, M. E. (2008). Direct PCR of intact bacteria (colony PCR). *Current Protocols in Microbiology*, *SUPPL. 9*, 1–6. https://doi.org/10.1002/9780471729259.mca03ds9

Yuenleni, Y. (2019). Langkah-Langkah Optimasi Pcr. *Indonesian Journal of Laboratory*, *1*(3), 51. https://doi.org/10.22146/ijl.v1i3.48723.

UNIVERSITAS
GADJAH MADA

Konstruksi dan Ekspresi ProteinChimeric L1L2 HPV 52 pada Escherichia coli BL21 (DE3)
MUH. CHAERIL I, Prof. dr. Tri Wibawa, Ph.D, Sp.MK(K).; Dr. Apon Zaenal Mustopa M.Si.
Universitas Gadjah Mada, 2022 | Diunduh dari http://etd.repository.ugm.ac.id/

Zheng, Z. M., & Baker, C. C. (2006). Papillomavirus genome structure, expression, and post-transcriptional regulation. *Frontiers in Bioscience*, *11*(SUPPL. 1), 2286–2302. https://doi.org/10.2741/1971.