

## DAFTAR PUSTAKA

- Al-Tubuly, A. A. (2000). SDS-PAGE and western blotting. In *Diagnostic and Therapeutic Antibodies* (pp. 391-405). Humana, Totowa, NJ.
- Annisa. (2012). *Isolasi RNA dan Pengklonan Gen Transkripsi Kation dari Pankreas Sapi ke Escherichia coli DH5α*. DEPOK: Universitas Indonesia.
- Apindiati, R. K., Suastika, G., & Mutaqin, K. H. (2015). Ekspresi Rekombinan Gen Protein Selubung Pepper vein yellows virus. *Jurnal Fitopatologi Indonesia*, 11(4), 137-137.
- Arbyn, M., Weiderpass, E., Bruni, L., de Sanjosé, S., Saraiya, M., Ferlay, J., & Bray, F. (2020). Estimates of incidence and mortality of cervical cancer in 2018: a worldwide analysis. *The Lancet Global Health*, 8(2), e191–e203. [https://doi.org/10.1016/S2214-109X\(19\)30482-6](https://doi.org/10.1016/S2214-109X(19)30482-6)
- Azhar, M., Natalia, D., Syukur, S., Andriani, N., & Jamsari, J. (2018). Partial Gene Cloning and Enzyme Structure Modeling of Exolevanase Fragment from *Bacillus subtilis*. *IOP Conference Series: Materials Science and Engineering*, 335(1). <https://doi.org/10.1088/1757-899X/335/1/012026>.
- Beaumont, E., Patient, R., Hourieux, C., Dimier-Poisson, I., & Roingeard, P. (2013). Chimeric hepatitis B virus/hepatitis C virus envelope proteins elicit broadly neutralizing antibodies and constitute a potential bivalent prophylactic vaccine. *Hepatology*, 57(4), 1303–1313. <https://doi.org/10.1002/hep.26132>
- Bergkessel, M., & Guthrie, C. (2013). Colony PCR. *Methods in Enzymology*, 529, 299–309. <https://doi.org/10.1016/B978-0-12-418687-3.00025-2>.
- Bis, R. L., Stauffer, T. M., Singh, S. M., Lavoie, T. B., & Mallela, K. M. (2014). High yield soluble bacterial expression and streamlined purification of recombinant human interferon  $\alpha$ -2a. *Protein Expression and Purification*, 99, 138-146. <https://doi.org/10.1016/j.pep.2014.04.010>
- Bissett, S. L., Godi, A., & Beddows, S. (2016). The de and FG loops of the HPV major capsid protein contribute to the epitopes of vaccine-induced cross-neutralising antibodies. *Scientific Reports*, 6(May), 1–10. <https://doi.org/10.1038/srep39730>
- Bonde, J. S., & Bülow, L. (2013). Chimeric Genes, Proteins. In *Brenner's Encyclopedia of Genetics: Second Edition* (Vol. 1). Elsevier Inc. <https://doi.org/10.1016/B978-0-12-374984-0.00229-1>
- Boxus, M., Fochesato, M., Miseur, A., Mertens, E., Dendouga, N., Brendle, S., Balogh, K. K., Christensen, N. D., & Giannini, S. L. (2016). Broad Cross-Protection Is Induced in Preclinical Models by a Human Papillomavirus Vaccine Composed of L1L2 Chimeric Virus-Like Particles. *Journal of Virology*, 90(14), 6314–6325.

<https://doi.org/10.1128/jvi.00449-16>

- Bredell, H., Smith, J. J., Görgens, J. F., & van Zyl, W. H. (2018). Expression of unique chimeric human papilloma virus type 16 (HPV-16) L1-L2 proteins in *Pichia pastoris* and *Hansenula polymorpha*. *Yeast*, 35(9), 519–529. <https://doi.org/10.1002/yea.3318>
- Bruni, L. B. R. L., Barrionuevo-Rosas, L., Albero, G., Serrano, B., Mena, M., Gómez, D., ... & de Sanjosé, S. (2022). Human papillomavirus and related diseases report. *ICO/IARC Information Centre on HPV and Cancer (HPV Information Centre)*.
- Bryksin, A., & Matsumura, I. (2013). Overlap extension PCR cloning. In *Synthetic Biology* (pp. 31-42). Humana Press, Totowa, NJ.
- Buck, C. B., Cheng, N., Thompson, C. D., Lowy, D. R., Steven, A. C., Schiller, J. T., & Trus, B. L. (2008). Arrangement of L2 within the Papillomavirus Capsid. *Journal of Virology*, 82(11), 5190–5197. <https://doi.org/10.1128/jvi.02726-07>
- Buck, C. B., Day, P. M., & Trus, B. L. (2013). The papillomavirus major capsid protein L1. *Virology*, 445(1–2), 169–174. <https://doi.org/10.1016/j.virol.2013.05.038>
- Carter, J., & Saunders, V. (2007). *Virology: Principles and Applications*. Jhon Wiley & Sons, Ltd: Chichester UK.
- Castorena-Torres, F., Peñuelas-Urquides, K., & de León, M. B. (2016). Site-Directed Mutagenesis by Polymerase Chain Reaction. In A. Samadikuchaksaraei, *Polymerase Chain Reaction for Biomedical Applications* (pp. 159-174). Croatia: Intech Open.
- Cha-Aim, K., Hoshida, H., Fukunaga, T., & Akada, R. (2012). Fusion PCR via novel overlap sequences. In *Gene Synthesis* (pp. 97-110). Humana Press.
- Chabeda, A., van Zyl, A. R., Rybicki, E. P., & Hitzeroth, I. I. (2019). Substitution of human papillomavirus type 16 L2 neutralizing epitopes into L1 surface loops: The effect on virus-like particle assembly and immunogenicity. *Frontiers in Plant Science*, 10(June). <https://doi.org/10.3389/fpls.2019.00779>
- Chen, H. S., Conway, M. J., Christensen, N. D., Alam, S., & Meyers, C. (2011). Papillomavirus capsid proteins mutually impact structure. *Virology*, 412(2), 378-383. <https://doi.org/10.1016/j.virol.2011.01.018>
- Chen, X. S., Garcea, R. L., Goldberg, I., Casini, G., & Harrison, S. C. (2000). Structure of small virus-like particles assembled from the L1 protein of human papillomavirus 16. *Molecular Cell*, 5(3), 557–567. [https://doi.org/10.1016/S1097-2765\(00\)80449-9](https://doi.org/10.1016/S1097-2765(00)80449-9)
- Chen, X., Zhang, T., Liu, H., Hao, Y., Liao, G., & Xu, X. (2018). Displaying 31RG-1

- peptide on the surface of HPV16 L1 by use of a human papillomavirus chimeric virus-like particle induces cross-neutralizing antibody responses in mice. *Human Vaccines and Immunotherapeutics*, 14(8), 2025–2033. <https://doi.org/10.1080/21645515.2018.1464355>
- Conway, M. J., Cruz, L., Alam, S., Christensen, N. D., & Meyers, C. (2011). Cross-neutralization potential of native human papillomavirus N-terminal L2 epitopes. *PLoS ONE*, 6(2). <https://doi.org/10.1371/journal.pone.0016405>
- Cortazzo, P., Cerveñansky, C., Martín, M., Reiss, C., Ehrlich, R., & Deana, A. (2002). Silent mutations affect in vivo protein folding in Escherichia coli. *Biochemical and Biophysical Research Communications*, 293(1), 537–541. [https://doi.org/10.1016/S0006-291X\(02\)00226-7](https://doi.org/10.1016/S0006-291X(02)00226-7).
- De La Rosa, G. P., Monroy-García, A., Mora-García, M. D. L., Peña, C. G. R., Hernández-Montes, J., Weiss-Steider, B., & Lim, M. A. G. (2009). An HPV 16 L1-based chimeric human papilloma virus-like particles containing a string of epitopes produced in plants is able to elicit humoral and cytotoxic T-cell activity in mice. *Virology Journal*, 6, 1–11. <https://doi.org/10.1186/1743-422X-6-2>
- de Oliveira, N. R., Jorge, S., Gomes, C. K., Rizzi, C., Pacce, V. D., Collares, T. F., Monte, L. G., & Dellagostin, O. A. (2017). A novel chimeric protein composed of recombinant Mycoplasma hyopneumoniae antigens as a vaccine candidate evaluated in mice. *Veterinary Microbiology*, 201, 146–153. <https://doi.org/10.1016/j.vetmic.2017.01.023>
- de Sanjosé, S., Serrano, B., Castellsagué, X., Brotons, M., Muñoz, J., Bruni, L., & Bosch, F. X. (2012). Human papillomavirus (HPV) and related cancers in the Global Alliance for Vaccines and Immunization (GAVI) countries. A WHO/ICO HPV Information Centre Report. *Vaccine*, 30 Suppl 4(November). [https://doi.org/10.1016/S0264-410X\(12\)01435-1](https://doi.org/10.1016/S0264-410X(12)01435-1)
- Donovan, R. S., Robinson, C. W., & Click, B. R. (1996). Review: Optimizing inducer and culture conditions for expression of foreign proteins under the control of the lac promoter. *Journal of Industrial Microbiology*, 16(3), 145–154. <https://doi.org/10.1007/BF01569997>
- Doorbar, J., Egawa, N., Griffin, H., Kranjec, C., & Murakami, I. (2015). Human papillomavirus molecular biology and disease association. *Reviews in medical virology*, 25, 2-23.
- Dwipoyono, B. (2007). Kanker Servik dan Vaksin HPV. In *Indonesian Journal of Cancer* (Vol. 3, pp. 87–91).
- Fadhila, S.R. (2017). *Sekilas Tentang Vaksin HPV*. <https://www.idai.or.id/artikel/klinik/imunisasi/sekilas-tentang-vaksin-hpv>.

Diakses 17 Oktober 2020

- Faridi, R., Zahra, A., Khan, K., & Idrees, M. (2011). Oncogenic potential of human papillomavirus (HPV) and its relation with cervical cancer. *Virology Journal*, 8, 1–8. <https://doi.org/10.1186/1743-422X-8-269>
- Favre, M., Ramoz, N., & Orth, G. (1997). Human papillomaviruses: General features. *Clinics in Dermatology*, 15(2), 181–198. [https://doi.org/10.1016/S0738-081X\(97\)00008-4](https://doi.org/10.1016/S0738-081X(97)00008-4)
- Ferrer-Mirallès, N., Saccardo, P., Corchero, J. L., Xu, Z., & García-Fruitós, E. (2015). General Introduction: Recombinant Protein Production and Purification of Insoluble Proteins. In E. García-Fruitós (Ed.), *Insoluble Proteins: Methods and Protocols* (pp. 1–24). Springer New York. [https://doi.org/10.1007/978-1-4939-2205-5\\_1](https://doi.org/10.1007/978-1-4939-2205-5_1)
- Finnen, R. L., Erickson, K. D., Chen, X. S., & Garcea, R. L. (2003). Interactions between Papillomavirus L1 and L2 Capsid Proteins. *Journal of Virology*, 77(8), 4818–4826. <https://doi.org/10.1128/jvi.77.8.4818-4826.2003>
- Fleury, M. J. J., Touzé, A., Maurel, M. C., Moreau, T., & Coursaget, P. (2009). Identification of neutralizing conformational epitopes on the human papillomavirus type 31 major capsid protein and functional implications. *Protein Science*, 18(7), 1425–1438. <https://doi.org/10.1002/pro.156>
- Francis, D. M., & Page, R. (2010). Strategies to optimize protein expression in E. coli. *Current Protocols in Protein Science*, SUPPL. 61, 1–29. <https://doi.org/10.1002/0471140864.ps0524s61>
- Gaffar, S. (2010). *Produksi Protein Rekombinan dalam Sistem Ekspresi Pichia Pastoris*. Bandung: UNPAD PRESS.
- Galloway, C. A., Sowden, M. P., & Smith, H. C. (2003). Increasing the yield of soluble recombinant protein expressed in E. coli by Induction during late log phase. *BioTechniques*, 34(3), 524–530. <https://doi.org/10.2144/03343st04>
- Gambhira, R., Karanam, B., Jagu, S., Roberts, J. N., Buck, C. B., Bossis, I., Alphs, H., Culp, T., Christensen, N. D., & Roden, R. B. S. (2007). A Protective and Broadly Cross-Neutralizing Epitope of Human Papillomavirus L2. *Journal of Virology*, 81(24), 13927–13931. <https://doi.org/10.1128/jvi.00936-07>
- Girgis, H. Z., James, B. T., & Luczak, B. B. (2021). Identity: rapid alignment-free prediction of sequence alignment identity scores using self-supervised general linear models. *NAR genomics and bioinformatics*, 3(1), lqab001.
- Giri-Rachman, E. A., Pratama, F., Aji, O. R., Patriati, A., Ihsanawati, I., Moeis, M. R., & Putra, E. G. R. (2015). Expression and Purification of PhoR Sensor-Domain

Histidine Kinase of Mycobacterium tuberculosis in Escherichia coli. *Microbiology Indonesia*, 9(2), 1-1.

Gopal, G. J., & Kumar, A.(2013). Strategies for the production of recombinant protein in escherichia coli. *Protein Journal*, 32(6), 419–425. <https://doi.org/10.1007/s10930-013-9502-5>

Graham, S. V. (2010). Human papillomavirus: Gene expression, regulation and prospects for novel diagnostic methods and antiviral therapies. *Future Microbiology*, 5(10), 1493–1506. <https://doi.org/10.2217/fmb.10.107>

Griffiths, A. J., Wessler, S., Carrol, S., & Doebley, J. (2015). *Introduction To Genetic Analysis*. New York: W. H. Freeman and Company.

Guan, J., Bywaters, S. M., Brendle, S. A., Lee, H., Ashley, R. E., Makhov, A. M., Conway, J. F., Christensen, N. D., & Hafenstein, S. (2015). Structural comparison of four different antibodies interacting with human papillomavirus 16 and mechanisms of neutralization. *Virology*, 483, 253–263. <https://doi.org/10.1016/j.virol.2015.04.016>

Gunawan, L. (2015). Kloning Gen Pengkode Endo- $\beta$ -1,3-1,4 Glukanase *Bacillus subtilis subsp. spizizenii* W23 pada Plasmid pMMB67EH dalam *Escherichia coli* DH5 $\alpha$  dan *Escherichia coli* Origami. *Jurnal Sains Veteriner*.33(1), 110–122.

Gutiérrez-González, M., Farías, C., Tello, S., Pérez-Etcheverry, D., Romero, A., Zúñiga, R., Ribeiro, C. H., Lorenzo-Ferreiro, C., & Molina, M. C. (2019). Optimization of culture conditions for the expression of three different insoluble proteins in Escherichia coli. *Scientific Reports*, 9(1), 1–11. <https://doi.org/10.1038/s41598-019-53200-7>

Heckman, K. L., & Pease, L. R. (2007). Gene splicing and mutagenesis by PCR-driven overlap extension. *Nature Protocols*, 2(4), 924–932. <https://doi.org/10.1038/nprot.2007.132>.

Heitmann, E. R., & Harper, D. M. (2012). Prophylactic HPV Vaccines and Prevention of Cervical Intraepithelial Neoplasia. *Current Obstetrics and Gynecology Reports*, 1(3), 95–105. <https://doi.org/10.1007/s13669-012-0017-4>

Hitzeroth, I. I., Chabeda, A., Whitehead, M. P., Graf, M., & Rybicki, E. P. (2018). Optimizing a human papillomavirus type 16 L1-based chimaeric gene for expression in plants. *Frontiers in Bioengineering and Biotechnology*, 6(July), 1–10. <https://doi.org/10.3389/fbioe.2018.00101>

Holmgren, S. C., Patterson, N. A., Ozbun, M. A., & Lambert, P. F. (2005). The Minor Capsid Protein L2 Contributes to Two Steps in the Human Papillomavirus Type 31 Life Cycle. *Journal of Virology*, 79(7), 3938–3948. <https://doi.org/10.1128/jvi.79.7.3938-3948.2005>

- Huang, C. J., Peng, H. L., Patel, A. K., Singhania, R. R., Dong, C. D., & Cheng, C. Y. (2021). Effects of lower temperature on expression and biochemical characteristics of HCV ns3 antigen recombinant protein. *Catalysts*, *11*(11), 1297. <https://doi.org/10.3390/catal11111297>.
- Huber, B., Schellenbacher, C., Shafiti-Keramat, S., Jindra, C., Christensen, N., & Kirnbauer, R. (2017). Chimeric L2-based virus-like particle (VLP) vaccines targeting cutaneous human papillomaviruses (HPV). *PLoS ONE*, *12*(1), 1–27. <https://doi.org/10.1371/journal.pone.0169533>
- Jagu, S., Karanam, B., Gambhira, R., Chivukula, S. V., Chaganti, R. J., Lowy, D. R., Schiller, J. T., & Roden, R. B. S. (2009). Concatenated multitype L2 fusion proteins as candidate prophylactic pan-human papillomavirus vaccines. *Journal of the National Cancer Institute*, *101*(11), 782–792. <https://doi.org/10.1093/jnci/djp106>
- Jeong H, Kim HJ, Lee SJ. (2015). Complete genome sequence of *Escherichia coli* strain BL21. *Genome Announc* 3(2):e00134-15. doi:10.1128/genomeA.00134-15
- Karanam, B., Jagu, S., Huh, W. K., & Roden, R. B. S. (2009). Developing vaccines against minor capsid antigen L2 to prevent papillomavirus infection. *Immunology and Cell Biology*, *87*(4), 287–299. <https://doi.org/10.1038/icb.2009.13>
- Kaur, J., Kumar, A., & Kaur, J. (2018). Strategies for optimization of heterologous protein expression in *E. coli*: Roadblocks and reinforcements. *International Journal of Biological Macromolecules*, *106*, 803–822. <https://doi.org/10.1016/j.ijbiomac.2017.08.080>.
- Kawana, K., Yasugi, T., Kanda, T., Kino, N., Oda, K., Okada, S., Kawana, Y., Nei, T., Takada, T., Toyoshima, S., Tsuchiya, A., Kondo, K., Yoshikawa, H., Tsutsumi, O., & Taketani, Y. (2003). Safety and immunogenicity of a peptide containing the cross-neutralization epitope of HPV16 L2 administered nasally in healthy volunteers. *Vaccine*, *21*(27–30), 4256–4260. [https://doi.org/10.1016/S0264-410X\(03\)00454-7](https://doi.org/10.1016/S0264-410X(03)00454-7)
- Kemenkes RI. (2016). *Pengelolaan Vaksin di Indonesia*. Pusat Data dan Informasi Kementerian Kesehatan RI. <https://www.kemkes.go.id/article/view/17010500001/infodatin-pengelolaan-vaksin-di-indonesia.html>. Diakses 17 Oktober 2020.
- Kemenkes RI. (2019). *Hari Kanker Sedunia 2019*. <https://www.kemkes.go.id/article/view/19020100003/hari-kanker-sedunia-2019.html>. Diakses 17 Oktober 2020.
- Kiefhaber, T., Rudolph, R., Kohler, H. H., & Buchner, J. (1991). Protein aggregation in vitro and in vivo: a quantitative model of the kinetic competition between

folding and aggregation. *Bio/technology*, 9(9), 825-829.  
<https://doi.org/10.1038/nbt0991-825>

Kirnbauer, R., Booy, F., Cheng, N., Lowy, D. R., & Schiller, J. (1992). Papillomavirus L1 major capsid protein self-assembles into virus-like particles that are highly immunogenic. *Proceedings of the National Academy of Sciences*, 89(24), 12180-12184. <https://doi.org/10.1073/pnas.89.24.12180>

Krammer, F., Pica, N., Hai, R., Margine, I., & Palese, P. (2013). Chimeric Hemagglutinin Influenza Virus Vaccine Constructs Elicit Broadly Protective Stalk-Specific Antibodies. *Journal of Virology*, 87(12), 6542–6550. <https://doi.org/10.1128/jvi.00641-13>.

Kurien, B. T., & Scofield, R. H. (Eds.). (2015). Western blotting: Methods and protocols (pp. 465-467). New York:: Humana Press.

Kusdianawati, Mustopa AZ, Suharsono, Budiarto BR, Fatimah, Danuri H. (2015). Construction, expression and purification of recombinan pre-mature peptide of plantaricin F from *Lactobacillus plantarum* S34 in *Escherichia coli*. *Indonesian Journal of Agricultural Science*. 16:31-38.

Kusdianawati. (2014). *Konstruksi Vektor, Ekspresi dan Purifikasi Plantarisin F Rekombinan di Escherichia coli*. BOGOR: Institut Pertanian Bogor.

Kusumawati, A. (2013). *Kloning Gen Human Interferon Alpha 2a Pada Vektor pET-32b ( + ) dan Ekspresi Pada Escherichia coli*. Depok. Universitas Indonesia.

Lee, J., Shin, M.-K., Ryu, D.-K., Kim, S., & Ryu, W.-S. (2010). Insertion and Deletion Mutagenesis by Overlap Extension PCR. In *Methods in Molecular Biology* (Vol. 634). [https://doi.org/10.1007/978-1-60761-652-8\\_21](https://doi.org/10.1007/978-1-60761-652-8_21)

Li, M., Cripe, T. P., Estes, P. A., Lyon, M. K., Rose, R. C., & Garcea, R. L. (1997). Expression of the human papillomavirus type 11 L1 capsid protein in *Escherichia coli*: characterization of protein domains involved in DNA binding and capsid assembly. *Journal of virology*, 71(4), 2988-2995. <https://doi.org/10.1128/jvi.71.4.2988-2995.1997>

Li, Z., Yan, X., Yu, H., Wang, D., Song, S., Li, Y., He, M., Hong, Q., Zheng, Q., Zhao, Q., Gu, Y., Zhang, J., Janssen, M. E. W., Cardone, G., Olson, N. H., Baker, T. S., Li, S., & Xia, N. (2016). The C-Terminal Arm of the Human Papillomavirus Major Capsid Protein Is Immunogenic and Involved in Virus-Host Interaction. *Structure*, 24(6), 874–885. <https://doi.org/10.1016/j.str.2016.04.008>

Lin, Y. L., Borenstein, L. A., Selvakumar, R., Ahmed, R., & Wettstein, F. O. (1992). Effective vaccination against papilloma development by immunization with L1 or L2 structural protein of cottontail rabbit papillomavirus. *Virology*, 187(2), 612–619. [https://doi.org/10.1016/0042-6822\(92\)90463-Y](https://doi.org/10.1016/0042-6822(92)90463-Y)

- Marchioro, S. B., Fisch, A., Gomes, C. K., Jorge, S., Galli, V., Haesebrouck, F., Maes, D., Dellagostin, O., & Conceição, F. R. (2014). Local and systemic immune responses induced by a recombinant chimeric protein containing Mycoplasma hyopneumoniae antigens fused to the B subunit of Escherichia coli heat-labile enterotoxin LTB. *Veterinary Microbiology*, 173(1–2), 166–171. <https://doi.org/10.1016/j.vetmic.2014.07.009>
- Margreiter, G., Schwanninger, M., Bayer, K., & Obinger, C. (2008). Impact of different cultivation and induction regimes on the structure of cytosolic inclusion bodies of TEM1- $\beta$ -lactamase. *Biotechnology Journal*, 3(9–10), 1245–1255. <https://doi.org/10.1002/biot.200800072>
- Marlina, M., Aldi, Y., Putra, A. E., Sopianti, D. S., Hari, D. G., Arfiandi, A., Djamaan, A., & Rustini, R. (2016). Identifikasi Type Human Papillomavirus (HPV) pada Penderita Kanker Serviks. *Jurnal Sains Farmasi & Klinis*, 3(1), 54. <https://doi.org/10.29208/jsfk.2016.3.1.100>
- McGrath, M., de Villiers, G. K., Shephard, E., Hitzeroth, I. I., & Rybicki, E. P. (2013). Development of human papillomavirus chimaeric L1L2 candidate vaccines. *Archives of Virology*, 158(10), 2079–2088. <https://doi.org/10.1007/s00705-013-1713-8>
- McInerney, P., Adams, P., & Hadi, M. Z. (2014). Error Rate Comparison during Polymerase Chain Reaction by DNA Polymerase. *Molecular Biology International*, 2014, 1–8. <https://doi.org/10.1155/2014/287430>
- Mustaffa, A. B. S., & Wagiran, A. (2013). Molecular Cloning and Bioinformatic Analysis of Endosperm Specific. *Jurnal Teknologi (Sciences & Engineering)*, 2, 1–5.
- Mustopa AZ, Kusdianawati, Fatimah, Umami RN, Budiarto RB, Danuri H. (2016). Cloning and expression of plantaricin E dan F genes of *Lactobacillus plantarum* S34 isolated from Indonesia traditional-fermented meat (bekasam). *International Food Research Journal*. 23(2):726-769.
- Mustopa, A. Z., Meilina, L., Irawan, S., Ekawati, N., Fathurahman, A. T., Triratna, L., Kusumawati, A., Prastyowati, A., Nurfatwa, M., Hertati, A., & Harmoko, R. (2022). Construction, expression, and in vitro assembly of virus-like particles of L1 protein of human papillomavirus type 52 in Escherichia coli BL21 DE3. *Journal, Genetic Engineering & Biotechnology*, 20(1), 19. <https://doi.org/10.1186/s43141-021-00281-5>
- Papaneophytou, C. P., & Kontopidis, G. (2014). Statistical approaches to maximize recombinant protein expression in Escherichia coli: A general review. *Protein Expression and Purification*, 94, 22–32. <https://doi.org/10.1016/j.pep.2013.10.016>

- Phue, J. N., Sang, J. L., Trinh, L., & Shiloach, J. (2008). Modified Escherichia coli B (BL21), a superior producer of plasmid DNA compared with Escherichia coli K (DH5α). *Biotechnology and Bioengineering*, 101(4), 831–836. <https://doi.org/10.1002/bit.21973>
- Pineo, C. B., Hitzeroth, I. I., & Rybicki, E. P. (2013). Immunogenic assessment of plant-produced human papillomavirus type 16 L1L2 chimaeras. *Plant Biotechnology Journal*, 11(8), 964–975. <https://doi.org/10.1111/pbi.12089>
- Roden, R. B. S., Yutzy IV, W. H., Fallon, R., Inglis, S., Lowy, D. R., & Schiller, J. T. (2000). Minor capsid protein of human genital papillomaviruses contains subdominant, cross-neutralizing epitopes. *Virology*, 270(2), 254–257. <https://doi.org/10.1006/viro.2000.0272>
- Roos, N., Breiner, B., Preuss, L., Lilie, H., Hipp, K., Herrmann, H., Horn, T., Biener, R., Iftner, T., & Simon, C. (2020). Optimized production strategy of the major capsid protein HPV 16L1 non- assembly variant in E . coli. *Protein Expression and Purification*, 175(June), 105690. <https://doi.org/10.1016/j.pep.2020.105690>
- Rosano, G. L., & Ceccarelli, E. A. (2014). Recombinant protein expression in Escherichia coli: Advances and challenges. *Frontiers in Microbiology*, 5(APR), 1–17. <https://doi.org/10.3389/fmicb.2014.00172>.
- Rosano, G. L., Morales, E. S., & Ceccarelli, E. A. (2019). New tools for recombinant protein production in Escherichia coli: A 5-year update. *Protein science*, 28(8), 1412–1422. <https://doi.org/10.1002/pro.3668>
- Roth, S. D., Sapp, M., Streeck, R. E., & Selinka, H. C. (2006). Characterization of neutralizing epitopes within the major capsid protein of human papillomavirus type 33. *Virology Journal*, 3, 1–11. <https://doi.org/10.1186/1743-422X-3-83>
- Rubio, I., Seitz, H., Canali, E., Sehr, P., Bolchi, A., Tommasino, M., Ottonello, S., & Müller, M. (2011). The N-terminal region of the human papillomavirus L2 protein contains overlapping binding sites for neutralizing, cross-neutralizing and non-neutralizing antibodies. *Virology*, 409(2), 348–359. <https://doi.org/10.1016/j.virol.2010.10.017>
- Sambrook J, Fritsch EF, Maniatis T. (2001). *Molecular cloning: a laboratory manual*. New York : Cold spring harbor laboratory.
- Schellekens, M. C., Dijkman, A., Aziz, M. F., Siregar, B., Cornain, S., Kolkman-Uljee, S., Peters, L. A. W., & Fleuren, G. J. (2004). Prevalence of single and multiple HPV types in cervical carcinomas in Jakarta, Indonesia. *Gynecologic Oncology*, 93(1), 49–53. <https://doi.org/10.1016/j.ygyno.2003.12.015>
- Schellenbacher, C., Roden, R., & Kirnbauer, R. (2009). Chimeric L1-L2 Virus-Like Particles as Potential Broad-Spectrum Human Papillomavirus Vaccines. *Journal*

- of Virology*, 83(19), 10085–10095. <https://doi.org/10.1128/jvi.01088-09>
- Schiller, J. T., & Lowy, D. R. (2012). Understanding and learning from the success of prophylactic human papillomavirus vaccines. *Nature Reviews Microbiology*, 10(10), 681–692. <https://doi.org/10.1038/nrmicro2872>
- Seidman, C.E., Struhl, K., Sheen, J. and Jessen, T. (1997), Introduction of Plasmid DNA into Cells. *Current Protocols in Molecular Biology*, 37: 1.8.1-1.8.10. <https://doi.org/10.1002/0471142727.mb0108s37>
- Silaban, S., Gaffar, S., Simorangkir, M., Maksum, I.P., & Subroto, T. (2019) Effect of IPTG Concentration on Recombinant Human Prethrombin-2 Expression in Escherichia coli BL21(DE3) ArcticExpress. *IOP Conference Series: Earth and Environmental Science*. **217**(1).
- Singh, A., Upadhyay, V., Upadhyay, A. K., Singh, S. M., & Panda, A. K. (2015). Protein recovery from inclusion bodies of Escherichia coli using mild solubilization process. *Microbial Cell Faktories*, 14(1), 1–10. <https://doi.org/10.1186/s12934-015-0222-8>.
- Singh, S.M. & Panda, A.M. (2005). Solubilization and Refolding of Bacterial Inclusion Body Protein. *Journal of Bioscience and Bioengineering*. **99**(4), 303-310.
- Slupetzky, K., Gambhira, R., Culp, T. D., Shafti-Keramat, S., Schellenbacher, C., Christensen, N. D., Roden, R. B. S., & Kirnbauer, R. (2007). A papillomavirus-like particle (VLP) vaccine displaying HPV16 L2 epitopes induces cross-neutralizing antibodies to HPV11. *Vaccine*, 25(11), 2001–2010. <https://doi.org/10.1016/j.vaccine.2006.11.049>
- Soria-Guerra, R. E., Moreno-Fierros, L., & Rosales-Mendoza, S. (2011). Two decades of plant-based candidate vaccines: A review of the chimeric protein approaches. *Plant Cell Reports*, 30(8), 1367–1382. <https://doi.org/10.1007/s00299-011-1065-3>
- Strohl, W. (2017). Chimeric Genes, Proteins ☆. *Reference Module in Life Sciences*, August 2016, 1–7. <https://doi.org/10.1016/b978-0-12-809633-8.06199-9>
- Stryjewska, A., Kiepora, K., Librowski, T., & Lochyński, S. (2013). Biotechnology and genetic engineering in the new drug development. Part II. Monoclonal antibodies, modern vaccines and gene therapy. *Pharmacological Reports*, 65(5), 1086–1101. [https://doi.org/10.1016/S1734-1140\(13\)71467-1](https://doi.org/10.1016/S1734-1140(13)71467-1)
- Suhandono, S., Kencana Ungu, D. A., Kristianti, T., Sahiratmadja, E., & Susanto, H. (2014). Cloning, Expression and Bioinformatic Analysis of Human Papillomavirus Type 52 L1 Capsid Gene from Indonesian Patient. *Microbiology Indonesia*, 8(3), 94–102. <https://doi.org/10.5454/mi.8.3.2>

- Sun, Z., Xia, Z., Bi, F., & Liu, J. N. (2008). Expression and purification of human urodilatin by small ubiquitin-related modifier fusion in Escherichia coli. *Applied Microbiology and Biotechnology*, 78(3), 495-502. <https://doi.org/10.1007/s00253-007-1330-0>
- Takagi, M., Nishioka, M., Kakihara, H., Kitabayashi, M., Inoue, H., Kawakami, B., Oka, M., & Imanaka, T. (1997). Characterization of DNA polymerase from Pyrococcus sp. strain KOD1 and its application to PCR. *Applied and Environmental Microbiology*, 63(11), 4504-4510. <https://doi.org/10.1128/aem.63.11.4504-4510.1997>
- Takami, Y., G., K., J., S., K., N., J.M., S., A., S., U.C., W., & M., Y. (1991). Cloning and characterization of human papillomavirus type 52 from cervical carcinoma in Indonesia. *International Journal of Cancer*, 48(4), 516-522. <http://ovidsp.ovid.com/ovidweb.cgi?T=JS&PAGE=reference&D=emed4&NEW S=N&AN=21207115>
- Tan, M. S., Teh, Y. H., Ho, K. L., & Stanslas, J. (2020). An Application of pET SUMO Protein Expression System in Escherichia coli: Cloning, Expression, Purification, and Characterisation of Native Kras4BG12V Oncoprotein. *Protein Journal*, 39(1), 54-61. <https://doi.org/10.1007/s10930-019-09872-1>
- Tommasino, M. (2014). The human papillomavirus family and its role in carcinogenesis. *Seminars in Cancer Biology*, 26, 13-21. <https://doi.org/10.1016/j.semcancer.2013.11.002>
- Tumban, E., Peabody, J., Peabody, D. S., & Chackerian, B. (2011). A Pan-HPV vaccine based on bacteriophage PP7 VLPs displaying broadly cross-neutralizing epitopes from the HPV minor capsid protein, L2. *PLoS ONE*, 6(8), 1-11. <https://doi.org/10.1371/journal.pone.0023310>
- Tumban, E., Peabody, J., Tyler, M., Peabody, D. S., & Chackerian, B. (2012). VLPs Displaying a Single L2 Epitope Induce Broadly Cross-Neutralizing Antibodies against Human Papillomavirus. *PLoS ONE*, 7(11). <https://doi.org/10.1371/journal.pone.0049751>
- Umami, R. N., Mustopa, A. Z., Sukmarini, L., Danuri, H., Putri, A. S., & Wibowo, K. D. (2017). Cloning, Expression, And Partial Purification Of Plantaricin W Locus Produced By Lactobacillus plantarum S34. *Berita Biologi Jurnal Ilmu-ilmu Hayati*, 59-67.
- Varsani, A., Williamson, A.-L., de Villiers, D., Becker, I., Christensen, N. D., & Rybicki, E. P. (2003). Chimeric Human Papillomavirus Type 16 (HPV-16) L1 Particles Presenting the Common Neutralizing Epitope for the L2 Minor Capsid Protein of HPV-6 and HPV-16. *Journal of Virology*, 77(15), 8386-8393. <https://doi.org/10.1128/jvi.77.15.8386-8393.2003>

- Vet, J. N. I., De Boer, M. A., Van Den Akker, B. E. W. M., Siregar, B., Lisnawati, Budiningsih, S., Tyasmorowati, D., Moestikaningsih, Cornain, S., Peters, A. A. W., & Fleuren, G. J. (2008). Prevalence of human papillomavirus in Indonesia: A population-based study in three regions. *British Journal of Cancer*, 99(1), 214–218. <https://doi.org/10.1038/sj.bjc.6604417>
- Wang, D., Li, Z., Xiao, J., Wang, J., Zhang, L., Liu, Y., Fan, F., Xin, L., Wei, M., Kong, Z., Yu, H., Gu, Y., Zhang, J., Li, S., & Xia, N. (2015). Identification of broad-genotype HPV L2 neutralization site for pan-HPV vaccine development by a cross-neutralizing antibody. *PLoS ONE*, 10(4), 1–18. <https://doi.org/10.1371/journal.pone.0123944>
- Wang, H., Xiao, Y., Fu, L., Zhao, H., Zhang, Y., Wan, X., ... & Li, X. (2010). High-level expression and purification of soluble recombinant FGF21 protein by SUMO fusion in Escherichia coli. *BMC biotechnology*, 10(1), 1–9. <https://doi.org/10.1186/1472-6750-10-14>
- Wang, J. W., & Roden, R. B. S. (2013). L2, the minor capsid protein of papillomavirus. *Virology*, 445(1–2), 175–186. <https://doi.org/10.1016/j.virol.2013.04.017>
- Wang, Y., & Li, Y. Z. (2014). Cultivation to improve in vivo solubility of overexpressed arginine deiminases in Escherichia coli and the enzyme characteristics. *BMC Biotechnology*, 14, 1–10. <https://doi.org/10.1186/1472-6750-14-53>
- Waty, R. (2017). Ekspresi Dan Purifikasi Protein Inti Virus Hepatitis B (HbcAg) Pada Inang *Escherichia coli*. Bogor: IPB University.
- WHO. (2016). *Guide to Introducing HPV Vaccine into National Immunization Programmes*. Department of Immunization, Vaccines and Biologicals WHO: Geneva.
- WHO. (2017). *Human papillomavirus vaccines: WHO position paper*. Weekly Epidemiological Record. WHO: Geneva.
- Wild CP, Weiderpass E, Stewart BW, editors (2020). *World Cancer Report: Cancer Research for Cancer Prevention*. Lyon, France: International Agency for Research on Cancer. Available from: <http://publications.iarc.fr/586>. Licence: CC BY-NC-ND 3.0 IGO.
- Woodman, M. E. (2008). Direct PCR of intact bacteria (colony PCR). *Current Protocols in Microbiology*, SUPPL. 9, 1–6. <https://doi.org/10.1002/9780471729259.mca03ds9>
- Yuenleni, Y. (2019). Langkah-Langkah Optimasi Pcr. *Indonesian Journal of Laboratory*, 1(3), 51. <https://doi.org/10.22146/ijl.v1i3.48723>



UNIVERSITAS  
GADJAH MADA

**Konstruksi dan Ekspresi ProteinChimeric L1L2 HPV 52 pada Escherichia coli BL21 (DE3)**  
MUH. CHAERIL I, Prof. dr. Tri Wibawa, Ph.D, Sp.MK(K).; Dr. Apon Zaenal Mustopa M.Si.  
Universitas Gadjah Mada, 2022 | Diunduh dari <http://etd.repository.ugm.ac.id/>

Zheng, Z. M., & Baker, C. C. (2006). Papillomavirus genome structure, expression, and post-transcriptional regulation. *Frontiers in Bioscience*, 11(SUPPL. 1), 2286–2302. <https://doi.org/10.2741/1971>.