

## DAFTAR PUSTAKA

- Abdulrahman, A., AlMajthoob, M., AlAwadhi, A.I. and AlQahtani, M.M. (2020), "The implications of religious event and holidays on the transmission of SARS-CoV2 : the impact of behavioral changes on transmission", *MedRxiv*, p. 2020.10.17.20214056.
- Areekal, B., Vijayan, S.M., Suseela, M.S., Andrews, M., Ravi, R.K., Sukumaran, S.T., Jose, R., *et al.* (2021), "Risk Factors, Epidemiological and Clinical Outcome of Close Contacts of COVID-19 Cases in a Tertiary Hospital in Southern India", *Journal of Clinical and Diagnostic Research*, Vol. 15 No. 3, pp. 34–37.
- Bi, Q., Wu, Y., Mei, S., Ye, C., Zou, X., Zhang, Z., Liu, X., *et al.* (2020), "Epidemiology and transmission of COVID-19 in 391 cases and 1286 of their close contacts in Shenzhen, China: a retrospective cohort study", *The Lancet Infectious Diseases*, Vol. 20 No. 8, pp. 911–919.
- Boger, B., Fachi, M.M., Vilhena, R.O., Cobre, A.F., Tonin, F.S. and Pontarolo, R. (2021), "Systematic review with meta-analysis of the accuracy of diagnostic tests for COVID-19", *American Journal of Infection Control*, Vol. 49 No. January, pp. 21–29.
- Burke, R.M., Balter, S., Barnes, E., Barry, V., Bartlett, K., Beer, K.D., Benowitz, I., *et al.* (2020), "Enhanced contact investigations for nine early travel-related cases of SARS-CoV-2 in the United States", *PLoS ONE*, Vol. 15 No. 9 September, pp. 1–19.
- Bustan, M.N. (2006), "Pengantar Epidemiologi Edisi Revisi", Rineka Cipta.
- CDC. (2020), "What Grocery and Food Retail Workers Need to Know about COVID-19 | CDC", *Centers for Disease Control and Prevention*, available at: <https://www.cdc.gov/coronavirus/2019-ncov/community/organizations/grocery-food-retail-workers.html> (accessed 17 September 2021).
- CDC. (2021a), "Symptoms of COVID-19 | CDC", *Centers for Disease Control and Prevention*, available at: <https://www.cdc.gov/coronavirus/2019-ncov/symptoms-testing/symptoms.html> (accessed 17 September 2021).
- CDC. (2021b), "Ventilasi di gedung | CDC", *Centers for Disease Control and Prevention*, available at: <https://www.cdc.gov/coronavirus/2019-ncov/community/ventilation.html> (accessed 17 September 2021).
- CDC. (2021c), "Risk for COVID-19 Infection, Hospitalization, and Death By Age Group | CDC", available at: <https://www.cdc.gov/coronavirus/2019-ncov/covid-data/investigations-discovery/hospitalization-death-by-age.html> (accessed 23 December 2021).
- Cevik, M., Marcus, J.L., Buckee, C. and Smith, T.C. (2020), *SARS-CoV-2*

*Transmission Dynamics Should Inform Policy.*

- Chaw, L., Koh, W.C., Jamaludin, S.A., Naing, L., Alikhan, M.F. and Wong, J. (2020), “Analysis of SARS-CoV-2 transmission in different settings, Brunei”, *Emerging Infectious Diseases*, Vol. 26 No. 11, pp. 2598–2606.
- Cheng, H.Y., Jian, S.W., Liu, D.P., Ng, T.C., Huang, W.T. and Lin, H.H. (2020), “Contact Tracing Assessment of COVID-19 Transmission Dynamics in Taiwan and Risk at Different Exposure Periods before and after Symptom Onset”, *JAMA Internal Medicine*, Vol. 180 No. 9, pp. 1156–1163.
- Chu, V.T., Freeman-Ponder, B., Lindquist, S., Spitters, C., Kawakami, V., Dyal, J.W., Clark, S., *et al.* (2020), “Investigation and serologic follow-up of contacts of early confirmed case-patient with COVID-19, Washington, USA”, *Emerging Infectious Diseases*, Vol. 26 No. 8, pp. 1671–1678.
- Dhar Chowdhury, S., Oommen, A.M. and Chowdhury, D. (2020), “Epidemiology of COVID-19”, available at: <https://doi.org/10.1055/s-0040-1712187>.
- Dirhantoro, T. (2020), “Pasar Kobong Semarang Ditutup Selama 6 Hari Setelah Ditemukan Ada 26 Kasus Covid-19”, *Kompas TV*, available at: <https://www.kompas.tv/article/82658/pasar-kobong-semarang-ditutup-selama-6-hari-setelah-ditemukan-ada-26-kasus-covid-19> (accessed 18 September 2021).
- Doung-Ngern, P., Suphanchaimat, R., Panjangampatthana, A., Janekrongtham, C., Ruampoom, D., Daochaeng, N., Eungkanit, N., *et al.* (2020), “Case-Control Study of Use of Personal Protective Measures and Risk for SARS-CoV 2 Infection, Thailand”, *Emerging Infectious Diseases*, Vol. 26 No. 11, pp. 2607–2616.
- Fisher, K.A., Tenforde, M.W., Feldstein, L.R., Lindsell, C.J., Shapiro, N.I., Files, D.C., Gibbs, K.W., *et al.* (2020), “Community and Close Contact Exposures Associated with COVID-19 Among Symptomatic Adults  $\geq 18$  Years in 11 Outpatient Health Care Facilities — United States, July 2020”, *MMWR. Morbidity and Mortality Weekly Report*, Centers for Disease Control MMWR Office, Vol. 69 No. 36, pp. 1258–1264.
- Gordis, L. (2013), *Epidemiology*, "Epidemiology Fifth Edition", Elsevier Saunders.
- Grijalva, C.G., Rolfes, M.A., Zhu, Y., Mclean, H.Q., Hanson, K.E., Belongia, ; Edward A, Halasa, N.B., *et al.* (2020), “Morbidity and Mortality Weekly Report Transmission of SARS-COV-2 Infections in Households-Tennessee and Wisconsin, April-September 2020”, Vol. 69 No. 44, pp. 1631–1634.
- Han, Y. and Yang, H. (2020), “The transmission and diagnosis of 2019 novel coronavirus infection disease (COVID-19): A Chinese perspective”, *Journal of Medical Virology*, Vol. 92 No. 6, pp. 639–644.
- Hu, P., Ma, M., Jing, Q., Ma, Y., Gan, L., Chen, Y., Liu, J., *et al.* (2021), “Retrospective study identifies infection related risk factors in close contacts

- during COVID-19 epidemic”, *International Journal of Infectious Diseases*, Vol. 103, pp. 395–401.
- Hu, S., Wang, W., Wang, Y., Litvinova, M., Luo, K., Ren, L., Sun, Q., *et al.* (2021), “Infectivity, susceptibility, and risk factors associated with SARS-CoV-2 transmission under intensive contact tracing in Hunan, China”, *Nature Communications*, Springer US, Vol. 12 No. 1, pp. 1–11.
- Huang, Y.T., Tu, Y.K. and Lai, P.C. (2021), “Estimation of the secondary attack rate of COVID-19 using proportional meta-analysis of nationwide contact tracing data in Taiwan”, *Journal of Microbiology, Immunology and Infection*, Elsevier Taiwan LLC, Vol. 54 No. 1, pp. 89–92.
- Jing, Q.L., Liu, M.J., Zhang, Z. Bin, Fang, L.Q., Yuan, J., Zhang, A.R., Dean, N.E., *et al.* (2020), “Household secondary attack rate of COVID-19 and associated determinants in Guangzhou, China: a retrospective cohort study”, *The Lancet Infectious Diseases*, Vol. 20 No. 10, pp. 1141–1150.
- Johnson, M. (2020), “Wuhan 2019 Novel Coronavirus - 2019-nCoV”, *Materials and Methods*, Vol. 10 No. JANUARY, pp. 1–5.
- Juliette, P., Mailles, A., Eisenauher, C. and Franck, D.L. (2020), “Early chains of transmission of COVID-19 in France”, Vol. 101003589, pp. 1–15.
- Kemendes RI. (2020a), “Pedoman Pencegahan dan Pengendalian Coronavirus Disease (COVID-19)”, *Germas*, pp. 0–115.
- Kemendes RI. (2020b), “Situasi Terkini Perkembangan (COVID-19)”, *Kemendes*, No. agustus, pp. 1–4.
- Kemendes RI. (2021), “Situasi Terkini Perkembangan (COVID-19)”, *Kementerian Kesehatan RI*, No. agustus, pp. 1–4.
- Kiram, O., Alhejaili, S., Alharbi, A.A. and Alrudayan, A. (2021), “Risk Factors associated with COVID-19 Infection among Contacts of Index Cases in Saudi Arabia : A Case-Control Study”, Vol. 3, pp. 188–193.
- Koh, W.C., Naing, L., Chaw, L., Rosledzana, M.A., Alikhan, M.F., Jamaludin, S.A., Amin, F., *et al.* (2020), “What do we know about SARS-CoV-2 transmission? A systematic review and meta-analysis of the secondary attack rate and associated risk factors”, *PLoS ONE*, Vol. 15 No. 10, pp. 1–23.
- Koureas, M., Speletas, M., Bogogiannidou, Z., Babalis, D., Pinakas, V., Pinaka, O., Komnos, A., *et al.* (2021), “Transmission dynamics of sars-cov-2 during an outbreak in a roma community in thessaly, greece—control measures and lessons learned”, *International Journal of Environmental Research and Public Health*, Vol. 18 No. 6, pp. 1–13.
- Lan, F.-Y., Wei, C.-F., Hsu, Y.-T., Christiani, D.C. and Kales, S.N. (2020), “Work-related Covid-19 transmission”, *MedRxiv*, p. 2020.04.08.20058297.
- Leclerc, Q.J., Fuller, N.M., Knight, L.E., Funk, S. and Knight, G.M. (2020), “What

- settings have been linked to SARS-CoV-2 transmission clusters?”, *Wellcome Open Research*, Vol. 5, p. 83.
- Li, W., Zhang, B., Lu, J., Liu, S., Chang, Z., Peng, C., Liu, X., *et al.* (2020), “Characteristics of Household Transmission of COVID-19”, *Clinical Infectious Diseases*, Vol. 71 No. 8, pp. 1943–1946.
- Liu, T., Liang, W., Zhong, H., He, J., Chen, Z., He, G., Song, T., *et al.* (2020), “Risk factors associated with COVID-19 infection: a retrospective cohort study based on contacts tracing”, *Emerging Microbes and Infections*, Taylor & Francis, Vol. 0 No. 0, pp. 1–31.
- Liu, Y., Eggo, R.M. and Kucharski, A.J. (2020), “Secondary attack rate and superspreading events for SARS-CoV-2”, *The Lancet*, Elsevier Ltd, Vol. 395 No. 10227, p. e47.
- Luo, L., Liu, D., Liao, X., Wu, X., Jing, Q., Zheng, J., Liu, F., *et al.* (2020a), “Contact Settings and Risk for Transmission in 3410 Close Contacts of Patients With COVID-19 in Guangzhou, China : A Prospective Cohort Study”, *Annals of Internal Medicine*, American College of Physicians, Vol. 173 No. 11, pp. 879–887.
- Luo, L., Liu, D., Liao, X., Wu, X., Jing, Q., Zheng, J., Liu, F., *et al.* (2020b), “Contact Settings and Risk for Transmission in 3410 Close Contacts of Patients With COVID-19 in Guangzhou, China : A Prospective Cohort Study”, *Annals of Internal Medicine*, Vol. 173 No. 11, pp. 879–887.
- Madewell, Z.J., Yang, Y., Longini, I.M., Halloran, M.E. and Dean, N.E. (2020), “Household Transmission of SARS-CoV-2: A Systematic Review and Meta-analysis”, *JAMA Network Open*, Vol. 3 No. 12, p. e2031756.
- Mao, S., Huang, T., Yuan, H., Li, M., Huang, X., Yang, C., Zhou, X., *et al.* (2020), “Epidemiological analysis of 67 local COVID-19 clusters in Sichuan Province, China”, *BMC Public Health*, BMC Public Health, Vol. 20 No. 1, pp. 1–9.
- Mayr, V., Ai, D., Chapman, A., Persad, E., Klerings, I., Wagner, G., Siebert, U., *et al.* (2020), “Cochrane Library Cochrane Database of Systematic Reviews Quarantine alone or in combination with other public health measures to control COVID-19: a rapid review (Review)”, available at: <https://doi.org/10.1002/14651858.CD013574>. [www.cochranelibrary.com](http://www.cochranelibrary.com).
- Ng, O.T., Marimuthu, K., Koh, V., Pang, J., Linn, K.Z., Sun, J., De Wang, L., *et al.* (2020), “SARS-CoV-2 seroprevalence and transmission risk factors among high-risk close contacts: a retrospective cohort study”, *The Lancet Infectious Diseases*, Elsevier Ltd, Vol. 21 No. 3, pp. 333–343.
- Ng, O.T., Marimuthu, K., Koh, V., Pang, J., Linn, K.Z., Sun, J., De Wang, L., *et al.* (2021), “SARS-CoV-2 seroprevalence and transmission risk factors among high-risk close contacts: a retrospective cohort study”, *The Lancet Infectious*

*Diseases*, Elsevier Ltd, Vol. 21 No. 3, pp. 333–343.

- Nishiura, H., Oshitani, H., Kobayashi, T., Saito, T., Sunagawa, T., Matsui, T., Wakita, T., *et al.* (2020), “Closed environments facilitate secondary transmission of coronavirus disease 2019 (COVID-19)”, *MedRxiv*, p. 2020.02.28.20029272.
- Noh, J.Y., Song, J.Y., Hyun, H.J., Yoon, J.G., Seong, H., Cheong, H.J., Yoon, S.-Y., *et al.* (2021), “Risk factors for SARS-CoV-2 transmission in non-household clusters”, *The Journal of Infection*, The British Infection Association. Published by Elsevier Ltd., Vol. 83 No. 2, pp. e22–e24.
- Noman, A.S.M. and Karim, M.R. (2020), “Epidemiology and contact tracing assessment of COVID-19 and potential risk of transmission at different exposure settings : A prospective cohort study”, pp. 1–21.
- Noor, Nur Nasry. (2009), "Pengantar Epidemiologi Penyakit Menular", Rineka Cipta.
- Phiriyasart, F., Chantutanon, S., Salaeh, F., Roka, A. and Thepparat, T. (2020), “Outbreak Investigation of Coronavirus Disease ( COVID-19 ) among Islamic Missionaries in Southern Thailand , April 2020”, Vol. 13 No. 2, pp. 48–54.
- Praharaj, S. and Han, H. (2020), “A longitudinal study of the impact of human mobility on the incidence of COVID-19 in India”, *MedRxiv*, pp. 1–22.
- Pung, R., Chiew, C.J., Young, B.E., Chin, S., Chen, M.I.C., Clapham, H.E., Cook, A.R., *et al.* (2020), “Investigation of three clusters of COVID-19 in Singapore: implications for surveillance and response measures”, *The Lancet*, Vol. 395 No. 10229, pp. 1039–1046.
- Rauf, A., Abu-izneid, T., Olatunde, A., Khalil, A.A., Alhumaydhi, F.A., Tufail, T., Shariati, M.A., *et al.* (2020), “COVID-19 Pandemic : Epidemiology , Etiology , Conventional and Non-Conventional Therapies”.
- Sethuraman, N., Jeremiah, S.S. and Ryo, A. (2020), “Interpreting Diagnostic Tests for SARS-CoV-2”, *JAMA - Journal of the American Medical Association*, Vol. 323 No. 22, pp. 2249–2251.
- Shahbazi, F., Solgi, M. and Khazaei, S. (2020), “Predisposing risk factors for COVID-19 infection: A case-control study.”, *Caspian Journal of Internal Medicine*, Vol. 11 No. Suppl 1, pp. 495–500.
- Shen, Y., Xu, W., Li, C., Handel, A., Martinez, L., Ling, F., Ebell, M., *et al.* (2020), “c”, *Open Forum Infectious Diseases*, Vol. 7 No. 6, pp. 1–8.
- States, U., Fisher, K.A., Tenforde, M.W., Feldstein, L.R., Lindsell, C.J. and Shapiro, N.I. (2020), “Community and Close Contact Exposures Associated with COVID-19 Among Symptomatic Adults  $\geq$  18 Years in 11 Outpatient Health Care Facilities —”, Vol. 69 No. 36, pp. 1258–1264.
- Sutrisna, Bambang. (2010), "Pengantar Metode Epidemiologi", Dian Rakyat.

- Tian, S., Wu, M., Chang, Z., Wang, Y., Zhou, G., Zhang, W., Xing, J., *et al.* (2021), “Epidemiological investigation and intergenerational clinical characteristics of 24 coronavirus disease patients associated with a supermarket cluster: a retrospective study”, *BMC Public Health*, BMC Public Health, Vol. 21 No. 1, pp. 1–9.
- Vermonte, P. and Wicaksono, T.Y. (2020), “Karakteristik dan Persebaran COVID-19 di Indonesia : Temuan Awal”, *CSIS Commentaries DMRU-043-ID*, No. April, pp. 1–12.
- Wang, Y., Tian, H., Zhang, L., Zhang, M., Guo, D., Wu, W., Zhang, X., *et al.* (2020), “Reduction of secondary transmission of SARS-CoV-2 in households by face mask use, disinfection and social distancing: a cohort study in Beijing, China”, *BMJ Global Health*, Vol. 5 No. 5, pp. 1–9.
- WHO. (2020a), “Listings of WHO’s response to COVID-19”, available at: <https://www.who.int/news/item/29-06-2020-covidtimeline> (accessed 15 September 2021).
- WHO. (2020b), “Novel Coronavirus (2019-nCoV), Situational report - 10”, *WHO Bulletin*, No. 10, pp. 1–7.
- WHO. (2020c), *Coronavirus Disease (COVID-19) Situation Report– 143*, available at: [https://www.who.int/docs/default-source/coronaviruse/situation-reports/20200611-covid-19-sitrep-143.pdf?sfvrsn=2adbe568\\_6](https://www.who.int/docs/default-source/coronaviruse/situation-reports/20200611-covid-19-sitrep-143.pdf?sfvrsn=2adbe568_6).
- WHO. (2020d), “Considerations in adjusting public health and social measures in the context of COVID-19”, *World Health Organisation Interim Guidance*, 16 April 2020, No. November, pp. 1–13.
- WHO. (2020e), “Tes Diagnostik untuk SARS-CoV-2: Panduan interim”, *World Health Organization*, No. September, pp. 1–19.
- WHO. (2020f), “Coronavirus disease (COVID-19): Health and safety in the workplace”, *World Health Organization*, available at: <https://www.who.int/news-room/q-a-detail/coronavirus-disease-covid-19-health-and-safety-in-the-workplace> (accessed 17 September 2021).
- WHO. (2020g), “Contact tracing in the context of COVID-19”, *WHO Guidelines: Contact Tracing in the Context of COVID-19*, Vol. 2019 No. May, 10, pp. 1–7.
- WHO. (2020h), “COVID-19 advice - High risk groups | WHO Western Pacific”, available at: <https://www.who.int/westernpacific/emergencies/covid-19/information/high-risk-groups> (accessed 23 December 2021).
- WHO South East Asian Regional. (2020), “SEARO COVID-19 IMST - Regional Epidemiological Situation Update”, No. June.
- Wu, Y., Song, S., Kao, Q., Kong, Q., Sun, Z. and Wang, B. (2020), “Risk of SARS-CoV-2 infection among contacts of individuals with COVID-19 in

Hangzhou, China”, No. January.

- Wu, Z. and McGoogan, J.M. (2020), “Characteristics of and Important Lessons from the Coronavirus Disease 2019 (COVID-19) Outbreak in China: Summary of a Report of 72314 Cases from the Chinese Center for Disease Control and Prevention”, *JAMA - Journal of the American Medical Association*, Vol. 323 No. 13, pp. 1239–1242.
- Yang, J., Zheng, Y., Gou, X., Pu, K., Chen, Z., Guo, Q., Ji, R., *et al.* (2020), “Prevalence of comorbidities and its effects in coronavirus disease 2019 patients: A systematic review and meta-analysis”, *International Journal of Infectious Diseases*, Vol. 94, pp. 91–95.
- Yi, C., Aihong, W., Bo, Y., Keqin, D., Haibo, W., Jianmei, W., Hongho, S., *et al.* (2020), “[Epidemiological characteristics of infection in COVID-19 close contacts in Ningbo city]”, *Zhonghua Liu Xing Bing Xue Za Zhi = Zhonghua Liuxingbingxue Zazhi*, *Zhonghua Liu Xing Bing Xue Za Zhi*, Vol. 41 No. 5, pp. 667–671.
- Yu, H.-J., Hu, Y.-F., Liu, X.-X., Yao, X.-Q., Wang, Q.-F., Liu, L.-P., Yang, D., *et al.* (2020), “Household infection: The predominant risk factor for close contacts of patients with COVID-19”, *Travel Medicine and Infectious Disease*, Elsevier Ltd., Vol. 36, p. 101809.
- Zhang, W., Cheng, W., Luo, L., Ma, Y., Xu, C., Qin, P. and Zhang, Z. (2020), “Secondary transmission of coronavirus disease from presymptomatic persons, China”, *Emerging Infectious Diseases*, Vol. 26 No. 8, pp. 1924–1926.
- Zhu, C.Q., Gao, S.D., Xu, Y., Yang, X.H., Ye, F.Q., Ai, L. Le, Lv, R.C., *et al.* (2020), “A COVID-19 case report from asymptomatic contact: Implication for contact isolation and incubation management”, *Infectious Diseases of Poverty*, Vol. 9 No. 1, pp. 3–9.