

## DAFTAR PUSTAKA

- Agus, F., Adimihardja, A., Hardjowigeno, S., Fagi, A. M., & Hartatik, W. (2004). Tanah Sawah dan Teknologi Pengelolaannya. In *Agro Inovasi*. Agro Inovasi.
- Arjasakusuma, S., Danoedoro, P., Herumurti, S., Nugroho, Y. A., Aryaguna, P. A. (2017). Land-soil Characteristics for Mapping Paddy Cropping Intensity using Decision Tree Analysis from Single Date ALI Imagery in Magelang, Central Java, Indonesia. *Geoplanning: Journal of Geomatics and Planning*, 4(2), 187-200.
- Arjasakusuma, S., Kusuma, S. S., Rafif, R., & Saringatin, S., & Wicaksono, P. (2020). Time-series Cross-orbit Sentinel-1 Synthetic Aperture Radar ( SAR ) Data for Mapping Paddy Extent : Case Study of Magelang District , Central Java. *2020 1st International Conference on Smart and Innovation Agriculture*.
- Arjasakusuma, S., Kusuma, S. S., & Phinn, S. (2020). Evaluating Variable Selection and Machine Learning Algorithms for Estimating Forest Heights by Combining Lidar and Hyperspectral Data. *International journal of Geo-Information*. 2020, 9, 507.
- Azadi, H., Taheri, F., Burkart, S., Mahmoudi, H., De Maeyer, P., & Witlox, F. (2020). Impact of Agricultural Land Conversion on Climate Change. *Environment, Development and Sustainability*, 0123456789. <https://doi.org/10.1007/s10668-020-00712-2>
- Biradar, C. M., & Xiao, X. (2011). Quantifying The Area and Spatial Distribution of Double-And Triple-Cropping Croplands In India With Multi-Temporal MODIS Imagery In 2005. *International Journal of Remote Sensing*, 32(2), 367–386.
- Belgiu, M., & Csillik, O. (2018). Sentinel-2 Cropland Mapping Using Pixel-based and Object-based Time-weighted Dynamic Time Warping Analysis. *Remote Sensing of Environment*, 204(October), 509–523. <https://doi.org/10.1016/j.rse.2017.10.005>
- Budiwati, G. A. N. (2016). Aspek Biologi Hubungan Kekerabatan Padi Lokal (*Oryza sativa* L.) di Desa Wongaya Gede Kecamatan Penebel, Kabupaten Tabanan, Bali. In *Universitas Udayana Denpasar*. Universitas Udayana Denpasar.

- Cochran W. G. (1977). *Sampling Techniques (3<sup>rd</sup> Ed.)*. John Wiley & Sons.
- Csillik, O., & Belgiu, M. (2017). Cropland Mapping from Sentinel-2 Time Series Data Using Object-based Image Analysis. *20th AGILE Conference on Geographic Information Science, 20*.
- Dadi, M. M. (2019). *Assessing the Transferability of Random Forest and Time-weighted Dynamic Time Warping for Agriculture Mapping* (Issue March). University of Twente.
- Danoedoro, P. (2012). *Pengantar Penginderaan Jauh Digital*. Penerbit ANDI.
- Fawzi, N. I. (2016). *Penginderaan Jauh untuk Lingkungan dan Konservasi*. Penerbit Ombak.
- Foerster, S., Kaden, K., Foerster, M., & Itzerott, S. (2012). Crop Type Mapping Using Spectral – temporal Profiles and Phenological Information. *Computers and Electronics in Agriculture, 89*, 30–40. <https://doi.org/10.1016/j.compag.2012.07.015>
- Frazier, A. E., & Hemingway, B. L. (2021). A Technical Review of Planet Smallsat Data: Practical Considerations for Processing and Using PlanetScope Imagery. *Remote Sensing, 13*(19), 3930.
- Garbade, M. J. (2018). *Understanding K-means Clustering in Machine Learning*. diakses pada 16 Januari 2021, melalui <https://towardsdatascience.com/understanding-k-means-clustering-in-machine-learning-6a6e67336aa1>
- Hanke, J. E., & Wichern, D. W. (2014). *Bussiness Forecasting* (9th ed.). Pearson Prantice Hall.
- Harini, R., Sabari, Y. H., Kasto, & Slamet, H. (2012). Agricultural Land Conversion : Determinants and Impact for Food Sufficiency in Sleman Regency. *Indonesian Journal of Geography, 44*(2), 120–133.
- Inglada, J., Petitjean, F., & Gançarski, P. (2015). Assessment of an Operational System for Crop Type Map Production Using High Temporal and Spatial Resolution Satellite Optical Imagery. *IEEE Transactions on Geoscience and Remote Sensing, 4*, 12356–12379. <https://doi.org/10.3390/rs70912356>

- Ioja, I. C., Onose, D. A., Nita, M. R., Vanau, G. O., Patroescu, M., Gavrilidis, A. A., Saghin, I., & Zarea, R. (2011). The Conversion of Agricultural Lands Into Built Surfaces in Romania. *Recent Researches in Urban Sustainability and Green Development, January*.
- Jamil, D. H., Tjahjono, H., Parman, S. (2013). Deteksi Potensi Kekeringan Berbasis Penginderaan Jauh dan Sistem Informasi Geografis di Kabupaten Klaten. *Geo Image, 2(2)*.
- Klasifikasi (Def. 1)*. (n.d.). Diakses pada 16 November 2020, melalui <https://kbbi.web.id/klasifikasi>
- Kuminoff, N. V., Sokolow, A. D., & Sumner, D. A. (2001). Farmland Conversion : Perceptions and Realities. *Agricultural Issues Center, 16*, 1–8.
- Kusuma, S.S., Arjasakusuma, S., Rafif, R., Saringatin, S., Wicaksono, P., Aziz, A.A. (2021). Assessment of Image Segmentation and Deep Learning for Mapping Paddy Fields Using Worldview-3 in Magelang, Central Java Provinces, Indonesia. In *Proceedings of The 7th Geoinformation Science Symposium 2021*, Yogyakarta.
- Kusumastuti, A. C., Kolopaking, L. M., Barus, B., Ilmu, D., Pembangunan, P., Manajemen, F. E., Sains, D., Masyarakat, P., Manusia, F. E., Ilmu, D., & Lahan, S. (2015). Faktor yang Mempengaruhi Alih Fungsi Lahan Pertanian Pangan di Kabupaten Pandeglang. *Jurnal Sosiologi Pedesaan, 6(2)*, 131–136.
- Lane, C., Liu, H., Autrey, B., Anenkhonov, O., Chepinoga, V., & Wu, Q. (2014). Improved Wetland Classification Using Eight-Band High Resolution Satellite Imagery and a Hybrid Approach. *Remote Sensing, 6(12)*, 12187–12216. doi:10.3390/rs61212187
- Liang, S. (2004). *Quantitative Remote Sensing of Land Surfaces*. John Wiley & Sons.
- Lillesand, T. M., Kiefer, R. W., & Chipman, J. (2015). *Remote Sensing and Image Interpretation*. John Wiley & Sons.
- Liu, L., Xiao, X., Qin, Y., Wang, J., Xu, X., Hu, Y., & Qiao, Z. (2020). Remote Sensing of Environment Mapping cropping intensity in China Using Time Series Landsat and Sentinel-2 Images and Google Earth Engine. *Remote Sensing of Environment, 239*(Desember 2019), 111624. <https://doi.org/10.1016/j.rse.2019.111624>

- Lo, C. P. (1996). *Penginderaan Jauh Terapan*. Jakarta: UI Press.
- Maghfiroh Z. L. D., dan Tafakresnanto, C. (2021). Bentuk lahan menentukan kesesuaian lahan dan produktivitas lahan di kabupaten Probolinggo, Jawa Timur, *AGROINOTEK: Jurnal Penelitian dan Pengabdian Masyarakat*, *V.1, No.2*, 53-63
- Matton, N., Canto, G. S., Waldner, F., Valero, S., Morin, D., Inglada, J., Arias, M., Bontemps, S., Koetz, B., & Defourny, P. (2015). An Automated Method for Annual Cropland Mapping along the Season for Various Globally-Distributed Agrosystems Using High Spatial and Temporal Resolution Time Series. *Remote Sensing*, *7*(10), 13208–13232. <https://doi.org/10.3390/rs71013208>
- Maus, V., Câmara, G., Cartaxo, R., Sanchez, A., Ramos, F. M., & Queiroz, G. R. De. (2016). A Time-Weighted Dynamic Time Warping Method for Land-use and Land-cover Mapping. *IEEE Journal of Selected Topics in Applied Earth Observations and Remote Sensing*, *9*(8), 3729–3739.
- Maus, V., Câmara, G., Appel, M., & Pebesma, E. (2019). dtwsat: Time-Weighted Dynamic Time Warping for Satellite Image Time Series Analysis in R. *Journal of Statistical Software*, *January 2019, Volume 88, Issue 5*. doi: 10.18637/jss.v088.i05
- McFeeters, S. K. (1996). The Use of the Normalized Difference Water Index (NDWI) in the Delineation of Open Water Features. *International Journal of Remote Sensing*, *17*(7), 1425–1432.
- Misra, S., Li, H., & He, J. (2020). *Machine Learning for Subsurface Characterization*. Gulf Professional Publishing.
- Mushtaq, M.-S., & Mellouk, A. (2017). *Quality of Experience Paradigm in Multimedia Services*. ISTE Press Ltd. <https://doi.org/10.1016/B978-1-78548-109-3.50006-0>
- Nduati, E., Sofue, Y., matniyaz, A., Park, J. G., Yang, W., dan Kondoh A. (2019). Cropland Mapping Using Fusion of Multi-Sensor Data in a Complex Urban/Peri-Urban Area. *Remote Sensing*, *11*(2), 207. doi: <https://doi.org/10.3390/rs11020207>
- Olofsson, P., Foody, G. S., Herold, M., Stehman, S. V., Woodcock, C. E., & Wulder, M. A. (2014). Good Practices for Estimating Area and Assessing Accuracy of Land Change. *Remote Sensing of Environment* *148* (2014) 42-57

- Olofsson, P., Foody, G. M., Stehman, S. V., & Woodcock, C. E. (2013). Making Better Use of Accuracy Data in Land Change Studies: Estimating Accuracy and Area and Quantifying Uncertainty Using Stratified Estimation. *Remote Sensing of Environment* 129 (2013) 122-131
- Opreanu C. H., Lăzărescu, V., Institutul de istorie si arheologie. (2016). *Landscape archaeology on the northern frontier of the Roman Empire at Porolissum : an interdisciplinary research project*. Cluj-Napoca, Roumanie: MEGA Publishing House.
- Pemerintah Kabupaten Magelang. (2011). *Peraturan Daerah Kabupaten Magelang Nomor 5 Tahun 2011 tentang Rencana Tata Ruang Wilayah Kabupaten Magelang Tahun 2010-2030*. Lembaran Daerah Kabupaten Magelang Tahun 2011 Nomor 5. Mungkid : Sekretaris Daerah Kabupaten Magelang.
- Pemerintah Kabupaten Magelang. (2014). *Gambaran Umum Kondisi daerah Kabupaten Magelang*. Diakses pada 6 November 2020, melalui <https://magelangkab.go.id/images/dokumen/gambaran.pdf>.
- Pemerintah Kabupaten Magelang. (2018). *Peraturan Bupati Nomor 35 Tahun 2018 tentang Pedoman Pola Tanam dan Rencana Tata Tanam Musim Tanam Tahun 2018 - 2019 Kabupaten Magelang*. Berita Daerah Kabupaten Magelang Tahun 2018 Nomor 35. Mungkid: Sekretaris Daerah Kabupaten Magelang.
- Pemerintah Republik Indonesia. (2006). *Peraturan Pemerintah Republik Indonesia Nomor 39 Tahun 2006 tentang Tata Cara Pengendalian dan Evaluasi Pelaksanaan Rencana Pembangunan*. Lembar Negara Republik Indonesia Tahun 2006 Nomor 96. Jakarta: Sekretariat Negara.
- Perry, M. (2018). *Color Balancing Imagery with Histogram Matching*. Diakses pada 6 November 2020, melalui <https://blog.mapbox.com/color-balancing-imagery-with-histogram-matching-be1b38c28509>
- Petitjean, F., Inglada, J., & Gançarski, P. (2012). Satellite Image Time Series Analysis Under Time Warping. *IEEE Transactions on Geoscience and Remote Sensing*, 50(8), 3081–3095.
- Phillippine Statistics Authority. (2017). *Cropping Intensity Index, by Commodity and*

- Year. *Metadata on Food Security Indicators (Food Availability)*. Diakses pada 27 Februari 2022, melalui <https://openstat.psa.gov.ph/Metadata/3L5FCII0#:~:text=Cropping%20intensity%20is%20the%20number,harvested%20to%20the%20physical%20area>.
- Planet Labs Inc. (2020). Planet Imagery Product Specifications. Diakses pada 6 November 2020, melalui [https://assets.planet.com/docs/Planet\\_Combined\\_Imagery\\_Product\\_Specs\\_letter\\_screen.pdf](https://assets.planet.com/docs/Planet_Combined_Imagery_Product_Specs_letter_screen.pdf)
- Prathama, M. (2009). *Fenologi dan Biologi Pembungaan Adenium obesum*. Institut Pertanian Bogor.
- Ramli, R., & Swastika, D. K. S. (2014). Analisis Keunggulan Kompetitif Beberapa Tanaman Palawija di Lahan Pasang Surut Kalimantan Tengah. *Jurnal Pengkajian Dan Pengembangan Teknologi Pertanian*, 8(1), 67–77.
- Read, J. M., & Torrado, M. (2009). *Remote Sensing. International Encyclopedia of Human Geography*, 335–346. doi:10.1016/b978-008044910-4.00508-3
- Santosa, E. (2014). Percepatan Pengembangan Food Estate untuk Pangan Nasional. *Risalah Kebijakan Pertanian Dan Lingkungan*, 1(2), 80–85.
- Smith, H. W. (2019). *Evaluating Multiple Sensors for Mapping Cropped Area of Smallholder Farms in The Eastern Indo-Gangetic Plains* (Issue April). The University of Michigan.
- Sudrajat. (2015). *Mengenal Lahan Sawah dan Memahami Multifungsinya Bagi Manusia dan Lingkungan*. Yogyakarta: UGM Press.
- Suparman. (2007). *Bercocok Tanam Ubi Jalar*. Azka Press.
- Suprihatin, A., & Amirrullah, J. (2019). Pengaruh Pola Rotasi Tanaman terhadap Perbaikan Sifat Tanah Sawah Irigasi. *Jurnal Sumberdaya Lahan*, 12(1), 49–57.
- Surmaini, E., & Syahbuddin, H. (2016). Kriteria Awal Musim Tanam: Tinjauan Prediksi Waktu Tanam Padi di Indonesia. *Jurnal Litbang Pertanian*, 35(2), 47–56. <https://doi.org/10.21082/jp3.v35n2.2016.p47-56>
- Tatsumi, K., Yamashiki, Y., Angel, M., Torres, C., Leonidas, C., & Taipe, R. (2015). Crop Classification of Upland Fields Using Random Forest of Time-series

Landsat 7 ETM+ Data. *Computers and Electronics in Agriculture*, 115, 171–179.

<https://doi.org/10.1016/j.compag.2015.05.001>

Waldner, F., Canto, G. S., & Defourny, P. (2015). Automated Annual Cropland Mapping Using Knowledge-based Temporal Features. *ISPRS Journal of Photogrammetry and Remote Sensing*, 110, 1–13.

<https://doi.org/10.1016/j.isprsjprs.2015.09.013>

Wiriadiwangsa, D. (2005). Pranata Mangsa, Masih Penting untuk Pertanian. *Pusat Penelitian dan Pengembangan Tanaman Pangan : Tabloid Sinar Tani*.

Wu, Q. (2018). GIS and Remote Sensing Applications in Wetland Mapping and Monitoring. *Comprehensive Geographic Information Systems*, 140–157.  
doi:10.1016/b978-0-12-409548-9.10460-9

Zhang, X., Friedl, M. A., & Schaaf, C. B. (2009). Sensitivity of Vegetation Phenology Detection to the Temporal Resolution of Satellite Data. *International Journal of Remote Sensing*, Vol. 30, No. 8, 20 April 2009, 2061-2074.

Zhou, Y. (2019). *Reduction of Computation Time of Dynamic Time Warping Based Methods used for Cropland Mapping*. University of Twente.