



DAFTAR PUSTAKA

- Abinawanto, A., M.D.B. Intan, W. Wardhana, & A. Bowolaksono. 2019. DNA barcoding reveals underestimated species diversity of mantis shrimp larvae (*Stomatopods*) in Banten Bay, Indonesia. *Biodiversitas Journal of Biological Diversity*. 20(6): 1758-1763.
- Afshari, M., T. Valinassab, J. Seifabadi, & E. Kamaly. 2013. Age determination and feeding habits of *Nemipterus japonicus* (Bloch, 1791) in the Northern Oman Sea. *Iranian Journal of Fisheries Sciences*. 12(2): 248-264.
- Akindele, T.A., & O. Fagbuar. 2022. The morphometric characteristics and meristic traits and condition factors of *Sarotherodon galilaeus* from three major reservoirs of Ekiti State, Nigeria. *Asian Journal Of Advances In Research*. 12(1): 1-11.
- Antika, E., A.N. Bambang, & H.A. Setyawan. 2020. Analisis rantai nilai komoditas ikan kurisi (*Nemipterus japonicus*) ekspor di PT Sumber Samudera Indonesia, Kota Semarang. *Journal Of Fisheries Resources Utilization Management And Technology*. 8(4): 33-47.
- Baktir, A. 2017. DNA Struktur dan Fungsi. Airlangga University Press, Surabaya.
- Begg, G.A., & J.R. Waldman. 1999. An holistic approach to fish stock identification. *Fisheries Research*. 43(1-3): 35-44.
- Coyle, T. 1998. Stock identification and fisheries management: the importance of using several methods in a stock identification study. *Taking stock: defining and managing shared resources*. Australian Society for Fishery Biology, Sydney. 173-182.
- Eggleston, D. 1972. Patterns of Biology in Nemipteridae. *Journal of the Marine Biological Association of India*. 14(1): 357-364.
- Elhaweeet, A.E.A. 2013. Biological studies of the invasive species *Nemipterus japonicus* (Bloch, 1791) as a Red Sea immigrant into the Mediterranean. *the Egyptian Journal Of Aquatic Research*. 39(4): 267-274.
- Fagbuar, O., J.A. Oso, M.B. Olurotimi, & O. Akinyemi. 2015. Morphometric and meristic characteristics of *Clarias gariepinus* from controlled and uncontrolled population from Southwestern Nigeria. *Journal of agriculture and ecology research international*. 2(1): 39-45.
- Fischer, J. 2013. Fish identification tools for biodiversity and fisheries assessments: A review and guidance for decision-makers. FAO Fisheries and Aquaculture Technical Paper. Rome.



FishBase. 2021. Fish identification: Find species. < <https://www.fishbase.se/identification/SpeciesList.php?genus=Nemipterus> >. Diakses pada 24 Agustus 2021.

FishBase. 2022. Synonyms of *Nemipterus sugillatus* Russel & Ho, 2017. < <https://www.fishbase.se/Nomenclature/SynonymsList.php?ID=69187&SynCode=174315&GenusName=Nemipterus&SpeciesName=sugillatus> >. Diakses pada 3 Maret 2022.

Folmer, O., M. Black, W. Hoeh, R. Lutz, & R. Vrijenhoek. 1994. DNA primers for amplification of mitochondrial cytochrome c oxidase subunit I from diverse metazoan invertebrates. Molecular Marine Biology and Biotechnology. 3(5): 294-299.

Garcia-Vazquez, E., G. Machado-Schiaffino, D. Campo, & F. Juanes. 2012. Species misidentification in mixed hake fisheries may lead to overexploitation and population bottlenecks. Fisheries Research. 114: 52-55. DOI: <https://doi.org/10.1016/j.fishres.2011.05.012>.

Global Biodiversity Information Facility. 2022. *Nemipterus* Swainson, 1839. < <https://www.gbif.org/species/2379945> >. Diakses pada 19 Maret 2022.

Gusmiaty, G., M. Restu, A. Asrianny, & S.H. Larekeng. 2016. Polimorfisme penanda RAPD untuk analisis keragaman genetik *Pinus merkusii* di Hutan Pendidikan Unhas. Jurnal Natur Indonesia. 16(2): 47-53.

Gustomi, A., & S.D.D. Putri. 2019. Studi morfometrik dan meristik ikan kurisi (*Nemipterus* sp.) yang didaratkan di Pelabuhan Perikanan Nusantara (PPN) Sungailiat Kabupaten Bangka. Journal Of Tropical Marine Science. 2(1): 37-42.

Ha, L.M., & K.I. Iguchi. 2021. Geographical continuity and discontinuity in the meristic characteristics of ayus of the southern subspecies *Plecoglossus altivelis ryukyuensis*. Ichthyological Research. 68(1): 177-181.

Hakim, M.M., M. Sawant, R. Pawar, S. Hussain, & A. Pawase. 2019. Morphometry based identification of *Nemipterus japonicus* unit stocks from West Coast Of India. Journal of Entomology and Zoology Studies. 7(1): 819-826.

Hebert, P.D.N., S. Ratnasingham, & J.R. deWaard. 2003. Barcoding animal life: Cytochrome c oxidase subunit 1 divergences among closely related species. Proceedings of the Royal Society B: Biological Sciences. 270: 96-99.

Imtiaz, A., D.T. Yen, S.A.M. Nor, & D.M. Naim. 2016. Molecular identification of commercially important species of *Nemipterus* (Perciformes: Nemipteridae) in surrounding seas of Malaysia. Biodiversitas Journal of Biological Diversity. 17(2): 571-577.



Integrated Taxonomic Information System. 2021. *Nemipterus* Swaison, 1839. < https://www.itis.gov/servlet/SingleRpt/SingleRpt?search_topic=TSN&search_value=168989#null >. Diakses pada 24 Agustus 2021.

Jumiati, J., S. Rahmaningsih, & A. Sudianto. 2021. Mutu kerupuk limbah insang ikan kurisi (*Nemipterus japonicus*) ditinjau dari analisis proksimat. Jurnal Teknologi Pangan. 15(1): 1-11.

Kumar, S., G. Stecher, M. Li, C. Knyaz, & K. Tamura. 2018. MEGA X: molecular evolutionary genetics analysis across computing platforms. Molecular biology and evolution. 35(6): 1547.

Lacy, R.C. 1997. Importance of genetic variation to the viability of mammalian populations. Journal of Mammalogy. 78(2): 320-335.

Lagler, K.F., J.E. Bardach, R.R. Miller, & D.R.M. Passino. 1977. Ichthyology. Second Edition. John Wiley and Sons Inc, New York.

Landau, S. & B.S. Everit. 2004. A Handbook of Statistical Analyses Using SPSS Chapman and Hall.Crc Press Company, New York.

Leksono, A.S. 2011. Keanekaragaman Hayati: Teori dan Aplikas. UB Press, Malang.

Lubis, E.K., T.Y. Sinaga, & S. Susiana. 2021. Inventarisasi ikan demersal dan ikan pelagis yang di PPI Kijang Kecamatan Bintan Timur Kabupaten Bintan. Jurnal Akuatiklestari. 4(2): 47-57.

MacArthur, R.H. 1965. Patterns of species diversity. Biological Reviews. 40(4): 510-533.

Manojkumar, P.P. 2004. Some aspects on the biology of *Nemipterus japonicus* (Bloch) from Veraval in Gujarat. Indian Journal of Fisheries. 51(2): 185-191.

Newell, P.D., A.D. Fricker, C.A. Roco, Chandrangsu, & S.M. Merkel. 2013. A small-group activity introducing the use and interpretation of BLAST. Journal of Microbiology & Biology Education. 14(2): 238- 243.

Ogwang, J., M. Bariche, & A.R. Bos. 2020. Genetic diversity and phylogenetic relationships of threadfin breams (*Nemipterus spp.*) from the Red Sea and eastern Mediterranean Sea. Genome. 64(3): 207-216. DOI: <https://doi.org/10.1139/gen-2019-0163>.

Oladimeji, T.E., M.O. Awodiran, & F.A. Ola-Oladimeji. 2020. Morphological characterization of natural populations of *Sarotherodon galilaeus* (Linnaeus, 1758) from three selected reservoirs in South Western, Nigeria. Ife Journal of Science. 22(3): 85-96.

Oktaviyani, S. 2014. Karakteristik morfologi dan aspek biologi ikan kurisi, *Nemipterus japonicus* (Bloch, 1971). Oseana. 29(4): 29-34.



- Pangestika, Y., A. Budiharjo, & H.P. Kusumaningrum. 2015. Analisis filogenetik *Curcuma zedoaria* (temu putih) berdasarkan gen internal transcribed spacer (ITS). Jurnal Akademika Biologi. 4(4): 8-13.
- Pranata, I.A.W., D.P. Yuwandana, S. Agustina, H. Retnoningtyas, B.M. Simeon, & I. Yulianto. 2020. Laporan Teknis: Kondisi Perikanan Kurisi (*Nemipterus japonicus*) di Perairan Teluk Banten. Yayasan Rekam Nusantara dan Fisheries Resource Center of Indonesia, Bogor.
- Quick, V.S., & J. Sikela. 2021. Percent identity of genomic dna and amino acid sequences. Center for Academic Research and Training in Anthropogeny. Retrieved March, 1.
- Rawat, S., S. Benakappa, J. Kumar, A.S., K. Naik., G. Pandey, & C.W. Pema. 2017. Identification of fish stocks based on truss morphometric: A Review . Journal of Fisheries and Science. 2(1): 9-14.
- Russell, B.C. 1990. FAO Species Catalogue. Vol. 12. Nemipterid Fishes of the World (Threadfin Breams, Whiptail Breams, Monocle Breams, Dwarf Monocle Breams, and Coral Breams). Family Nemipteridae. An Annotated and Illustrated Catalogue of Nemipterid Species Known to Date. FAO Fish. Synop., (125)12. Rome, Fao, 149 P.
- Russell, B.C. 1991. Description of a new species of *Nemipterus* (Pisces: Perciformes; Nemipteridae) from the Western Pacific, with re-descriptions Of *Nemipterus marginatus* (Valenciennes), *N. mesoprion* (Bleeker) and *N. nematopus* (Bleeker). Journal Of Natural History. 25(5): 1379-1389.
- Russell, B.C. 1993. a Review of the threadfin breams of the genus *Nemipterus* (Nemipteridae) from Japan and Taiwan, with description of a new species. Japanese Journal Of Ichthyology. 39(4): 295-310.
- Russell, B.C., & H.C. Ho. 2017. A new species of *Nemipterus* (Perciformes: Nemipteridae) and first record of *N. nematophorus* (Bleeker) from Taiwan. Zootaxa. 4231(2): 281-288. DOI: <https://doi.org/10.11646/zootaxa.4231.2.10>.
- Sajina, A.M., S.K. Chakraborty, A.K. Jaiswar, D.G. Pazhayamadam, & D. Sudeheesan. 2011. Stock structure analysis of Indian Mackerel, *Rastrelliger kanagurta* (Cuvier, 1816) along the Indian Coast. Asian Fisheries Science 24: 331-342.
- Sarma, H., S. Pradhan, V.S. Mattaparthi, & S. Kaushik. 2019. Phylogenetic analysis: Early evolution of life. DOI: <http://dx.doi.org/10.1016/B978-0-12-809633-8.20171-4>.
- Secretariat of Convention on Biological Diversity. 2007. Guide to the global taxonomy initiative, cbd technical series. < <https://www.cbd.int/gti/taxonomy.shtml> > . Diakses pada 29 Agustus 2021.



- Sen, S., G.R. Dash, K.K. Mohammed, K.R. Sreenath, S.K. Mojjada, M.K. Fofandi, M.S. Zala, & S. Kumari. 2014. Stock assessment of Japanese threadfin bream, *Nemipterus japonicus* (Bloch, 1791) from Veraval water. Indian Journal of Geo-Marine Sciences. 43(3): 519-527.
- Sjafei, D.S. 2001. Kebiasaan makanan dan faktor kondisi ikan kurisi, *Nemipterus tambuloides* Blkr. di perairan Teluk Labuan, Banten. Jurnal Iktiologi Indonesia. 1(1): 7-11.
- Srihari, M., S.K. Pradhan, A. Pavan-Kumar, S. Bhushan, B.B. Nayak, G.B. Sreekanth, & Z.J. Abidi. 2020. Morphometric and meristic analyses of randall's threadfin bream *Nemipterus randalli* Russell, 1986 along the Indian Coast. Indian Journal of Fisheries. 67(4): 143-148.
- Srihari, M., S. Bhushan, B.B. Nayak, A. Pavan-Kumar, & Z.J. Abidi. 2021. Spatial variations in the stocks of randall's threadfin bream, *Nemipterus randalli* Russell 1986 along the Indian Coast inferred using body and otolith shape analysis. Thalassas: An International Journal of Marine Sciences. 37: 883-890. DOI: <https://doi.org/10.1007/s41208-021-00309-0>.
- Strauss, R.E. & C.E. Bond. 1990. Taxonomic methods: Morphology. in: Schreck CB, Moyle PB (Eds) Methods for Fish Biology. American Fisheries Society, Maryland.
- Sumantadinata, K., & N. Taniguchi. 1990. Comparison of electrophoretic allele frequencies and genetic variability of common carp stocks from Indonesia and Japan. Aquaculture. 88 : 263-271.
- Suprastini, S., E.R. Ardli, & A. Nuryanto. 2014. Diversitas dan distribusi ikan di Segara Anakan Cilacap. Scripta Biologica. 1(2): 147-151.
- Teletchea, F. 2009. Molecular identification methods of fish species: reassessment and possible applications. Reviews in Fish Biology and Fisheries. 19(3): 265-293.
- Teletchea, F., M. Celia, & H. Catherine. 2005. Food and forensic molecular identification: Update and challenges. Trends in Biotechnology. 23(7) : 359 – 366.
- Tonnie, N., M.A. Hena, M.H. Idris, A.H. Rajae, S.M.N. Amin, & M.H. Nesarul. 2018. Food and feeding habits of *Nemipterus japonicus* and *Nemipterus peronii* from coastal water of Bintulu, Sarawak, South China Sea. Journal of Environmental Biology. 39(5): 857-864.
- Trianto, M., K. Kaini, S. Saliyem, E. Warsih, & W. Winarsih. 2020. Keanekaragaman serangga polinitor pada tanaman nanas (*Ananas comosus* (L.) Merr.) di Desa Bincau. Biosel: Biology Science And Education. 9(2): 154-162.
- Umar, H.B. 2009. Principal Component Analysis (PCA) dan Aplikasinya dengan SPSS. Jurnal Kesehatan Masyarakat. 3(2) : 97 -101.



UNIVERSITAS
GADJAH MADA

Karakter Morfologi dan Identifikasi Molekuler Ikan Kurisi (*Nemipterus spp.*) di Perairan Pantai

Gunungkidul Yogyakarta

DENIA MEI LAPHANIA, Dr. Eko Setyobudi, S.Pi., M.Si.

Universitas Gadjah Mada, 2022 | Diunduh dari <http://etd.repository.ugm.ac.id/>

Uyan, U., L.A. Jawad, H. Filiz, A.S. Tarkan, & M. Çelik. 2019. Fish length and otolith size of in *Nemipterus randalli* Russell, 1986 (Actinopterygii: Perciformes: Nemipteridae) collected from Gökova Bay, Turkey. *Thalassia Salentina*. 41: 137-146. DOI: 10.1285/i15910725v41p137.

Wahyuni, I.S., S.T. Hartati, & I.J. Indarsyah. 2017. Informasi biologi perikanan ikan kurisi, *Nemipterus japonicus*, di Blanakan dan Tegal. *BAWAL Widya Riset Perikanan Tangkap*. 2(4): 171-176.

Yokogawa, K., & S. Seki. 1995. Morphological and genetic differences between Japanese and Chinese sea bass of the genus *Lateolabrax*. *Japan Journal Ichtyological*. 41(4): 437-445.