

DAFTAR PUSTAKA

- [1] K. Kosaka *et al.*, "Removal of radioactive iodine and cesium in water purification processes after an explosion at a nuclear power plant due to the Great East Japan Earthquake," *Water Res.*, vol. 46, no. 14, pp. 4397–4404, 2012, doi: 10.1016/j.watres.2012.05.055.
- [2] D. Banerjee *et al.*, "Potential of metal-organic frameworks for separation of xenon and krypton," *Acc. Chem. Res.*, vol. 48, no. 2, pp. 211–219, 2015, doi: 10.1021/ar5003126.
- [3] Y. H. Koo, Y. S. Yang, and K. W. Song, "Radioactivity release from the Fukushima accident and its consequences: A review," *Prog. Nucl. Energy*, vol. 74, no. February 2014, pp. 61–70, 2014, doi: 10.1016/j.pnucene.2014.02.013.
- [4] C. Falaise, C. Volkringer, J. Facqueur, T. Bousquet, L. Gasnot, and T. Loiseau, "Capture of iodine in highly stable metal-organic frameworks: A systematic study," *Chem. Commun.*, vol. 49, no. 87, pp. 10320–10322, 2013, doi: 10.1039/c3cc43728k.
- [5] F. C. Küpper *et al.*, "Commemorating two centuries of iodine research: An interdisciplinary overview of current research," *Angew. Chemie - Int. Ed.*, vol. 50, no. 49, pp. 11598–11620, 2011, doi: 10.1002/anie.201100028.
- [6] T. E. Carleson, N. A. Chipman, and C. M. Wai, *Separation Techniques in Nuclear Waste Management*. Boca Raton: CRC Press, 2017.
- [7] H. Albatrni, H. Qiblawey, and M. H. El-Naas, "Comparative study between adsorption and membrane technologies for the removal of mercury," *Sep. Purif. Technol.*, vol. 257, no. September 2020, p. 117833, 2021, doi: 10.1016/j.seppur.2020.117833.
- [8] L. Jiao, J. Y. R. Seow, W. S. Skinner, Z. U. Wang, and H. L. Jiang, "Metal–Organic Frameworks: Structures and Functional Applications," *Mater. Today*, vol. 27, pp. 43–68, 2019, doi: 10.1016/j.mattod.2018.10.038.
- [9] M. F. Saifuddin, "Studi Sintesis $[\text{Cu}_3(\text{C}_6\text{H}_3(\text{COO})_3)_2(\text{H}_2\text{O})_3]_n$ (HKUST-1) Menggunakan Metode Solvothermal pada Variasi Fraksi Volume Pelarut N,N-Dimethylformamide sebagai Material Prekursor Sensor Gas," Universitas Gadjah Mada, Yogyakarta, ID, 2020.
- [10] R. E. Morris and P. S. Wheatley, "Gas storage in nanoporous materials," *Angew. Chemie - Int. Ed.*, vol. 47, no. 27, pp. 4966–4981, 2008, doi: 10.1002/anie.200703934.
- [11] M. Carboni, C. W. Abney, S. Liu, and W. Lin, "Highly Porous and Stable Metal–Organic Frameworks for Uranium Extraction," *Chem. Sci.*, vol. 4, no. 6, pp. 2396–2402, 2013, doi: 10.1039/c3sc50230a.
- [12] L. E. Kreno, K. Leong, O. K. Farha, M. Allendorf, R. P. Van Duyne, and J. T. Hupp, "Metal-organic framework materials as chemical sensors," *Chem. Rev.*, vol. 112, no. 2, pp. 1105–1125, 2012, doi: 10.1021/cr200324t.



- [13] C. Volkringer *et al.*, “Stability of Metal-Organic Frameworks under Gamma Irradiation,” *Chem. Commun.*, vol. 52, no. 84, pp. 12502–12505, 2016, doi: 10.1039/c6cc06878b.
- [14] S. K. Elsaidi *et al.*, “Radiation-Resistant Metal-Organic Framework Enables Efficient Separation of Krypton Fission Gas from Spent Nuclear Fuel,” *Nat. Commun.*, vol. 11, no. 1, pp. 1–8, 2020, doi: 10.1038/s41467-020-16647-1.
- [15] R. Ediati, M. Kahardian, and D. Hartanto, “Pengaruh Perbandingan Pelarut Etanol dan Dimetilformamida pada Sintesis Metal Organik Framework HKUST-1,” *Akta Kim. Indones.*, vol. 1, no. 1, p. 25, 2016, doi: 10.12962/j25493736.v1i1.1425.
- [16] S.S.Y. Chui, S.M.F. Lo, J.P.H. Charmant, A.G. Orpen, and I.D. Williams, “A Chemically Functionalizable Nanoporous Material $[\text{Cu}_3(\text{TMA})_2(\text{H}_2\text{O})_3]_n$,” *Science* (80-.), vol. 283, no. February, p. 1148, 1999.
- [17] K. Schlichte, T. Kratzke, and S. Kaskel, “Improved synthesis, thermal stability and catalytic properties of the metal-organic framework compound $\text{Cu}_3(\text{BTC})_2$,” *Microporous Mesoporous Mater.*, vol. 73, no. 1–2, pp. 81–88, 2004, doi: 10.1016/j.micromeso.2003.12.027.
- [18] E. Biemmi, S. Christian, N. Stock, and T. Bein, “High-throughput screening of synthesis parameters in the formation of the metal-organic frameworks MOF-5 and HKUST-1,” *Microporous Mesoporous Mater.*, vol. 117, no. 1–2, pp. 111–117, 2009, doi: 10.1016/j.micromeso.2008.06.040.
- [19] J. L. C. Rowsell and O. M. Yaghi, “Effects of functionalization, catenation, and variation of the metal oxide and organic linking units on the low-pressure hydrogen adsorption properties of metal-organic frameworks,” *J. Am. Chem. Soc.*, vol. 128, no. 4, pp. 1304–1315, 2006, doi: 10.1021/ja056639q.
- [20] J. Liu *et al.*, “Experimental and theoretical studies of gas adsorption in $\text{Cu}_3(\text{BTC})_2$: An effective activation procedure,” *J. Phys. Chem. C*, vol. 111, no. 26, pp. 9305–9313, 2007, doi: 10.1021/jp071449i.
- [21] Y. Rahman, “Analisis Adsorpsi Isotermal Stronsium menggunakan Senyawa MOF HKUST-1 Berdasarkan Variasi Suhu Operasi serta Konsentrasi Awal Terlarut,” Universitas Gadjah Mada, Yogyakarta, ID, 2019.
- [22] L. He *et al.*, “Silver nanoparticles prepared by gamma irradiation across metal-organic framework templates,” *RSC Adv.*, vol. 5, no. 14, pp. 10707–10715, 2015, doi: 10.1039/c4ra10260f.
- [23] H.-C. Zhou, J. R. Long, and O. M. Yaghi, “Introduction to Metal – Organic Frameworks,” *Chem. Rev.*, vol. 112, pp. 673–674, 2012, doi: dx.doi.org/10.1021/cr300014x.
- [24] A. Sturluson *et al.*, “The role of molecular modelling and simulation in the discovery and deployment of metal-organic frameworks for gas storage and separation,” *Mol. Simul.*, vol. 45, no. 14–15, pp. 1082–1121, 2019, doi: 10.1080/08927022.2019.1648809.
- [25] M. K. Bhunia, J. T. Hughes, J. C. Fetting, and A. Navrotsky, “Thermochemistry of Paddle Wheel MOFs: Cu -HKUST-1 and Zn -HKUST-1,” *Langmuir*, vol. 29, no. 25, pp. 8140–8145, 2013, doi: 10.1021/la4012839.



- [26] S. M. Moosavi *et al.*, “Understanding the diversity of the metal-organic framework ecosystem,” *Nat. Commun.*, vol. 11, no. 1, pp. 1–10, 2020, doi: 10.1038/s41467-020-17755-8.
- [27] Y. R. Lee, J. Kim, and W. S. Ahn, “Synthesis of metal-organic frameworks: A mini review,” *Korean J. Chem. Eng.*, vol. 30, no. 9, pp. 1667–1680, 2013, doi: 10.1007/s11814-013-0140-6.
- [28] R. Seetharaj, P. V. Vandana, P. Arya, and S. Mathew, “Dependence of solvents, pH, molar ratio and temperature in tuning metal organic framework architecture,” *Arab. J. Chem.*, vol. 12, no. 3, pp. 295–315, 2019, doi: 10.1016/j.arabjc.2016.01.003.
- [29] “CSD Entry: FIQCEN.” <https://www.ccdc.cam.ac.uk/structures/Search?Ccdcid=112954&DatabaseToSearch=Published> (diakses Jan. 03, 2021).
- [30] G. W. Peterson, J. B. Decoste, T. G. Glover, Y. Huang, H. Jasuja, and K. S. Walton, “Effects of pelletization pressure on the physical and chemical properties of the metal-organic frameworks $\text{Cu}_3(\text{BTC})_2$ and UiO-66,” *Microporous Mesoporous Mater.*, vol. 179, pp. 48–53, 2013, doi: 10.1016/j.micromeso.2013.02.025.
- [31] P. Chowdhury, C. Bikkina, D. Meister, F. Dreisbach, and S. Gumma, “Comparison of adsorption isotherms on Cu-BTC metal organic frameworks synthesized from different routes,” *Microporous Mesoporous Mater.*, vol. 117, no. 1–2, pp. 406–413, 2009, doi: 10.1016/j.micromeso.2008.07.029.
- [32] “HKUST-1 Metal Organic Framework.” <https://www.chemtube3d.com/mof-hkust-1-2/> (diakses Jan. 03, 2021).
- [33] Y. C. Zhang and E. R. Zhang, “Solvothermal synthesis of CeO_2 nanoparticles,” *Adv. Mater. Res.*, vol. 236–238, pp. 2000–2003, 2011, doi: 10.4028/www.scientific.net/AMR.236-238.2000.
- [34] V. V Butova, M. A. Soldatov, A. A. Guda, K. A. Lomachenko, and C. Lamberti, “Metal-organic frameworks: structure, properties, methods of synthesis and characterization,” *Russ. Chem. Rev.*, vol. 85, no. 3, pp. 280–307, 2016, doi: 10.1070/rcr4554.
- [35] B. S. Furniss, A. J. Hannaford, P. W. G. Smith, and A. R. Tatchell, *Textbook of Practical Organic Chemistry*, 5th ed. London: Longman Scientific & Technical, 1989.
- [36] B. A. Averill, *MAP : General Chemistry: Principles, Patterns, and Applications*. LibreTexts, 2021.
- [37] C. Nunes, A. Mahendrasingam, and R. Suryanarayanan, “Quantification of crystallinity in substantially amorphous materials by synchrotron X-ray powder diffractometry,” *Pharm. Res.*, vol. 22, no. 11, pp. 1942–1953, 2005, doi: 10.1007/s11095-005-7626-9.
- [38] L. M. Wang and R. C. Ewing, “Amorphization of Complex Ceramic Materials — Minerals,” *MRS Bull.*, no. MAY 1992, pp. 38–44, 2019.



- [39] S. J. Zinkle, H. Tanigawa, and B. D. Wirth, *Radiation and thermomechanical degradation effects in reactor structural alloys*. Knoxville: Elsevier Inc., 2019.
- [40] K. B. Abdan, S. C. Yong, E. C. W. Chiang, R. A. Talib, T. C. Hui, and L. C. Hao, *Barrier properties, antimicrobial and antifungal activities of chitin and chitosan-based IPNs, gels, blends, composites, and nanocomposites*. INC, 2020.
- [41] L. McKeen, "Introduction to the Physical, Mechanical, and Thermal Properties of Plastics and Elastomers," *Eff. Steriliz. Plast. Elastomers*, pp. 57–84, 2012, doi: 10.1016/b978-1-4557-2598-4.00003-4.
- [42] A. A. Refaat, "Biofuels from waste materials," *Compr. Renew. Energy*, vol. 5, pp. 217–261, 2012, doi: 10.1016/B978-0-08-087872-0.00518-7.
- [43] K. A. Strohfeltdt, "Radioactive Compounds and Their Clinical Application," *Essentials Inorg. Chem.*, pp. 223–248, 2015, doi: 10.1002/9781118695425.ch10.
- [44] G. F. Knoll, *Radiation Detection and Measurement*, 4th ed. Michigan: John Wiley & Sons, Ltd., 2010.
- [45] G. Petrangeli, "The Dispersion of Radioactivity Releases," *Nucl. Saf.*, pp. 85–102, 2020, doi: 10.1016/b978-0-12-818326-7.00006-8.
- [46] G. Petrangeli, "Inventory and Localization of Radioactive Products in the Plant," *Nucl. Saf.*, pp. 19–22, 2020, doi: 10.1016/b978-0-12-818326-7.00002-0.
- [47] T. H. Pigford, "Environmental Aspects of Nuclear Energy Production," *Annu. Rev. Nucl. Sci.*, vol. 24, no. 1, pp. 515–560, 1974, doi: 10.1146/annurev.ns.24.120174.002503.
- [48] G. Choppin, J.-O. Liljenzin, J. Rydberg, and C. Ekberg, *Nuclear Chemistry and Radiochemistry*. Amsterdam: Elsevier Inc., 2013.
- [49] B. Çalışkan and A. C. Çalışkan, *Interaction with Matter of Ionizing Radiation and Radiation Damages (Radicals)*. IntechOpen, 2018.
- [50] A. Setiabudi, R. Hardian, and A. Muzakir, *Karakterisasi Material: Prinsip dan Aplikasinya dalam Penelitian Kimia*, vol. 1. Bandung: UPI Press, 2012.
- [51] B. Mast *et al.*, "The effect of gamma radiation on the mechanical and microstructural properties of Fe-rich inorganic polymers," *J. Nucl. Mater.*, vol. 521, no. October, pp. 126–136, 2019, doi: 10.1016/j.jnucmat.2019.04.045.
- [52] B. J. Inkson, *Scanning Electron Microscopy (SEM) and Transmission Electron Microscopy (TEM) for Materials Characterization*. Elsevier Ltd, 2016.
- [53] J. Epp, "X-Ray Diffraction (XRD) Techniques for Materials Characterization," in *Materials Characterization Using Nondestructive Evaluation (NDE) Methods*, Bremen: Elsevier Ltd, 2016, pp. 81–124.
- [54] K. S. W. Sing, D. H. Everett, R. A. W. Haul, and L. Moscou, "Reporting Physisorption Data for Gas/Solid System," *Int. Union Pure Appl. Chem.*, vol. 57, pp. 603–619, 1985.
- [55] M. V. Goycoolea, M. M. Hueb, and C. Ruah, "Definitions, Terminology and Symbols in Colloid and Surface Chemistry," *Otolaryngol. Clin. North Am.*, vol.



24, no. 4, pp. 757–761, 1991, doi: 10.4324/9781315197449-2.

- [56] S. Palchoudhury, M. Baalousha, and J. R. Lead, *Methods for Measuring Concentration (Mass, Surface Area and Number) of Nanomaterials*, vol. 8. Elsevier, 2015.
- [57] J. Landers, G. Y. Gor, and A. V. Neimark, “Density functional theory methods for characterization of porous materials,” *Colloids Surfaces A Physicochem. Eng. Asp.*, vol. 437, pp. 3–32, 2013, doi: 10.1016/j.colsurfa.2013.01.007.
- [58] M. Thommes *et al.*, “Physisorption of gases, with special reference to the evaluation of surface area and pore size distribution (IUPAC Technical Report),” *Pure Appl. Chem.*, vol. 87, no. 9–10, pp. 1051–1069, 2015, doi: 10.1515/pac-2014-1117.
- [59] N. Argaman and G. Makov, “Density functional theory: An introduction,” *Am. J. Phys.*, vol. 68, no. 1, pp. 69–79, 2000, doi: 10.1119/1.19375.
- [60] Z. Yang, H. Peng, W. Wang, and T. Liu, “Crystallization behavior of poly(ϵ -caprolactone)/layered double hydroxide nanocomposites,” *J. Appl. Polym. Sci.*, vol. 116, no. 5, pp. 2658–2667, 2010, doi: 10.1002/app.

