



DAFTAR PUSTAKA

- Adesina., 2004, Industrial exploitation of photocatalysis: progress, perspectives and prospects, *Catal .Survs. Asia*, 8, (4): 265-273.
- Akpan, U. G., dan Hameed, B. H., 2010, The advancements in sol-gel method of doped-TiO₂ photocatalysts, *J. apcata*, 375, 1-11.
- Anku, W. W., Oppong, S. O., Shukla, S. K., Agorku, E. S., & Govender, P. P., 2016, Cobalt doped ZrO₂ decorated multiwalled carbon nanotube: A promising nanocatalyst for photodegradation of indigo carmine and eosin Y dyes, *J. phsc*, 26, 354 - 361.
- Arisanti, Y., Supriyatna, Y., Masduki, N., & Soepriyanto, S., 2019, Effect of calcination temperature on the characteristics of TiO₂ synthesized from ilmenite and its applications for photocatalysis, *IOP Conf. Ser.: Mater. Sci. Eng*, 478.
- Asahi, R., Morikawa, T., Irie, H., & Ohwaki, T., 2014, Nitrogen-Doped Titanium Dioxide as Visible-Light-Sensitive Photocatalyst: Designs, Developments, and Prospects, *Chem. Rev*, 70, 1-4.
- Barakat, M. A., Hayes, G., & Shah, S. I., 2005, Effect of cobalt doping on the phase transformation of TiO₂ nanoparticles, *J. Nanosci. Nanotechnol*, 5(5), 759–765.
- Barkul, R. P., Koli, V. B., Shewale, V. B., Patil, M. K., & Deleker, S. D., 2016, Visible active nanocrystalline N-doped anatase TiO₂ particles for photocatalytic mineralization studies, *Mater. Chem. Phys*, 173, 42-51.
- Brinker, C., dan Schere, G., 2013, *Sol-Gel Science: The Physics and Chemistry of Sol-Gel Processing*, New York: Academic Press.
- Bu, X., Zhang, G., & Zhang, C., 2012, Effect of nitrogen doping on anatase-rutile phase transformation of TiO₂, *J. apsusc*, 258(20), 7997–8001.
- Cao, W., 2016, *Semiconductor Photocatalysis - Materials, Mechanisms and Applications*, IntechOpen, London.
- Chandradass, J., Balasubtamanian, M., & Kim, K., 2011, Solution phase synthesis of t-ZrO₂ nanoparticles in ZrO₂-SiO₂ mixed oxide, *J. Exp. Nanosci*, 6(1), 38-48.
- Chen, Y. F., Lee, C., Yeng, M., & Chiu, H., 2003, The effect of calcination temperature on the crystallinity of TiO₂ nanopowders, *J.crysogo*, 247, 363-370.
- Chong, M. N., jin, B., Chow, C., & Saint, C., 2010, Recent developments in photocatalytic water treatment technology: A review, *J.watres*, 44, 2997-3027.
- Das, L., Barodia, S. K., Sengupta, S., & Basu, J., 2015, Aqueous Degradation Kinetics of Pharmaceutical Drug Diclofenac by Photocatalysis Using



- Nanostructured Titania-Zirconia Composite Catalyst, *Int. J. Environ. Sci. Technol.*, 12, 317-326.
- Fu, X., Clark, L., Yang, Q., & Anderson, M., 1996, Enhanced Photocatalytic Performance of Titania Based Binary Metal Oxide TiO₂/SiO₂ and TiO₂/ZrO₂, *Environ. Sci. Technol.*, 647-653.
- Gumus, D., dan Akbal, F., 2011, Photocatalytic degradation of textile dye and wastewater, water air soil pollut, *Focus*, 216, 117-124.
- Han, Y., dan Zhu, J., 2013, Surface Science on the Zirconia-Based Model Catalysts, *Top.Catal*, 56, 1525 - 1541
- Hermawan, P., 2015. Sintesis Fe (II), Co (II) dan Ni (II) *doped* TiO₂ dengan Metode Sol-gel serta Uji Fotoaktivitasnya pada Degradasi Biru Metilena, *Disertasi*, Program Studi S3 Ilmu Kimia FMIPA UGM, Yogyakarta.
- Hoffmann, M.R., Martin, S.T., Choi, W. & Bahnemann, D.W., 1995 Environmental Applications of Semiconductor Photocatalysis, *Chem. Rev.*, 95, 69-96
- Holkar, C. R., Jadhav, A. J., Pinjari, D. V., Mahamuni, N. M., & Pandit, A. B., 2016, A critical review on textile wastewater treatment possible approaches. *J. Environ. Manage.*, 182, 351-366.
- Ibhandon, A., dan Fitzpatrick, P., 2013, Heterogeneous Photocatalysis: Recent Advance and Application, *Catalysts*, 3: 189-218.
- Jiang, P., Xiang, W., Kuang, J., Liu, W., & Cao, W., 2015, Effect of cobalt doping on the electronic, optical and photocatalytic properties of TiO₂, *J. solidsstatescience*, 46, 27-32.
- Kambur, A., Pozan, G. S., & Boz, I., 2012 Preparation, characterization and photocatalytic activity of TiO₂-ZrO₂ binary oxide nanoparticles, *J. apcatb*, 149 - 158.
- Kartini, I., 2004, Synthesis and Characterization of Mesostructural Titania for Photoelectrochemical Solar Cells, *PhD Thesis*, University of queensland, Australia
- Kim, D., Park, D., Kim, G., & Choi, S., 2004, Dielectric Properties of ZrTiO₄ Thin Films Synthesized by Sol-Gel Method, *Met. Mater. Int.*, 10(4) : 361-365.
- Kumar, S. G., dan Devi, L. G., 2011, Review on modified TiO₂ photocatalysis under UV/Visible light selected results and related mechanism on interfacial charge carrier transfer dynamic, *J. Phys. Chem. A*, 115, 13211-13241.
- Kurniawan, R, 2018, Synthesis of Iron Doped Zirconium Titanate as Potential Visible-Responsive Photocatalyst with Various Dopant Concentration and Calcination Temperatures, *Tesis*, Departemen Kimia FMIPA UGM, Yogyakarta.



- Leary, R., dan Westwood, A., 2011, Carbonaceous nanomaterials for the enhancement of TiO₂ photocatalysis, *Carbon*, 49(3) : 741-772.
- Lima, F., Martins, F., Junior, P., Almeida, A., & Freire, F., 2018, Nanostructured titanium dioxide average size from alternative analysis of Scherrer's Equation, *Rev. Materia*, 23(1).
- Lin, Y. T., Weng, C. H., Hsu, H. J., Lin, Y. H., & Shiesh, C. C., 2013, The synergistic effect of nitrogen dopan and calcination temperature on the visible-light-induced photoactivity of N-doped TiO₂, *Int. J. Photoenergy*, 2013.
- Mahy, J., Lambert, S., Leonard, G., Zubiaur, A., Olu, P., Mahmud, A., . . . Heinrichs, B., 2016, Toward a Large Scale Aqueous Sol-Gel Synthesis of TiO₂: Study of Various Metallic Dopings for the Photocatalytic Degradation of p-nitrophenol, *J. Photochem. Photobiol. A*, 329: 189-202.
- Mamun, A. L., Kader, S., Islam, M. S., & Khan, M. Z., 2019, Photocatalytic activity improvement and application of UV-TiO₂ photocatalysis in textile wastewater treatment: A review, *J. ece*, 7, 1033248.
- Marques, J., Levchik, I., Ibanez, P., & Sillanpa, M., 2020, A critical review on application of photocatalysis for toxicity reduction of real wastewaters, *J. Clean. Prod.*, 258, 120694.
- Nageveni, K., Hedge, M. S., & Madras, G., 2004, Structure and photocatalytic activity of Ti_{1-x}M_xO₂ (M = W, V, Ce, Zr, Fe, and Cu) synthesized by solution combustion method, *J. Phys. Chem. B*, 108, 208-218.
- Nateq, M. H dan Ceccato, R., 2019, Sol-Gel Synthesis of TiO₂ Nanocrystalline Particles with Enhanced Surface Area through the Reverse Micelle Approach, *Adv. Mater. Sci. Eng.*, 2019, 1-14.
- Niu, Y., Xing, M., Zhang, J., & Tian, B., 2013 Visible light activated sulfur and iron codoped TiO₂ photocatalyst for the photocatalytic degradation of phenol. *Catal. Today*, 201, 159 - 166.
- Okabayashi, J., Kono, S., Yamada, Y., & Nomura, K., 2011, Fabrication and Magnetic Properties of Fe and Co co-doped ZrO₂, *ALP. Adv*, 1, 1-8.
- Palaes, M., Falaras, P., Likodimos, v., Kkонтосб, A. G., Cruz, A. A., O'Shead, K., & Dionysiou, D. D., 2010, Synthesis structural characterization and evaluation of sol-gel-based NF-TiO₂ films with visible light-photoactivation for the removal of microcystin-LR, *Appl. Catal. B*, 99, 378 - 387.
- Rahmawati, dan Slamet., 2012, Potensi Titania Nanotube Array dan Aplikasinya dalam Produksi Hidrogen dan Pengolahan Limbah, *J. Kimia Kemasan*, 34: 262 - 270.



- Reddy, C. B., 2018, Synthesis and Characterization of Pure Tetragonal ZrO₂ for Degradation nanoparticle with Enhanced Photocatalytic Activity, *Ceram. Int.*, 44(6): 6940-6948.
- Reddy, C., Reddy, N., Reddy, K., Jaesool, S., & Yoo, K., 2018, Template-free synthesis of tetragonal Co-doped ZrO₂ nanoparticles for applications in electrochemical energy storage and water treatment, *J. electacta*, 317, 416-426.
- Reddy, K. M., 2003, Bandgap Studies on Anatase Titanium Dioxide Nanoparticles, *Mater. Chem. Phys.*, 78: 239-245.
- Schubert, U., 2005, Chemical modification of titanium alkoxides for sol-gel processing, *J. Mater. Chem.*, 15, 3701-3715.
- Selvaraj, A., Sivakumar, S., Ramasamy, A., & Balasubramanian, V., 2013, Photocatalytic degradation of triazine dyes over N-doped TiO₂ in solar radiation, *Res. Chem. Intermed.*, 39, 2287-2302.
- Shalan, A. E., Elseman, A. M., & Rashad, M. M., 2018, *Titanium Dioxide - Material for a Sustainable Environment*, IntechOpen, London.
- Song, H., Zhou, G., Wang, C., Jian, X., Wu, C., Li, T., Synthesis and photocatalytic activity of nanocrystalline TiO₂ Co-doped with nitrogen and cobalt(II), *Res. Chem. Intermed.*, 39, 747-758
- Subramanian, M., Vijayalakshmi, S., Venkataram, S., & Jayavel, R., 2008, Effect of cobalt doping on the structural and optical properties of TiO₂ films prepared by sol-gel process, *Thin Solid Film*, 516, 3776 - 3782.
- Sulaikhah, E., Kurniaan, R., Pradipta, M., Trisunaryati, ..., & Syoufian, A., 2020, Cobalt Doping on Zirconium Titanate as a Potential Photocatalyst with Visible-Light-Response, *Indones. J. Chem.*, 20(4), 911-918.
- Ullattil, S., dan Periyat, P., 2017, *Sol-Gel Synthesis of Titanium Dioxide*.
- Wetchakun, N., Incessungvorn, B., Wetchakun, K., & Phanichphant, S., 2012, Influence of calcination temperature on anatase to rutile phase transformation in TiO₂ nanoparticles synthesized by the modified sol-gel method, *Mater. Lett.*, 82, 195–198.
- Wu, D., Zhang, Z., Fu, W., Fn, X., & Guo, H., 1997, Structure, electrical and chemical properties of zirconium nitride films deposited by dc reactive magnetron sputtering, *Appl. Phys. A*, 64, 593 - 595.
- Wu, H., Ma, J., Zhang, C., & He, H., 2014, Effect of TiO₂ calcination temperature on the photocatalytic oxidation of gaseous NH₃, *J. esc*, 673-682.
- Xue, B., Sun, T., Wu, J., Mao, F., & Yang, W., 2015, AgI/TiO₂ Nanoocomposites: Ultrasoundassisted Preparation, Visible Light Induced Photocatalytic Degradation of Methyl Orange and Antibacterial Activity, *J. Ultrasonochem*, 22: 1-6.



Yan, G., Zhang, M., Hou, J., & Yang, J., 2011, Photoelectrochemical and Photocatalytic Properties of N+S Co-doped TiO₂ Nanotube Array Films Under Visible Light Irradiation. *J. Mat. Chem. Phys.*, 129: 553-557.

You, J., Guo, Y., Guo, R., & Liu, X., 2019, A Review of Visible-Light Active Photocatalysts for water disinfection: Features and Prospect, *Chem. Eng J*, 373: 624-641.

Yu, P., S, W. S., Li, H. H., & Li, W. X., 2013, N, Fe codoped TiO₂ photocatalysts preparation by sol-gel method with visible light response. *Adv. Mater. Res.*, 673 - 676.