



DAFTAR PUSTAKA

- Ancos, B., Sánchez-Moreno, C., & González-Aguilar, G. A. (2016). Pineapple composition and nutrition. *Handbook of Pineapple Technology: Postharvest Science, Processing and Nutrition*, 221–239. <https://doi.org/10.1002/9781118967355.ch12>
- Arham, R., Mulyati, M. T., Metusalach, M., & Salengke, S. (2016). Physical and mechanical properties of agar based edible film with glycerol plasticizer. *International Food Research Journal*, 23(4), 1669–1675. <https://doi.org/10.31227/osf.io/tq2pf>
- Awadhiya, A., Kumar, D., & Verma, V. (2016). Crosslinking of agarose bioplastic using citric acid. *Carbohydrate Polymers*, 151, 60–67. <https://doi.org/10.1016/j.carbpol.2016.05.040>
- Azarakhsh, N., Osman, A., Ghazali, H. M., Tan, C. P., & Mohd Adzahan, N. (2014). Lemongrass essential oil incorporated into alginate-based edible coating for shelf-life extension and quality retention of fresh-cut pineapple. *Postharvest Biology and Technology*, 88, 1–7. <https://doi.org/10.1016/j.postharvbio.2013.09.004>
- Azeredo, H. M. C., & Waldron, K. W. (2016). Crosslinking in polysaccharide and protein films and coatings for food contact - A review. *Trends in Food Science and Technology*, 52, 109–122. <https://doi.org/10.1016/j.tifs.2016.04.008>
- Balaguer, M. P., Gómez-Estaca, J., Gavara, R., & Hernandez-Munoz, P. (2011). Functional properties of bioplastics made from wheat gliadins modified with cinnamaldehyde. *Journal of Agricultural and Food Chemistry*, 59(12), 6689–6695. <https://doi.org/10.1021/jf200477a>
- Basaglia, R. R., Pizato, S., Santiago, N. G., Maciel de Almeida, M. M., Pinedo, R. A., & Cortez-Vega, W. R. (2021). Effect of edible chitosan and cinnamon essential oil coatings on the shelf life of minimally processed pineapple (Smooth cayenne). *Food Bioscience*, 41(March). <https://doi.org/10.1016/j.fbio.2021.100966>
- Benítez, S., Soro, L., Achaerandio, I., Sepulcre, F., & Pujolá, M. (2014). Combined effect of a low permeable film and edible coatings or calcium dips on the quality of fresh-cut pineapple. *Journal of Food Process Engineering*, 37(2), 91–99. <https://doi.org/10.1111/jfpe.12063>
- Bergo, P., & Sobral, P. J. A. (2007). Effects of plasticizer on physical properties of pigskin gelatin films. *Food Hydrocolloids*, 21(8), 1285–1289. <https://doi.org/10.1016/j.foodhyd.2006.09.014>
- Bierhals, V. S., Chiumarelli, M., & Hubinger, M. D. (2011). Effect of Cassava Starch Coating on Quality and Shelf Life of Fresh-Cut Pineapple (*Ananas Comosus* L. Merril cv “Pérola”). *Journal of Food Science*, 76(1), 62–72. <https://doi.org/10.1111/j.1750-3841.2010.01951.x>
- Bonilla, J., Talón, E., Atarés, L., Vargas, M., & Chiralt, A. (2013). Effect of the incorporation of antioxidants on physicochemical and antioxidant properties of wheat starch-chitosan films. *Journal of Food Engineering*, 118(3), 271–278. <https://doi.org/10.1016/j.jfoodeng.2013.04.008>
- Cazón, P., Velazquez, G., Ramírez, J. A., & Vázquez, M. (2017). Polysaccharide-



- based films and coatings for food packaging: A review. *Food Hydrocolloids*, 68, 136–148. <https://doi.org/10.1016/j.foodhyd.2016.09.009>
- Coma, V., Sebti, I., Pardon, P., Pichavant, F. H., & Deschamps, A. (2002). Film properties from crosslinking of cellulosic derivatives with a polyfunctional carboxylic acid. *Carbohydrate Polymers*, 51(3), 265–271. [https://doi.org/10.1016/S0144-8617\(02\)00191-1](https://doi.org/10.1016/S0144-8617(02)00191-1)
- Cumming, M. H., Leonard, A. R., LeCorre-Bordes, D. S., & Hofman, K. (2018). Intra-fibrillar citric acid crosslinking of marine collagen electrospun nanofibres. *International Journal of Biological Macromolecules*, 114, 874–881. <https://doi.org/10.1016/j.ijbiomac.2018.03.180>
- Daniel, A., Danfulani, S., Barnabas, B., Peter, G., & Ajewole, A. (2014). Microbiological Quality of Sliced Fresh Fruits sold in Bida , Nigeria. *Global Journal of Biology Agriculture & Health Sciences*, 3(3), 178–180.
- Dehghani, S., Hosseini, S. V., & Regenstein, J. M. (2018). Edible films and coatings in seafood preservation: A review. *Food Chemistry*, 240(July), 505–513. <https://doi.org/10.1016/j.foodchem.2017.07.034>
- Etxabide, A., Urdanpilleta, M., Guerrero, P., & De La Caba, K. (2015). Effects of cross-linking in nanostructure and physicochemical properties of fish gelatins for bio-applications. *Reactive and Functional Polymers*, 94, 55–62. <https://doi.org/10.1016/j.reactfunctpolym.2015.07.006>
- Fakhreddin Hosseini, S., Rezaei, M., Zandi, M., & Ghavi, F. F. (2013). Preparation and functional properties of fish gelatin-chitosan blend edible films. *Food Chemistry*, 136(3–4), 1490–1495. <https://doi.org/10.1016/j.foodchem.2012.09.081>
- Galletta, G., Di Gioia, L., Guilbert, S., & Cuq, B. (1998). Mechanical and Thermomechanical Properties of Films Based on Whey Proteins as Affected by Plasticizer and Crosslinking Agents. *Journal of Dairy Science*, 81(12), 3123–3130. [https://doi.org/10.3168/jds.S0022-0302\(98\)75877-1](https://doi.org/10.3168/jds.S0022-0302(98)75877-1)
- Garcia, P. S., Eiras Grossmann, M. V., Yamashita, F., Mali, S., Dall'Antonia, L. H., & Barreto, W. J. (2011). Citric acid as multifunctional agent in blowing films of starch/PBAT. *Química Nova*, 34(9), 1507–1510. <https://doi.org/10.1590/S0100-40422011000900005>
- Giménez, B., López de Lacey, A., Pérez-Santín, E., López-Caballero, M. E., & Montero, P. (2013). Release of active compounds from agar and agar-gelatin films with green tea extract. *Food Hydrocolloids*, 30(1), 264–271. <https://doi.org/10.1016/j.foodhyd.2012.05.014>
- Gómez-Guillén, M. C., Pérez-Mateos, M., Gómez-Estaca, J., López-Caballero, E., Giménez, B., & Montero, P. (2009). Fish gelatin: a renewable material for developing active biodegradable films. In *Trends in Food Science and Technology* (Vol. 20, Issue 1, pp. 3–16). <https://doi.org/10.1016/j.tifs.2008.10.002>
- González-Aguilar, G. A., Ruiz-Cruz, S., Cruz-Valenzuela, R., Rodríguez-Félix, A., & Wang, C. Y. (2004). Physiological and quality changes of fresh-cut pineapple treated with antibrowning agents. *LWT - Food Science and Technology*, 37(3), 369–376. <https://doi.org/10.1016/j.lwt.2003.10.007>
- Guerrero, P., Kerry, J. P., & De La Caba, K. (2014). FTIR characterization of protein-polysaccharide interactions in extruded blends. *Carbohydrate*



- Polymers*, 111, 598–605. <https://doi.org/10.1016/j.carbpol.2014.05.005>
- Hajare, S. N., Dhokane, V. S., Shashidhar, R., Saroj, S., Sharma, A., & Bandekar, J. R. (2006). Radiation processing of minimally processed pineapple (Ananas comosus Merr.): Effect on nutritional and sensory quality. *Journal of Food Science*, 71(6). <https://doi.org/10.1111/j.1750-3841.2006.00116.x>
- Hennink, W. E., & van Nostrum, C. F. (2012). Novel crosslinking methods to design hydrogels. *Advanced Drug Delivery Reviews*, 64(SUPPL.), 223–236. <https://doi.org/10.1016/j.addr.2012.09.009>
- Hurst, W. C. (2019). Sanitation of Lightly Processed Fruits and Vegetables. *HortScience*, 30(1), 22–24. <https://doi.org/10.21273/hortsci.30.1.22>
- Ifmalinda, I., Chatib, O. C., & Soparani, D. M. (2019). APLIKASI EDIBLE COATING PATI SINGKONG PADA BUAH PEPAYA (Carica papaya L.) TEROLAH MINIMAL SELAMA PENYIMPANAN. *Jurnal Teknologi Pertanian Andalas*, 23(1), 19. <https://doi.org/10.25077/jtpa.23.1.19-29.2019>
- Jakhar, J. K., Reddy, A. D., Maharia, S., Devi, M., Reddy, G. V. S., & Venkateshwarlu, G. (2012). Characterization of fish gelatin from Blackspotted Croaker (Protonibea diacanthus). *Archives of Applied Science Research*, 4(3), 1353–1358.
- Jridi, M., Abdelhedi, O., Salem, A., Kechaou, H., Nasri, M., & Menchari, Y. (2020). Physicochemical, antioxidant and antibacterial properties of fish gelatin-based edible films enriched with orange peel pectin: Wrapping application. *Food Hydrocolloids*, 103(January), 105688. <https://doi.org/10.1016/j.foodhyd.2020.105688>
- Kanmani, P., & Rhim, J. W. (2014). Antimicrobial and physical-mechanical properties of agar-based films incorporated with grapefruit seed extract. *Carbohydrate Polymers*, 102(1), 708–716. <https://doi.org/10.1016/j.carbpol.2013.10.099>
- Khalid, N. (2016). Passion Fruit Juice. *Handbook of Functional Beverages and Human Health*, November 2017, 479–486. <https://doi.org/10.1201/b19490-43>
- Kim, S. A., & Rhee, M. S. (2015). Synergistic antimicrobial activity of caprylic acid in combination with citric acid against both Escherichia coli O157: H7 and indigenous microflora in carrot juice. *Food Microbiology*, 49, 166–172. <https://doi.org/10.1016/j.fm.2015.02.009>
- Kumar Raghav, N. A. & M. S. (2016). (Pdf) Edible Coating of Fruits and Vegetables: a Review. *Edible Coating of Fruits and Vegetables: A Review*, I(I), 188–204. https://www.researchgate.net/publication/331298687_EDIBLE_COATING_OF_FRUITS_AND_VEGETABLES_A REVIEW
- Liguori, A., Uranga, J., Panzavolta, S., Guerrero, P., de la Caba, K., & Focarete, M. L. (2019). Electrospinning of fish gelatin solution containing citric acid: An environmentally friendly approach to prepare crosslinked gelatin fibers. *Materials*, 12(7). <https://doi.org/10.3390/ma12172808>
- Lin, L., Regenstein, J. M., Lv, S., Lu, J., & Jiang, S. (2017). An overview of gelatin derived from aquatic animals: Properties and modification. *Trends in Food Science and Technology*, 68, 102–112. <https://doi.org/10.1016/j.tifs.2017.08.012>
- Liu, C., Huang, J., Zheng, X., Liu, S., Lu, K., Tang, K., & Liu, J. (2020). Heat



- sealable soluble soybean polysaccharide/gelatin blend edible films for food packaging applications. *Food Packaging and Shelf Life*, 24(November 2019), 100485. <https://doi.org/10.1016/j.fpsl.2020.100485>
- Lv, L. C., Huang, Q. Y., Ding, W., Xiao, X. H., Zhang, H. Y., & Xiong, L. X. (2019). Fish gelatin: The novel potential applications. *Journal of Functional Foods*, 63(January). <https://doi.org/10.1016/j.jff.2019.103581>
- M. Rangaraj, V., Rambabu, K., Banat, F., & Mittal, V. (2021). Natural antioxidants-based edible active food packaging: An overview of current advancements. *Food Bioscience*, 43(May), 101251. <https://doi.org/10.1016/j.fbio.2021.101251>
- Mafazah, E. M., Pranoto, Y., & Rohman, A. (2018). Extracting of yellowfin tuna (*Thunnus albacares*) fish skin gelatin as influenced by alkaline concentration and extraction times. *IOP Conference Series: Earth and Environmental Science*, 139(1). <https://doi.org/10.1088/1755-1315/139/1/012047>
- Maulidia, L., Ratna, & Khathir, R. (2017). Pengaruh Bentuk Irisan Nanas Terhadap Mutu Simpan Nanas Segar Terolah Minimal Program Studi Teknik Pertanian , Fakultas Pertanian , Universitas Syiah Kuala Alat dan Bahan Prosedur Penelitian Rancangan Percobaan. *Jurnal Ilmiah Mahasiswa Pertanian Unsyiah*, 2(3), 266–275.
- Mohajer, S., Rezaei, M., & Hosseini, S. F. (2017). Physico-chemical and microstructural properties of fish gelatin/agar bio-based blend films. *Carbohydrate Polymers*, 157, 784–793. <https://doi.org/10.1016/j.carbpol.2016.10.061>
- Montero-Calderón, M., Rojas-Graü, M. A., & Martín-Belloso, O. (2008). Effect of packaging conditions on quality and shelf-life of fresh-cut pineapple (*Ananas comosus*). *Postharvest Biology and Technology*, 50(2–3), 182–189. <https://doi.org/10.1016/j.postharvbio.2008.03.014>
- Nasution, I. S., Pertanian, J. T., Pertanian, F., Kuala, U. S., Jurusan, A., Pertanian, T., Pertanian, F., & Kuala, U. S. (2012). PENGARUH PENGGUNAAN LAPISAN EDIBEL (EDIBLE COATING), KALSIUM KLORIDA, DAN KEMASAN PLASTIK TERHADAP MUTU NANAS (*Ananas comosus* Merr.) TEROLAH MINIMAL. *Jurnal Teknologi Dan Industri Pertanian Indonesia*, 4(2), 21–26. <https://doi.org/10.17969/jtipi.v4i2.268>
- Olaimat, A. N., Al-Nabulsi, A. A., Osaili, T. M., Al-Holy, M., Ayyash, M. M., Mehyar, G. F., Jaradat, Z. W., & Ghoush, M. A. (2017). Survival and inhibition of *Staphylococcus aureus* in commercial and hydrated tahini using acetic and citric acids. *Food Control*, 77, 179–186. <https://doi.org/10.1016/j.foodcont.2017.02.022>
- Olsson, E., Hedenqvist, M. S., Johansson, C., & Järnström, L. (2013). Influence of citric acid and curing on moisture sorption, diffusion and permeability of starch films. *Carbohydrate Polymers*, 94(2), 765–772. <https://doi.org/10.1016/j.carbpol.2013.02.006>
- Ostrowska-Czubenko, J., & Gierszewska-Druzyńska, M. (2009). Effect of ionic crosslinking on the water state in hydrogel chitosan membranes. *Carbohydrate Polymers*, 77(3), 590–598. <https://doi.org/10.1016/j.carbpol.2009.01.036>
- Otoni, C. G., Avena-Bustillos, R. J., Chiou, B. Sen, Bilbao-Sainz, C., Bechtel, P.



- J., & McHugh, T. H. (2012). Ultraviolet-B Radiation Induced Cross-linking Improves Physical Properties of Cold- and Warm-Water Fish Gelatin Gels and Films. *Journal of Food Science*, 77(9), 1–9. <https://doi.org/10.1111/j.1750-3841.2012.02839.x>
- Ou, S., Kwok, K. C., & Kang, Y. (2004). Changes in in vitro digestibility and available lysine of soy protein isolate after formation of film. *Journal of Food Engineering*, 64(3), 301–305. <https://doi.org/10.1016/j.jfoodeng.2003.10.013>
- Pan, Y. G., & Zu, H. (2012). Effect of UV-C radiation on the quality of fresh-cut pineapples. *Procedia Engineering*, 37(Cems), 113–119. <https://doi.org/10.1016/j.proeng.2012.04.212>
- Pan, Y., Zhu, J., & Shouying, L. (2015). Effects of pure oxygen and reduced oxygen modified atmosphere packaging on the quality and microbial characteristics of fresh-cut pineapple. *Fruits*, 70(2), 101–108. <https://doi.org/10.1051/fruits/2015003>
- Pavlath, A. E., & Orts, W. J. (2009). Edible Films and Coatings for Food Applications. In *Edible Films and Coatings for Food Applications* (Issue March). <https://doi.org/10.1007/978-0-387-92824-1>
- Phan The, D., Debeaufort, F., Voilley, A., & Luu, D. (2009). Biopolymer interactions affect the functional properties of edible films based on agar, cassava starch and arabinoxylan blends. *Journal of Food Engineering*, 90(4), 548–558. <https://doi.org/10.1016/j.jfoodeng.2008.07.023>
- Pizato, S., Chevalier, R. C., Dos Santos, M. F., Da Costa, T. S., Arévalo Pinedo, R., & Cortez Vega, W. R. (2019). Evaluation of the shelf-life extension of fresh-cut pineapple (Smooth cayenne) by application of different edible coatings. *British Food Journal*, 121(7), 1592–1604. <https://doi.org/10.1108/BFJ-11-2018-0780>
- Purwanto, Y., & Effendi, R. (2016). Penggunaan Asam Askorbat dan Lidah Buaya untuk Menghambat Pencoklatan pada Buah Potong Apel Malang. *Jurnal Keteknikan Pertanian*, 4(2), 105705. <https://doi.org/10.19028/jtep.04.2>.
- Radi, M., Firouzi, E., Akhavan, H., & Amiri, S. (2017). Effect of gelatin-based edible coatings incorporated with Aloe vera and black and green tea extracts on the shelf life of fresh-cut oranges. *Journal of Food Quality*, 2017. <https://doi.org/10.1155/2017/9764650>
- Ramos, M., Valdés, A., Beltrán, A., & Garrigós, M. (2016). Gelatin-Based Films and Coatings for Food Packaging Applications. *Coatings*, 6(4), 41. <https://doi.org/10.3390/coatings6040041>
- Rao, M. S., Kanatt, S. R., Chawla, S. P., & Sharma, A. (2010). Chitosan and guar gum composite films: Preparation, physical, mechanical and antimicrobial properties. *Carbohydrate Polymers*, 82(4), 1243–1247. <https://doi.org/10.1016/j.carbpol.2010.06.058>
- Reddy, N., Jiang, Q., & Yang, Y. (2012). Preparation and properties of peanut protein films crosslinked with citric acid. *Industrial Crops and Products*, 39(1), 26–30. <https://doi.org/10.1016/j.indcrop.2012.02.004>
- Rodríguez, M., Osés, J., Ziani, K., & Maté, J. I. (2006). Combined effect of plasticizers and surfactants on the physical properties of starch based edible



- films. *Food Research International*, 39(8), 840–846. <https://doi.org/10.1016/j.foodres.2006.04.002>
- Rojas-Graü, M. A., Soliva-Fortuny, R., & Martín-Belloso, O. (2009). Edible coatings to incorporate active ingredients to fresh-cut fruits: a review. *Trends in Food Science and Technology*, 20(10), 438–447. <https://doi.org/10.1016/j.tifs.2009.05.002>
- Sandhya. (2010). Modified atmosphere packaging of fresh produce: Current status and future needs. *LWT - Food Science and Technology*, 43(3), 381–392. <https://doi.org/10.1016/j.lwt.2009.05.018>
- Schlimme, D. V. (2019). Marketing Lightly Processed Fruits and Vegetables. *HortScience*, 30(1), 15–17. <https://doi.org/10.21273/hortsci.30.1.15>
- Shi, R., Bi, J., Zhang, Z., Zhu, A., Chen, D., Zhou, X., Zhang, L., & Tian, W. (2008). The effect of citric acid on the structural properties and cytotoxicity of the polyvinyl alcohol/starch films when molding at high temperature. *Carbohydrate Polymers*, 74(4), 763–770. <https://doi.org/10.1016/j.carbpol.2008.04.045>
- Soliva-Fortuny, R. C., & Martín-Belloso, O. (2003). New advances in extending the shelf-life of fresh-cut fruits: A review. *Trends in Food Science and Technology*, 14(9), 341–353. [https://doi.org/10.1016/S0924-2244\(03\)00054-2](https://doi.org/10.1016/S0924-2244(03)00054-2)
- Sousa, A. M. M., Souza, H. K. S., Liu, L. S., & Gonçalves, M. P. (2015). Alternative plasticizers for the production of thermo-compressed agar films. *International Journal of Biological Macromolecules*, 76, 138–145. <https://doi.org/10.1016/j.ijbiomac.2015.02.030>
- Suttirak, W., & Manurakchinakorn, S. (2010). Potential Application of Ascorbic Acid, Citric Acid and Oxalic Acid for Browning Inhibition in Fresh-Cut Fruits and Vegetables. *Walailak Journal of Science and Technology*, 7(1), 5–14. <http://masterorg.wu.ac.th/file/ird-20100706-Xo9s3.pdf>
- Tharanathan, R. N. (2003). Biodegradable films and composite coatings: Past, present and future. *Trends in Food Science and Technology*, 14(3), 71–78. [https://doi.org/10.1016/S0924-2244\(02\)00280-7](https://doi.org/10.1016/S0924-2244(02)00280-7)
- Thiebaud, S., Aburto, J., Alric, I., Borredon, E., Bikaris, D., Prinos, J., & Panayiotou, C. (1997). Properties of fatty-acid esters of starch and their blends with LDPE. *Journal of Applied Polymer Science*, 65(4), 705–721. [https://doi.org/10.1002/\(sici\)1097-4628\(19970725\)65:4<705::aid-app9>3.3.co;2-v](https://doi.org/10.1002/(sici)1097-4628(19970725)65:4<705::aid-app9>3.3.co;2-v)
- Toivonen, P. M. A., & Brummell, D. A. (2008). Biochemical bases of appearance and texture changes in fresh-cut fruit and vegetables. *Postharvest Biology and Technology*, 48(1), 1–14. <https://doi.org/10.1016/j.postharvbio.2007.09.004>
- Uranga, J., Nguyen, B. T., Si, T. T., Guerrero, P., & De la Caba, K. (2020). The effect of cross-linking with citric acid on the properties of agar/fish gelatin films. *Polymers*, 12(2), 1–12. <https://doi.org/10.3390/polym12020291>
- Valverde, J. M., Valero, D., Martínez-Romero, D., Guillén, F., Castillo, S., & Serrano, M. (2005). Novel edible coating based on Aloe vera gel to maintain table grape quality and safety. *Journal of Agricultural and Food Chemistry*, 53(20), 7807–7813. <https://doi.org/10.1021/jf050962v>



- Warriner, K., Huber, A., Namvar, A., Fan, W., & Dunfield, K. (2009). Chapter 4 Recent Advances in the Microbial Safety of Fresh Fruits and Vegetables. In *Advances in Food and Nutrition Research* (1st ed., Vol. 57, Issue 09). Elsevier Inc. [https://doi.org/10.1016/S1043-4526\(09\)57004-0](https://doi.org/10.1016/S1043-4526(09)57004-0)
- YANG, J., FU, M. run, ZHAO, Y. ying, & MAO, L. chun. (2009). Reduction of Chilling Injury and Ultrastructural Damage in Cherry Tomato Fruits After Hot Water Treatment. *Agricultural Sciences in China*, 8(3), 304–310. [https://doi.org/10.1016/S1671-2927\(08\)60213-8](https://doi.org/10.1016/S1671-2927(08)60213-8)
- Yang, J., Webb, A. R., & Ameer, G. A. (2004). Novel Citric Acid-Based Biodegradable Elastomers for Tissue Engineering. *Advanced Materials*, 16(6), 511–516. <https://doi.org/10.1002/adma.200306264>
- Yousuf, B., & Srivastava, A. K. (2019). Impact of honey treatments and soy protein isolate-based coating on fresh-cut pineapple during storage at 4 °C. *Food Packaging and Shelf Life*, 21(July 2018). <https://doi.org/10.1016/j.fpsl.2019.100361>
- Zdrojewicz, Z., Chorbińska, J., Biezyński, B., & Krajewski, P. (2018). Health-promoting properties of pineapple. *Pediatria i Medycyna Rodzinna*, 14(2), 133–142. <https://doi.org/10.15557/PiMR.2018.0013>