

DAFTAR PUSTAKA

- Akpinar-Bayazit, A. (2014). Fungal Lipids: The Biochemistry of Lipid Accumulation. *International Journal of Chemical Engineering and Applications*, 5(5), 409–414. <https://doi.org/10.7763/ijcea.2014.v5.419>
- Al-Bukhaiti, Q. W., Noman, A., Qasim, A. S., & Al-Farga, A. (2017). Gas Chromatography: Principles, Advantages and Applications in Food Analysis. *International Journal of Agriculture Innovations and Research*. *International Journal of Agriculture Innovations and Research*, 6(1), 123–128.
- Aldina, R. F., Indarti, S., & Wibowo, A. (2018). Pathogenicity of Nematofagous Fungus for Control of *Pratylenchus coffeae* Nematodes on Coffee Plants. In A. Isnansetyo & T. R. Nuringtyas (Eds.), *Proceedings of the 1st International Conference on Tropical Agriculture* (1st ed., pp. 243–251). Springer. https://doi.org/10.1007/978-3-319-60363-6_23
- Alsohaili, S. A., & Bani-Hasan, B. M. (2018). Morphological and Molecular Identification of Fungi Isolated from Different Environmental Sources in the Northern Eastern Desert of Jordan. *Jordan Journal of Biological Sciences*, 11(3), 329–337.
- Athenaki, M., Gardeli, C., Diamantopoulou, P., Tchakouteu, S., Sarris, D., Philippoussis, A., & Papanikolaou, S. (2018). Lipids from yeasts and fungi: physiology, production and analytical considerations. *Journal of Applied Microbiology*, 124(2), 336–367. <https://doi.org/10.1111/jam.13633>
- Balat, H. (2010). Prospects of biofuels for a sustainable energy future: A Critical Assessment. *Energy, Education, Science and Technology*, 24(2), 85–111.
- Bardhan, P., Gohain, M., Daimary, N., Kishor, S., Chattopadhyay, P., Gupta, K., Chaliha, C., Kalita, E., Deka, D., & Mandal, M. (2019). Microbial lipids from cellulolytic oleaginous fungus *Penicillium citrinum* PKB20 as a potential feedstock for biodiesel production. *Annals of Microbiology*, 69(11), 1135–1146. <https://doi.org/10.1007/s13213-019-01494-3>
- Bennya, G. L., Humber, R. A., & Voight, K. (2014). Zygomycetous Fungi: Phylum Entomophthoromycota and Subphyla Kickxellomycotina, Mortierellomycotina, Mucoromycotina, and Zoopagomycotina. In D. J. McLaughlin & J. W. Spatafora (Eds.), *The Mycota (A Comprehensive Treatise on Fungi as Experimental Systems for Basic and Applied Research)* (2nd ed., Vol. 7A, pp. 209–250). Springer Nature. https://doi.org/10.1007/978-3-642-55318-9_8
- Bhanja, A., Minde, G., Magdum, S., & Kalyanraman, V. (2014). Comparative Studies of Oleaginous Fungal Strains (*Mucor circinelloides* and *Trichoderma reesei*) for Effective Wastewater Treatment and Bio-Oil Production. *Biotechnology Research International*, 2014, 1–7. <https://doi.org/10.1155/2014/479370>
- Budziszewska, J., & Wrzosek, M. (2010). Taxonomic revision of *Rhizomucor* genus. Unpublished manuscript. University of Warsaw.
- Chatzifragkou, A., Makri, A., Belka, A., Bellou, S., Mavrou, M., Mastoridou, M., Mystrioti, P., Onjaro, G., Aggelis, G., & Papanikolaou, S. (2011). Biotechnological conversions of biodiesel derived waste glycerol by yeast and fungal species. *Energy*, 36(2), 1097–1108. <https://doi.org/10.1016/j.energy.2010.11.040>
- Chi, Z., Zheng, Y., Ma, J., & Chen, S. (2011). Oleaginous yeast *Cryptococcus curvatus* culture with dark fermentation hydrogen production effluent as feedstock for

- microbial lipid production. *International Journal of Hydrogen Energy*, 36(16), 9542–9550. <https://doi.org/10.1016/j.ijhydene.2011.04.124>
- Chiu, H. H., & Kuo, C. H. (2020). Gas chromatography-mass spectrometry-based analytical strategies for fatty acid analysis in biological samples. *Journal of Food and Drug Analysis*, 28(1), 60–73. <https://doi.org/10.1016/j.jfda.2019.10.003>
- Ehtisham, M., Wani, F., Wani, I., Kaur, P., & Nissar, S. (2016). Polymerase Chain Reaction (PCR): Back to Basics. *Indian Journal of Contemporary Dentistry*, 4(2), 30. <https://doi.org/10.5958/2320-5962.2016.00030.9>
- Fajarningsih, N. D. (2016). Internal Transcribed Spacer (ITS) as Dna Barcoding to Identify Fungal Species: a Review. *Squalen Bulletin of Marine and Fisheries Postharvest and Biotechnology*, 11(2), 37–44. <https://doi.org/10.15578/squalen.v11i2.213>
- Fathoni, R., Radiastuti, N., & Wijayanti, F. (2017). Identifikasi Jenis Cendawan pada Kelelawar (Ordo Chiroptera) di Kota Tangerang Selatan. *Jurnal Mikologi Indonesia*, 1(1), 28. <https://doi.org/10.46638/jmi.v1i1.11>
- Fisk, H. L., West, A. L., Childs, C. E., Burdge, G. C., & Calder, P. C. (2014). The Use of Gas Chromatography to Analyze Compositional Changes of Fatty Acids in Rat Liver Tissue during Pregnancy. *Journal of Visualized Experiments*, 85. <https://doi.org/10.3791/51445>
- Garg, N., & Garg, K. L. (2010). *Laboratory Manual of Food Microbiology*. K G Mukerji.
- Goud, N. R., Neogi, U., & Saumya, R. (2007). Fungal Production of Omega-6 Fatty Acid: Gamma-Linolenic Acid. *International Journal of Biological Chemistry*, 1(2), 127–130. <https://doi.org/10.3923/ijbc.2007.127.130>
- Hibbett, D. S., Binder, M., Bischoff, J. F., Blackwell, M., Cannon, P. F., Eriksson, O. E., Huhndorf, S., James, T., Kirk, P. M., Lücking, R., Thorsten Lumbsch, H., Lutzoni, F., Matheny, P. B., McLaughlin, D. J., Powell, M. J., Redhead, S., Schoch, C. L., Spatafora, J. W., Stalpers, J. A., . . . Zhang, N. (2007). A higher-level phylogenetic classification of the Fungi. *Mycological Research*, 111(5), 509–547. <https://doi.org/10.1016/j.mycres.2007.03.004>
- Hoffmann, K., Pawłowska, J., Walther, G., Wrzosek, M., de Hoog, G., Benny, G., Kirk, P., & Voigt, K. (2013). The family structure of the *Mucorales*: a synoptic revision based on comprehensive multigene-genealogies. *Persoonia - Molecular Phylogeny and Evolution of Fungi*, 30(1), 57–76. <https://doi.org/10.3767/003158513x666259>
- Huang, G., Zhou, H., Tang, Z., Liu, H., Cao, Y., Qiao, D., & Cao, Y. (2016). Novel fungal lipids for the production of biodiesel resources by *Mucor fragilis* AFT7-4. *Environmental Progress & Sustainable Energy*, 35(6), 1784–1792. <https://doi.org/10.1002/ep.12395>
- Ilyas, M. (2007). Isolasi dan Identifikasi Mikoflora Kapang pada Sampel Serasah Daun Tumbuhan di Kawasan Gunung Lawu, Surakarta, Jawa Tengah. *Biodiversitas*, 8(2), 105–110.
- Jangbua, P., Laoteng, K., Kitsubun, P., Nopharatana, M., & Tongta, A. (2009). Gamma-linolenic acid production of *Mucor rouxi* by solid-state fermentation using agricultural by-products. *Letters in Applied Microbiology*, 49(1), 91–97. <https://doi.org/10.1111/j.1472-765x.2009.02624.x>

- Julaeha, E., Rustiyaty, S., Fahri, N. N., Ramdhani, F., & Reres, T. G. (2016). Pemanfaatan Tepung Gadung (*Dioscorea hispida* Dennst.) pada Produksi Amilase Menggunakan *Bacillus* sp. *Fortech*, 1(1), 45–52.
- Kamoun, O., Ayadi, I., Guerfali, M., Belghith, H., Gargouri, A., & Trigui-Lahiani, H. (2018). *Fusarium verticillioides* as a single-cell oil source for biodiesel production and dietary supplements. *Process Safety and Environmental Protection*, 118, 68–78. <https://doi.org/10.1016/j.psep.2018.06.027>
- Kango, N. (2013). *Textbook Of Microbiology*. I.K. International Pub. House.
- Khot, M., Kamat, S., Zinjarde, S., Pant, A., Chopade, B., & RaviKumar, A. (2012). Single cell oil of oleaginous fungi from the tropical mangrove wetlands as a potential feedstock for biodiesel. *Microbial Cell Factories*, 11(1). <https://doi.org/10.1186/1475-2859-11-71>
- Liao, W., Liu, Y., & Chen, S. (2007). Studying pellet formation of a filamentous fungus *Rhizopus oryzae* to enhance organic acid production. *Applied Biochemistry and Biotechnology*, 137–140(1–12), 689–701. <https://doi.org/10.1007/s12010-007-9089-4>
- Lu, X. L., Najafzadeh, M., Dolatabadi, S., Ran, Y. P., Gerrits Van Den Ende, A., Shen, Y. N., Li, C. Y., Xi, L. Y., Hao, F., Zhang, Q. Q., Li, R. Y., Hu, Z. M., Lu, G. X., Wang, J. J., Drogari-Apiranthitou, M., Klaassen, C., Meis, J., Hagen, F., Liu, W. D., & de Hoog, G. (2013). Taxonomy and epidemiology of & *Mucor irregularis*, agent of chronic cutaneous mucormycosis. *Persoonia - Molecular Phylogeny and Evolution of Fungi*, 30(1), 48–56. <https://doi.org/10.3767/003158513x665539>
- Mhlongo, S. I., Ezeokoli, O. T., Roopnarain, A., Ndaba, B., Sekoai, P. T., Habimana, O., & Pohl, C. H. (2021). The Potential of Single-Cell Oils Derived From Filamentous Fungi as Alternative Feedstock Sources for Biodiesel Production. *Frontiers in Microbiology*, 12. <https://doi.org/10.3389/fmicb.2021.637381>
- Mudrončková, S., Mazán, M., Nemčovič, M., & Šalamon, I. (2019). Entomopathogenic Fungus Species *Beauveria bassiana* (Bals.) and *Metarhizium anisopliae* (Metsch.) Used as Mycoinsecticide Effective in Biological Control of *Ips typographus* (L.). *Journal of Microbiology, Biotechnology and Food Sciences*, 9(1), 2469–2472.
- Ntsefong, G. N., Ngando, G., Yalen, M., Youmbi, E., Bell, J. M., Bille, N. H., Kingsley, T. M., Constant, L. B., & Armand, N. M. (2014). GC-FID Method Development and Validation Parameters for Analysis of Palm Oil (*Elaeis guineensis* Jacq.) Fatty Acids Composition. *Research in Plant Sciences*, 2(3), 53–66. <https://doi.org/10.12691/plant-2-3-2>
- Nilsson, R. H., Kristiansson, E., Ryberg, M., Hallenberg, N., & Larsson, K. H. (2008). Intraspecific ITS Variability in the Kingdom Fungi as Expressed in the International Sequence Databases and Its Implications for Molecular Species Identification. *Evolutionary Bioinformatics*, 4, 193–201. <https://doi.org/10.4137/ebo.s653>
- Ochsenreither, K., Glück, C., Stressler, T., Fischer, L., & Sylatk, C. (2016). Production Strategies and Applications of Microbial Single Cell Oils. *Frontiers in Microbiology*, 7. <https://doi.org/10.3389/fmicb.2016.01539>
- PanReacAppliChem. 2018. *Nitrogen Determination by Kjeldahl Method*. ITW Reagents.

- Passoth, V. (2017). Lipids of Yeasts and Filamentous Fungi and Their Importance for Biotechnology. In A. Sibirny (Ed.), *Biotechnology of Yeasts and Filamentous Fungi* (1st ed., pp. 149–204). Springer, Cham. https://doi.org/10.1007/978-3-319-58829-2_6
- Patel, A., Karageorgou, D., Rova, E., Katapodis, P., Rova, U., Christakopoulos, P., & Matsakas, L. (2020). An Overview of Potential Oleaginous Microorganisms and Their Role in Biodiesel and Omega-3 Fatty Acid-Based Industries. *Microorganisms*, 8(3), 434. <https://doi.org/10.3390/microorganisms8030434>
- Pitt, J. I., & Hocking, A. D. (2009). *Fungi and Food Spoilage* (3rd ed. 2009 ed.). Springer.
- Pommerville, J. (2011). *Alcamo's Fundamentals of Microbiology* (9th ed.). Jones & Bartlett Learning.
- Qiao, W., Tao, J., Luo, Y., Tang, T., Miao, J., & Yang, Q. (2018). Microbial oil production from solid-state fermentation by a newly isolated oleaginous fungus, *Mucor circinelloides* Q531 from mulberry branches. *Royal Society Open Science*, 5(11), 180551. <https://doi.org/10.1098/rsos.180551>
- Raja, H. A., Miller, A. N., Pearce, C. J., & Oberlies, N. H. (2017). Fungal Identification Using Molecular Tools: A Primer for the Natural Products Research Community. *Journal of Natural Products*, 80(3), 756–770. <https://doi.org/10.1021/acs.jnatprod.6b01085>
- Ratledge, C. (2001). Microorganisms as source of polyunsaturated fatty acids. In F. D. Gunstone (Ed.), *Structured and Modified Lipids* (1st ed., pp. 351–359). Marcell Decker.
- Ratledge, C., & Cohen, Z. (2008). Microbial and algal oils: Do they have a future for biodiesel or as commodity oils? *Lipid Technology*, 20(7), 155–160. <https://doi.org/10.1002/lite.200800044>
- Ratledge, C., & Wynn, J. P. (2002). The Biochemistry and Molecular Biology of Lipid Accumulation in Oleaginous Microorganisms. *Advances in Applied Microbiology*, 51, 1–52. [https://doi.org/10.1016/s0065-2164\(02\)51000-5](https://doi.org/10.1016/s0065-2164(02)51000-5)
- Romanelli, A. M., Fu, J., Herrera, M. L., & Wickes, B. L. (2014). A universal DNA extraction and PCR amplification method for fungal rDNA sequence-based identification. *Mycoses*, 57(10), 612–622. <https://doi.org/10.1111/myc.12208>
- Schoch, C. L., Seifert, K. A., Huhndorf, S., Robert, V., Spouge, J. L., Levesque, C. A., Chen, W., Bolchacova, E., Voigt, K., Crous, P. W., Miller, A. N., Wingfield, M. J., Aime, M. C., An, K. D., Bai, F. Y., Barreto, R. W., Begerow, D., Bergeron, M. J., Blackwell, M., . . . Schindel, D. (2012). Nuclear ribosomal internal transcribed spacer (ITS) region as a universal DNA barcode marker for *Fungi*. *Proceedings of the National Academy of Sciences*, 109(16), 6241–6246. <https://doi.org/10.1073/pnas.1117018109>
- Schütz, G., Haltrich, D., & Atanasova, L. (2020). Influence of spore morphology on spectrophotometric quantification of *Trichoderma* inocula. *BioTechniques*, 68(5), 279–282. <https://doi.org/10.2144/btn-2019-0152>
- Sitepu, I. R., Garay, L. A., Sestric, R., Levin, D., Block, D. E., German, J. B., & Boundy-Mills, K. L. (2014). Oleaginous yeasts for biodiesel: Current and future trends in biology and production. *Biotechnology Advances*, 32(7), 1336–1360. <https://doi.org/10.1016/j.biotechadv.2014.08.003>

- Sokoto, M., Hassan, L., Dangoggo, S., Ahmad, H., & Uba, A. (2011). Influence of Fatty Acid Methyl Esters on Fuel properties of Biodiesel Produced from the Seeds Oil of <i>Curcubita pepo</i>; *Nigerian Journal of Basic and Applied Sciences*, 19(1). <https://doi.org/10.4314/njbas.v19i1.69348>
- Somashekar, D., Venkateshwaran, G., Sambaiah, K., & Lokesh, B. (2003). Effect of culture conditions on lipid and gamma-linolenic acid production by mucoraceous fungi. *Process Biochemistry*, 38(12), 1719–1724. [https://doi.org/10.1016/s0032-9592\(02\)00258-3](https://doi.org/10.1016/s0032-9592(02)00258-3)
- Tang, X., Chen, H., Chen, Y. Q., Chen, W., Garre, V., Song, Y., & Ratledge, C. (2015). Comparison of Biochemical Activities between High and Low Lipid-Producing Strains of *Mucor circinelloides*: An Explanation for the High Oleaginiccity of Strain WJ11. *PLOS ONE*, 10(6), e0128396. <https://doi.org/10.1371/journal.pone.0128396>
- Tehlivets, O., Scheuringer, K., & Kohlwein, S. D. (2007). Fatty acid synthesis and elongation in yeast. *Biochimica et Biophysica Acta (BBA) - Molecular and Cell Biology of Lipids*, 1771(3), 255–270. <https://doi.org/10.1016/j.bbalip.2006.07.004>
- Triasih, U., Agustina, D., Agustina, D., Dwiastuti, M. E., Dwiastuti, M. E., Wuryantini, S., & Wuryantini, S. (2019). Test of Various Carrier Materials Against Viability and Conidia Density in Some Liquid Biopesticides of Entomopathogenic Fungi. *JURNAL AGRONIDA*, 5(1). <https://doi.org/10.30997/jag.v5i1.1851>
- Vesty, A., Biswas, K., Taylor, M. W., Gear, K., & Douglas, R. G. (2017). Evaluating the Impact of DNA Extraction Method on the Representation of Human Oral Bacterial and Fungal Communities. *PLOS ONE*, 12(1), e0169877. <https://doi.org/10.1371/journal.pone.0169877>
- Vu, D., Groenewald, M., de Vries, M., Gehrman, T., Stielow, B., Eberhardt, U., Al-Hatmi, A., Groenewald, J., Cardinali, G., Houbaken, J., Boekhout, T., Crous, P., Robert, V., & Verkley, G. (2019). Large-scale generation and analysis of filamentous fungal DNA barcodes boosts coverage for kingdom fungi and reveals thresholds for fungal species and higher taxon delimitation. *Studies in Mycology*, 92(1), 135–154. <https://doi.org/10.1016/j.simyco.2018.05.001>
- Walther, G., Wagner, L., & Kurzai, O. (2019). Updates on the Taxonomy of Mucorales with an Emphasis on Clinically Important Taxa. *Journal of Fungi*, 5(4), 106. <https://doi.org/10.3390/jof5040106>
- Wang, T., Sun, C. X., & Zhu, P. K. (2022). *First Report of Mucor irregularis Causing Postharvest Fruit Rot on Garcinia mangostana in China*. Plant Disease.
- Watanabe, T. (2010). *Pictorial Atlas of Soil and Seed Fungi: Morphologies of Cultured Fungi and Key to Species, Third Edition (Mycology Book 4)* (3rd ed.). CRC Press.
- Wiley, J. M., Sherwood, L. M., & Woolverton, C. J. (2014). *Prescott's Microbiology* (9th ed.). McGraw-Hill Education.
- Zheng, Y., Yu, X., Zeng, J., & Chen, S. (2012). Feasibility of filamentous fungi for biofuel production using hydrolysate from dilute sulfuric acid pretreatment of wheat straw. *Biotechnology for Biofuels*, 5(1). <https://doi.org/10.1186/1754-6834-5-50>