

## DAFTAR PUSTAKA

- Abdullah, M., Saranthoy, O. & Chaeychomsri, S., 2000. Comparative Study of Artificial Diet and Soybean Leaves on Growth, Development and Fecundity of Beet Armyworm, *Spodoptera exigua* (Hubner) (Lepidoptera : Noctuidae). *Kasetsart Journal (Nat.Sci)*, Volume 34, pp. 339-344.
- Adhiwibowo, K. & Gita, A., 2020. *Distribusi Perdagangan Komoditas Bawang Merah Indonesia 2019*. Jakarta: BPS RI.
- Ahmad, J. N. et al., 2018. Molecular Identification and Pathological Characteristics of NPV Isolated from *Spodoptera litura* (Fabricius) in Pakistan. *Pakistan Journal Zoology*, 50(6), pp. 2229-2237.
- Aldini, G. M. et al., 2020. Farmers' Practices in Using Insecticides to Control *Spodoptera exigua* Infesting Shallot *Allium cepa* var. *aggregatum* in the Shallot Production Centers of Java. *Jurnal Perlindungan Tanaman Indonesia*, 24(01), pp. 75-81.
- Ansari, M. S., Ahmad, N. & Hasan, F., 2012. Potential of Biopesticide in Sustainable Agriculture. *Springer Science+Business Media B.V*, pp. 529-594.
- Arkhanaev, Y. B. et al., 2017. Comparison of tolerance to sunlight between spatially distant and genetically different strains of *Lymantria dispar* nucleopolyhedrovirus. *Plos One*, 12(12), pp. 1-13.
- Au, S., Wu, W. & Pante, N., 2013. Baculovirus Nuclear Import: Open, Nuclear Pore Complex (NPC) Sesame. *Viruses*, Volume 5, pp. 1885-1900.
- Baskaran, . R. K. M., Venugopal, M. S. & Mahadevan, N. R., 1997. Optical brighteners as UV protectants and their influence on the virulence of nuclear polyhedrosis virus of *Spodoptera litura* (Fabricius) (Lepidoptera: Noctuidae). *Journal Biol Control*, Volume 11, pp. 17-22.
- Bedjo, 2004. Pemanfaatan *Spodoptera litura* Nuclear Polyhedrosis Virus (SINPV) Untuk Pengendalian Ulat Grayak (*Spodoptera litura* Fabricius) Pada Tanaman Kedelai. *Buletin Palawija*, Issue 7 dan 8, pp. 1-9.
- Bono, N., Ponti, F., Punta, C. & Candiani, G., 2021. Effect of UV Irradiation and TiO<sub>2</sub>-Photocatalysis on Airborne Bacteria and Viruses: An Overview. *Materials*, 14(1075), pp. 1-19.
- BPS, 2020. *Produksi Tanaman Sayuran 2015-2020*. [Online] Available at: <https://www.bps.go.id/indicator/55/61/1/produksi-tanaman-sayuran.html> [Accessed 25 April 2021].

- Bungthong, C., Wrigley, C., Sonteara, T. & Siriamornpun, S., 2021. Amino Acid Profile and Biological Properties of Silk Cocoon as Affected by Water and Enzyme Extraction. *Molecules*, 26(3455), pp. 1-13.
- CABI, 2019. *CAB International*. [Online] Available at: <https://www.cabi.org/isc/datasheet/48272> [Accessed 21 April 2021].
- Capinera, J. L., 1999. Beet Armyworm, *Spodoptera exigua* (Hübner) (Insecta:Lepidoptera: Noctuidae). *University of Florida Ifas Extension*, Volume EENY-105, pp. 1-4.
- Chaisabai, W., Khamhaengpol, A. & Siri, S., 2017. Sericins of mulberry and non-mulberry silkworms for eco-friendly synthesis of silver nanoparticles. *Artificial Cells, Nanomedicine, and Biotechnology*, 46(3), pp. 536-543.
- Chen, Q. et al., 2020. Turkey Red oil - An effective alkaline extraction booster for enhanced hemicelluloses separation from bamboo kraft pulp and improved fock reactivity of resultant dissolving pulp. *Industrial Crops & Products*, 145(112127), pp. 1-7.
- Chitichotpanya, P., Pisitsak, P. & Chitichotpanya, C., 2018. Sericin-Copper Functionalized Silk Fabrics for Enhanced Ultraviolet Protection and Antibacterial Properties Using Response Surface Methodology. *Textile Research Journal*, 0(00), pp. 1-14.
- Chung, D. E. et al., 2015. Structure and properties of silk sericin obtained from different silkworm varieties. *International Journal Industrial Entomology*, 30(2), pp. 81-85.
- Corley, R. B., 2005. *A Guide To Methods In The Biomedical Science*. Boston: Springer Science+Bussines Media, INC.
- El Salamouny, S., Shapiro, M., Ling, K. S. & Shepard, B. M., 2009. Black Tea and Lignin as Ultraviolet Protectants for the Beet Armyworm Nucleopolyhedrovirus. *Journal of Entomological Science* , 44(1), pp. 50-58.
- Elnagar, S. & Nash, S. A., 1980. Effect of direct sunlight on the virulence of NPV (nuclear polyhedrosis virus) of the cotton leafworm, *Spodoptera littoralis* (Boisd.). *Z. ang. Ento*, Volume 90, pp. 75-80.
- Erraya, Jagdish, J., Sajeesh, P. & Vinod, U., 2013. Nuclear Polyhedrosis Virus (NPV), A Potential Biopesticide: A Review. *Research Journal of Agriculture and Forestry Sciences*, 1(8), pp. 30-33.
- Evanz, L., 2015. UV-VIS Spectrophotometry A Brief Background to Spectrophotometry. *Technical Support and Application Specialist at Biochrom Ltd*, Issue 1, pp. 1-15.

- Gandhimathi, R., Vijayaraj, S. & Jyothirmaie, M. P., 2012. ANALYTICAL PROCESS OF DRUGS BY ULTRAVIOLET (UV) ANALYTICAL PROCESS OF DRUGS BY ULTRAVIOLET (UV). *International Journal of Pharmaceutical Research & Analysis*, 2(2), pp. 72-78.
- Gomez, K. A. & Gomez, A. A., 1984. *Statistical Procedures For Agricultural Research*. New York: John Wiley&Sons.
- Grzywacz, D. et al., 2011. *The Helicoverpa armigera NPV Production Manual*. [Online] Available at: <http://www.fao.org/docs/eims/upload/agrotech/2011/hanpvmanual-pt1.pdf> [Accessed 29 Juli 2021].
- Gupta, D., Agrawal, A. & Rangi, A., 2014. Extraction and characterization of silk sericin. *Indian Journal of Fibre & Textile Research*, Volume 39, pp. 364-372.
- Hasyim, A., Setiawati, W., Lukman, L. & Marhaeni, L. S., 2019. Evaluasi Konsentrasi Lethal dan Waktu Lethal Insektisida Botani Terhadap Ulat Bawang (*Spodoptera exigua*) di Laboratorium. *Journal Hort*, 29(01), pp. 69-80.
- Helaly, A. E., 2020. Moringa water extract promising additive to prolong the activity of baculovirus under field-sunlight conditions in Egypt. *Brazilian Journal of Biology*, 80(4), pp. 891-896.
- Helaly, A. E. et al., 2013. Promising Additives to Protect the Activity of Baculovirus Biocontrol Agent under Field-Sunlight Conditions in Egypt. *Journal of Life Sciences*, 7(5), pp. 495-500.
- Hussain, B. et al., 2019. First record of a nucleopolyhedrovirus infecting brown-tail moth larvae, *Euproctis chrysorrhoea* (L.) (Lepidoptera: Lymantriidae) in India. *Egyptian Journal of Biological Pest Control*, 29(11), pp. 1-5.
- IARC, 2012. *IARC monographs on the evaluation of carcinogenic risks to humans*. 100D ed. Lyon: International Agency for Research on Cancer.
- ITIS, 2020. *Spodoptera exigua* (Hubner, 1808). [Online] Available at: [https://www.itis.gov/servlet/SingleRpt/SingleRpt?search\\_topic=TSN&search\\_value=117471#null](https://www.itis.gov/servlet/SingleRpt/SingleRpt?search_topic=TSN&search_value=117471#null) [Accessed 9 Mei 2020].
- Jaba, J., Mishra, S. P., Arora, N. & Munghate, R., 2020. Impact of Variegated Temperature, CO<sub>2</sub> and Relative Humidity on Survival and Development of Beet Armyworm *Spodoptera exigua* (Hubner) under Controlled Growth Chamber. *American Journal of Climate Change*, Volume 9, pp. 357-370.
- Kaur, J. et al., 2013. Photoprotection by Silk Cocoons. *Bio Macromolekul*, pp. A-H.

- KEMENDAG, 2013. *Profil Komoditas Bawang Merah*. [Online] Available at: [https://ews.kemendag.go.id/sp2kp-landing/assets/pdf/131212\\_ANL\\_UPK\\_BawangMerah.pdf](https://ews.kemendag.go.id/sp2kp-landing/assets/pdf/131212_ANL_UPK_BawangMerah.pdf) [Accessed 21 Februari 2021].
- Kumar, C. S., Rao, G. V. R., Sireesha, K. & Kumar, P. L., 2011. Isolation and Characterization of Baculoviruses from Three Major Lepidopteran Pests in the Semi-Arid Tropics of India. *Indian Journal of Virology*, 22(1), pp. 29-26.
- Kumar, J. P. et al., 2018. Protective Activity of Silk Sericin against UV Radiation-Induced Skin Damage by Downregulating Oxidative Stress. *ACS Applied Bio Materials*, pp. 2-51.
- Kundu, S. C., 2014. *Silk Biomaterials for Tissue Engineering and Regenerative Medicine*. Cambridge: Woodhead Publishing.
- Kunz, R. I., Brancalhão, R. C., Ribeiro, L. C. & Natali, M. M., 2016. Silkworm Sericin: Properties and Biomedical Applications. *BioMed Research International*, Volume 2016, pp. 1-19.
- Liu, T. M. et al., 2008. Imaging polyhedral inclusion bodies of nuclear polyhedrosis viruses with second harmonic generation microscopy. *OPTICS EXPRESS*, 16(8), pp. 1-7.
- Maeda, S., Mukohara, Y. & Kondo, A., 1990. Characteristically distinct isolates of the nuclear polyhedrosis virus from *Spodoptera litura*. *Journal of General Virology*, Volume 71, pp. 2631-2639.
- Mandal, B. B. & Kundu, S. C., 2008. A Novel Method for Dissolution and Stabilization of Non-Mulberry Silk Gland Protein Fibroin Using Anionic Surfactant Sodium Dodecyl Sulfate. *Biotechnology and Bioengineering*, 99(6), pp. 1482-1490.
- Marsadi, D., Suparta, I. W. & Sunari, A. A. A. A., 2017. Invasi dan Tingkat Serangan Ulat Bawang (*Spodoptera exigua* Hubner) pada Dua Kultivar Tanaman Bawang Merah di Desa Songan, Kecamatan Kintamani, Kabupaten Bangli. *E-Jurnal Agroteknologi Tropika*, 6(4), pp. 360-369.
- Martinez, A.-M., Simon, O., Williams, T. & Caballero, P., 2003. Effect of optical brighteners on the insecticidal activity of a nucleopolyhedrovirus in three instars of *Spodoptera frugiperda*. *Entomologia Experimentalis et Applicata*, Volume 109, pp. 139-149.
- Masyitoh, M. D., Dewanti, R. I. & Setyorini, D., 2016. Analisis Profil Protein Ekstrak Aquades dan Ethanol Daun Mimba (*Azadirachta Indica* A. Juss) dengan Metode SDS-PAGE. *e-Jurnal Pustaka Kesehatan*, 4(3), pp. 533-540.
- Meliza, R., Chikmawati, T. & Sulistijorini, 2019. Mikroorganisme yang diradiasi dengan sinar Davallia denticulata dan Davallia trichomanoides. *JURNAL BIOTEKNOLOGI & BIOSAINS INDONESIA*, 6(1), pp. 1-10.

- Miguel, G. A. & Lopez, C. A., 2020. Extraction and Antioxidant Activity of Sericin, a Protein From Silk. *Brazilian Journal of Food Technology*, 23(e2019058), pp. 1-14.
- Moekasan, T. K. et al., 2013. Penetapan Ambang Pengendalian *Spodoptera exigua* pada Tanaman Bawang Merah Menggunakan Feromonoid Seks. *Jurnal Hort*, 23(1), pp. 89-90.
- Mondal, P., Kumar, A. & Tammana, 2021. Nuclear Polyhedrosis Virus (NPV): An overview. *Bulletin of Environment, Pharmacology and Life Sciences*, 10(6), pp. 12-19.
- Montecalvo, M. P. & Navasero, M. M., 2019. Susceptibility of Onion Armyworm, *Spodoptera exigua* (Hubner)(Lepidoptera:Noctuidae), Larvae to *Spodoptera exigua* Multiple Nucleopolyhedrovirus (SeMNPV). *Journal ISSAAS*, 25(2), pp. 23-30.
- Mukhopadhyay, A., Khewa, S. & De, D., 2011. Characteristics and virulence of nucleopolyhedrovirus isolated from *Hyposidra talaca* (Lepidoptera: Geometridae), a pest of tea in Darjeeling Terai, India. *International Journal of Tropical Insect Science* , 31(1-2), pp. 13-19.
- Myers, D. N., 2019. Innovations in Monitoring With Water-Quality Sensors With Case Studies on Floods, Hurricanes, and Harmful Algal Blooms. In: *EVALUATING WATER QUALITY TO PREVENT FUTURE DISASTERS*. New York: Elsevier Inc, p. 237.
- Navasero, M. M., Navasero, M. V., Candano, R. N. & Depanis, W. N., 2019. Comparative Life History, Fecundity, and survival of *Spodoptera exigua* (Hubner) (Lepidoptera:Noctuidae) on *Allium cepa* L. and Other Host Plants in The Philippines. *Philipp Ent*, 33(1), pp. 75-86.
- Nengsih, R. & Utami, L. B., 2019. PENGENDALIAN ULAT GRAYAK BAWANG MERAH (*S. exigua*) MENGGUNAKAN EKSTRAK METANOL 70% DAUN PEPAYA (*Carica papaya*) DAN EKSTRAK ETANOL 70% UMBI GADUNG (*Dioscorea hispida*). *Jurnal Ilmu Alam dan Teknologi Terapan*, 1(1), pp. 12-22.
- Nusyirwan, 2013. Studi Musuh Alami (*Spodoptera Exigua* Hbn) pada Agroekosistem Tanaman Bawang Merah. *Jurnal Penelitian Pertanian Terapan*, 13(1), pp. 33-37.
- OECD, 2002. Consensus Document on Information used in the Assessment of Environmental Applications involving Baculovirus. *Series on Harmonization of Regulatory Oversight in Biotechnology*, 1(20), p. 19.
- Pal, S. et al., 2013. An Emerging Functional Natural Silk Biomaterial from the only Domesticated Non-mulberry Silkworm *Samia ricini*. *Macromolecular Journals*, pp. 1-16.

- Panthong, J., 2015. Effect of Spray Drying Conditions on the Characteristics of Sericin Powder from Eri Silk Boiling Water. *International Journal of Health and Life-Sciences*, 1(1), pp. 151-160.
- Prabhu, S. & Mahalingun, C. A., 2017. Effect of Sunlight and UV Light against DpNPV Effect of Sunlight and UV Light against DpNPV Leaf Webber, *Diaphania pulverulentalis* Hampson. *International Journal of Current Microbiology and Applied Sciences*, 6(3), pp. 1897-1905.
- Pradeep, A. R. et al., 2011. Genetic analysis of scattered populations of the Indian eri silkworm, *Samia cynthia ricini* Donovan: Differentiation of subpopulations. *Genetics and Molecular Biology*, 34(3), pp. 502-510.
- Pratiwi, R. A. & Nandiyanto, A. B., 2021. How to Read and Interpret UV-VIS Spectrophotometric How to Read and Interpret UV-VIS Spectrophotometric Compounds. *Indonesian Journal of Educational Research and Technology*, 2(1), pp. 1-20.
- Rajput, S. & Singh, M. K., 2015. Sericin – A Unique Biomaterial. *IOSR Journal of Polymer and Textile Engineering*, 2(3), pp. 29-35.
- Ramadhan, R. A. M. et al., 2016. Bioaktivitas Formulasi Minyak Biji Azadirachta indica (A. Juss) terhadap *Spodoptera litura* F.. *Jurnal Agrikultura*, 27(1), pp. 1-8.
- Rao, G. R., Kumar, C. S., Sireesha, K. & Kumar, P. L., 2015. Role of Nucleopolyhedroviruses (NPVs) in the Management of Lepidopteran Pests in Asia. *Springer International Publishing Switzerland*, Volume 2, p. 13.
- Rastogi, R. P. & Madamwar, D., 2015. UV-Induced Oxidative Stress in Cyanobacteria: How Life is able to Survive?. *Biochemistry & Analytical Biochemistry*, 4(2), pp. 1-4.
- Reddy, N. & Aramwit, P., 2021. Sericin: Structure and Properties. In: *Sustainable Uses of Byproducts from Silk Processing, First Edition*. Weinheim: Wiley-VCH GmbH, p. 1.
- Roy, S. & Kumar, V., 2014. A Practical Approach on SDS PAGE for Separation of Protein. *International Journal of Science and Research*, 3(8), pp. 955-960.
- Saha, J., Mondal, M. I. H., Sheikh, M. R. K. & Habib, M. A., 2019. Extraction, Structural and Functional Properties of Silk Sericin Biopolymer from Bombyx mori Silk Cocoon Waste. *Journal of Textile Science & Engineering*, 9(1), pp. 1-5.
- Sajap, A. S., Bakir, M. A., Kadir, H. A. & Samad, N. A., 2007. Effect of pH, rearing temperature and sunlight on infectivity of Malaysian isolate of nucleopolyhedrovirus to larvae of *Spodoptera litura* (Lepidoptera: Noctuidae). *International Journal of Tropical Insect Science*, 27(2), pp. 108-113.

- Sajap, A. S., Bakir, M. A., Kadir, H. A. & Samad, N. A., 2009. Efficacy of selected adjuvants for protecting *Spodoptera litura* nucleopolyhedrovirus from sunlight inactivation. *Journal of Asia-Pacific Entomology*, Volume 12, pp. 85-88.
- Samsudin, 2016. Prospek Pengembangan Bioinsektisida Nucleopolyhedrovirus (NPV) Untuk Pengendalian Hama Tanaman Perkebunan di Indonesia. *Perspektif*, 15(12), pp. 18-30.
- Samsudin, Santoso, T., Rauf, A. & Kusumah, Y. M., 2011. Keefektifan Bahan Pelindung Alami Dalam Mempertahankan Infektivitas *Spodoptera exigua* Nucleopolyhedrovirus (SeNPV). *Berita Biologi*, 10(6), pp. 689-697.
- Sarwar, G. et al., 2021. Evaluation of indigenous the nucleopolyhedrovirus (NPV) of *Spodoptera litura* (Fabricius) (Lepidoptera: Noctuidae) in combination with chlorantraniliprole against *Spodoptera* species. *Egyptian Journal of Biological Pest Control*, 31(58), pp. 1-7.
- Sayed, W. A. A., El Bendary, H. & El Helaly, A., 2020. Increasing the efficacy of the cotton leaf worm *Spodoptera littoralis* nucleopolyhedrosis virus using certain essential oils. *Egyptian Journal of Biological Pest Control*, 30(8), pp. 1-7.
- Shapiro, M., El Salamouny, S. & Shepard, B. M., 2009. Plant Extracts as Ultraviolet Radiation Protectants for the Beet Armyworm (Lepidoptera: Noctuidae) Nucleopolyhedrovirus: Screening of Extracts. *Journal of Agricultural and Urban Entomology*, 26(2), pp. 47-61.
- Shapiro, M., Farrar, R. R., Domek, J. & Javaid, I., 2002. Effects of Virus Concentration and Ultraviolet Irradiation on the Activity of Corn Earworm and Beet Armyworm (Lepidoptera: Noctuidae) Nucleopolyhedroviruses. *JOURNAL OF ECONOMIC ENTOMOLOGY*, 95(2), pp. 243-249.
- Shorey, H. H. & Hale, R. L., 1965. Mass Rearing of the Larvae of Nine Noctuid Species on a Simple Artificial Medium. *Journal of Economic Entomology*, 58(3), pp. 522-524.
- Singh, H. R., Unni, B. G., Neog, K. & Bhattacharyya, M., 2011. Sodium dodecyl sulfate polyacrylamide gel electrophoresis (SDS-PAGE) and random amplified polymorphic DNA (RAPD) based genetic variation studies in eri silkworm (*Samia cynthia ricini* Lepidoptera: Saturniidae). *African Journal of Biotechnology*, 10(70), pp. 15684-15690.
- Srivinas, N. et al., 2015. Extraction & characterization of sericin and its immobilization on hydroxylapatite nanoparticles for tissue engineering applications. *International Journal of ChemTech Research*, 7(5), pp. 2117-2124.

- Sukirno, S. et al., 2021. The effectiveness of *Samia ricini* Drury (Lepidoptera: Saturniidae) and *Attacus atlas* L. (Lepidoptera: Saturniidae) cocoon extracts as ultraviolet protectants of *Bacillus thuringiensis* for controlling *Spodoptera litura* Fab. (Lepidoptera: Noctuidae). *International Journal of Tropical Insect Science*, pp. 1-6.
- Sukirno, S. et al., 2018. The Efficacy and Persistence of *Spodoptera littoralis* Nucleopolyhedrovirus (SpliMNPV) Applied in UV Protectants against the Beet Armyworm, *Spodoptera exigua* (Hübner) (Lepidoptera: Noctuidae) under Saudi Field Conditions. *Pakistan J Zool*, 50(5), pp. 1895-1902.
- Supyani, Noviyanti, P. & Wijayanti, R., 2014. Insecticidal Properties of *Spodoptera exigua* Nuclear Polyhidrosis Virus Local Isolate Against *Spodoptera exigua* on Shallot. *International Journal Entomology Research*, 2(3), pp. 175-180.
- Takechi, T. et al., 2014. Antioxidant activities of two sericin proteins extracted from cocoon of silkworm (*Bombyx mori*) measured by DPPH chemiluminescence, ORAC and ESR methods. *BIOMEDICAL REPORTS*, Volume 2, pp. 364-369.
- Triwododo, H. & Tanjung, M. H., 2020. Hama Penyakit Utama Tanaman Bawang Merah (*Allium Ascalonicum*) dan Tindakan Pengendalian di Brebes, Jawa Tengah. *Agrovigor Jurnal Agroekoteknologi*, 13(2), pp. 149-154.
- Ujiyanti, F., Trisyono, Y. A., Witjaksono & Suputa, 2019. Population of *Spodoptera exigua* Hübner during On- and Off-Season of Shallot in Bantul Regency, Yogyakarta. *Jurnal Perlindungan Tanaman Indonesia*, 23(2), pp. 261-269.
- Uniprot, 2021. *Taxonomy - Samia ricini (Indian eri silkmoth) (Samia cynthia ricini)*. [Online]  
 Available at: <https://www.uniprot.org/taxonomy/63990>  
 [Accessed 23 April 2021].
- Velasco, C. R. et al., 2011. INSECTICIDAL ACTIVITY OF NATIVE ISOLATES OF *SPODOPTERA FRUGIPERDA* MULTIPLE NUCLEOPOLYHEDROVIRUS FROM SOIL SAMPLES IN MEXICO. *The Florida Entomologist*, 94(3), pp. 716-718.
- Velayudhan, K. et al., 2014. BIODIVERSITY IN ERI SILKWORM *SAMIA RICINI* (DONOVAN) GENETIC RESOURCES AND ITS CONSERVATION. *Journal of Aquatic Biology and Fisheries*, Volume 2, pp. 817-824.
- William, T., Virto, C., Murillo, R. & Cabarello, P., 2017. Covert Infection of Insects by Baculoviruses. *Frontiers in Microbiology*, 8(1337), pp. 1-13.
- Wu, J. H., Wang, Z. & Xu, S. Y., 2007. Preparation and characterization of sericin powder extracted from silk industry wastewater. *Food Chemistry*, Volume 103, pp. 1255-1262.

- Xia, Y., 2020. Progress in Molecular Biology and Translational Science. *Elsevier*, Volume 171, p. 399.
- Yuliana, A., Rinaldi, R. A., Rahayuningsih, N. & Gustaman, F., 2021. Effectiveness of *Musa x paradisiaca* L. Leaves' Ethanol Extract Granule Larvicide against *Aedes aegypti* Larvae. *ASPIRATOR*, 13(01), pp. 69-78.
- Zhang, Y. Q., 2002. Applications of natural silk protein sericin in biomaterials. *Biotechnology Advances*, Volume 20, pp. 91-100.
- Zheng, X. L., Cong, X. P., Wang, X. P. & Lei, C. L., 2011. A Review of Geographic Distribution, Overwintering and Migration in *Spodoptera exigua* Hübner (Lepidoptera: Noctuidae). *Journal of the Entomological Research Society*, 13(3), pp. 39-48.
- Zheng, X. L., Cong, X. P., Wang, X. P. & Lei, C. L., 2011. Pupation behaviour, depth, and site of *Spodoptera exigua*. *Bulletin of Insectology*, 64(2), pp. 209-214.
- Zhou, B. & Wang, H., 2020. Structure and Functions of Cocoons Constructed by Eri Silkworm. *Polymers*, 12(2701), pp. 1-18.
- Zusfahair, Z., Fatoni, A. & Ningsih, D. R., 2016. PEMANFAATAN PROTEASE DARI KULIT NANAS (*Ananas comosus*, L) DALAM DEGUMMING BENANG SUTERA. *Journal Kimia Riset*, 1(1), pp. 22-28.