

## DAFTAR PUSTAKA

- Abdikheibari, S., Parvizi, R., Hadi Moayed, M., Zebarjad, S. M., & Abdolkarim Sajjadi, S. (2015). Beeswax-colophony blend: A novel green organic coating for protection of steel drinking water storage tanks. *Metals*, 5(3), 1645–1664. <https://doi.org/10.3390/met5031645>
- Abdolmaleki, K., Alizadeh, L., Nayebzadeh, K., Hosseini, S. M., & Shahin, R. (2020). Oleogel production based on binary and ternary mixtures of sodium caseinate, xanthan gum, and guar gum: Optimization of hydrocolloids concentration and drying method. *Journal of Texture Studies*, 51(2), 290–299. <https://doi.org/10.1111/jtxs.12469>
- Aidah, S. N. dan Tim Penerbit KBM Indonesia. (2020). *Ensiklopedi Kacang Tanah: Deskripsi, Filosofi, Manfaat, Budidaya, dan Peluang Bisnisnya*. Yogyakarta: Penerbit KBM Indonesia. ISBN 978-623-6509-96-8.
- Akhtar, S., Khalid, N., Ahmed, I., Shahzad, A., & Suleria, H. A. R. (2014). Physicochemical Characteristics, Functional Properties, and Nutritional Benefits of Peanut Oil: A Review. *Critical Reviews in Food Science and Nutrition*, 54(12), 1562–1575. <https://doi.org/10.1080/10408398.2011.644353>
- Alhasawi, F. M., & Rogers, M. A. (2013). Ternary phase diagram of  $\beta$ -Sitosterol- $\gamma$ -oryzanol-canola oil. *JAACS, Journal of the American Oil Chemists' Society*, 90(10), 1533–1540. <https://doi.org/10.1007/s11746-013-2302-4>
- Aliasl khiabani, A., Tabibiazar, M., Roufegarinejad, L., Hamishehkar, H., & Alizadeh, A. (2020). Preparation and characterization of carnauba wax/adipic acid oleogel: A new reinforced oleogel for application in cake and beef burger. *Food Chemistry*, 333. <https://doi.org/10.1016/j.foodchem.2020.127446>
- Alvarez-Ramirez, J., Vernon-Carter, E. J., Carrera-Tarela, Y., Garcia, A., & Roldan-Cruz, C. (2020). Effects of candelilla wax/canola oil oleogel on the rheology, texture, thermal properties and in vitro starch digestibility of wheat sponge cake bread. *LWT*, 130. <https://doi.org/10.1016/j.lwt.2020.109701>
- American Oil Chemists' Society Official Method. (2003). AOCs Official Method Cd 8-53: Peroxide Value Acetic Acid–Chloroform Method. *Sampling And Analysis of Commercial Fats and Oils*, 1-2.
- American Oil Chemists' Society Official Method. (2009). AOCs Official Method Cd 3d-63: Acid Value. *Sampling And Analysis of Commercial Fats and Oils*, 1-3.
- American Oil Chemists' Society Official Method. (2013). AOCs Official method Cd 3-52: Saponification Value. *Sampling And Analysis of Commercial Fats and Oils*, 1-2.
- American Oil Chemists' Society Official Method. (2014). AOCs Official method Cd 18-90: p-Anisidine Value. *Sampling And Analysis of Commercial Fats and Oils*, 1-2.

- AOAC International. (2002). *Official Methods of Analysis of AOAC International, 17<sup>th</sup> edition*, Volume 2, Ch 41: 19-20, 24A-26, Gaithersburg, Maryland, USA.
- AOAC Official Methods of Analysis. (2000). *Oils and Fats, Chapter 41*. USA: Food and Drug Administration.
- AOAC. (2005). *Official Methods of Analysis*. Association of Official Analytical Chemists. Benjamin Franklin Station, Washington.
- Barkley, N. A., Isleib, T. G., Wang, M. L., and Pittman, R. N. (2013). Genotyping effect of ahFAD2 on fatty acid profiles in six segregating peanut (*Arachis hypogaea* L.) populations. *BMC Genet.* 14:62. doi: 10.1186/1471-2156-14-62
- Behera, B., Singh, V. K., Kulanthaivel, S., Bhattacharya, M. K., Paramanik, K., Banerjee, I., & Pal, K. (2015). Physical and mechanical properties of sunflower oil and synthetic polymers based bigels for the delivery of nitroimidazole antibiotic - A therapeutic approach for controlled drug delivery. *European Polymer Journal*, 64, 253–264. <https://doi.org/10.1016/j.eurpolymj.2015.01.018>
- Blake, A. I. E. (2015). The microstructure and physical properties of plant-based waxes and their relationship to the oil binding capacity of wax oleogels. *Thesis*. Guelph: The University of Guelph. 1
- Blake, A. I., Co, E. D., & Marangoni, A. G. (2014). Structure and physical properties of plant wax crystal networks and their relationship to oil binding capacity. *JAOCs, Journal of the American Oil Chemists' Society*, 91(6), 885–903. <https://doi.org/10.1007/s11746-014-2435-0>
- Botega, Z. D. C., Marangoni, A. G., Smith, A. K., & Goff, H. D. (2013). The potential application of rice bran wax oleogel to replace solid fat and enhance unsaturated fat content in ice cream. *Journal of Food Science*, 78(9). <https://doi.org/10.1111/1750-3841.12175>
- Branson, A., Xinping, W., & Bugang, W. (2004). *GB1534-2003 Peanut Oil Standart*. China: FAIRS Product Scientific.
- Brühl, L. (2014). Fatty acid alterations in oils and fats during heating and frying. *Eur. J. Lipid Sci. Technol*, 116, 707–715.
- Bucio, A., Moreno-tovar, R., Bucio, L., Espinosa-dávila, J., & Anguebes-franceschi, F. (2021). Characterization of beeswax, candelilla wax and paraffin wax for coating cheeses. *Coatings*, 11(3), 1–18. <https://doi.org/10.3390/coatings11030261>
- Cramer, E. D. (2016). *Rice Bran Wax Oleogel Water Holding Capacity and Its Effects on the Physical Properties of the Network*. *Thesis*. Ohio: Ohio State University.
- Da Silva, T.L.T., Chaves, K.F., Fernandes, G.D., Rodrigues, J.B., Bolini, H.M.A., Arellano, D.B., 2018b. Sensory and technological evaluation of margarines with reduced saturated fatty acid contents using oleogel technology. *J. Am. Oil Chem. Soc.* 95 (6), 673–685. <https://doi.org/10.1002/aocs.12074>.
- Dassanayake, L. S. K., Kodali, D. R., & Ueno, S. (2011). Formation of oleogels based on edible lipid materials. In *Current Opinion in Colloid and Interface*

- Science* (Vol. 16, Issue 5, pp. 432–439).  
<https://doi.org/10.1016/j.cocis.2011.05.005>
- Davidovich-Pinhas, M., Gravelle, A. J., Barbut, S., & Marangoni, A. G. (2015). Temperature effects on the gelation of ethylcellulose oleogels. *Food Hydrocolloids*, 46, 76–83. <https://doi.org/10.1016/j.foodhyd.2014.12.030>
- Demirkesen, I., & Mert, B. (2019). Utilization of Beeswax Oleogel-Shortening Mixtures in Gluten-Free Bakery Products. *JAACS, Journal of the American Oil Chemists' Society*, 96(5), 545–554. <https://doi.org/10.1002/aocs.12195>
- Departemen Kesehatan Republik Indonesia. (2014). *Farmakope Indonesia*, Edisi V, hal. 798. Jakarta: Departemen Kesehatan Republik Indonesia.
- Dietary Guidelines for Americans. (2015). *Dietary Guidelines for Americans 2015–2020, 8th Edition*. USA: Department of Health and Human Services and Department of Agriculture.
- Doan, C. D., Tavernier, I., Sintang, M. D. bin, Danthine, S., van de Walle, D., Rimaux, T., & Dewettinck, K. (2017). Crystallization and Gelation Behavior of Low- and High Melting Waxes in Rice Bran Oil: a Case-Study on Berry Wax and Sunflower Wax. *Food Biophysics*, 12(1), 97–108. <https://doi.org/10.1007/s11483-016-9467-y>
- Fata, G. L., Weber, P., & Mohajeri, M. H. (2014). Effects of vitamin e on cognitive performance during ageing and in alzheimer's disease. *Nutrients*, 6(12), 5453–5472.
- Fayaz, G., Calligaris, S., & Nicoli, M. C. (2020). Comparative Study on the Ability of Different Oleogelators to Structure Sunflower Oil. *Food Biophysics*, 15(1), 42–49. <https://doi.org/10.1007/s11483-019-09597-9>
- Fizman, S. M., Sanz, T., & Salvador, A. (2013). Instrumental assessment of the sensory quality of baked goods. In *Instrumental Assessment of Food Sensory Quality* (pp. 374–402). Elsevier. <https://doi.org/10.1533/9780857098856.3.374>
- Fratini, F., Cilia, G., Turchi, B., & Felicioli, A. (2016). Beeswax: A minireview of its antimicrobial activity and its application in medicine. In *Asian Pacific Journal of Tropical Medicine* (Vol. 9, Issue 9, pp. 839–843). Elsevier (Singapore) Pte Ltd. <https://doi.org/10.1016/j.apjtm.2016.07.003>
- Frolova, Y. v., Sobolev, R. v., Sarkisyan, V. A., & Kochetkova, A. A. (2021). Approaches to study the oxidative stability of oleogels. *IOP Conference Series: Earth and Environmental Science*, 677(3). <https://doi.org/10.1088/1755-1315/677/3/032045>
- Frye, A. M. and Setser, C. S. (1991). Optimising texture of reduced-calorie yellow layer cakes. *Cereal Chemistry*, 69(3), 338–343.
- González, A. G. & Herrador, M. A. (2007). A practical guide to analytical method validation, including measurement uncertainty and accuracy profiles. *Trends in Analytical Chemistry*, 26, 227–238. <https://doi.org/10.1016/j.trac.2007.01.009>
- Grebenteuch, S., Kanzler, C., Klaußnitzer, S., Kroh, L.W., Rohn, S. (2021). The formation of methyl ketones during lipid oxidation at elevated temperatures, *Molecules*, 26, 1104.

- Guo, Q., Li, T., Qu, Y., Wang, X., Liu, L., Liu, H., & Wang, Q. (2021). Action of phytosterols on thermally induced trans fatty acids in peanut oil. *Food Chemistry*, 344. <https://doi.org/10.1016/j.foodchem.2020.128637>
- Habi Mat Dian, N. L. (2018). Palm oil and palm kernel oil: Versatile ingredients for food applications. *Journal of Oil Palm Research*, 29(4), 487-511. doi:10.21894/jopr.2017.00014
- Hepburn, H. R., Pirk, C. W. W., & Duangphakdee, O. (2014). The Chemistry of Beeswax. In *Honeybee Nests* (pp. 319–339). Springer Berlin Heidelberg. [https://doi.org/10.1007/978-3-642-54328-9\\_16](https://doi.org/10.1007/978-3-642-54328-9_16)
- Hwang, H. S. (2020). A critical review on structures, health effects, oxidative stability, and sensory properties of oleogels. In *Biocatalysis and Agricultural Biotechnology*, 26. Elsevier Ltd. <https://doi.org/10.1016/j.bcab.2020.101657>
- Hwang, H. S., Phaner, M., Winkler-Moser, J. K., & Liu, S. X. (2018). Oxidation of Fish Oil Oleogels Formed by Natural Waxes in Comparison With Bulk Oil. *European Journal of Lipid Science and Technology*, 120(5). <https://doi.org/10.1002/ejlt.201700378>
- Hwang, H. S., Singh, M., & Lee, S. (2016). Properties of cookies made with natural wax-vegetable oil organogels. *Journal of Food Science*, 81, 1045-1054. doi:10.1111/1750-3841.13279
- Hwang, H. S., Singh, M., Winkler-Moser, J., Bakota, E. L., & Liu, S. X. (2014). Preparation of margarines from organogels of sunflower wax and vegetable oils. *Journal of Food Science*, 79, 1926-1932.
- Hwang, H. S., Singh, M., Bakota, E. L., Winkler-Moser, J. K., Kim, S., & Liu, S. X. (2013). Margarine from organogels of plant wax and soybean oil. *JAOCS, Journal of the American Oil Chemists' Society*, 90(11), 1705–1712. <https://doi.org/10.1007/s11746-013-2315-z>
- amaluddin, Raharjo, B., Hadiwiyoto, S. (1999). Penilaian Tekstur Tulang Bandeng Presto dengan Instrumen Instron dan Secara Organoleptik. *Agritech*, 19(1), 16–20. <https://doi.org/10.22146/agritech.22387>
- Kadhun, A. A. H., & Shamma, M. N. (2017). Edible lipids modification processes: A review. *Critical Reviews in Food Science and Nutrition*, 57(1), 48–58. <https://doi.org/10.1080/10408398.2013.848834>
- Kaemba, A., Suryanto, E., & Mamujaja, C. F. (2017). Karakteristik Fisiko-kimia dan Aktivitas Antioksidan Beras Analog dari Sagu Baruk (*Arenga microcarpha*) dan Ubi Jalar Ungu (*Ipomea batatas* L. Poiret). *Jurnal Ilmu dan Teknologi Pangan*, 5(1), 1-8.
- Kementrian Kesehatan RI. (2018). *Tabel Komposisi Pangan Indonesia*. Jakarta: Kementrian Kesehatan RI. ISBN 978-602-416-407-2
- Kouzounis, D., Lazaridou, A., & Katsanidis, E. (2017). Partial replacement of animal fat by oleogels structured with monoglycerides and phytosterols in frankfurter sausages. *Meat Science*, 130, 38–46. <https://doi.org/10.1016/j.meatsci.2017.04.004>

- Kumar, B. B., Kuldeep, B., Kumar, C. M., & nitesh, A. (2016). Effects of the peanut oil on blood lipid and blood pressure of healthy normolipidemic individuals. *Scholars Journal of Applied Medical Sciences*, 4(7), 2607–2611. <https://doi.org/10.21276/sjams.2016.4.7.65>
- Kutnesof, P. M., & Whitehouse, D. B. (2005). *Chemical and technical assessment 65th meeting of the Joint FAO/WHO Expert Committee on Food Additives (JECFA)*. Rome: Joint FAO/WHO Expert Committee on Food Additives.
- Lim, J., Hwang, H. S., & Lee, S. (2017). Oil-structuring characterization of natural waxes in canola oil oleogels: rheological, thermal, and oxidative properties. *Applied Biological Chemistry*, 60(1), 17–22. <https://doi.org/10.1007/s13765-016-0243-y>
- Lim, J., Jeong, S., Lee, J. H., Park, S., Lee, J., & Lee, S. (2017). Effect of shortening replacement with oleogels on the rheological and tomographic characteristics of aerated baked goods. *Journal of the Science of Food and Agriculture*, 97(11), 3727–3732. <https://doi.org/10.1002/jsfa.8235>
- Lim, J., Jeong, S., Oh, I. K., & Lee, S. (2017). Evaluation of soybean oil-carnauba wax oleogels as an alternative to high saturated fat frying media for instant fried noodles. *LWT - Food Science and Technology*, 84, 788–794. <https://doi.org/10.1016/j.lwt.2017.06.054>
- Lin, X., Wu, J., Zhu, R., Chen, P., Huang, G., Li, Y., Ye, N., Huang, B., Lai, Y., Zhang, H., Lin, W., Lin, J., Wang, Z., Zhang, H., & Ruan, R. (2012). California Almond Shelf Life: Lipid Deterioration During Storage. *Journal of Food Science*, 77(6). <https://doi.org/10.1111/j.1750-3841.2012.02706.x>
- Liu, K., Liu, Y., & Chen, F. (2019). Effect of storage temperature on lipid oxidation and changes in nutrient contents in peanuts. *Food Science and Nutrition*, 7(7), 2280–2290. <https://doi.org/10.1002/FSN3.1069>
- Liu, L., and Kong, F. (2021). Chapter 13 - Measuring chemical deterioration of foods in Chemical Changes During Processing and Storage of Foods: Implications for Food Quality and Human Health. Academic Press.
- Mamuaja, C. F. (2017). *Lipida*. Manado: Unsrat Press.
- Martins, A. J., Cerqueira, M. A., Cunha, R. L., & Vicente, A. A. (2017). Fortified beeswax oleogels: Effect of  $\beta$ -carotene on the gel structure and oxidative stability. *Food and Function*, 8(11), 4241–4250. <https://doi.org/10.1039/c7fo00953d>
- Martins, A. J., Vicente, A. A., Cunha, R. L., & Cerqueira, M. A. (2018). Edible oleogels: An opportunity for fat replacement in foods. *Food and Function*, 9(2), 758–773. Royal Society of Chemistry. <https://doi.org/10.1039/c7fo01641g>
- Meilgaard, M. C., Civille, G. V., & Carr, B. T. (2016). *Sensory Evaluation Techniques, 5th Edition*. Boca Raton: CRC Press.
- Mensink, R. P. (2016). *Effects of saturated fatty acids on serum lipids and lipoproteins: a systematic review and regression analysis*. Geneva, Switzerland: World Health Organization. Retrieved from <https://apps.who.int/iris/handle/10665/246104>

- Mizrahi, A., & Lensky, Y. (2013). *Bee Products: Properties, Applications, and Apitherapy*. New York: Springer.
- Moghtadaei, M., Soltanizadeh, N., & Goli, S. A. H. (2018). Production of sesame oil oleogels based on beeswax and application as partial substitutes of animal fat in beef burger. *Food Research International*, 108, 368–377. <https://doi.org/10.1016/j.foodres.2018.03.051>
- Mozuraityte, R., Kristinova, V., Standal, I. B., Carvajal, A. K., Aursand, M. (2016). Oxidative Stability and Shelf Life of Fish Oil. *Oxidative Stability and Shelf Life of Foods Containing Oils and Fats*. AOCS Press.
- Musiy, L.Y., Tsisaryk, O.Y. (2014). Oxidative stability of butter during storage. *Food Sci. Technol.* 4, 41-47.
- Nacak, B., Öztürk-Kerimoğlu, B., Yıldız, D., Çağındı, Ö., & Serdaroğlu, M. (2021). Peanut and linseed oil emulsion gels as potential fat replacer in emulsified sausages. *Meat Science*, 176. <https://doi.org/10.1016/j.meatsci.2021.108464>
- Nayak, P. K., Dash, U., Rayaguru, K., & Krishnan, K. R. (2016). Physio-chemical changes during repeated frying of cooked oil: A review. *Journal of Food Biochemistry*, 40(3), 371–390. Blackwell Publishing Ltd. <https://doi.org/10.1111/jfbc.12215>
- Nielson, S. S. (1994). *Introduction to the chemical analysis of foods*. New York: Chapman and Hall.
- Nurrahmah, S. (2018). *Pengaruh Penggunaan Jenis Lemak Berbeda terhadap Kualitas Cream Puff*. Jakarta: Fakultas Teknik Universitas Negeri Jakarta.
- O'Brien, R. D., Oswell, N. J., & Pegg, R. B. (2020). *Shortenings: Types and Formulations*. USA: John Wiley & Sons, Ltd.
- O'Brien, R. D. (2008). *Fats and Oils: Formulating and Processing for Applications, 3rd Edition*. USA, Boca Raton: CRC Press.
- Odom, W., & Edusei, V. O. (2015). Evaluation of saponification value, iodine value and insoluble impurities in coconut oils from jomoro district in the western region of Ghana. *Asian Journal of Agriculture and Food Sciences*, 3(5), 494-499.
- Öğütçü, M., & Yilmaz, E. (2014). Oleogels of virgin olive oil with carnauba wax and monoglyceride as spreadable products. *Grasas y Aceites*, 65(3). <https://doi.org/10.3989/gya.0349141>
- Oh, I. K., Amoah, C., Lim, J., Jeong, S., & Lee, S. (2017). Assessing the effectiveness of wax-based sunflower oil oleogels in cakes as a shortening replacer. *LWT*, 86, 430–437. <https://doi.org/10.1016/j.lwt.2017.08.021>
- Palla, C., Giacomozzi, A., Genovese, D. B., & Carrín, M. E. (2017). Multi-objective optimization of high oleic sunflower oil and monoglycerides oleogels: Searching for rheological and textural properties similar to margarine. *Food Structure*, 12, 1–14. <https://doi.org/10.1016/j.foostr.2017.02.005>
- Pandolsook, S., & Kupongsak, S. (2017). Influence of bleached rice bran wax on the physicochemical properties of organogels and water-in-oil emulsions. *Journal*

- of *Food Engineering*, 214, 182–192.  
<https://doi.org/10.1016/j.jfoodeng.2017.06.030>
- Pane, A. M. (2014). *Pengaruh Penambahan Antioksidan BHA (Butylated Hydroxyanisole) terhadap Bilangan Peroksida Sampel RBD Olein (Refined Bleached Deodorized Olein)*. Medan: FMIPA Universitas Sumatera Utara.
- Papadaki, A., Kopsahelis, N., Freire, D. M. G., Mandala, I., & Koutinas, A. A. (2020). Olive oil oleogel formulation using wax esters derived from soybean fatty acid distillate. *Biomolecules*, 10(1). <https://doi.org/10.3390/biom10010106>
- Patel, A. R., Rajarethinam, P. S., Grędowska, A., Turhan, O., Lesaffer, A., de Vos, W. H., van de Walle, D., & Dewettinck, K. (2014). Edible applications of shellac oleogels: Spreads, chocolate paste and cakes. *Food and Function*, 5(4), 645–652. <https://doi.org/10.1039/c4fo00034j>
- Patel, A. R., Schatteman, D., de Vos, W. H., Lesaffer, A., & Dewettinck, K. (2013). Preparation and rheological characterization of shellac oleogels and oleogel-based emulsions. *Journal of Colloid and Interface Science*, 411, 114–121. <https://doi.org/10.1016/J.JCIS.2013.08.039>
- Pehlivanoglu, H., Ozulku, G., Yildirim, R. M., Demirci, M., Toker, O. S., & Sagdic, O. (2018). Investigating the usage of unsaturated fatty acid-rich and low-calorie oleogels as a shortening mimetics in cake. *Journal of Food Processing and Preservation*, 42(6). <https://doi.org/10.1111/jfpp.13621>
- Pérez-Monteroza, E. J., Márquez-Cardozo, C. J., & Ciro-Velásquez, H. J. (2014). Rheological behavior of avocado (*Persea americana* Mill, cv. Hass) oleogels considering the combined effect of structuring agents. *LWT - Food Science and Technology*, 59(2P1), 673–679. <https://doi.org/10.1016/j.lwt.2014.07.020>
- Prastiyawati, A. (2021). *Pengaruh Konsentrasi Gelator Beeswax dan Monoacylglycerol serta Butter Replacement dengan Oleogel Minyak Sawit Merah terhadap Karakteristik Fisik dan Kimia Selai Cokelat*. Yogyakarta: Fakultas Teknologi Pertanian Universitas Gadjah Mada.
- Purwanti, E. C., & Pangesthi, L. T. (2014). Pengaruh Jumlah Shortening terhadap Mutu Organoleptik "Cheese Straw" Talas (*Colocasia Esculenta*). *e-jurnal boga*, 3(1), 213-220.
- Putra, Ray Andhika. (2012). Hidrogenasi Minyak Jarak dengan Menggunakan Katalis Nikel/Zeolit Alam pada Tekanan Rendah Untuk Pembuatan Asam 12-Hidroksistearat. *Skripsi*. Jakarta: Fakultas Teknik Universitas Indonesia.
- Raharjo, S. (2018). *Kerusakan Oksidatif pada Makanan*. Yogyakarta: Gadjah Mada University Press.
- Rahmawati, Yuniarti Dewi. 2021. Pengaruh Penambahan Antioksidan Simplisia Kunyit Terhadap Angka Peroksida Minyak kacang tanah Tanah. *Eksergi*, 18(2), 56- 59. ISSN: 1410-394X
- Rahmianna, A.A. dan Ginting, E. (2012). Kacang Tanah: SUMBER Pangan Sehat dan Menyehatkan. *Agroinovasi*, 21-27(3449), 2-3.
- Renzyaeva, T. V. (2013). On the role of fats in baked flour goods. *Foods and Raw materials*, 19-25.

- Roshni, Anjali. (2019). Comparison of chemical characterises of crude and refined edible vegetable oils. *AIP Conference Proceedings*, **2142**, 060012. <https://doi.org/10.1063/1.5122391>
- Rosmisari, A. (2006). Review: Tepung Jagung Komposit, Pembuatan dan Pengolahannya. *Prosiding Seminar Nasional Teknologi Inovatif Pascapanen Pengembangan Pertanian*. Bogor: BPPT.
- Roy, A., Ahamed, L. M., Dayal Prasad Babu, J., Amaravathi, Y., Viswanath, K., & Sreekanth, B. (2021). Correlation and Path Coefficient Analysis in Groundnut (*Arachis hypogaea* L.). *Biological Forum-An International Journal*, *13*(1), 708.
- Saghafi, Z., Naeli, M. H., Bahmaei, M., Tabibiazar, M., & Zargaraan, A. (2019). Zero-trans cake shortening: effects on batter, texture and sensory characteristics of high ratio cake. *Journal of Food Measurement and Characterization*, *13*(4), 3040–3048. <https://doi.org/10.1007/s11694-019-00226-0>
- Scharfe, M., & Flöter, E. (2020). Oleogelation: From Scientific Feasibility to Applicability in Food Products. In *European Journal of Lipid Science and Technology* (Vol. 122, Issue 12). Wiley-VCH Verlag. <https://doi.org/10.1002/ejlt.202000213>
- Science Lab. (2013). *Material Safety Data Sheet Beeswax MSDS*. Texas: Chemical & Laboratory Equipment.
- Shasidhar, Y., Vishwakarma, M. K., Pandey, M. K., Janila, P., Variath, M. T., Manohar, S. S., Nigam, S. N., Guo, B., & Varshney, R. K. (2017). Molecular mapping of oil content and fatty acids using dense genetic maps in groundnut (*Arachis hypogaea* L.). *Frontiers in Plant Science*, *8*. <https://doi.org/10.3389/fpls.2017.00794>
- Silva Lannes, S. C. da, & Maria, R. (2013). Structuring Fat Foods. In *Food Industry*. InTech. <https://doi.org/10.5772/53369>
- Sloan, A. E. (2015). The Top Ten Food Trends. *Food Tecnology Magazine*, *69*(4).
- Stortz, T. A., Zetzl, A. K., Barbut, S., Cattaruzza, A., & Marangoni, A. G. (2012). Edible oleogels in food products to help maximize health benefits and improve nutritional profiles. *Lipid Technology*, *24*(7), 151–154. <https://doi.org/10.1002/lite.201200205>
- Suryani, E., Susanto, W.H., dan Novita W. 2016. Karakteristik Fisik Kimia Minyak kacang tanah Tanah (*Arachis hypogaea*) Hasil Pemucatan (Kajian Kombinasi Adsorben dan Waktu Proses). *Jurnal Pangan dan Agroindustri*, *4*(1), 120-126.
- Sutrisno, A. D., Ikrawan, Y., Permatasari, N. (2018). Karakteristik coklat *filling* Kacang Mete yang Dipengaruhi Jenis dan Jumlah Lemak Nabati. *Pasundan Food Technology Journal*, *5*(2), 91-101.
- Szymańska, I., Żbikowska, A., Kowalska, M., & Golec, K. (2021). Application of oleogel and conventional fats for ultrasound-assisted obtaining of vegan creams. *Journal of Oleo Science*, *70*(10), 1495–1507. <https://doi.org/10.5650/jos.ess21126>

- Tanasescu, M., Cho, E., Manson, J. E., & Hu, F. B. (2004). Dietary fat and cholesterol and the risk of cardiovascular disease among women with type 2 diabetes. *American Journal of Clinical Nutrition*, 79(6), 999-1005.
- Tanti, R., Barbut, S., & Marangoni, A. G. (2016). Oil stabilization of natural peanut butter using food grade polymers. *Food Hydrocolloids*, 61, 399–408. <https://doi.org/10.1016/j.foodhyd.2016.05.034>
- Tarladgis, B.G., Watts, B.M., dan Younathan, M.T. (1960). A distillation method for the quantitative determination of malonaldehyde in rancid foods. *J Am Oil Chem Soc*, 37, 44–48. <https://doi.org/10.1007/BF02630824>
- Tavernier, I., Doan, C. D., van de Walle, D., Danthine, S., Rimaux, T., & Dewettinck, K. (2017). Sequential crystallization of high and low melting waxes to improve oil structuring in wax-based oleogels. *RSC Advances*, 7(20), 12113–12125. <https://doi.org/10.1039/c6ra27650d>
- Temkov, M., & Mureşan, V. (2021). Tailoring the structure of lipids, oleogels and fat replacers by different approaches for solving the trans-fat issue—a review. In *Foods* (Vol. 10, Issue 6). MDPI AG. <https://doi.org/10.3390/foods10061376>
- Thakur, D., Singh, A., Prabhakar, P. K., Meghwal, M., & Upadhyay, A. (2022). Optimization and characterization of soybean oil-carnauba wax oleogel. *LWT*, 157. <https://doi.org/10.1016/j.lwt.2022.113108>
- Toro-Vazquez, J. F., Charó-Alonso, M. A., & Alvarez-Mitre, M. (2018). Gelation Properties of Gelator Molecules Derived from 12-Hydroxystearic Acid. In A. R. Patel, *Edible Oil Structuring: Concepts, Methods and Applications* (p. 107). London: The Royal Society of Chemistry.
- Trirahayu, D. A. dan Santoso, B. (2019). Pengaruh Gelling Agent terhadap Pembentukan Oleogel Berbasis Canola Oil. *Jurnal Fluida*, 12, 78 – 83.
- Ulfa, V. R., Subagio, H. W., & Nuryanto. (2017). Gambaran Konsumsi Asam Lemak Trans di Pedesaan. *Journal of Nutrition College*, 6, 210-218.
- Valoppi, F., Calligaris, S., & Marangoni, A. G. (2016). Structure and physical properties of oleogels containing peanut oil and saturated fatty alcohols. *European Journal of Lipid Science and Technology*, 119(5). <https://doi.org/10.1002/ejlt.201600252>
- Vintiloiu, A., & Leroux, J. C. (2008). Organogels and their use in drug delivery—a review. *Journal of Controlled Release*, 125, 179-192.
- Wang, M. L., Khera, P., Pandey, M. K., Wang, H., Qiao, L., Feng, S., Tonnis, B., Barkley, N. A., Pinnow, D., Holbrook, C. C., Culbreath, A. K., Varshney, R. K., & Guo, B. (2015). Genetic mapping of QTLs controlling fatty acids provided insights into the genetic control of fatty acid synthesis pathway in peanut (*Arachis hypogaea* L.). *PLoS ONE*, 10(4). <https://doi.org/10.1371/journal.pone.0119454>
- Winkler-Moser, J. K., Anderson, J., Byars, J. A., Singh, M., & Hwang, H. S. (2019). Evaluation of Beeswax, Candelilla Wax, Rice Bran Wax, and Sunflower Wax as Alternative Stabilizers for Peanut Butter. *JAOCs, Journal of the American Oil Chemists' Society*, 96(11), 1235–1248. <https://doi.org/10.1002/aocs.12276>

- World Health Organization. (2015). *Eliminating trans fats in Europe: A policy brief*. Copenhagen: World Health Organization.
- Yeniza dan Asmara, A. P. Penentuan Bilangan Peroksida Minyak RBD (Refined Bleached Deodorized) Olein PT. PHPO dengan Metode Titrasi Iodometri. *AMINA*, 1(2), 79-83.
- Yılmaz, E., & Ögütçü, M. (2014). Properties and stability of hazelnut oil organogels with beeswax and monoglyceride. *JAOCs, Journal of the American Oil Chemists' Society*, 91(6), 1007–1017. <https://doi.org/10.1007/s11746-014-2434-1>
- Yılmaz, E., & Ögütçü, M. (2015). The texture, sensory properties and stability of cookies prepared with wax oleogels. *Food and Function*, 6(4), 1194–1204. <https://doi.org/10.1039/c5fo00019j>
- Yılmaz, E., Ögütçü, M., & Yüceer, Y. K. (2015). Physical Properties, Volatiles Compositions and Sensory Descriptions of the Aromatized Hazelnut Oil-Wax Organogels. *Journal of Food Science*, 80(9), 2035–2044. <https://doi.org/10.1111/1750-3841.12992>
- Yılmaz, F., & Dagdemir, E. (2012). The effects of beeswax coating on quality of Kashar cheese during ripening. *International Journal of Food Science and Technology*, 47(12), 2582–2589. <https://doi.org/10.1111/j.1365-2621.2012.03137.x>
- Yulifianti, R., Santosa, B. S., & Widowati, S. (2015). Teknologi Pengolahan dan Produk Olahan Kacang Tanah. *Monograf Balitkabi*, 13, 376-393.
- Zhang, D., Li, X., Cao, Y., Wang, C., & Xue, Y. (2020). Effect of roasting on the chemical components of peanut oil. *LWT*, 125. <https://doi.org/10.1016/j.lwt.2020.109249>
- Zhang, T., Guan, E., Yang, Y., Zhang, L., Liu, Y., & Bian, K. (2022). Underlying mechanism governing the influence of peanut oil addition on wheat dough viscoelasticity and Chinese steamed bread quality. *LWT*, 156. <https://doi.org/10.1016/j.lwt.2021.113007>