

## DAFTAR PUSTAKA

- Asian Development Bank. (2016). *Indonesia: Contry Water Assessment*. Filipina: Asian Development Bank.
- Baboo, S. S. & Devi, M. R. (2010). An analysis of different resampling methods in Coimbatore District. *Global Journal of Computer Science and Technology*, 61-66.
- Bemmelen, R. W. (1949). *The Geology of Indonesia Volume 1 A*. Belanda: Goverment Printing Office.
- Bernhardsen, T. (2002). *Geographic Information Systems: An Introduction*. New York: John Wiley and Sons, Inc.
- BNPB. (2015). *Kajian Risiko Bencana Jawa Tengah 2016-2020*. Jakarta: BNPB.
- Carty, D. M., *et al.* (2015). Predicting and Correlating the Strength Properties of Wood Composite Process Parameters by Use of Boosted Regression Tree Models. *Forest Products Journal*, 65(7), 365-371. doi:doi:10.13073/FPJ-D-12-00085
- Castellarian, A., *et al.* (2018). Prediction of Streamflow Regimes Over Large Geographical Areas: Interpolated Flow-Duration Curves for the Danube Region. *Hydrological Sciences Journal*, 63(6), 1-17. doi:doi:10.1080/02626667.2018.1445855
- Chaussard, E., Milillo, P., Burgmann, R., Perissin, D., & Fielding, E. J. (2017). Remote Sensing of Ground Deformation for Monitoring Groundwater Management Practices: Application to the Santa Clara Valley During the 2012-2015 California Drought. *Journal of Geophysical Research: Solid Earth*, 122(10), 8566-8582. doi:<https://doi.org/10.1002/2017JB014676>
- Chen, S., Wen, Z., Jiang, H., Zhao, Q., Zhang, X., & Chen, Y. (2015). Temperature Vegetation Dryness Index Estimation of Soil Moisture Under Different Species. *Sustainability*, 7, 11401-11417. doi:doi:10.3390/su70911401
- Danoedoro, P. (2012). *Pengantar Penginderaan Jauh Digital*. Yogyakarta: Penerbit ANDI.
- Didan, K., Munoz, A. B., Solano, R., & Huete, A. (2015). *MODIS Vegetation Index User's Guide (MOD13 Series)*. Arizona: The University of Arizona.
- Elith, J., Leathwick, J. R., & Hastie, T. (2008). A Working Guide to Boosted Regression Trees. *Journal of Animal Ecology*, 802-813.
- Kementerian ESDM. (2020, Desember 2). Studi Badan Geologi: Ada Indikasi Amblesan Tanah di Pantura Jawa Tengah. Jakarta Pusat, DKI Jakarta, Indonesia.

- Fadholi, A., & Adzani, R. (2018). Analisis Frekuensi Curah Hujan Ekstrem Kepulauan Bangka Belitung Berbasis Data Climate Hazards Group Infrared Precipitation With Station (CHIRPS). *Jurnal Pendidikan Geografi*, 22-32.
- Febrianti, N., Murti Laksono, K., & Barus, B. (2018). Analisis Model Estimasi Tinggi Muka Air Tanah Menggunakan Indeks Kekeringan. *Jurnal Penginderaan Jauh dan Pengolahan Data Citra Digital*, 15(1), 25-36. doi:<http://dx.doi.org/10.30536/j.pjpdcd.2018.v15.a2867>
- Funk, C., Peter, P., Landsfeld, M., Pedreros, D., & Verdin, J. (2015). The climate hazards infrared precipitation with stations—a new environmental record for monitoring extremes. *Nature*, 1-21.
- Gaur, A., & Simonovic, S. P. (2019). Introduction to Physical Scaling: A Model Aimed to Bridge the Gap Between Statistical and Dynamic Downscaling Approaches. In R. Tegavarapu, *Trends and Changes in Hydroclimatic Variables* (pp. 199-273). Amsterdam: Elsevier Inc.
- Goodchild, M. F. (2009). *International Encyclopedia of Human Geography*. Amsterdam: Elsevier.
- Gorsel, J. T. (2018, July 1). *Bibliography of the Geology of Indonesia and Surrounding Areas*. Retrieved from Bibliography of Indonesia Geology: [vangorselslist.com](http://vangorselslist.com)
- Gu, X., Xiao, Y., Yin, S., Shao, J., Pan, X., Niu, Y., & Huang, J. (2017). Groundwater Level Response to Hydrogeological Factors in A Semi-arid Basin of Beijing, China. *Journal of Water Supply: Research and Technology AQUA*, 66(4), 266-278.
- Gumindoga, W., Rientjes, T. H., Haile, A. T., & Makurira, H. (2019). Performance Of Bias-Correction Schemes For CMORPH Rainfall Estimates In The Zambezi River Basin. *Hydrology and Earth System Sciences*, 23(7), 2916-2938. doi:<https://doi.org/10.5194/hess-23-2915-2019>
- Han, J. N., Tangdamrongsub, C., Hwang, & Abidin, H. Z. (2017). Intensified Water Loss by Biomass Burning in Kalimantan: Detection by GRACE. *Journal of Geophysical Research: Solid Earth*, 122, 1-22. doi:[doi:10.1002/2017JB014129](https://doi.org/10.1002/2017JB014129)
- Inglezakis, V. J., Pouloupoulos, S. G., Arkhangelsky, E., Zorpas, A. A., & Menegaki, A. N. (2016). *Environmental and Development Basic Principles, Human Activities, and Environmental Implications*. Amsterdam: Elsevier.

- JAXA. (2006). *ASMR-E Data Users Handbook (4<sup>th</sup> Edition)*. Tokyo: Japan Aerospace Exploration Agency.
- Kalhor, K., Ghasemizadeh, R., Rajic, L., & Alshawabkeh, A. (2019). Assessment of Groundwater Quality and Remediation in Karst Aquifer: A Review. *Groundwater for Sustainable Development*, 8, 104-121.
- Keputusan Presiden Nomor 26 Tahun 2011 Tentang Penetapan Cekungan Airtanah.
- Kodoatie, R. J. (2012). *Tata Ruang Air Tanah*. Yogyakarta: Penerbit Andi.
- Laksono, A., Saputri, A. A., Pratiwi, C. I., Arkan, M. Z., & Putri, R. F. (2020). Vegetation Cover Changes and its Impact on Barchan Dune Morphology in Parangtritis Coast, Indonesia. *E3S Web of Conferences*. 200, pp. 1-6. Yogyakarta: EDP Sciences. doi:<https://doi.org/10.1051/e3sconf/202020002026>
- Lenderink, G., Buishand, A., & Deursen, W. V. (2007). Estimates of Future Discharges of the River Rhine Using Two Scenario Methodologies: Direct Versus Delta Approach. *Hydrology and Earth System Sciences*, 11(3), 1145-1159.
- Liang, S. (2004). *Quantitative Remote Sensing of Land Surface*. New York: John Willey & Sons, Inc.
- Lillesand, T., Kiefer, R., & Chipman, J. (2015). *Remote Sensing and Image Interpretation*. New York: John Wiley & Sons.
- Liu, J., Yuan, D., Zhang, L., Zou, X., & Song, X. (2016). Comparison of Three Statistical Downscaling Methods and Ensemble Downscaling Method Based on Bayesian Model Averaging in Upper Hanjiang River Basin, China. *Hindawi*, 1-13.
- Masood, A., *et al.* (2022). An Overview of Groundwater Monitoring through Point-to Satellite-Based Techniques. *Water*, 14(565), 1-21. doi:<https://doi.org/10.3390/w14040565>
- Meyer, T. (2012). Root Mean Square Error Compared to, and Constructed with, Standard Deviation. *Surveying and Land Information Science*, 72(3), 107-108.
- Milewski, A. M., Thomas, M. B., Seyoum, W. M., & Rasmussen, T. C. (2019). Spatial Downscaling of GRACE TWSA Data to Identify Spatiotemporal Groundwater Level Trends in the Upper Floridan Aquifer, Georgia, USA. *Remote Sensing*, 1-20.
- Mishra, R. K., & Dubey, S. C. (2015). Fresh Water Availability and It's Global Challenge. *International Journal of Engineering Science Invention Research & Development*, 2(6), 351-407.

- Nolan, B. T., Fienen, M. N., & L, L. D. (2015). A statistical learning framework for groundwater nitrate models of the Central Valley, California, USA. *Journal of Hydrology*, 902-911.
- Parkinson, C. L., & Greenstone, R. (2000). *EOS Data Products Handbook* (Vol. II). Maryland: NASA.
- Parwati, & Suwarsono. (2008). Model Indeks TVDI (Temperature Vegetation Dryness Index) untuk Mendeteksi Kekeringan Lahan Berdasarkan Data MODIS-Terra. *Jurnal Penginderaan Jauh*, 5, 35-44.
- Peraturan Menteri Energi dan Sumber Daya Mineral Nomor 31 Tahun 2018 tentang Pedoman Penetapan Zona Konservasi Air Tanah
- Pratama, I. G., Karang, I. W., & Suteja, Y. (2019). Distribusi Spasial Kerapatan Mangrove Menggunakan Citra Sentinel-2A di Tahura Ngrah Rai Bali. *Journal of Marine and Aquatic Science*, 5(2), 192-202. doi:<https://doi.org/10.24843/jmas.2019.v05.j02.p05>
- Saha, A., Patil, M., Goyal, V. C., & S, R. D. (2019). Assesment and Impact of Soil Moisture Index in Agricultural Drought Estimation Using Remote Sensing and GIS Techniques. *Proceedings*, 7(2), 1-8. doi:[doi:10.3390/ECWS-3-05802](https://doi.org/10.3390/ECWS-3-05802)
- Salkind, N. J. (2010). *Encyclopedia of Research Design Predictor Variable*. New York: Sage Research Method.
- Save, H. (2020, December 3). *CSR GRACE and GRACE-FO RL06 Mascon Solutions v02*. Retrieved from CSR Universty of Texas: [http://www2.csr.utexas.edu/grace/RL06\\_mascons.html](http://www2.csr.utexas.edu/grace/RL06_mascons.html)
- Seeyan, S., Merkel, B., & Abo, R. (2014). Investigation of the Relationship Between Groundwater Level Fluctuation and Vegetation Cover by Using NDVI for Shaqlawa Basin, Kurdistan Region, Iraq. *Journal of Geography and Geology*, 6(3), 187-202. doi:[http://dx.doi.org/10.5539/jgg.v6n3p187](https://dx.doi.org/10.5539/jgg.v6n3p187)
- Seyoum, W. M., Kwon, D., & Milewski, A. M. (2019). Downscaling GRACE TWSA Data into High-Resolution Groundwater Level Anomaly Using Machine Learning-Based Models in a Glacial Aquifer System. *Remote Sensing*, 1-23.
- Shamsudduha, M. (2018, Mei 15). Monitoring Groundwater Storage Changes From Gravity Recovery and Climate Experiment (GRACE) Satellites. Rome, Rome, Italy.
- Sharma, V., Sharma, M., Pandita, S., J, K., & N, S. (2021). Application of Geographic Information System and Remote Sensing in Heavy Assessment. In V. S. Kumar, *Heavy*

- Metals in the Environment: Impact, Assessment, and Remediation* (pp. 191-204). Amsterdam: Elsevier Inc. doi:<https://doi.org/10.1016/B978-0-12-821656-9.00011-0>
- Shi, S., Yao, F., Zhang, J., & Yang, S. (2020). Evaluation of Temperature Vegetation Dryness Index on Drought Monitoring Over Eurasia. *IEEE Access*, 8, 30050-30059. doi:10.1109/ACCESS.2020.2972271
- Sridhar, V., Ali, S. A., & Lakshmi, V. (2019). Assessment and validation of total water storage in the Chesapeake Bay watershed using GRACE. *Journal of Hydrology*, 1-16.
- Steitz, D., O'Donnell, F., Buis, A., Chandler, L., Baguio, M., & Weber, V. (2020, Desember 8). *Grace Launc.* Retrieved from JPL NASA: [https://www.jpl.nasa.gov/news/press\\_kits/gracelaunch.pdf](https://www.jpl.nasa.gov/news/press_kits/gracelaunch.pdf)
- SUHET. (2013). *Sentinel-2 User Handbook*. Paris: ESA.
- Tapley, B. D., Bettadpur, S., Watkins, M., & Reigber, C. (2004). The gravity recovery and climate experiment: Mission overview and early results. *Geophysical Research Letters*, 1-4.
- Todd, D. K., & Mays, L. W. (2005). *Groundwater Hydrology*. United States: John Wiley & Sons.
- Undang-Undang Nomor 17 Tahun 2019 Tentang Sumber Daya Air.
- USGS. (2018, Februari 19). *Siklus Air.* Retrieved from USGS: <https://www.usgs.gov/media/images/siklus-air-water-cycle-bahasa>
- Wan, Z. (2013). *Collection-6 MODIS Land Surface Temperature Products Users Guide*. Santa Barbara: University of California.
- Wan, Z., & Dozier, J. (1996). A generalized split-window algorithm for retrieving landsurface temperature from space. *Remote Sensing*, 892-905.
- Xie, Y., Zhang, W., & Qu, J. J. (2017). Detection of Asian Dust Storm Using MODIS Measurement. *Remote Sensing*, 9(8), 869. doi:<https://doi.org/10.3390/rs9080869>
- Yang, Y., & Lou, Y. (2014). Evaluating the performance of remote sensing precipitation products CMORPH, PERSIANN, and TMPA, in the arid region Northwest China. *Theoretical and Applied Climatology*, 429-445.
- Yin, W., Hu, L., & Jiao, J. J. (2017). Evaluation of Groundwater Storage Variations in Northern China Using GRACE Data. *Geofluids*, 1-13. doi:<https://doi.org/10.1155/2017/8254824>



UNIVERSITAS  
GADJAH MADA

**Downscaling Citra GRACE untuk Analisis Perubahan Tinggi Muka Airtanah Tahun 2020, Studi Kasus Provinsi Jawa Tengah**

ESKA HANIFAH, Wirastuti Widyatmanti, S.Si., Ph.D.

Universitas Gadjah Mada, 2022 | Diunduh dari <http://etd.repository.ugm.ac.id/>

Yu, C., Kamboj, S., Wang, C., & Cheng, J. J. (2015). *Data Collection Handbook to Support Modeling Impacts of Radioactive Material in Soil and Building Structure*. Illinois: Argonne National Laboratory. doi:<https://doi.org/10.2172/1224969>