

## DAFTAR PUSTAKA

- Adebowale, K., Afolabi, T. & Olu-Owolabi, B., 2006. Functional, physicochemical and retrogradation properties of sword bean (*Canavalia gladiata*) acetylated and oxidized starches.. *Carbohydr. Polym*, pp. 93-101.
- Agrotek, 2019. *agrotek.id*. [Online] Available at: <https://agrotek.id> [Diakses 21 Januari 2022].
- Akuba, R. H., 2004. *Profil Aren*. Tondano, Balai Penelitian Tanaman Kelapa dan Palma Lain, pp. 1-9.
- Alam, N., 2006. Potensi Batang Aren sebagai Sumber Pati untuk Instat Starch Noodle. *Jurnal Agroland*, pp. 121-128.
- Alam, N. & Saleh, M. S., 2009. Karakteristik Pati dari Batang Pohon Aren pada berbagai Fase Pertumbuhan. *Jurnal Agroland*, pp. 199-205.
- Annison, G., Illman, R. & Topping, D., 2003. Acetylated, propionylated or butyrylated starches raise large bowel short chain fatty acids preferentially when fed to rats. *J. Nutr.*, Volume 133, pp. 3523-3528.
- AOAC, 1995. *Official Method of Analysis*. Washington DC: Association of Official Chemist.
- Apriyantno, A., D. Fardiaz, N. L. P., Sedarnawati & Budiyo, S., 1989. *Buku Petunjuk Praktikum : Analisis Pangan*. Bogor: IPB Press.
- Ashenhurst, J., 2020. *Infrared Spectroscopy: A Quick Primer On Interpreting Spectra*. [Online] Available at: [https://www.masterorganicchemistry.com/2016/11/23/quick\\_analysis\\_of\\_ir\\_spectra/](https://www.masterorganicchemistry.com/2016/11/23/quick_analysis_of_ir_spectra/) [Diakses 18 Februari 2022].
- Ashogborn, A. O., 2021. Dual modification of various starches: Synthesis, properties and applications. *Food Chemistry*, Volume 342.

- Atwell, W. et al., 1988. The Terminology and Methodology associated with Basic Starch Phenomena. *Cereal Food*, Volume 33, pp. 306-311.
- Awokoya, K. N. et al., 2020. Impact of microwave irradiation energy levels on molecular rotation, structural, physicochemical, proximate and functional properties of potato (*Ipomea batatas*) starch. *Ghana J. Sci.*, 61(2), pp. 57-72.
- Azzahra, S. F., 2019. Modifikasi Pati garut (*Maranta Arundinacea*) dengan Metode Asetilasi-Oksidasi dan Aplikasinya sebagai Pengganti Gelatin pada Marshmallow Cream. *Indonesian Journal of Materials Chemistry*, Volume 2, pp. 31-34.
- Baker, R., Wong, H. & Robbins, K., 1994. *Fundamental of new foodproducts developmen*. Amsterdam: Elsevier Science.
- Balet, S., Guelpa, A., Fox, G. & Manley, M., 2019. Rapid Visco Analyzer (RVA) as a tool for measuring starch-related physicochemical properties in cereals: a review. *Food Anal. Methods*, Volume 12, pp. 2344-2360.
- Balet, S., Guelpa, A., Fox, G. & Manley, M., 2019. Rapid Visco Analyzer (RVA) as a Tool for Measuring Starch-Related Physicochemical Properties in Cereals: A Review. *Food Analytical Methods*, Volume 12, pp. 2344-2360.
- Batey, I. L., 2007. Interpretation of RVA curves. Dalam: AS, penyunt. *The RVA Handbook*. St. Paul: AACC International, pp. 19-31.
- BeMiller, J. & Whistler, R., 1984. *Starch: Chemistry and Technology*. 3rd penyunt. Burlington (UK): Academic Press.
- BeMiller & N., J., 2018. Physical Modification of Starch. Dalam: *Starch in Food*. s.l.:Woodhead Publishing, pp. 223-253.

- Bentacur, A. & Chel, G., 1997. Acid hydrolysis and characterization of *Canavalia ensiformis* starch. *Journal of Agricultural and Food Chemistri*, Volume 45, pp. 4237-4241.
- Bhosale, R. & Singhal, R., 2006. Process optimization for the synthesis of octenyl succinyl derivative of waxy corn and amaranth starches. *Carbohydr. Polym.*, Volume 66, pp. 521-527.
- Biswas, A., Shorgen, R., Kim, S. & Willet, J., 2006. Rapid preparation of starch maleate half-esters. *Carbohidrate Polymers*, Volume 64, pp. 484-487.
- Boye, J., Aksay, S. & Roufik, S., 2010. Comparison of the Functional Properties of Pea, Chickpea and Lentil Protein Concentration Processed using ultrafiltration and Isoelectric Precipitation Techniques. *Food Res, Int*, Volume 43, pp. 537-546.
- Brasoveanu, M. & Nemtanu, M. R., 2013. Behavior of starch exposed to microwave radiation treatment. *Starch*, pp. 1-12.
- Brounz, F., Kettlitz, B. & Arrigoni, E., 2002. Resistant starch and the butyrate revolution. *Trends Food Sci. Technol.*, Volume 13, pp. 251-261.
- Budijanto, S. & Yuliyanti, 2012. Studi Persiapan Tepung Sorgum (*Shorgum bicolor* L. Moench) dan Aplikasinya pada Pembuatan Beras Analog. *Jurnal Teknologi Pertanian*, 13(3), pp. 177-186.
- Caullet, C. & Nôtre, J. L., 2015. Vegetable Oil Biorefineries,. Dalam: A. Pandey, et al. penyunt. *Industrial Biorefineries & White Biotechnology*. s.l.:Elsevier, pp. 247-270.
- Cereda, M., Vilpoux, O. & Demiate, I., 2003. Modified Starch. Dalam: *Book Technology, use and potentialities of Latin America Starchy Tubers*. Brazil: CPC International, Milho.
- Chang, R. et al., 2021. Ultrasound assisted annealing production of resistant starches type 3 from fractionated debranched starch: Structural

characterization and in-vitro digestibility. *Food Hydrocolloids*, Volume 110.

Clark, J., 2002. *Factor influencing rate of reaction*. [Online]  
Available at: <http://>  
[Diakses 4 Feburari 2022].

Clark, J., 2002. *Factors Influencing Rate of Reaction*. [Online]  
Available at: <http://www.chemguide.co.uk/>  
[Diakses 11 Februari 2022].

Collado, L., Mabesa, L., G., O. C. & Corse, H., 2001. Bihon-Type Noodles from Heat Moisture Treated Sweet Potato Starch. *Journal of Food Science*, 66(4), pp. 604-609.

Collado, L., Mabesa, L., Oates, C. & Corke, H., 2001. Bihon-Types Noodles from Heat Moisture Treated Sweetpotato Starch. *Journal of Food Science*, 66(4), pp. 604-609.

Collusi, R. et al., 2017. Acetylated rice starches films with different level of amylose: mechanical, water vapor barrier, thermal, and biodegradability properties. *Food Chemistries*, Volume 221, pp. 1614-1620.

Colussi, R. et al., 2020. modifikasi ganda dapat secara signifikan mengubah sifat fisikokimia pati karena penataan ulang dalam butiran pati. *Food Chemistry*, Volume 318.

Craig, S. A. S., Clodualdo C, M., Seib, P. A. & Hosene, R., 1989. Starch Paste Clarity. *Cereal Chem*, 66(3), pp. 173-182.

Craig, S. A. S. C., Maningat, P. A. S. & Hosene, R. C., 1989. Starch paste clarity. *Cereal Chemistry*, pp. 173-182.

Crosbie, G., 1997. Properties of starch noodles as affected affectedby sweet potato genotypes. *Cereal Chem*, Volume 74, pp. 182-187.

- Damat, Haryadi, Marsono, Y. & Cahyanto, M. N., 2008. Efek pH dan Konsentrasi Butirat Anhidrida selama Butirilisasi Pati Garut. *Agritech*, Volume 8, pp. 63-69.
- Damat, et al., 2018. *Teknologi Pati Termodifikasi dan Manfaatnya bagi Kesehatan*. Malang: UMM Press.
- Das, A., Singh, S. & Riar, C., 2010. Effect of acetylation and dual modification on physico-chemical, rheological and morphological characteristics of sweet potato (*Ipomoea batatas*) starch. *Carbohydr. Polym*, Volume 80, pp. 725-732.
- Deffenbaugh, L. & Walker, C., 1989. Comparison of Starch Pasting Properties in the Brabender Visco-Amylograph and The Rapid Visco-Analyzer. *Cereal Chem*, Volume 66, pp. 493-499.
- Deka, D. & Sit, N., 2016. Dual Modification of Taro by Microwave and Other Heatmoisture Treatments. *International Journal of Biological Macromolecules*, Volume 92, pp. 416-422.
- D'Silva, T. V., Taylor, J. R. & Emmambux, M. N., 2011. *Enhancement of the pasting properties of teff and maize starches through wet-heat processing with added stearic acid*. Lynwood Road, Republic of South Africa: University of Pretoria.
- Effendi, D., 2010. Prospek pengembangan tanaman aren (*Arenga pinnata* Merr) mendukung kebutuhan bioetanol di Indonesia. *Perspektif*, Volume 9, pp. 36-46.
- Fang, J., Fowler, P., Tomkinson, J. & Hill, C., 2002. The preparation and characterization of a series of chemically modified potato starches. *Carbohydr.*, Volume 47, pp. 245-252.
- Farooq, Z., 2011. Novel food and industrial applications of pulse flours and fractions. *Pulse Food*, pp. 283-323.
- Fennema, O. R., 1996. *Food Chemistry*. New York: Marcell Dekker Inc.

- Firdayanti, M. & Handajani, M., 2005. Studi Karakteristik Dasar Limbah Industri Tepung Aren. *Jurnal Infrastruktur dan lingkungan Binaan*, 1(2), pp. 22-29.
- Fitria, E., Hariyadi, P., Andarwulan, N. & Triana, R., 2018. Sifat Fisikokimia Pati Sagu Termodifikasi dengan Metode Oksidasi menggunakan Natrium Hipoklorit. *Jurnal Mutu Pangan*, 5(2), pp. 100-108.
- Flores, P., Cruz, C. A. R. & Chavez-Esquivel, G., 2017. In vitro digestibility of ultrasound-treated corn starch. *Starch-Starke*, Volume 69, pp. 9-10.
- Fortuna, T. et al., 2008. Some physicochemical properties of commercial modified starches irradiated with microwaves. *J. Polish Agric. Univ. Food Sci. Technol.*
- Fuentez-Zaragoza, E., Riquelme-Navarette, M., Sanchez-Zapata, E. & Perez-Alvarez, J., 2010. Resistant Starch as Functional Ingredient: A Review. *Food Research International*, 43(4), pp. 1-12.
- Gamel, T. et al., 2005. Effect of seed treatments on the chemical composition and properties of two amaranth species: starch and protein. *J. Sci. Food Agric.*, Volume 85, pp. 315-327.
- Garg, S. & Jana, A. K., 2011. Characterization and evaluation of acylated starch with different acyl groups and degrees of substitution. *Carbohydrate Polymers*, 83(4), pp. 1623-1630.
- Gonzalez, Z. & Perez, E., 2002. Effect of acetylation on some properties of rice starch. *Starch*, Volume 54, pp. 148-154.
- Gonzalez, Z. & Perez, E., 2002. Evaluation of lentil starches modified by microwave irradiation and extrusion cooking. *Food Res. Int*, Volume 35, pp. 415-420.
- Gudmundsson, M., 1992. Effects of an added inclusion-amylose complex on the retrogradation of some starches and amylopectin. *Carbohydrate Polymers*, Volume 12, pp. 299-304.

- Gudmundsson, M., 1994. Retrogradation of starch and the role of its components. *Thermochimica Acta*, Volume 246, pp. 329-341.
- Haroon, M. et al., 2016. Chemical Modification of Starch and its application as an adsorbent material. *RSC Advances*, Volume 6, pp. 78264-78285.
- Haryadi, 2002. *The Current Status and Future Prospects of Sago The Current Status and Future Prospects of Sago Cecil, J. E., (eds.)*. Tokyo, Universal Academy Press, Inc..
- Haryadi, 2006. *Teknologi Pengolahan Beras*. Yogyakarta: Gadjah Mada University Press.
- Hehamahua, Z. N., 2021. *Modifikasi Pati Aren (Arenga pinnata) menggunakan Radiasi Microwave dan Asetilasi terhadap Karakteristik Fisikokimia: Pengaruh Kadar Air dan Daya Microwave [SKRIPSI]*. Yogyakarta: Universitas Gadjah Mada.
- Herlina, 2010. Karakteristik sifat fisik, kimia, dan fungsional bahan pati umbi hembili (*Dioscorea esculenta* L.) termodifikasi secara ikatan silang dengan natrium tripolifosfat. *Agrotek*, 4(1), pp. 60-67.
- J.Warren, F., J.Gidley, M. & M.Flanagan, B., 2016. Infrared spectroscopy as a tool to characterise starch ordered structure—a joint FTIR–ATR, NMR, XRD and DSC study. *Carbohydrate Polymers*, Volume 139, pp. 35-42.
- Jyothi, A. N., Rajasekharan, K. N., Moorthy, S. N. & Sreekumar, J., 2005. Microwave-Assisted Synthesis and Characterization of Succinate Derivatives of Cassava (*Manihot esculenta* Crantz) Starch. *Starch/Starke*, Volume 57, pp. 556-563.
- Kang, X. et al., 2022. The formation of starch-lipid complexes by microwave heating. *Food Chemistry*, Volume 382.

- Kartikasari, S., Sari, P. & Subagio, A., 2016. Karakterisasi Sifat Kimia, Profil Amilografi (RVA). dan Morfologi Granula (SEM) Pati Singkong Termodifikasi Secara Biologi. *Jurnal Agroteknologi*, 10(1), pp. 12-24.
- Kementan RI, 2018. *Kembangkan Diversifikasi Pangan Berbasis Sagu, Kementan Gandeng FAO.* [Online] Available at: <https://www.pertanian.go.id/home/?show=news&act=view&id=2472>
- Khurshida, S., Das, M. J., Deka, S. C. & Sit, N., 2021. Effect of dual modification sequence on physicochemical, pasting, rheological and digestibility properties of cassava starch modified by acetic acid and ultrasound. *International Journal of Biological Macromolecules*, Volume 188, pp. 649-656.
- Koswara, S., 2009. *Teknologi Modifikasi Pati*, Semarang: Unimus.
- Kusnandar, F., 2010. *Kimia Pangan : Komposisi Makro*. 1 penyunt. Jakarta: Dian Rakyat.
- Larrauri, J. A., Ruperez, P., Borroto, B. & Saura Calixto, S., 1996. Mango peels as a new tropical fibre; Preparation and characterization. *Lebensm Wissenschaft und Technology*, pp. 729-733.
- Laufenberg, G. & Schulze, N., 2009. A Modular Strategy for Processing of Fruit and Vegetable Wastes into Value-added Products. *Woodhead Publishing Series in Food Science, Technology and Nutrition*, Volume 2, pp. 286-353.
- Lawal, O., 2004. Composition, physicochemical properties and retrogradation characteristics of native, oxidised, acetylated and acid-thinned new cocoyam (*Xanthosoma sagittifolium*) starch. *Food Chemistry*, Volume 87, pp. 205-218.
- Lewandowicz, G., Fornal, J. & Walkowski, A., 1997. 1997. *Carbohydrate Polymers*, Volume 34, p. 213.



- Lewandowicz, G., Jankowski, T. & Fornal, J., 2000. Effect of microwave radiation on physico-chemical properties and structure of cereal starches. *Carbohydr.*, Volume 42, pp. 193-199.
- Lewicka, K., Siemion, P. & Kurcok, P., 2015. Chemical Modifications of Starch: Microwave Effect. *International Journal of Polymer Science*, pp. 1-10.
- Lima, D. et al., 2020. Ozone modification of arracacha starch: Effect on structure and functional properties. *Food Hydrocolloids*, Volume 108.
- Lin, D. et al., 2019. Study on preparation and physicochemical properties of hydroxypropylated starch with different degree of substitution under microwave assistance. *International Journal of Biological Macromolecules*, Volume 125, pp. 290-299.
- Liu, J., Ming, J., Li, W. & Zhao, G., 2012. Synthesis, characterisation and in vitro digestibility of carboxymethyl potato starch rapidly prepared with microwave-assistance. *Food Chemistry*, 133(4), pp. 1196-1205.
- Lopez, O. V., Zaritzky, N. E. & Garcia, M. A., 2010. Physicochemical characterization of chemically modified corn starches related to rheological behavior, retrogradation and film forming capacity. *Journal of Food Engineering*, Volume 100, pp. 160-168.
- Luo, Z. et al., 2006. Effect of microwave irradiation on the physicochemical properties of normal maize, waxy maize and amylo maize V starches. *Starch*, Volume 58, pp. 468-474.
- Mailhot, W. & Patton, J., 1988. Criteria of Flour. Dalam: *Wheat Chemistry and Technology*. St. Paul, Minnesota: American Association of Cereal Chemists, pp. 69-90.
- Marcin, L., Magdalena, M. & Anna, O., 2009. *Microwave-assisted Enzymatic hidrolysis of Starch*. Krakow, Poland, Department of Food technology.

- Marsono, Y., 2004. *Serat Pangan dalam Perspektif Ilmu Gizi. Pidato Pengukuhan Jabatan Guru Besar Fakultas Teknologi Pertanian, Universitas gadjah Mada*, s.l.: s.n.
- Maulani, R., Fardiaz, D., Kusnandar, F. & Candra, S., 2014. Characterization of chemical and physical properties of hydroxypropilated and cross-linked arrowroot (*Marantha arundinacea*) starch. *Journal of Engineering*, Volume 45B, pp. 207-221.
- Maulani, R. R., Fardiaz, D., Kusnandar, F. & Sunarti, T. C., 2013. Sifat Fungsional Pati garut Hasil Modifikasi Hidrosipropilasi dan Taut Silang. *J. Teknol. dan Industri Pangan*, Volume 24, pp. 60-67.
- Miller, G. L., 1959. Use of Dinitrosalicyclic Acid Reagent for Determination of Reducing Sugar. *Analytical Chemistry*, pp. 426-428.
- Moin, A., Ali, T. M. & Hasnain, A., 2016. Effect of succinylation on functional and morphological properties of starches from broken kernels of Pakistani Basmati and Irri rice cultivars. *Food Chemistry*, Volume 191, pp. 52-58.
- Muhammad, K. et al., 2000. Effect of pH on phosphorylation of sago starch. *Carbohydrate Polymers*, 42(1), pp. 85-90.
- Muin, R., Lestari, D. & Sari, T. W., 2014. Pengaruh Konsentrasi Asam Sulfat dan Waktu Fermentasi terhadap Kadar Bioetanol yang dihasilkan dari Biji Alpukat. *Jurnal Teknik Kimia*, Volume 20, pp. 1-7.
- Nadiah, N. I., Syahariza, Z. & Uthumporn, U., 2015. Effect of Microwave Heating on Potato and Tapioca Starches in Water Suspension. *International Journal on Advanced Science Engineering and Information Technology*, Volume 5, pp. 264-271.
- Nandiyanto, A. B. D., Oktiani, R. & Ragadhita, R., 2019. How to Read and Interpret FTIR Spectroscopy of Organic Material. *Indonesian Journal of Science and Technology*, 4(1), pp. 97-118.

- Nasrulloh, Putri, L. S. E. & Haris, A., 2013. Hidrolisis asam dan enzimatis pati ubi jalar (*Ipomoea batatas*) menjadi glukosa sebagai substrat fermentasi etanol. *Bioteknologi*, 10(2), pp. 51-59.
- Nugent, A., 2005. Health properties of resistant starch. British Nutrition Foundation. *Nutrition Bulletin*, Volume 30, pp. 27-54.
- Nurhayati, 2019. Modifikasi Pati secara asetilasi dan Aplikasinya pada Pembentukan Film. *Agrotek*, Volume 6, pp. 2356-2234.
- Olayinka, O., Owolabi, B. & Adebawale, K., 2011. Effect of succinylation on the physicochemical, rheological, thermal and retrogradation properties of red and white sorghum starches. *Food Hydrocolloids*, Volume 25, pp. 515-520.
- Oyeyinka, S. A. et al., 2021. A Review on The Physicochemical Properties of Starches Modified by Microwave Alone and in Combination with Other Methods. *International Journal of Biological Macromolecules*, Volume 176, pp. 87-95.
- Perera, A., Meda, V. & Tyler, R., 2010. Resistant Starch: A Review of Analytical protocol for determining resistant starch and of factors affecting the resistant starch content of food. *Food Res Int.*, Volume 43, pp. 1959-1974.
- Perera, A., Meda, v. & Tyler, R., 2010. Resistant Starch: A Review of Analytical protocol for determining resistant starch and pf factor affecting the resistant starch content of food. *Food Res. Int.*, Volume 43, pp. 1959-1974.
- Piyachomkan, K. et al., 2002. Edible canna (*Canna edulis*) as a complementarystarch source to cassava for the starch industry. *Industrial Crops and Products*, Volume 76, pp. 341-349.
- Pontoh, J., 2004. *Sifat-Sifat Pati Aren dan Pemanfaatannya dalam Produk Pangan dan Industri*. Tondano, Universitas Sam Ratulangi, pp. 107-112.

- Rahim, A., 2012. *DISERTASI: KARAKTERISTIK PATI AREN HASIL BUTIRILISASI DAN POTENSI FUNGSIONAL RESISTANT STARCH*, YOGYAKARTA: UGM.
- Rahim, A., 2012. *Karakteristik Pati Aren Hasil Butirilsasi dan Potensi Fungsional Resistant Starch-nya [DISERTASI]*. Yogyakarta: Universitas Gadjah Mada.
- Rahim, A. et al., 2021. Pengaruh Konsentrasi Sodium Trimetaphosphate dan Sodium Tripolyphosphat terhadap Karakteristik Kimia Pati Aren Modifikasi. *Agrointek*, Volume 15, pp. 389-298.
- Rahim, A., Alam, N., Haryadi & Santoso, U., 2010. Pengaruh Konsentrasi Pati Aren dan Minyak Sawit terhadap Sifat Fisik dan Meklanik Edible Film. *Jurnal Agroland*, 12(1), pp. 38-46.
- Rahim, A., Alam, N., Hutomo, G. S. & Kadir, S., 2016. *Teknologi Modifikasi Pati Aren*. Yogyakarta: Magnum Pustaka Utama.
- Rahim, A. & haryadi, 2008. Pengaruh Cara Bubur pada Pengolahan Instant Starch Noodle dari Pati Aren terhadap Sifat Fisikokimia. *Jurnal Agroland*, pp. 18-21.
- Ratnayake, W. & Jackson, D., 2008. Thermal behavior of resistant starches RS. *Journal of Food Science*, 73(5), pp. 356-366.
- Ruslan, S. M., Baharuddin & Taskirawati, I., 2018. Potensi dan Pemanfaatan Tanaman Aren (Arenga Pinnata) dengan Pola Agroforestri di Desa Palakka, Kecamatan Barru, Kabupaten Barru. *Jurnal Perennial*, 14(1), pp. 24-27.
- Sasaski, T. & Matsuki, J., 1998. Effect of Wheat Starch Structure on Swelling Power. *Cereal Chem.*, 75(4), pp. 525-529.
- Schoch, T. J., 1942. Non-carbohydrate substances in the cereal starches. *J. Am. Chem. Soc.*, Volume 64, p. 2954.

- Shameer, P. M. & Nishath, P. M., 2019. Exploration and enhancement on fuel stability of biodiesel: A step forward in the track of global commercialization. Dalam: M. R. Abul Kalam Azad, penyunt. *Advanced Biofuels*. s.l.:Woodhead Publishing, pp. 181-213.
- Singh, J., Kaur, L. & McCarthy, O., 2007. Factor influencing the physicochemical, morphological, thermal and rheological properties of some chemically modified starches for food applications - A review. *Food Hydrocolloids*, Volume 21, pp. 1-22.
- Singh, N., Chawla, D. & Singh, J., 2004. Influence of acetic acid anhydride on physicochemical, morphological, and thermal properties of corn and potato starch. *Food Chem*, pp. 601-608.
- Singh, S., Raina, C., Bawa, A. & Saxena, D., 2005. Effect of heat-moisture treatment and acid modification on rheological, textural and differential scanning calorimetry characteristics of sweetpotato starch. *J Food Sci*, Volume 70, pp. 373-378.
- Solomons, T., 1990. *Fundamentals of Organic Chemistry*. 3rd penyunt. New York: John Wiley and Sons.
- Steffe, J., 1996. *Rheological Methods in Food Process Engineering*. 2nd penyunt. Michigan: Freeman Press.
- Supardan, A. D., Achmadi, S. S. & Irawadi, T. T., 2014. Sintesis Pati Jagung Terfosforilasi melalui Teknik Gelombang Mikro. *Jurnal Teknologi Pangan dan Hasil Pertanian*, Volume 25, pp. 1-6.
- Takazawa, F., Silva, G., Konkel, F. & Demiate, I., 2004. Characterization of tropical starch modified with potassium permanganate and lactic acid.. *Braz. Arch. Biol. Techn*, 47(6), pp. 921-931.
- Tester, R. F. & Morrison, R. W., 1990. Swelling and Gelatinization of Cereal Starches. I. Effect of amylopectin, amylose, and lipids. *Cereal Chem*, 67(6), pp. 551-557.

- Tharanathan, R., 2002. Food-derived carbohydrates: Structural complexity and functional diversity. *Critical Review in Biotechnology*, 22(1), pp. 65-84.
- Torruco-ucio, J. & Bentacur-Ancona, D., 2007. Physicochemical and functional properties of makal (*Xanthosoma yucatanensis*) starch. *Food Chem*, Volume 101, pp. 1319-1326.
- Tosh, S. & Yada, S., 2010. Dietary fibres in pulse seeds and fractions: characterization, functional attributes, and applications. *Food Res, Int*, Volume 43, pp. 450-460.
- Treppel, K., Dixit, O., Mollekopf, N. & Fiala, P., 2011. Vacuum microwave treatment of potato starch and the resultant modification of properties.. *Chemie Ingenieur Technik*, 83(3), pp. 262-272.
- Udagawa, E., Matsuda, H., Tanaka, M. & Shirai, T., 2017. The Effect of Heat-acid Treatment on the Formation of Resistant Starch and the Estimated Glycemic Index in Potatoes. *Japanese Society of Applied Glycoscience*, Volume 64, pp. 75-80.
- Varavinit, S. et al., 2003. Effect of Amylose Content on Gelatinization, Retrogradation and Pasting Properties of Flours from Different Cultivars of Thai Rice. *Starch - Starke*, 55(9), pp. 410-415.
- Varavinit, S. et al., 2003. Effect of Amylose Content on Gelatinization, Retrogradation and Pasting Properties of Flours from Different Cultivars of Thai Rice. *Starch/Starke*, 55(9), pp. 410-415.
- Wang, L. et al., 2022. Influence of ultrasound and microwave treatments on the structural and thermal properties of normal maize starch and potato starch: A comparative study. *Food Chemistry*, Volume 377.
- Wang, L. et al., 2022. Synthesis, characterisation and in vitro digestibility of carboxymethyl potato starch rapidly prepared with microwave-assistance. *Food Chemistry*, Volume 377.

- Wang, X. et al., 2008. Studi on the morphology, crystalline structure and thermal properties of yam starch acetates with different degree substitution. *Science in China Series BChemistry*, 51(9), pp. 859-865.
- Wang, X. et al., 2020. Research advances in chemical modifications of starch for hydrophobicity. *Carbohydrate Polymer*, Volume 240.
- Wang, X. et al., 2011. Preparation and characterisation of octenyl succinate starch as a delivery carrier for bioactive food components. *Food Chem*, Volume 126, pp. 1218-1225.
- Wang, Z. et al., 2022. Cassava starch: Chemical modification and its impact on functional properties and digestibility, a review. *Food Hydrocolloids*.
- Wattanachant, S., Muhammad, K. H. D. & Rahman, R., 2003. Effect of crosslinking reagents and hydroxypropilation levels on dual-modified sago starch properties. *Food Chem*, Volume 80, pp. 463-471.
- Whistler, R. & Doane, W., 1961. Characterization of intermediary fractions of high amylose corn starches. *Cereal Chem*, Volume 38, pp. 251-255.
- Wilkins, M. et al., 2003. Variability in starch acetylation efficiency from commercial waxy corn hybrids. *Cereal Chem*, 80(1), pp. 68-71.
- Winarno, F., 1984. *Kimia Pangan dan Gizi*. Jakarta: Gramedia.
- Wirakartakusumah, M., Syarief, R. & Syah, D., 1989. Pemanfaatan Teknologi Pangan Dalam Pengolahan Singkong. *Buletin Pusbangtepa*, Volume 7, p. 18.
- Wotton, M. & Bamunuarachchi, A., 1979. Application of DSC to starch gelatinization. *Starch*, Volume 31, pp. 201-204.
- Xu, Y., Miladinove, V. & Hanna, M., 2004. Synthesis Characterization of Starch Acetates with High Substitution. *Cereal Chemistry*, 81(6), pp. 735-740.

- Xu, Y., Miladinov, V. & Hanna, M., 2004. Synthesis and Characterization of Starch Acetates with High Substitution. *Cereal Chemistry*, Volume 81, pp. 735-740.
- Yanti, S., 2014. *[Tesis} Karakteristik Fisikokimia Pati Umbi Keladi Sebaring (Alocasia macrorhiza) Karakteristik Fisikokimia Pati Umbi Keladi Sebaring (Alocasia macrorhiza)*. Medan: Fakultas Pertanian Universitas Sumatera Utara.
- Zailani, M. A., Kamilah, H., Husaini, A. & Sarbini, S. R., 2021. Physicochemical properties of microwave heated sago (Metroxylon sago) starch. *Journal of Food*, 19(1), pp. 596-605.
- Zhao, B. et al., 2019. Physicochemical properties and digestion of the lotus seed starch-green tea polyphenol complex under ultrasound-microwave synergistic interaction. *Ultrasonic-Sonochemistry*, Volume 52, pp. 50-61.
- Zhao, K. et al., 2018. Microwave Pretreated Esterification improved Substitution Degree, Structural and Physicochemical Properties of Potato Starch Esters. *LWT-Food Sci. Technol*, Volume 90, pp. 116-123.





UNIVERSITAS  
GADJAH MADA

**PENGARUH KONSENTRASI ASAM BUTIRAT DALAM PROSES MODIFIKASI GANDA  
MENGUNAKAN MICROWAVE DAN  
BUTIRILISASI TERHADAP KARAKTERISTIK FISIKOKIMIA DAN KADAR PATI RESISTEN PADA PATI  
AREN (Arenga  
pinnata)**

RAMADHAN HADINATA, Dr. Andriati Ningrum S.T.P., M.Agr., Aulia Ardhi, S.T.P., M.Sc.

Universitas Gadjah Mada, 2022 | Diunduh dari <http://etd.repository.ugm.ac.id/>