

## DAFTAR PUSTAKA

- Abebe, Z., Y.B. Tola, and A. Muhammed. 2017. Effects of edible coating materials and stages of maturity at harvest on storage life and quality of tomato (*Lycopersicon esculentum* Mill.) fruits. *African Journal of Agricultural Research* 12: 550-565.
- Albertini, M.V., E. Carcouet, O. Pailly, C. Gambotti, F. Luro, and L. Berti. 2006. Changes in organic acids and sugars during early stages of development of acidic and acidless citrus fruit. *J. Agric. Food Chem.* 54 : 8335–8339.
- Alexandra, Y., dan Nurlina. 2014. Aplikasi edible coating dari pektin jeruk songhi pontianak (*Citrus nobilis* var *Microcarpa*) pada penyimpanan buah tomat. *Jurnal Kimia Khatulistiwa* 3: 11–20.
- Alhassan, N. and A. Abdul-Rahaman. 2014. Technology and application of ediblecoatings for reduction of losses and extension of shelf life of cantaloupe melon fruits. *International Journal of Scientific and Technology Research* 3: 241-246.
- Aminudin, dan Nawangwulan. 2014. Pengaruh edible coating gel lidah buaya (*Aloe vera* Linne) terhadap mutu dan umur simpan mentimun. *Jurnal Ekologis* 14: 1-12.
- Ananda, D.N.P., I. G. N. Raka, dan N. N. A. Mayadewi. 2016. Uji efektivitas teknik ekstraksidan dry heattreatment terhadap kesehatanbibit tomat (*Lycopersicum esculentum* Mill). *Jurnal Agroekoteknologi.* 5:2301 – 6515.
- Angelia, I.O. 2017. Kandungan pH, total asam tertitrasi, padatan terlarut dan vitamin c pada beberapa komoditas hortikultura. *Journal of Agritech Science* 1 : 68-74.
- Anonim. 2007. Tomatoes Shipping Point and Market Inspection Instructions. USDA. Amerika Serikat. United States Departement of Agriculture.
- Arti, I.M., E.P. Ramdhan, dan A.N.H. Manurung. 2020. Pengaruh larutan garam dan kunyit pada berat dan total padatan terlarut buah tomat (*Solanum lycopersicum* L.). *Jurnal Pertanian Presisi* 4: 64-75.
- Astuti, S.D., S. Salengke, A. Laga, M. Bilang, H. Mochtar, A. Waris. 2018. Characteristics of pH, total acid, total soluble solid on tomato juice by ohmic heating technology. *International Journal of Sciences: Basic and Applied Research (IJSBAR)* 39: 21-28.
- Balibrea, M. E., C. Martinez-Andujar, J. Cuartero, M. C. Bolarin, andF. Perez-Alfocea. 2006. The high fruit soluble sugar content in wild *Lycopersicon* species and their hybrids with cultivars depends on sucrose import during ripening rather than on sucrose metabolism. *Functional Plant Biology* 33: 279-288.

- Bertuzzi, M.A., E.F.C. Vidaurre, M. Armada, and J.C. Gottifredi. 2007. Water vapor permeability of edible starch based films. *Journal of Food Engineering* 80: 972-978.
- Biswal, D.R., R.P. Singh. 2004. Characterisation of carboxymethyl cellulose and polyacrylamide graft copolymer. *Carbohydrate Polymers* 57: 379-387.
- Bono, A., P.H. Ying, F.Y. Yan, C.L. Muei, R. Sarbatly, and D. Krishnaiah. 2009. Synthesis and characterization of carboxymethyl cellulose from palm kernel cake. *Advances in Natural and Applied Sciences* 3: 5-11.
- Cox, S.E., C. Stushnoff, and D.A. Sampson. 2003. Relationship of fruit color and light exposure to lycopene content and antioxidant properties of tomato. *Canadian Journal of Plant Science* 83: 913-919.
- Deglory, T., P. Bhujra, and Refli. 2018. Effectiveness solution calcium chloride ( $\text{CaCl}_2$ ) in delaying ripening of fruit tomato (*Lycopersicon esculentum* Mill.). *Jurnal Biotropika Sains* 15: 25-37.
- Deribe, H., B. Beyene, and B. Beyene. 2016. Review on pre and post-harvest management on quality tomato (*Lycopersicon esculentum* Mill.) production. *Food Science and Quality Management* 54: 72-79.
- Direktorat Gizi Departemen Kesehatan R.I. 1981. Daftar Komposisi Bahan Makanan. Bhartara Karya Aksara, Jakarta.
- Esguerra, E.B. and R. Rolle. 2018. Post-Harvest Management of Tomato for Quality and Safety Assurance. Food And Agriculture Organization Of The United Nations, Rome.
- Eskin, N.A.M. 2000. Quality and preservation of vegetables. CRC press, Inc, Boca Raton, Florida 33451:53-67.
- Francis, A.N., Y.A Hussein, and A. Ackun. 2018. Biochemical properties of six varieties of tomato from brong ahafo region of Ghana as influenced by the ripening condition and drying. *Afr. J. Food Agric. Nutr. Dev.* 18: 13095-13109.
- Gamage, T., and V.K. Mishra. 2007. Postharvest physiology of fruit and vegetables. *Food Science and Technology* : 19-48.
- Garcia, M.A., M. Ventosa, R. Diaz, S. Falco, and A. Casariego. 2014. Effects of aloe vera coating on postharvest quality of tomato. *Fruits* 69: 117-126.
- Gardjito, M. dan Agung Setya Wardana. 2003. Hortikultura Teknik Analisis Pasca Panen. Penerbit Trans Media Mitra Printika, Yogyakarta.
- Godana, E.A., N. Satheesh, and A.H. Taye. 2015. Effect of storage methods and ripening stages on postharvest quality of tomato (*Lycopersicon esculentum* Mill) cv. chali. *Annals. Food Science and Technology* 16: 127-137.

- Gomez, K. A., and A. A. Gomez. 1984. Statistical Procedures for Agricultural Research (Second Edition). John Wiley & Sons, New York.
- Gonzalez, L.S., C. Pastor, M. Vargas, A. Chiralt, C. G. Martinez, and M. Chafer. 2011. Effect of hydroxypropyl methylcellulose and chitosan coatings with and without bergamot essential oil on quality and safety of cold-stored grapes. *Postharvest Biology and Technology* 60: 57-63.
- Haile, Ashenafi. 2017. Shelf life and quality of tomato (*Lycopersicon esculentum* Mill.) fruits and affected by different packaging materials. *African Journal of Food Science* 12: 21-27.
- Hartuti, N. 2006. Penanganan Segar Pada Penyimpanan Tomat dan Pelapisan Lilin Untuk Memperpanjang Masa Simpan. Balai Penelitian Tanaman Sayuran., Bandung.
- Harris D C. 2000. Quantitative Chemical Analysis 5th ed. W H Freeman and Company, New York US.
- Hasanah, Uswatun. 2009. Pemanfaatan Gel Lidah Buaya Sebagai Edible Coating untuk Memperpanjang Umur Simpan Paprika (*Capsicum annum* varietas Sunny). Fakultas Teknologi Pertanian. Institut Pertanian Bogor. Skripsi.
- Helyes, L., A. Lugasi, A. Pogonyi, and Z. Pek. 2009. Effect of variety and grafting on lycopene content of tomato (*Lycopersicon lycopersicum* L. Karsten) fruit. *Acta Alimentaria* 38: 27-34.
- Heuvelink, E. 2005. Tomatoes. CABI Publishing, USA.
- Hidayat, M.K., Latifah, dan S.M.R. Sedyawati. 2013. Penggunaan carboxymethyl cellulose dan gliserol pada pembuatan plastik *biodegradable* pati gembili. *Indonesian Journal of Chemical Science* 2: 253-258.
- Islam, M.Z., Y.T. Lee, M.A. Mele, I.L. Choi, and H.M. Kang. 2019. Effect of fruit size on fruit quality, shelf life and microbial activity in cherry tomatoes. *AIMS Agriculture and Food* 4: 340-348.
- Jaramillo J, V. Rodriguez, M. Guzman, M. Zapata, and T. Rengifo. 2007. Technical manual: Good Agricultural Practices in the Production of tomato under protected conditions. FAO.
- Kader, A.A., W.J. Lipton and L.L. Morris. 1973. System for scoring quality of harvested lettuce. *Hortscience* 8: 408-409.
- Kader, Adel A. 2008. Perspective Flavor quality of fruits and vegetables. *J. Sci. Food Agric.* 88:1863-1868.

- Kamal, Netty. 2010. Pengaruh bahan aditif CMC (*carboxyl methyl cellulose*) terhadap beberapa parameter pada larutan sukrosa. *Jurnal Teknologi* 1 : 78-84.
- Kamaluddin, M.J.N., dan M.N. Handayani. 2018. Pengaruh perbedaan jenis hidrokoloid terhadap karakteristik *fruit leather* pepaya. *Edufortech* 3 : 24-32.
- Kazi, M.K., A. Bishnoi. 2018. Effect of formulation on post-harvest quality of tomatoes. *International Journal of Advances in Science Engineering and Technology* 6 : 24-27.
- Kismaryanti A. 2007. Aplikasi gel lidah buaya (*Aloe vera* L.) sebagai edible coating pada pengawetan tomat (*Lycopersicon esculentum* Mill.). Fakultas Teknologi Pertanian. Institut Pertanian Bogor. Skripsi.
- Koh, P.C., M.A. Noranizan, Z. A. N. Hanani, R. Karim, and S.Z. Rosli. 2017. Application of edible coatings and repetitive pulsed light for shelf life extension of fresh-cut cantaloupe (*Cucumis melo* L. *reticulatus* cv. Glamour). *Postharvest Biology and Technology* 129: 64-78.
- Lee, S.K. and A.A.Kader. 2000. Preharvest and postharvest factors influencing vitamin C content of horticultural crops. *Postharvest Biology and Technology* 20:207-220.
- Leonardi, C., P. Ambrosino, F. Esposito, and V. Fogliano. 2000. Antioxidant activity and carotenoid and tomatine contents in different typologies of fresh consumption tomatoes. *J. Agric. Food Chem* 48:4723-4727.
- Liu, L.H., D. Zabaraz, L.E. Bennett, P. Aguas, and B.W. Woonton. 2009. Effect of UV-C, red light and sun light on the carotenoid content and physical qualities of tomatoes during postharvest storage. *Food Chem* 115 : 495–500.
- Lopez, A.P., M.E.R. Guzman, T.E. Solares, E.A. Mandujano, and C.A.V. Perea. 2020. Postharvest respiration of fruits and environmental factors interaction: An approach by dynamic regression models. *Scientia Agropecuaria* 11: 23-29.
- Mardiana, K. 2008. Pemanfaatan Gel Lidah Buaya sebagai *Edible Coating* Buah Belimbing Manis (*Averrhoa carambola* L.). Fakultas Teknologi Pertanian. Institut Pertanian Bogor. Skripsi.
- Ma'rufiyanti, P., Sudarti, A.A. Gani. 2014. Pengaruh paparan medan magnet elf (*extremely low frequency*) 300 $\mu$ T dan 500 $\mu$ T terhadap perubahan kadar vitamin C dan derajat keasaman (pH) pada buah tomat. *Jurnal Pendidikan Fisika* 3 : 278-284.
- Mathooko F. M. 2003. A comparative study of the response of tomato fruit to low temperature storage and modified atmosphere packaging. *Afr. J. Food, Agric. Nutr. Dev* 2: 34-41.

- Martinez, V.I., M.J. Periago, G. Provan, and A. Chesson. 2002. Phenolic compounds, lycopene and antioxidant activity in commercial varieties of tomato (*Lycopersicum esculentum*). J. Sci. Food Agric 82 : 323–330.
- Mchugh, T. H. and E. Senes. 2000. Apple wraps: A novel method to improve the quality and extend the shelf life of fresh-cut apples. Journal of Food Science 65: 480-485.
- Mejia,D. 2005. Handling Fresh Mango, Watermelon, Banana and Leafy Vegetables and Immature Flower Heads. Food and Agriculture Organization of the United Nations.
- Mersha A. 2008. Effects of stage and intensity of truss pruning on fruit yield and quality of tomato (*Lycopersicon esculentum* Mill.). Alemaya University.
- Misir, J., F.H., Brishti, and M.M. Hoque. 2014. Aloe vera gel as a novel edible coating for fresh fruits : a review. American Journal of Food Science and Technology 2 : 93-97.
- Moghaddasi, S. and S. K. Verma. 2011. Aloe vera their chemical composition and applications. International Journal of Biological & Medical Research 2: 466-471.
- Mulyani, E. 2018. Perbandingan hasil penetapan kadar vitamin C pada buah kiwi dengan menggunakan metode iodometri dan spektrometri UV-vis. Pharmauho 3: 14-17.
- Nasution, I.S., Yusmanizar, K. Melianda. 2012. Pengaruh penggunaan lapisan edibel(*edible coating*), kalsium klorida, dan kemasan plastik terhadap mutu nanas (*Ananas comosus* Merr.) terolah minimal. Jurnal Teknologi dan Industri Pertanian Indonesia 4 : 21-26.
- Nawab, A., F., Alam, andA., Hasnain. 2017. Mango kernel starch as a novel edible coating for enhancing shelf- life of tomato ( *Solanum lycopersicum* ) fruit. International Journal of Biological Macromolecules103 : 581–586.
- Nurjanah, Sarifah. 2002. Kajian laju respirasi dan produksi etilen sebagai dasar penentuan waktu simpan sayuran dan buah-buahan. Jurnal Bionatura 4 : 148-156.
- Panwar, S., B. Mishra, and P. Goyal. 2016. Permeability of *Aloe vera* composite coatings and their effect on quality of peeled carrots. Current Science 111 (12): 2031-2035.
- Paul, V., R. Pandey, G.C. Srivastava . 2010. Ripening of tomato (*Solanum lycopersicum* L.). Part II: Regulation by its stem scar region. J. Food Sci. Technol. 47:527-533.
- Prasad, K., A.K. Guarav, P. Preethi, and P. Neha. 2018. Edible Coating Technology for Extending Market Life of Horticultural Produce. Acta Scientific Agriculture 2(5): 55-64.
- Rancic, S., P. Quarrie & I.Pecinar. 2010. Anatomy of tomato fruit and fruit pedicel during fruit development. Microscopy: Science, Technology, Applications and Education: 851-861.
- Rudito. 2006. Perlakuan komposisi gelatin dan asam sitrat dalam *edible coating* yang mengandung gliserol pada penyimpanan tomat. Jurnal Teknologi Pertanian 6: 1-6.

- Rutkowski K.P., B. Michalczyk, and P. Konopascki. 2008. Nondestructive determination of 'Golden Delicious' apple quality and harvest maturity. *Journal of Fruit Ornamental Plant Research* 16:39-52.
- Sahlin E., G.P. Savage, and C.E. Lister. 2004. Investigation of the antioxidant properties of tomatoes after ripening. *Journal of Food Composition and Analysis* 17:635-647.
- Saini, R.K., S.H.Nile, and S.W.Park. 2015. Carotenoids from fruits and vegetables: Chemistry, analysis, occurrence, bioavailability and biological activities. *Food Research International* 76: 735-750.
- Sammi, S., and T. Masud. 2007. Effect of different packaging systems on storage life and quality of tomato (*Lycopersicon esculentum* var. 'Rio Grande') during different ripening stages. *Inter. Journal of Food Safety* 9:37-44.
- Serrano, M., J. M. Valverde, F. Guillen, S. Castillo, D.M. Romero, and D. Valero. 2006. Use of Aloe vera gel coating preserves the functional properties of table Grapes. *Journal of Agricultural and Food Chemistry* 54 (11) : 3882-3886.
- Sharma and Le Maquer. 1996. Lycopene in tomatoes and tomato pulp fraction. *Italian Journal of Food Science* 2: 107-113.
- Simanjorang, R. A. 2017. Pengaruh Konsentrasi CMC dan Lama Pencelupan Pada Aplikasi Lidah Buaya (*Aloe vera* L.) sebagai *Edible Coating* pada Cabai Merah (*Capsicum annum* L.). Fakultas Pertanian. Universitas Lampung. Skripsi.
- Sinaga, R.M. 1984. Penilaian Mutu Fisis Buah Beberapa Varietas Tomat. *Bulletin Penelitian Hortikultura* 4: 32-37.
- Singh, R.K. and A.K., Singh. 2012. Optimization of reaction conditions for preparing carboxymethyl cellulose from corn cobs agricultural waste. *Waste Biomass Valor* 4 : 129-137.
- Singh, R., S.K. Giri, and S.D. Kulkarni. 2013. Respiratory behavior of turning stage mature tomato (*Solanum lycopersicum* L.) under closed system at different temperature. *Croat. J. Food Sci. Technol.* 5: 78-84.
- Suarez, H., E.M.R. Rodriguez, and C.D. Romero. 2008. Chemical composition of tomato (*Lycopersicon esculentum*) from tenerife, the canary islands. *Food Chemistry* 106: 1046-1056.
- Sukendar, N.K., A.B. Tawali, Salengke, A. Syarifuddin, A.H. Mochtar, dan A. Fakhruddin. 2019. Perubahan sifat fisiko-kimia selama proses fermentasi biji kakao segar. *Canrea Journal* 2 : 98-105.



- Suryadi, Luthfy, K. Yenny, Gunawan. 2004. Karakterisasi koleksi plasma nutfah tomat lokal dan introduksi. Buletin Plasma Nutfah 10: 72-76.
- Thybo, A.K., M. Edelenbos, L.P. Christensen, J.N. Sorensen, and K.Thorup-Kristensen. 2006. Effect of organic growing systems on sensory quality and chemical composition of tomatoes. Swiss Society of Food Science and Technology 39: 835-843.
- Tijssen, L.M., and R.G. Evelo. 1994. Modeling colour of tomatoes during postharvest storage. Postharvest Biol. Technol. 4: 85–89.
- Togrul, H., and N. Arslan. 2004. Extending shelf life of peach and pear by using CMC from sugar beet pulp cellulose as hydrophilic polymer in emulsions. Food Hydrocolloids 18: 215-226.
- Toor, R.K., and G.P. Savage. 2005. Antioxidant activity in different fraction of tomatoes. Food Research International 38 : 487-494.
- Trisnawati, Yani. dan Setiawan, A.I. 2005. Tomat Budidaya Secara Komersial. Penebar Swadaya, Jakarta.
- Trivedi, H.C., C.K. Patel, and R.D. Patel. 1981. Studies on carboxymethylcellulose: Potentiometric Titrations, 3. Macromol. Chem. Phys. 182 : 243-245.
- Vines, H.M., and F. Oberbacher. A simple method for CO<sub>2</sub> determination in fruit and vegetable respiration studies. Fla. State Hort. Soc. Proc 76: 312-317.
- Visa, S., C.Cao, B.M. Gardener, and E. Van der Knaap. 2014. Modeling of tomato fruits into nine shape categories using elliptic fourier shape modeling and Bayesian classification of contour morphometric data. Euphytica 200 : 429-439.
- Wani, A.A., P. Singh, K. Gul, M.H. Wani, and H.C. Langowski. 2014. Langowski Sweet cherry (*Prunus avium*): critical factors affecting the composition and shelf life. Food Packag. Shelf Life 1: 86-99.
- Wills, R., B. McGlasso, D. Graham, and D. Joyce. 2007. Postharvest, an introduction to the physiology and handling of fruits, vegetables and ornamentals. 2th ed. University of New South Wales Press, Sydney.
- Winarno, F.G, 1986. Pengawetan dan Pengolahan Hasil Hortikultura. Makalah pada Konferensi Swasembada dan Ekspor, tanggal 22 Oktober 1986. Jakarta.
- Winarno, F.G. 1992. Kimia Pangan dan Gizi. PT. Gramedia Pustaka Utama, Jakarta.
- Winarti, C., Miskiyah, dan Widaningrum. 2012. Teknologi produksi dan aplikasi pengemas *edible* antimikroba berbasis pati. Jurnal Litbang Pertanian 31:85-93.

- Yaman, O. and L. Bayindirly. 2002. Effects of an edible coating and cold storage on shelf-life and quality of cherries. *European of Food Research and Technology* 35: 146-150.
- Yeshiwas, Y., K. Tolessa. 2018. Postharvest quality of tomato (*Solanum lycopersicum*) varieties grown under greenhouse and open field conditions. *International Journal of Biotechnology and Molecular Biology Research*. 9: 1-6.