



DAFTAR PUSTAKA

- Abdallah, M. S. dkk,. (2017) ‘Quality of Life After Surgery or DES in Patients With 3-Vessel or Left Main Disease’, *Journal of the American College of Cardiology*, 69(16), pp. 2039–2050. doi: 10.1016/j.jacc.2017.02.031.
- Alsaleh, E., Windle, R. and Blake, H. (2016) ‘Behavioural intervention to increase physical activity in adults with coronary heart disease in Jordan’, *BMC Public Health*, 16(1), pp. 1–11. doi: 10.1186/s12889-016-3313-5.
- Ambina, K., Shalimol, U. S. and Anjana, A. P. (2020) ‘Quality of life among post CABG patients’, *Indian Journal of Forensic Medicine and Toxicology*, 14(4), pp. 9313–9320. doi: 10.37506/ijfmt.v14i4.13204.
- Andayani, T. M. dkk. (2020) ‘Perbandingan EQ-5D-5L dan SF-6D Untuk Mengukur Index Utility Kesehatan Pada Populasi Umum di Yogyakarta’, *JURNAL MANAJEMEN DAN PELAYANAN FARMASI (Journal of Management and Pharmacy Practice)*, 10(1), pp. 35–44. doi: 10.22146/jmpf.49462.
- Anderson, M., Parke, R. and Jull, A. (2021) ‘Effect of Cardiac Surgery on Health Related Quality of Life in Patients Aged 75 Years or Older: A Prospective Study’, *Heart Lung and Circulation*, 30(2), pp. 282–287. doi: 10.1016/j.hlc.2020.05.103.
- Anies, (2015). Kolesterol dan Penyakit Jantung Koroner. Surabaya:Ar-ruzz Media.
- Badan Penelitian dan Pengembangan Kesehatan (2014), *Pokok-Pokok Hasil Riskesdas Indonesia tahun 2013*. Jakarta: Lembaga Penerbit Balitbangkes;
- Barham, A., Ibraheem, R. and Zyoud, S. H. (2019) ‘Cardiac self-efficacy and quality of life in patients with coronary heart disease: A cross-sectional study from Palestine’, *BMC Cardiovascular Disorders*, 19(1), pp. 1–12. doi: 10.1186/s12872-019-01281-7.
- Batalik, L. et al. (2021) ‘Long-term exercise effects after cardiac telerehabilitation in patients with coronary artery disease: 1-year follow-up results of the randomized study’, *European Journal of Physical and Rehabilitation Medicine*, 57(5). doi: 10.23736/s1973-9087.21.06653-3.
- Bush, J. W., & Kaplan, R. M. (2006). The quality of well-being scale (formerly the index of wellbeing). In I. McDowell (Ed.), Measuring health. A guide to rating scales and questionnaires (3rd ed., pp. 675–683). New York: Oxford University Press.
- Darmanto, Muhammad Supri. 2019. Asuhan Keperawatan pada Klien Penyakit Jantung Koroner (PJK) dengan Intoleransi Aktivitas di Ruang Aster RSUD Dr. Harjono Ponorogo. Ponorogo: Kementrian Kesehatan RI Politeknik Kesehatan Kemenkes Malang Jurusan Keperawatan Prodi D III Keperawatan.
- Destiani, R. (2020) ‘Gambaran Kualitas Hidup Pada Pasien Penyakit Jantung Koroner’, *Repository.Poltekkes Kemenkes Bandung*, pp. 1–7.
- Dipiro J et al. (2015) *Pharmacotherapy A Pharmacologic Approach, AIAA Guidance, Navigation, and Control Conference*.



- Fakhrzad, N. *et al.* (2016) 'Examining the health-related quality of life after coronary artery bypass grafting and percutaneous coronary intervention in Iran via SF-36 and SAQ', *International Cardiovascular Research Journal*, 10(3), pp. 123–128. doi: 10.17795/icrj-10(03)123.
- Firouzabadi, M. G., Sherafat, A. and Vafaeenasab, M. (2014) 'Effect of physical activity on the life quality of coronary artery bypass graft patients', *Journal of medicine and life*, 7(2), pp. 260–263.
- Furlong, W. J. *et al.* (2001) *The Health Utilities Index (HUI®) system for assessing health-related quality of life in clinical studies*, *Annals of Medicine*. doi: 10.3109/07853890109002092.
- García-Gordillo, M. Á. *et al.* (2015) 'Validación y comparación de los instrumentos EQ-5D-3L y SF-6D en una muestra de población española con enfermedad de Parkinson', *Nutricion Hospitalaria*, 32(6), pp. 2808–2821. doi: 10.3305/nh.2015.32.6.9765.
- Ghani, L, dkk. (2016). Faktor Risiko Dominan Penderita Stroke di Indonesia. *Buletin Penelitian Kesehatan*, 44(1), 49–58.
- Hately, G. and Mandic, S. (2019) 'Physical activity, physical function and quality of life in community-based maintenance cardiac rehabilitation', *Health Education Journal*, 78(5), pp. 524–536. doi: 10.1177/0017896918823821.
- Irmalita, dkk, (2015), *Pedoman Tatalaksana Sindrom Koroner Akut*, Perhimpunan Dokter Spesialis Kardiovaskulas Indonesia.
- Jankowska-Polańska, B. *et al.* (2016) 'Sex differences in the quality of life of patients with acute coronary syndrome treated with percutaneous coronary intervention after a 3-year follow-up', *Patient Preference and Adherence*, 10, pp. 1279–1287. doi: 10.2147/PPA.S106577.
- Jiang, W. *et al.* (2020) 'Effectiveness of a nurse-led multidisciplinary self-management program for patients with coronary heart disease in communities: A randomized controlled trial', *Patient Education and Counseling*, 103(4), pp. 854–863. doi: 10.1016/j.pec.2019.11.001.
- Lee, D. T. F. *et al.* (2014) 'Psychological distress mediates the effects of socio-demographic and clinical characteristics on the physical health component of health-related quality of life in patients with coronary heart disease', *European Journal of Preventive Cardiology*, 21(1), pp. 107–116. doi: 10.1177/2047487312451541.
- Ma, Q. *et al.* (2021) 'Effects of off-pump coronary artery bypass grafting on clinical efficacy, cardiac function and the incidence of major adverse cardiovascular events in patients with coronary heart disease', *American Journal of Translational Research*, 13(3), pp. 1742–1749.
- Maulani, W. (2020) 'Asuhan Gizi Pada Pasien CAD Disertai CHF, dan Bronkopneumonia', *Poltekkes Kemenkes Riau*, 53(9), pp. 1689–1699.
- Morys, J. M. *et al.* (2014) 'Quality of life in patients with coronary heart disease after myocardial infarction and with ischemic heart failure', *Archives of Medical Science*, 12(2), pp. 326–333. doi: 10.5114/aoms.2014.47881.
- Mozaffarian, D. *et al.* (2015) *Heart disease and stroke statistics-2015 update : A report from the American Heart Association, Circulation*. doi: 10.1161/CIR.0000000000000152.



- Muhammad, I. M. *et al.* (2014) ‘Health-related quality of life and its predictors among outpatients with coronary heart disease in Singapore’, *Applied Nursing Research*, 27(3), pp. 175–180. doi: 10.1016/j.apnr.2013.11.008.
- Nurhidayat Saiful, (2011), Asuhan Keperawatan Klien dengan Gangguan Sistem Kardiovaskular. Ponorogo: UMPO Press.
- Olafiranye, O. *et al.* (2011) ‘Management of hypertension among patients with coronary heart disease’, *International Journal of Hypertension*, 2011. doi: 10.4061/2011/653903.
- Oreel, T. H. *et al.* (2020) ‘Gender differences in quality of life in coronary artery disease patients with comorbidities undergoing coronary revascularization’, *PLoS ONE*, 15(6), pp. 1–13. doi: 10.1371/journal.pone.0234543.
- Pačarić, S. *et al.* (2020) ‘Assessment of the quality of life in patients before and after coronary artery bypass grafting (CABG): A prospective study’, *International Journal of Environmental Research and Public Health*, 17(4). doi: 10.3390/ijerph17041417.
- Page, M. J. *et al.* (2021) ‘The PRISMA 2020 statement: An updated guideline for reporting systematic reviews’, *The BMJ*, 372. doi: 10.1136/bmj.n71.
- Pai, H. C. *et al.* (2020) ‘Study on the correlation between continuity of care and quality of life for patients with coronary heart disease’, *International Journal of Environmental Research and Public Health*, 17(23), pp. 1–14. doi: 10.3390/ijerph17239125.
- Pattyn, N. *et al.* (2016) ‘The long-term effects of a randomized trial comparing aerobic interval versus continuous training in coronary artery disease patients: 1-year data from the SAINTEX-CAD study’, *European Journal of Preventive Cardiology*, 23(11), pp. 1154–1164. doi: 10.1177/2047487316631200.
- Perhimpunan Dokter Spesialis Kardiovaskular Indonesia. (2018) Pedoman Tatalaksana Sindrom Koroner Akut. Edisi IV. Jakarta : PERKI.
- Peixoto, T. C. A. *et al.* (2015) ‘Early Exercise-Based Rehabilitation Improves Health-Related Quality of Life and Functional Capacity After Acute Myocardial Infarction: A Randomized Controlled Trial’, *Canadian Journal of Cardiology*, 31(3), pp. 308–313. doi: 10.1016/j.cjca.2014.11.014.
- Picot, J. *et al.* (2015) ‘The INTRABEAM® photon radiotherapy system for the adjuvant treatment of early breast cancer: A systematic review and economic evaluation’, *Health Technology Assessment*, 19(69), pp. 1–190. doi: 10.3310/hta19690.
- Potter & Perry. (2010). Fundamental Of Nursing edisi 7. Jakarta : Salemba medika.
- Rahmi. Upik. (2011). Pengaruh Discharge Planning Terstruktur Terhadap Kualitas Hidup Pasien Stroke Skemik di RSUD AL Ihsan Dan RS Al Islam Bandung. Tesis. Universitas Indonesia
- Rehman, A. *et al.* (2016) ‘HEALTH RELATED QUALITY OF LIFE AMONG CORONARY HEART DISEASE PATIENTS, WITH AND WITHOUT ANXIETY & DEPRESSION’, *Pakistan Heart Journal*, 49(01), pp. 33–39. Available at: file:///C:/Users/Atiq ur Rehman/Downloads/1027-2177-1-SM (4).pdf.



- Rieckmann, N. *et al.* (2020) ‘Health-related quality of life, angina type and coronary artery disease in patients with stable chest pain’, *Health and Quality of Life Outcomes*, 18(1), pp. 1–10. doi: 10.1186/s12955-020-01312-4.
- Rochmayanti (2017) ‘Analisis Faktor yang Memengaruhi Kualitas Hidup pada Pasien PJK di Rumah Sakit Pelni Jakarta 2011’, *Jurnal ilmiah Widya*, 4(2004), pp. 249–255.
- Ronny Iswahyudi¹, Rahmawati Maulidia², S. A. L. (2020) ‘PENGARUH REHABILITASI JANTUNG FASE I TERHADAP KUALITAS HIDUP PASIEN PENYAKIT JANTUNG KORONER (Effect of Phase I Cardiac Rehabilitation on The Quality of Life of Coronary Heart Disease Patients)’, *PENGARUH REHABILITASI JANTUNG FASE I TERHADAP KUALITAS HIDUP PASIEN PENYAKIT JANTUNG KORONER (Effect of Phase I Cardiac Rehabilitation on The Quality of Life of Coronary Heart Disease Patients)*, 8(9), pp. 1–16. Available at: <http://journal.wima.ac.id/index.php/NERS/article/view/2305/2203>.
- Saeidi, M. *et al.* (2013) ‘Efectos de un programa integral de rehabilitación cardiaca en la calidad de vida en pacientes con enfermedad arterial coronaria’, 9(3), pp. 179–185.
- Sajobi, T. T. *et al.* (2018) ‘Trajectories of health-related quality of life in coronary artery disease’, *Circulation: Cardiovascular Quality and Outcomes*, 11(3). doi: 10.1161/CIRCOUTCOMES.117.003661.
- Salameh, B. *et al.* (2012) ‘Effect of An E-learning Program on The Quality of life of Patients With Coronary Heart Disease’, *Procedia - Social and Behavioral Sciences*, 55, pp. 284–293. doi: 10.1016/j.sbspro.2012.09.505.
- Salsabila, M.S. 2012. Kualitas hidup pada pasien epilepsi (Studi kasus pasien epilepsi dewasa awal di Yogyakarta). Skripsi. Yogyakarta:Psikologi Universitas Islam Negeri Sunan Kalijaga Yogyakarta.
- Shrestha, R. (2015) ‘GW26-e0692 Health - related Quality of Life of Patients with Coronary Heart Disease Attending in a Cardiac Care Centre, Kathmandu’, *Journal of the American College of Cardiology*, 66(16), p. C137. doi: 10.1016/j.jacc.2015.06.529.
- Srivastava, S. *et al.* (2017) ‘Quality of life in patients with coronary artery disease and panic disorder: A comparative study’, *Oman Medical Journal*, 32(1), pp. 20–26. doi: 10.5001/omj.2017.04.
- Steinmetz, C. *et al.* (2020) ‘Prehabilitation in patients awaiting elective coronary artery bypass graft surgery – effects on functional capacity and quality of life: a randomized controlled trial’, *Clinical Rehabilitation*, 34(10), pp. 1256–1267. doi: 10.1177/0269215520933950.
- Strong, P. C. *et al.* (2012) ‘Relationship between quality of life and aerobic capacity of patients entering phase II cardiac rehabilitation after coronary artery bypass graft surgery’, *Journal of the Chinese Medical Association*, 75(3), pp. 121–126. doi: 10.1016/j.jcma.2012.02.005.
- Suyanti, T. and Rahayu, S. (2020) ‘Lama post operasi Coronary Artery Bypass Graft (CABG) dengan kualitas hidup pasien post operasi CABG di RSPAD



- Gatot Soebroto', *Jurnal Akademika Baiturrahim Jambi*, 9(2), p. 166. doi: 10.36565/jab.v9i2.199.
- Turkstra, E. et al. (2013) 'Cost-effectiveness of a coronary heart disease secondary prevention program in patients with myocardial infarction: Results from a randomised controlled trial (ProActive Heart)', *BMC Cardiovascular Disorders*, 13. doi: 10.1186/1471-2261-13-33.
- Uddin, Jamal et al. (2020) 'Effect of Home-Based Cardiac Rehabilitation in a Lower-Middle Income Country: RESULTS from A CONTROLLED TRIAL', *Journal of Cardiopulmonary Rehabilitation and Prevention*, 40(1), pp. 29–34. doi: 10.1097/HCR.0000000000000471.
- Urifah, Rubbyana. (2012). Hubungan antara Strategi Koping dengan Kualitas Hidup Pada Pasien Skizofrenia Remisi Simptom.Jurnal Psikologi Klinis dan Kesehatan Mental.Vol. 1. No. 2
- Valiee, S. et al. (2017) 'Effectiveness of a psychoeducation program on the quality of life in patients with coronary heart disease: A clinical trial', *Applied Nursing Research*, 33, pp. 36–41. doi: 10.1016/j.apnr.2016.09.002.
- Wang, L. et al. (2015) 'Profile and correlates of health-related quality of life in Chinese patients with coronary heart disease', *Chinese Medical Journal*, 128(14), pp. 1853–1861. doi: 10.4103/0366-6999.160486.
- WHO (1996) 'INTRODUCTION , ADMINISTRATION , SCORING AND GENERIC VERSION OF THE ASSESSMENT Field Trial Version December 1996 PROGRAMME ON MENTAL HEALTH WORLD HEALTH ORGANIZATION', (December).
- World Health Organization (1995) 'Whoqol-100', Who, (February), p. 30.
- WHO (2013), *About Cardiovascular diseases*. World Health Organization, Geneve, Available from: http://www.who.int/cardiovascular_diseases/about_cvd/en/.
- Wijaya, A.S dan Putri, Y.M., (2013), *Keperawatan Medikal Bedah 2, Keperawatan Dewasa Teori dan Contoh Askep*. Yogyakarta : Nuha Medika.
- Zhang, J. et al. (2021) 'Investigation of the quality of life of patients with coronary heart disease during COVID-19 and analysis of influencing factors', *Psychology, Health and Medicine*, 00(00), pp. 1–12. doi: 10.1080/13548506.2021.1930074.
- Zhang, Y., Yan, F. and Jiang, W. (2019) 'Relationship between self-management behaviors and health-related quality of life among Chinese patients with coronary heart disease: A cross-sectional study', *Contemporary Nurse*, 55(6), pp. 554–564. doi: 10.1080/10376178.2020.1731316.
- Zheng, X. et al. (2020) 'Sex differences in 1-year health status following percutaneous coronary intervention in patients without acute myocardial infarction: Results from the china peace prospective study', *Journal of the American Heart Association*, 9(6). doi: 10.1161/JAHA.119.014421.
- Zhou, T. et al. (2018) 'The quality of life in Chinese population with chronic non-communicable diseases according to EQ-5D-3L: a systematic review', *Quality of Life Research*, 27(11), pp. 2799–2814. doi: 10.1007/s11136-018-1928-y.