

DAFTAR PUSTAKA

- Akanksha, Mehta, V., Dhingra, R., Monika, and Dhingra, N., 2018, In Silico Identification of Potential 5α -Reductase Inhibitors for Prostatic Diseases: QSAR Modelling, Molecular Docking, and pre ADME Predictions, *MOJ. Drug. Des. Develop. Ther.*, 2(3), 136-145.
- Alex, A.A., 2007, 4.16 - Quantum Mechanical Calculations in Medicinal Chemistry: Relevant Method or a Quantum Leap Too Far?, *Comprehensive Medicinal Chemistry II.*, 4, 379-420.
- Ali, A., and Ali, A., 2021, Integrated Computational Approaches on Pyrazoline Derivatives as B-Raf Kinase Inhibitors for the Development of Novel Anticancer Agents, *J. Mol. Struct.*, (1230), 129861.
- Aliwaini, S., Thaher, B.A., Al-Masri, I., Shurrab, N., El-Kurdi, S., Schollmeyer, D., Qeshta, B., Ghunaim, M., Csuk, R., Laufer, S., Kaiser, L., and Deigner, H., 2021, Design, Synthesis and Biological Evaluation of Novel Pyrazolo[1,2,4]triazolopyrimidine Derivatives as Potential Anticancer Agents, *Molecules.*, 26(13), 4065.
- Anonim, 2021, <https://www.who.int/health-topics/cancer>, diakses pada tanggal 13 Januari 2022.
- Arteaga, C.L., Ramsey, T.T., Shawver, L.K., Guyer, C.A., 1997, Unliganded Epidermal Growth Factor Receptor Dimerization Induced by Direct Interaction of Quinazolines with the ATP Binding Site, *J. Biol. Chem.*, 272(37), 23247-23254.
- Biovia, D.S., 2020, *Discovery studio 2017*, Dassault Systemes, San Diego.
- Chen, Y., and Yang, Y., 2021, The One Standard Error Rule for Model Selection: Does It Work?, *Stats.*, 4(4), 868-892.
- Choowongkamon, K., Sawatdichaikul, O., Songtawee, N., and Limtrakul, J., 2010, Receptor-Based Virtual Screening of EGFR Kinase Inhibitors from the NCI Diversity Database, *Molecules.*, 15(6), 4041-4054.
- Cui, W., Aouidate, A., Wang, S., Yu, Q., Li, Y., and Yuan, S., 2020, Discovering Anti-Cancer Drugs via Computational Methods, *Front. Pharmacol.*, 11, 733.
- Dash, B., and Karim, S., 2020, Pyrazoline Heterocyclic: A Review, *Int. J. Pharm. Sci. Res.*, 12(5), 2570-2588.
- DeLano, W.L., 2002, PyMOL: An Open-Source Molecular Graphics Tool, *CCP4*

Newsletter On Protein Crystallography., 40, 82-92.

Diallo, B.N., Swart, T., Hoppe, H.C., Bishop, Ö. T., and Lobb, K., 2021, Potential Repurposing of Four FDA Approved Compounds with Antiplasmodial Activity Identified through Proteome Scale Computational Drug Discovery and In Vitro Assay, *Sci. Rep.*, 11, 1413.

Farghaly, T.A., Hassaneen, H.M.E., and Elzahabi, H.S.A., 2014, Eco-friendly Synthesis and 2D-QSAR Study of Novel Pyrazolines as Potential Anticancer Agents, *Med. Chem. Res.*, 24(2), 652-668.

Frisch, M.J., Trucks, G.W., Schlegel, H.B., Scuseria, G.E., Robb, M.A., Cheeseman, J.R., Scalmani, G., Barone, V., Mennucci B., Petersson, G.A., Nakatsuji, H., Caricato, M., Li, X., Hratchian, H.P., Izmaylov, A.F., Bloino, J., Zheng G., Sonneberg, J.L., Hada, M., Ehara, M., Toyota, K., Fukuda, R., Hasegawa, J., Ishida, M., Nakajima, T., Honda, Y., Kitao, O., Nakai, H., Vreven, T., Montgomery Jr., J.A., Peralta, J.E., Ogliaro, F., Bearpark M., Heyd, J.J., Brothers E., Kudin, K.N., Staroverov, V.N., Kobayashi, R., Normand, J., Raghavachari, K., Rendell, A., Burant, J.C., Iyengar, S.S., Tomasi, J., Cossi, M., Rega N., Millam, J.M., Klene, M., Knox, J.E., Cross, J.B., Bakken, V., Adamo, C., Jaramillo, J., Gomperts, R., Sratmann, R.E., J., Fox, D.J., 2009, Gaussian 09 Revision D.01.

George, R.F., Kandeel, M., El-Ansary, D.Y., and El Kerdawy, A.M., 2020, Some 1,3,5-Trisubstituted Pyrazoline Derivatives Targeting Breast Cancer: Design, Synthesis, Cytotoxic Activity, EGFR Inhibition and Molecular Docking, *Bioorg. Chem.*, 99, 103780.

Geran, R.I., Greenberg, N.H., MacDonald, M.M., Schumacher, A., and Abbott, B.J., 1972, Protocols for Screening Chemical Agents and Natural Products Against Animal Tumors and Other Biological Systems, Drug Evaluation Branch *Nat. Cancer Inst.*, 3, 1-107.

Giordano, G., Remo, A., Porras, A., and Pancione, M., 2019, Immune Resistance and EGFR Antagonists in Colorectal Cancer, *Cancers (Basel)*, 11(8), 1089.

Gramatica, P., 2012, On the Development and Validation of QSAR models, *Comput. Toxicol.*, 499-526.

Gupta, A.K., Bhunia, S.S., Balaramnavar, V.M., and Saxena, A.K., 2011, Pharmacophore Modelling, Molecular Docking and Virtual Screening for EGFR (HER 1) Tyrosine Kinase Inhibitors, *SAR. QSAR. Environ. Res.*, 22(3-4), 239-263.

Hajalsiddig, T.T.H., Osman, A.B.M., and Saeed, A.E.M., 2020, 2D-QSAR

Modeling and Molecular Docking Studies on 1H-Pyrazole-1-Carbothioamide Derivatives as EGFR Kinase Inhibitors, *ACS Omega*, 5(30), 18662-18674.

Insuasty, B., Montoya, A., Becerra, D., Quiroga, J., Abonia, R., Robledo, S., Vélez, I.D., Upegui, Y., Nogueras, M., and Cobo, J., 2013, Synthesis of Novel Analogs of 2-Pyrazoline Obtained from [(7-chloroquinolin-4yl) amino] Chalcones and Hydrazine as Potential Antitumor and Antimalarial Agents, *Eur. J. Med. Chem.*, 67, 252-262.

Jagiello, K., Grzonkowska, M., Swirog, M., Ahmed, L., Rasulev, B., Avramopoulos, A., Papadopoulos, M.G., Leszczynski, and Puzyn, T., 2016, Advantages and Limitations of Classic and 3D QSAR Approaches in Nano-QSAR Studies based on Biological Activity of Fullerene Derivatives, *J. Nanopart. Res.*, 18(9), 256.

Jeffrey, G.A., 1997, *An introduction to hydrogen bonding*, Oxford University Press, New York.

Joubert, J., 2019, Synthesis, Crystal Structure, DFT Studies, Docking Studies, and Fluorescent Properties of 2-(adamantan-1-yl)-2H-isoindole-1-carbonitrile, *Crystals*, 9(1), 24.

Kerru, N., Gummidi, L., Maddila, S., Gangu, K.K., and Jonnalagadda, S.B., 2020, A Review on Recent Advances in Nitrogen-Containing Molecules and Their Biological Applications, *Molecules*, 25(8), 1909.

Kimura, T., Kai, Y., Yasuoka, N., and Kasai, N., 1977, The Crystal and Molecular Structure of Two Forms of 1,3-diphenyl-5-(p-chlorophenyl)-2-pyrazoline, *Acta. Cryst.*, B33, 1786-1792.

Kumar, N., and Pruthi, V., 2014, Structural Elucidation and Molecular Docking of Ferulic Acid from Parthenium Hysterophorus Possessing COX-2 Inhibition Activity, 3 *Biotech.*, 5(4), 541-551.

Lang, D.K., Kaur, R., Arora, R., Saini, B., and Arora, S., 2020, Nitrogen-Containing Heterocycles as Anticancer Agents: An Overview, *Anticancer. Agents. Med. Chem.*, 20(18), 2150-2168.

Lewandowska, A.M., Rudzki, M., Rudzki, S., Lewandowski, T., Laskowska, B., 2019, Environmental Risk Factors for Cancer – Review Paper, *Ann. Agric. Environ. Med.*, 26(1), 1-7.

Li, J., Ma, C., Huang, Y., Luo, J., and Huang, C., 2003, Differential requirement of

EGF Receptor and Its Tyrosine Kinase for AP-1 Transactivation Induced by EGF and TPA, *Oncogene*, 22, 211-219.

Li, P., Tian, Y., Zhai, H., Deng, F., Xie, M., and Zhang, X., 2013, Studies on the Inhibitory Models of Pyrazoline Derivatives as EGFR Kinase Inhibitors by 3D- QSAR and Molecular Docking, *Med. Chem. Res.*, 23(6), 2869–2879.

Liu, P., and Long, W., 2009, Current Mathematical Methods Used in QSAR/QSPR Studies, *Int. J. Mol. Sci.*, 10(5), 1978-1998.

Magnanensi, J., Bertrand, F., Maumy-Bertrand, M., and Meyer, N., 2017, A New Universal Resample-Stable Bootstrap-Based Stopping Criterion for PLS Component Construction, *Stat. Comput.*, 27(3), 757-774.

Matiadis, D., and Sagnou, M., 2020, Pyrazoline Hybrids as Promising Anticancer Agents: An Up-To-Date Overview, *Int. J. Mol. Sci.*, 21(15), 5507.

Mchichi, L.E., Aissouq, A.E., Kasmi, R., Belhassan, A., Ouammou, A., Lakhlifi, T., and Bouachrine, M., 2021, In Silico Design of Novel Pyrazole Derivatives Containing Thiourea Skeleton as Anti-Cancer Agents Using: 3D-QSAR, Drug-Likeness Studies, ADMET Prediction and Molecular Docking, *Mater. Today: Proc.*, 45, 7661-7674.

Mohammadzadeh-Asl, S., Aghanejad, A., Yekta, R., Guardia, M. de la., Dolatabadi, J.E.N., and Keshtkar, A., 2020, Kinetic and Thermodynamic Insights into Interaction of Erlotinib with Epidermal Growth Factor Receptor: Surface Plasmon Resonance and Molecular Docking Approaches, *Int. J. Biol. Macromol.*, 163, 954-958.

Mótyán, G., Kovács, F., Wölfling, J., Gyovai, A., Zupkó, I., and Frank, É., 2016, Microwave-assisted Stereoselective Approach to Novel Steroidal Ring D-fused 2-Pyrazolines and An Evaluation of Their Cell-Growth Inhibitory Effects In Vitro, *Steroids*., 112, 36-46.

Mukherjee, S., and Patra, C.R., 2016, Therapeutic Application of Anti-angiogenic Nanomaterials in Cancers, *Nanoscale*., 8(25), 12444-12470.

Nasab, R.R., Mansourian, M., Hassanzadeh, F., and Shahlaei, M., 2018, Exploring the Interaction between Epidermal Growth Factor Receptor Tyrosine Kinase and Some of The Synthesized Inhibitors Using Combination of In-Silico and In-Vitro Cytotoxicity Methods, *Res. Pharm. Sci.*, 13(6), 509-522.

- Nielsen, A.B., and Holder, A.J., 2005, Gauss View 5.0 Molecular Visualization Program. User Manual, GAUSSIAN Inc., Pittsburgh.
- Omolara, A., 2018, Computational Modelling Procedures for Geometry Optimization, Kinetic and Thermodynamic Calculations using Spartan Software - A Review, *Arc. Org. Inorg. Chem. Sci.*, 1(5), 122-125.
- Pacheco, D.J., Prent, L., Trilleras, J., and Quiroga, J., 2013, Facile Sonochemical Synthesis of Novel Pyrazoline Derivates at Ambient Conditions, *Ultrason. Sonochem.*, 20(4), 1033–1036.
- Palanivel, S., Yli-Harja, O., and Kandhavelu, M., 2021, Molecular Interaction Study of Novel Indoline Derivatives with EGFR-Kinase Domain Using Multiple Computational Analysis, *J. Biomol. Struct. Dyn.*, 1-10.
- Park, J.H., Liu, Y., Lemmon, M.A., and Radhakrishnan, R., 2012, Erlotinib Binds Both Inactive and Active Conformations of the EGFR Tyrosine Kinase Domain, *Biochem. J.*, 448, 417-423.
- Pinzi, L., and Rastelli, G., 2019, Molecular Docking: Shifting Paradigms in Drug Discovery, *Int. J. Mol. Sci.*, 20(18), 4331.
- Quiroga, R., and Villarreal, M.A., 2016, Vinardo: A Scoring Function based on Autodock Vina Improves Scoring, Docking, and Virtual Screening, *PLoS One.*, 11(5), e0155183.
- Roskoski, R., 2019, Small Molecule Inhibitors Targeting the EGFR/ErbB Family of Protein-Tyrosine Kinases in Human Cancers, *Pharmacol. Res.*, 139, 395-411.
- Sirimulla, S., Bailey, J.B., Vegesna, R., and Narayan, M., 2013, Halogen Interactions in Protein–Ligand Complexes: Implications of Halogen Bonding for Rational Drug Design, *J. Chem. Inf. Model.*, 53(11), 2781-2791.
- Stamos, J., Sliwkowski, M.X., and Eigenbrot, C., 2002, Structure of the Epidermal Growth Factor Receptor Kinase Domain Alone and in Complex with a 4-Anilinoquinazoline Inhibitor, *J. Biol. Chem.*, 277(48), 46265-46272.
- Suma, A.A.T., Wahyuningsih, T.D., and Mustofa., 2019, Synthesis, Cytotoxicity Evaluation and Molecular Docking Study of N-Phenylpyrazoline Derivatives, *Indones. J. Chem.*, 19(4), 1081 – 1090.
- Sunayana, G., Shashikant, B., and Sandeep, W., 2017, 2D, 3D, G-QSAR and

Docking Studies of Thiazolyl-Pyrazoline Analogues as Potent (Epidermal Growth Factor Receptor-Tyrosine Kinase) EGFR-TK Inhibitors, *Lett. Drug. Des. Discov.*, 14(11), 1228-1238.

Trott, O., and Olson, A.J., 2010, AutoDock Vina: Improving the Speed and Accuracy of Docking with A New Scoring Function, Efficient Optimization and Multithreading, *J. Comput. Chem.*, 31(2), 455-461.

Veerasamy, R., Rajak, H., Jain, A., Sivadasan, S., Varghese, C.P., and Agrawal, R.K., 2011, Validation of QSAR Models – Strategies and Importance, *Int. J. Drug. Discov.*, 2, 511-519.

Verma, J., Khedkar, V.M., and Coutinho, E.C., 2010, 3D-QSAR in Drug Design-- A Review, *Curr. Top. Med. Chem.*, 10(1), 95-115.

VLife MDS: Molecular Design Suite, VLife Sciences Technologies Pvt. Ltd., Pune, India.

Wahyuningsih, T.D., Suma, A.A.T., and Astuti, E., 2019, Synthesis, Anticancer Activity, and Docking Study of N-Acetyl Pyrazolines from Veratraldehyde, *J. App. Pharm. Sci.*, 9(3), 14-20.

Waskitha, S.S.W., 2020, Desain Turunan Kalkon sebagai Senyawa Antimalaria berdasarkan Hubungan Kuantitatif Struktur-Aktivitas dan Penambatan Molekuler terhadap *Plasmodium falciparum* Dihidroorotat Dehidrogenase, *Skripsi*, Jurusan Kimia FMIPA UGM, Yogyakarta.

Waskitha, S.S.W., Mulyana, F.E., Riza, N.F., Stansyah, Y.M., Tahir, I., and Wahyuningsih, T.D., 2021, QSAR Approach and Synthesis of Chalcone Derivatives as Antimalarial Compound against *Plasmodium Falciparum* 3D7 Strain, *Rasayan. J. Chem.*, 14(4), 2363-2370.

Weaver, B.A., 2014, How Taxol/Paclitaxel Kills Cancer Cells, *Mol. Biol. Cell.*, 25 (18), 2677-2681.

Wee, P., and Wang, Z., 2017, Epidermal Growth Factor Receptor Cell Proliferation Signaling Pathways, *Cancers (Basel)*, 9(5), 52.

Yang, B., Yang, Y., Yang, N., Li, G., and Zhu, H., 2016, Design, Biological Evaluation and 3D QSAR Studies of Novel Dioxin-containing Pyrazoline Derivatives with Thiourea Skeleton as Selective HER-2 Inhibitors, *Sci. Rep.*, 6, 27571.

Yang, W., Hu, Y., Yang, Y., Zhang, F., Zhang, Y., Wang, X., Tang, J., Zhong, W., and Zhu, H., 2013, Design, Modification and 3D QSAR Studies of Novel Naphthalin-Containing Pyrazoline Derivatives with/without Thiourea Skeleton as Anticancer Agents, *Bioorg. Med. Chem.*, 21(5), 1050– 1063.

Zielinski, T.J., Harvey, E., Sweeney, R., and Hanson, D.M., 2005, Quantum States of Atoms and Molecules, *J. Chem. Educ.*, 82(12), 1880.