

DAFTAR PUSTAKA

- Ades, P.A., Libby, P.P., Bonow, R.O., Mann, D.L., Zipes, D.P, Kelen I *et al.*, 2007. Endocrine disorder and cardiovascular disease. *Braunwald's Heart Disease: A Textbook of Cardiovascular Medicine 8th ed.* 2038-2042
- Adib, M., 2009. *Cara mudah memahami dan menghindari hipertensi jantung dan stroke*. Penerbit Dianloka Pustaka Populer. Yogyakarta.
- Alderman, M.H., Madhavan, S., Ooi, W.L., Cohen, H., Sealey, J.E., Laragh, J.H., 1991. Association of the renin-sodium profile with the risk of myocardial infarction in patients with hypertension. *N Engl J Med.* 324: 1098–1104.
- Al-Azzam, S.I., Alzoubi, K.H., Khabour, O., Al-Azzeh., 2014. The associations of polymorphisms of TSH receptor and thyroid hormone receptor genes with L-thyroxine treatment in hypothyroid patients. *Hormones.* 13(3):389-397.
- Alsafar, A., Hassoun, A., Almazrouei, S., Kamal, W., Almaini, M., Odama, U., Rais, N., 2015. Association of angiotensin converting enzyme insertion-deletion polymorphism with hypertension in emiratis with type 2 diabetes mellitus and its interaction with obesity status. *Disease Maker.* 2015:1-7.
- Apalasamy, Y.D., Ming, M.F., Rampal, S., Bulgiba, A., Mohamed, Z., 2011. Gender-dependent association of a β 2- adrenergic gene variant with obesity parameters in Malaysian Malays. *Asia Pac. J. Public Health.* doi: 10.1177/1010539511430250.
- Arnett, D.K., Boerwinkle, E., Davis, B. R., Eckfeldt, J., Ford, C. E., Black, H., 2002. Pharmacogenetic approaches to hypertension therapy: design and rationale for the Genetics of Hypertension Associated Treatment (GenHAT) study. *Pharmacogenomics J.* 2:309–317.
- Asvold, B.O., Bjoro, T., Nielsen, T.I.L., Vatten, L.J., 2007 Association between blood pressure and serum thyroid stimulating hormone concentration within the reference range: A population based study. *J Clin Endocrinol Metab.* 92(3):841-845.
- Atlas, S.A., 2007. The renin-angiotensin aldosterone system: pathophysiological role and pharmacologic inhibition. *J Manag Care Pharm.* 3(8) (suppl S-b):9-20.
- Babenko, A.Y., Grineva, E.N., Savitskaja, D. A., Kravchuk, E.N., and Solncev, V.N., 2014. A Polymorphisms of β 1-adrenoreceptor gene and cardiovascular complications in patients with thyrotoxicosis. *BioMed Research International.* 2014:1-7.
- Badan Penelitian dan Pengembangan Kesehatan Kementrian Keseharan RI. 2013. *Riset Kesehatan Dasar*. Jakarta: RISKESDAS.3:88-90
- Baniahmad, A., 2002. Introduction to thyroid hormone receptors in introduction to thyroid hormone receptors method and protocols. *Humana Press.* 2002:1-12
- Baroudi, T., Bouhaha, R., Moguel, C.M., Coronoa, J.S., Maiz, H.B., Abid, H.K *et al.*, 2009. Association of the insertion/ deletion polymorphism of the

- angiotensin converting enzyme gene with type 2 diabetes in two ethnic groups of Jerba Island in Tunisia. *J of the Renin Angio-Aldosterone System*. 10(1):35–40.
- Bataineh, A., Raij, L., 1998. Angiotensin II, nitric oxide, and end-organ damage in hypertension. *Kidney Int*. 68 (Suppl):14–S19.
- Bawazier, L. A., Sja'bani, M., Haryana, S. M., Soesatyo, M.H.N.E., Sadewa, A.H., 2010. Relationship of angiotensin converting enzyme gene polymorphism and hypertension in Yogyakarta, Indonesia. *Acta Med Indones-Indones J Intern Med*. 42 (4):192-298.
- Bayoumi, R.A., Simsek, M., Yahya, T.M., Bendict, S., Al-Hinai, A., Al-Barwani, H., Hassan, M.O., 2006 Insertion deletion polymorphism in the angiotensin-converting enzyme (ACE) gene among Sudanese, Somalis, Emiratis, and Omanis. *Hum Biol*. 78 (1):103–108.
- Bazzano, L. A., Green, T., Harrison, T. N., Reynolds, K., 2013. Dietary approaches to prevent hypertension. *Curr Hypertens Rep*. 15(6): 694–702. doi:10.1007/s11906-013-0390-z.
- Behr, M. and Loos, U., 1992. A point mutation (Ala 239 to Thr) in the hinge domain of the c-erbA β Thyroid hormone receptor in a family with generalized thyroid hormone resistance. *Mol. Endocrinol*. 6: 1119-1126.
- Bell, K., Twiggs, J., Olin, B.R., 2015. Hypertension: The Silent Killer: Updated JNC-8 Guideline Recommendations. Summer 2015: Continuing education. www.APArX.org
- Bengtsson, K., Melander, O., Melander, M.O., Lindblad, U., Ranstam, J., Råstam, L. *et al.*, 2001. Polymorphism in the β 1-adrenergic receptor gene and hypertension. *Circulation*. 104:187-190.
- Benowitz, N.L., 2001. Obat Antihipertensi dalam Katzung B.G. *Farmakologi Dasar dan Klinik*, diterjemahkan oleh Sjabana, D., Rahardjo, Sastrowardoyo, W dan Hamzah. Penerbit Salemba Medika. Jakarta.
- Berlowitz, D.R., Ash, A.S., Hickey, E.C., Friedman, R.H., Glickman, M., Kader, B. *et al.*, 1998. inadequate management of blood pressure in a hypertensive population. *N Engl J Med*. 339:1957-63
- Biondi, B. and Cooper, D.S., 2012. Subclinical Thyroid Disease. *The Lancet*. 379: 1142-1154.
- Bochukova, E., Schoenmakers, N., Agostini, M., Schoenmakers, E., Rajanayagam, O., Keogh, J.M. *et al.*, 2012. A mutation in the thyroid hormone receptor alpha gene. *N Engl J Med*. 366:243–9.
- Bray, S.M. and Boerwinkle, E., 2000. The role of β 2-adrenergic receptor variation in human hypertension. *Current Hypertension Reports*. 2:39–43.
- Bray, M.S., Krushkal, J., Li, L., Farrell, R., Kardia, S., Sing, C.F. *et al.*, 2000. Positional genomic analysis identifies the β 2-adrenergic receptor gene as a susceptibility locus for human hypertension. *Circulation*. 101: 2877-2882.
- Brent, G.A: 2012. Mechanisms of thyroid hormone action. *J Clin Invest*. 122(9):3035–3043.

- Brodde, O.E., 2008. β_1 and β_2 -Adrenoceptor polymorphisms and cardiovascular diseases. *Fundamental & Clinical Pharmacology*. 22: 107–125.
- Brodde, O.E., Bruck, H., Leineweber, K., and Seyfarth, T., 2001. Presence, distribution and physiological function of adrenergic and muscarinic receptor subtypes in the human heart. *Basic Res in Cardio*. 96(6): 528–538.
- Brown, C.D., Higgins, M., Donato, K.A., Rohde, F.C., Garrison, R., Obarzanek, E., 2000. Body mass indeks and the prevalence of hypertension and dyslipidemia. *Obes Res*. 8(9):605-619.
- Brown, S., Ordovás, J. M., Campos, H., 2003. Interaction between the APOC3 gene promoter polymorphisms, saturated fat intake and plasma lipoproteins. *Atherosclerosis*. 170:307–313.
- Bruck, H., Leineweber, K., Temme, T., Weber, M., Heusch, G., Philipp, T., Brodde, O.E., 2002. The Arg389Gly Beta 1-adrenoceptor polymorphism and catecholamine effect on plasma-renin activity. *J of the Am Collage of Cardio*. 46 (11): 2111-2115.
- Buletin jendela data dan informasi kesehatan. 2012. Gambaran penyakit tidak menular di rumah sakit di Indonesia tahun 2009 dan 2010. (2) 2. Penerbit Infodatin Kemkes Jakarta.
- Busjahn, A., Li, G.H., Faulhaber, H.D., Rosenthal, M., Becker, A., Jeschke, E., *et al.*, 2000. β_2 -Adrenergic receptor gene variation, blood pressure, and heartg size in normal twins. *Hypertension*. 35:555-560.
- Butler, M.G., 2010. Pediatric hypertension: genetics of hypertension current status. *J Med Liban*. 58(3): 175–178.
- Cai, Y., Ren, Y., Shi, J., 2011. Blood pressure levels in patients with subclinical thyroid dysfunction: a Meta analysis of cross-sectional data. *Hypertention Research*. 34: 1098-1105.
- Campi, I., Mannavola, D., Beck-Peccoz, P., 2010. Resistance to thyroid hormone and cardiovascular risk. *European Endocrinology*. 6 (1):77–80.
- Canaris, G.J., Manowitz N.R., Mayor, G.M. and Ridgway, E.C., 2000. The Colorado thyroid disease prevalence studies. *Arch. Int. Med*. 160: 526-534.
- Carneiro-Ramos, M.S., Silva, V.B., Santos, R.A. dan Barreto-Chaves, M.L., 2006. Tissue-specific modulation of angiotensin-converting enzyme (ACE) in hyperthyroidism. *Peptides*. 112942–2949. (doi:10.1016/j.peptides.2006.4.015)
- Castellano, M., Rossi, F., Giacche, M., Perani, C., Rivadossi, F., Muiesan, M.L., Salvetti, M., *et al.*, 2003. 2-Adrenergic receptor gene polymorphism, age, and cardiovascular phenotypes. *Hypertension*. 41:361–367.
- Castellano, M., Glorioso, N., Cusi, D., Sarzani, R., Fabris, B., Opocher, G., *et al.*, 2003. Molecular genetic study group of the Italian society of hypertension. Genetic polymorphism of the renin-Angiotensin-aldosterone system and arterial hypertension in the Italian population: the GENIPER project. *J Hypertens*. 21:1853-1860.

- Chalmers, J., MacMahon, S., Mancia, G., Whitworth, J., Beilin, L., Hansson, L. *et al.*, 1999. WHO-ISH Hypertension Guidelines Committee. 1999 World Health Organization - International Society of Hypertension Guidelines for the Management of Hypertension. *J Hypertens.* 17:151-185.
- Chan, J.S.D., Ming, M., Nie, Z.R., Silkstrom, R., Lachance, S. dan Carrie`re, S., 1992. Hormonal regulation of expression of the angiotensinogen gene in cultured opossum kidney proximal tubular cells. *J of the Am Soc of Nephro.* 21516–1522
- Chen, L., Smith, G.D., Harbord, R.M., Lewis S.J., 2008. Alcohol intake and blood pressure: A systematic review implementing a Mendelian randomization approach. *PLoS Med.* 5(3): 461-470.
- Chobanian, A.V., Bakris, G.L., Black H.R., Cushman, W.C. G.L.A., Izzo J.L., Jr., *et al.*, 2003. The seventh report of the Joint National Committee on Prevention, Detection, Evaluation, and Treatment of High Blood Pressure: The JNC 7 Report. *JAMA.* 289:2560-72.
- Chowdhury, A.H., Zaman, M.M., Haque, K.M.H.S.S., Rouf, M.A., Shah, A.T.M.N., T Nakayama, Y., *et al.*, 1998. Association of Angiotensin Converting Enzyme (ACE) gene polymorphism with hypertension in a Bangladeshi population. *Bangladesh Met. Res.* 24(3). 55-59.
- Clauses, E., Bouhnik, J., Coezy, E., Corvol, P., Menard, J., 1983. Synthesis and release of immunoreactive angiotensinogen by rat liver slices. *Endocrinology.* 112:1188-1193.
- Conn, P.M., Melmed, S., 2015. *Endocrinology (2ed): Basic and Clinical Principles.* Humana Press.
- Colangelo L., A., Yano Y., Jacobs D., R., Lloyd-Jones D., M., 2020. Association of resting Heart rate with blood pressure and incident hypertension over 30 years in Black and White adults. The CARDIA study. *Hypertension.* 76:692-698. DOI: 10.1161/HYPERTENSIONAHA.120.15233.
- Cooper dan Ladenson, 2011. The thyroid hormones in *Greenspan's Basic and Clinical Endocrinology 9th ed.* Editor: Gardner dan Shobach. Lange Medical Books. McGraw-Hill.
- Corwin, E. J., 2002. *Buku Saku Patofisiologi.* Jakarta : EGC. Depkes.
- Covolo, L., Gelatti, U., Metra, M., Nodari, S., Picciche, A., Pezzali, N. *et al.*, 2004. Role of beta1- and beta2-adrenoceptor polymorphisms in heart failure: a case-control study. *Eur Heart J.* 25: 1534-41.
- Das, M., Pa, S., Ghosh, A., 2008. Angiotensin Converting Enzyme Gene Polymorphism (Insertion/Deletion) and Hypertension in Adult Asian Indians: A Population-Based Study from Calcutta, India. *Human Biology.* 80(3):303-312.
- Dalal J., Dsbiswas A., Sathyamurthy I., Maddury S., R., Kerkar P., Bansal S., 2019. Heart rate in hypertension: Review and Expert opinion . *International Journal of Hypertension.* 2019: 1-6.
- Danser, A.H., Derkx, F.H., Schalekamp, M.A., Hense, H.W., Riegger, G.A., Schunkert, H. 1998. Determinants of inter individual variation of renin and

- prorenin concentrations: evidence for asexual dimorphism of (pro)renin levels in humans. *J. Hyper-tens.* 16:853–862.
- De Leo. S., Lee, S., Braverman, L.E., 2016. Hyperthyroidism. *Lancet.* 388(10047): 906–918. doi:10.1016/S0140-6736(16)00278-6
- DeMello, W.C., Re, R.N., 2010. Systemic versus local renin angiotensin systems. An overview. In: DeMello WC, Re RN (eds). *Renin Angiotensin System and Cardiovascular Disease*. Springer: New York, NY, USA. pp 1–5
- Depkes RI, 2006, *Pedoman Teknis Penemuan Dan Tatalaksana Penyakit Hipertensi*. Direktorat P2PL, Jakarta.
- Depkes, RI. *Pedoman Teknis Penemuan dan Tata Laksana Hipertensi*. Jakarta: Badan Litbang Kesehatan; 2008.
- De Ruiter, J., 2001. Endocrine Pharmacotherapy Module: Thyroid Section, Summer.pp 1-16
- Dickson, M.E. dan Sigmund, C.D., 2006. Genetic Basis of hypertension revisiting angiotensinogen. *Hypertension.* 48:14-20.
- Dillmann, W.H., 2002. Cellular action of thyroid hormone on the heart. *THYROID.* 12 (6): 447-452.
- Dina, T., Elperin., Pelter, M.A., Deamer R.L., Burchette, R.J., 2014. A Large cohort study evaluating risk factors associated with uncontrolled hypertension, *The J of Clin Hyperten.* 16 (2): 149-154.
- Djoussé, L., Lee, I.M., Buring, J.E., Gaziano, J.M., 2009. Alcohol consumption and risk of cardiovascular disease and mortality in women: Potential mediating mechanisms. *Circulation.* 120(3):237–244. doi:10.1161/Circulation Aha.108.832360
- Eadon, M., Chapman, A.B., 2006. A physiologic approach to the pharmacogenomics of hypertension. *Advances in Chronic Kidney Disease.* 23(2): 91–105. <http://doi.org/10.1053/j.ackd.2016.02.00>
- Efraimidis, G., and Wiersinga, W., 2014. Autoimmune thyroid disease: old and new player. *European Journal of Endocrinology.* 170:241-252.
- Ehret, G.B. and Caulfield, M.J., 2013. Genes for blood pressure: an opportunity to understand hypertension. *European Heart Journal.* 34:951–961 doi:10.1093/eurheartj/ehs455.
- El Shafie, K., Ouhtit, A., Al Farsi1, Y., Al Sayegh, A., Al Shafae, M., 2014. A rare thyroid hormone receptor beta (THR β) gene mutation in a 15-year-old girl with thyroid hormone resistance syndrome: a case report. *Journal of Medical Case Reports.* 8:12.
- Fadel, B.M., Ellahham, S., Ringel, M.D., Lindsay, J., Wartofky, L., Burman, K.D., 2000. Hyperthyroid Heart Disease. *Clin. Cardio.* 23: 402-408
- Feox, P. dan Sear J.W., 2004. Hypertension: pathophysiology and treatment. Continuing education in anaesthesia, Critical Care dan Pain. 4 (3): 71-75.
- Fikri, R.A., 2016. Hubungan antara jenis kelamin dan usia terhadap ekspresi gen Arg389Gly pada pasien di Puskesmas Buaran dan Reni Jaya Tangerang selatan.

- Laporan Penelitian. Fakultas Kedokteran Universitas Islam Negeri Syarif Hidayatullah Jakarta.
- Filigheddu, F., Argiolas, G., Bulla, E., Troffa, C., Bulla, P., Fadda, S. *et al.*, 2008. Clinical variables, not RAAS polymorphisms, predict blood pressure response to ACE inhibitors in Sardinians. *Pharmacogenomics*. 9(10):1419-1427.
- Fischer, M., Baessler, A., Schunkert, H., 2002. Renin angiotensin system and gender differences in the cardiovascular system. *Cardiovascular Research*. 53: 672 – 677.
- Fornage, M. and Doris, P.A., 2000. Use of single nucleotide polymorphisms for gene discovery in hypertension. *Curr Hypertens Rep*. 2(1): 23–31.
- Fountain, J.H., Lappin, S.L., Physiology, Renin Angiotensin System. <https://www.ncbi.nlm.nih.gov/books/NBK470410>.
- Fragoso, J.M., Rodriguez-Perez, J.M., Perez-Vielma, N., Martinez-Rodriguez, N., Vargas- Alarcon, G., 2005. Beta1 adrenergic receptor polymorphisms Arg389Gly and Ser49Gly in the Amerindian and Mestizo populations of Mexico. *Hum Biol*. 77: 515-20.
- Fu, C., Wang, H., Wang, S., Shi, Y., Zhou, X., Sun, K. *et al.*, 2008. Association of beta (1)-adrenergic receptor gene polymorphisms with left ventricular hypertrophy in human essential hypertension. *Clinical Biochemistry*. 41(10-11): 773–778.
- Fumarola, A.A., Di, Fiore., M., Dainelli, G., Grani, Calvanese, A., 2010. Medical treatment of hyperthyroidism: State of the Art. *Exp Clin Endocrinol Diabetes*. 118(10):678-84. doi: 10.1055/s-0030-1253420.
- Gaillard, S., Fredric E.Wondisford, F.E., 2009. Thyroid-stimulating hormone and thyroid-stimulating hormone receptor. *Clinical Management of Thyroid Disease*. P 81-101. Saunders Elsevier Inc.
- Ganong W.F. 2005. *Review of medical physiology*. 22nd ed. Singapore : Mc Graw Hill.
- Garmendia, M.A., Santos Palacios, S., Guillén-Grima, F., Galofré JC., 2014. The incidence and prevalence of thyroid dysfunction in Europe: a meta-analysis. *J Clin Endocrinol Metab*. 99:923–31.
- Ge, D., Huang, J., He, J., Li, B., Duan, X., Chen, R., Gu, D., 2005. B2- Adrenergic receptor gene variation associated with stage-2 hypertension in Northern Han Chinese. *Annals of Human Genetic*. 69: 36-44.
- Goldstein, D.S., 1983. Plasma catecholamines and essential hypertension. *Hypertension*. 5:86-99. <https://doi.org/10.1161/01.HYP.5.1.86>
- Goncharov, S.V., Gurianova, V.L., Stroy, D.O., Drevytska, T.I., Kaplinskii, S.P., Nastenka, E.A., *et al.*, 2013. Genetic predisposition to essential hypertension in children: analysis of 17 single nucleotide polymorphisms. *Fiziol Zh*. 59(6):12-24.
- Goumide, L. Gauthier, K., Legry, V., Mayi, T.H., Houzet, A., Cottel, D., *et al.*, 2011. Association between a thyroid hormone receptor- alpha gene polymorphism and blood pressure but not with coronary heart disease risk. *Am J hypertens*. 24(9):1027-34.

- Grant, R. W., Hivert, M., Pandiscio, J. C., Florez, J. C., Nathan, D. M., Meigs, J. B., 2009. The clinical application of genetic testing in type 2 diabetes: a patient and physician survey. *Diabetologia*. 52(11): 2299–2305.
- Gui-yan, W., Yan-hua, W., Qun, X., Wei-jun, T., Mung-ling, G., Ming-wu., F., *et al.*, 2006. Associations between RAS Gene polymorphisms, environmental factors and hypertension in Mongolian people. *Eur J Epidemiol*. 21:287e292.
- Gu, X.X., Spaepen, M., Guo, C., Fagard, R., Amery, A., Cassiman, J.J., 1994. Lack of association between the I/D polymorphism of the angiotensin-converting enzyme gene and essential hypertension in a Belgian population. *J Hum Hypertens*. 8:683-685.
- Gupta, S., Agrawal, B.K., Goel, R.J., Prabodh K Sehajpal, P.K., 2009. Angiotensin-converting enzyme gene polymorphism in hypertensive rural population of Haryana, J Emerg Trauma Shock. 2:150-4.
- Guyton dan Hall JE. 2011. *Textbook of Medical Physiology*. 12th ed. Saunders Elsevier Inc
- Hakalahti, A., 2011. Human β 1-adrenergic receptor biosynthesis, processing and the carboxyl-terminal polymorphism. *Disertation*. University of Oulu, Finland.
- Hanifa, I., Zaki, I., Farida, 2020. Literature review: correlation between fried food intake and cardiovascular disease. *Jurnal Riset Gizi*. 8 (2):111-115.
- Hanum, Y., 2016. Dampak bahaya makanan gorengan bagi jantung. *Jurnal Keluarga Sehat Sejahtera*. 14(28): 103-14.
- Harvey, C.B. and Williams, G.R., 2002. Mechanism of thyroid hormone Action on *THYROID*. Vol (12) 6. Mary Ann Liebert, Inc.
- Hata, A., Namikawa, C., Sasaki, M., Sato, K., Nakamura, T., Tamura, K., *et al.*, 1994. Angiotensinogen as a risk factor for essential hypertension in Japan. *J Clin Invest*. 93(3):1285
- Hauger-Kleven, J.H., Brown, H. and Zavaleta, J., 1972. Plasma renin activity in hyper and hypo thyroidism: Effect of adrenergic blocking agents. *J. Clin. Endocrinol*. 34: 625-629.
- Herbert, B. dan Casey, A. 2012. *Menurunkan Tekanan Darah*. Penerbit Gramedia, Jakarta.
- Hopkins, P.N. Hunt, S.C., 2003. Genetics of hypertension. *Genetics in Medicine*. 5 (6): 413-429.
- Hu, L., Huang, X., You Li, J., Hong, K., Li, P., Wu, Y., Wu, Q., Bao, H., Cheng, X., 2017. Prevalence and risk factors of prehypertension and hypertension in Southern China. *Plos One*. 12(1):1-15.
- Huang, C.C., Chung, C.M., Hung, S.I., Leu, H.B., Wu, T.C., Huang, P.H. *et al.*, 2011. Genetic variation in renin predicts the effects of thiazide diuretics. *Eur J Clin Invest*. 41(8):828-835.

- Huang, Z., Willett, W.C., Manson, J.E., Rosner, B., Stampfer, M.J., Speizer, F.E., *et al.*, 1998. Body weight, weight change, and risk for hypertension in women. *Ann Intern Med.* 128:81-8.
- Hulbert, A.J., 2000. Thyroid hormones and their effects: a new perspective, *Biological Review.* 75:519-631
- Ichihara, A., Kobori, H., Miyashita, Y., Hayashi, M. dan Saruta, T., 1998. Differential effects of thyroid hormone on renin secretion, content, and mRNA in juxtaglomerular cells. *American Journal of Physiology.* 274:224-231.
- Inagaki, Y., Mashima, Y., Fuse, N., Funayama, T., Ohtake, Y., Yasuda, N. *et al.*, 2006. Polymorphism of beta-adrenergic receptors and susceptibility to open-angle glaucoma. *Mol Vis;* 12: 673-80.
- InfoDATIN Pusat Data dan Informasi Kementerian Kesehatan RI 17 Mei-Hari Hipertensi Sedunia tahun 2013.
- Inoue, I., Nakajima, T., Williams, C.S., Quackenbush, J., Puryear, R., Powers, M., Cheng, T., *et al.*, 1997. A nucleotide substitution in the promoter of human angiotensinogen is associated with essential hypertension and affects basal transcription. *J Clin Invest.* 99:1786-1797
- Islam, S.M.S., Mainuddin, A.K.M., Islam, M.D.S., Karim, M.A., Mou, S.Z., Arefin, S., Chowdhury, K.N., 2015. Prevalence of risk factors for hypertension: A cross-sectional study in an urban area of Bangladesh. *Global Cardio Sci and Practice.* 43:1-9.
- Ismail, M., Akhtar, N., Nasir, M., Firasat, S., Ayub, Q., Khaliq, S., 2004. Association between the angiotensin-converting enzyme gene insertion/deletion polymorphism and essential hypertension in young Pakistani patients. *J Biochem Mol Biol.* 37:552-555
- Iwamoto, Y., Oishi, M., Yuan, M., Tatara, Y., Kato, N., Yakeya, Y., *et al.*, 2011. β -Adrenergic receptor gene polymorphism is a genetic risk factor for cardiovascular disease: a cohort study with hypertensive patients. *Hypertension Research.* 34: 573-577.
- Jabbar, A., Pingitore, A., Pearce, S.H.S., Iervasi, G. and Razvi, S., 2017. Thyroid hormones and cardiovascular disease. *Nature Reviews Cardiology.* 14: 39-55.
- Jameson, J.L., and Weetman A., 2006. *Disorder of the Thyroid Gland in Harrison Endocrinology.* The McGrawHill Companies. Amerika.
- Jayapalan, J.J., Muniandy, S., and Chan, S.P., 2008. Angiotensin-1 converting enzyme I/D gene polymorphism: scenario in Malaysia, Southeast Asian. *J of Trop Med and Pub Health.* 39 (5): 917-921.
- Jeunemaitre, X., Bassilana, F., Persu, A., Dumont, C., Champigny, G., Lazdunski, M. *et al.*, 1997. Genotype phenotype analysis of a newly discovered family with Liddle's syndrome. *J Hypertens.* 15:1091-1100.
- Jeunemaitre, X., Soubrier, F., Kotelevtsev, Y.V., Lifton, R.P., Williams, C.S., Charru, A., Hunt, S.C., *et al.*, 1992. Molecular basis of human hypertension: role of angiotensinogen. *Cell.* 71:169-180.

- Johnatty, S.E., Abdellatif, M., Shimmin, L., Clark R.B., Boerwinkle, E., 2002. β_2 adrenergic receptor 5' haplotypes influence promoter activity British Journal of Pharmacology. 137: 1213 – 1216.
- Johnson, J.A., 2008. Ethnic differences in cardiovascular drug response: potential contribution of pharmacogenetics. *Circulation*. 118:1383–93.
- Johnson, J.A., Zineh, I., Puckett, B.J., McGorray, S.P., Yarandi, H.N., Pauly, D.F., 2003. β_1 -Adrenergic receptor polymorphisms and antihypertensive response to metoprolol. *Clin. Pharmacol. Ther.* 74 44–52.
- Jones, A., and Montgomery, H., 2002. The Gly389Arg beta-1 adrenoceptor polymorphism and cardiovascular disease: time for a rethink in the funding of genetic studies? *European Heart Journal*. 23(14): 1071–1074.
- Kahaly, G., and Dillmann, W.H., 2005. Thyroid hormone action in the heart. *Endocrine Reviews*. 26(5):704 –728.
- Kalangi, J.A, Umboh, A., Pateda, V., 2015. Hubungan faktor genetik dengan tekanan darah pada remaja. *Jurnal e Clinic (eCl)*. 3 (1): 66-70.
- Kario, K., Kanai, N., Nishiuma, S., Fujii, T., Saito, K., Matsuo, T., Matsuo, M., Shimada, K., 1997. Hypertensive nephropathy and the gene for angiotensin-converting enzyme. *Arterioscler Thromb Vasc Biol*. 17: 252–256.
- Karlsson, J., Lind, L., Hallberg, P., Michaelsson, K., Kurland, L., Kahan, T., *et al.*, 2004. Beta1-adrenergic receptor gene polymorphisms and response to beta1-adrenergic receptor blockade in patients with essential hypertension. *Clin. Cardiol*. 27: 347–350.
- Kato, N., Sugiyama, T., Morita, H., Kurihara, H., Sato, T., Yamori, Y., Yazaki, Y., 2001. Association analysis of 2-adrenergic receptor polymorphisms with hypertension in Japanese. *Hypertension*. 37:286–292.
- Klein, I. and Hong, C., 1986. Effects of thyroid hormone on cardiac size and myosin content of the heterotopically transplanted rat heart. *J Clin Invest*. 7: 1694-1698.
- Klein, I. dan Danzi, S., 2007. Thyroid disease and the heart. *Circulation*. 116:1725-1735
- Klein, I. and Ojamaa, K., 2011. thyroid hormone and the cardiovascular system. *N Engl J Med*. 344 (7): 501-502.
- Klein, I., 2017. Cardiovascular effects of hyperthyroidism. Available at www.uptodate.com. Last updated on June 27 2017.
- Klemperer, J.D., Klein, I.L., Ojamaa, K., Helm, R.E., Gomez, M., Isom, O.W., Krieger, K.H., 1996 Triiodothyronine therapy lowers the incidence of atrial fibrillation after cardiac operations. *Ann Thorac Surg*. 61: 1323– 1327.
- Klemperer, J.D., Ojamaa, K., Klein, I., 1996. Thyroid hormone therapy in cardiovascular disease. *Progress in cardiovascular diseases*. 38 (4): 329-336.
- Kobilka, B., 1991. Molecular and cellular biology of adrenergic receptors. *Trends Cardiovasc. Med*. 1:189 – 194.

- Kogai T., Brent G.A., 2005 Thyroid Hormones (T₄, T₃). In: Melmed S., Conn P.M. (eds) *Endocrinology*. Humana Press. https://doi.org/10.1007/978-1-59259-829-8_17.
- Kong, H., Li, X., Zhang, S., Guo, S., Niu, W., 2013. The β 1-adrenoreceptor gene Arg389Gly and Ser49Gly polymorphisms and hypertension: a meta-analysis. *Mol Biol Rep*. 40:4047–4053.
- Komara, M., Basudevan, R., Ismail, P., Bakar, S.A., Pishva, S.R., Heidari, F., 2014. Association of beta 2 adrenoceptor gene polymorphisms in Malaysian hypertensive subjects. *Genetics and Molecular Research*. 13 (2): 2939-2948.
- Komukai, K., Mochizuku, S., Yoshimura, M., 2010. The author Fundamental and Clinical Pharmacology^a2010 Socie té Franc aise de Pharmacologie et de Thérapeutique Fundamental & Clinical Pharmacology. 24: 687–698.
- Klatsky, A.L., Friedman, G.D., Siegelaub, A.B., Gérard, M.J. 1977. Alcohol consumption and blood pressure: Kaiser-Permanente Multiphasic Health Examination data. *N Engl J Med*. 296:1194-200.
- Krishnan, R., Sekar, D., Karunanithy, S., Subramaniam, S., 2016. Association of angiotensin converting enzyme gene insertion/deletion polymorphism with essential hypertension in south Indian population. *Genes dan Diseases*. 3:159-163.
- Kusrini, I., 2009, Hubungan Asupan Iodium dengan Kejadian Suspect Hipertiroid di Daerah non Endemik GAKI. Penelitian BP2 GAKI Magelang.
- Kunz, R., Kreutz, R., Beige., J., Distler, A., Sharma, A.M., 1997. Association between the angiotensinogen 235T-variant and essential hypertension in whites: a systemic review and methodological appraisal. *Hypertension*. 30: 1331–1337.
- Lachance, J., 2016. Hardy–Weinberg Equilibrium and random mating in encyclopedia of evolutionary biology. Academic Press.
- Laragh, J.H., 1993. Renin profiling for diagnosis, risk assessment, treatment of hypertension. *Kidney Int*. 44:1163–1175.
- Large, V., Hellstrom, L., Reynisdottir, S., Lonnqvist, F., Eriksson, P., Lannfelt, L., *et al.*, 1997. Human β -2 adrenoceptor gene polymorphisms are highly frequent in obesity and associate with altered adipocyte β -2 adrenoceptor function. *J. Clin. Invest*. 100: 3005-3013.
- Lazarus, J.H., 1999. Thyroid hormones and neurodevelopment. *Clinical Endocrinology*. 50: 147–148.
- Lee, J., Aziz, H., Liu, L., Lipkowitz, M., O'Connor, D.T., Richard, E., Brophy, V., Wassel, C.L., Blantz, R., and Bhatnaga, V., 2011. β 1-Adrenergic receptor polymorphisms and response to β -blockade in the African-American study of kidney disease and hypertension (AASK). *American J of Hyperten*. 24 (6):694-700.
- Lee S., Young B.M., Wan W., Chan I.H., Privalsky M.L., 2011. A mechanism for pituitary-resistance to thyroid hormone (PRTH) syndrome: a loss in cooperative coactivator contacts by thyroid hormone receptor (TR) beta2. *Mol Endocrinol*. 25(7):1111–1125.

- Leineweber, K., dan Heusch, G., 2009. β 1- and β 2-Adrenoceptor polymorphisms and cardiovascular diseases. *British Journal of Pharmacology*. 158: 61–69.
- Levin, M.C., Marullo, S., Muntaner, O., Andersson, B. dan Magnusson, Y., 2002. The myocardium-protective Gly-49 variant of the β 1-adrenergic receptor exhibits constitutive activity and increased desensitization and down-regulation. *J Biol Chem*. 277(34): 30429–35.
- Liggett, S.B., 2012. Adrenergic receptor polymorphisms in heart failure muscle 2-Volume Se 1st: *Fundamental Biology and Mechanisms of Disease*. Academic Press.
- Lin, H., Hargreaves, K.A., Li, R., Reiter, J.L., Wang, Y., Mort, M., *et al.*, 2019. RegSNPs-intron: A computational framework for predicting pathogenic impact of intronic single nucleotide variants. *Genome Biol*. 20: 254. doi:10.1186/s13059-019-1847-4.
- Liu, Z.Q., Liu, J., Xiang, Z.H., Hu, M.Y., Mo, W., Wang, L.S. *et al.*, 2006. Distributive characteristics of Ser49Gly and Gly389Arg genetic polymorphisms of beta1-adrenoceptor in Chinese Han and Dai populations. *Acta Pharmacol Sin*. 27: 254–8.
- Liu, J., Liu, Z.Q., Yu, B.N., Xu, F.H., Mo, W., Zhou, G., *et al.*, 2006. β 1-Adrenergic receptor polymorphisms influence the response to metoprolol monotherapy in patients with essential hypertension. *Clin. Pharmacol. Ther*. 80: 23–3.
- Lou, Y., Liu, J., Li, Y., Liu, Y., Wang, Z., Liu, K., 2011. Association Study of the β 2-adrenergic receptor gene polymorphisms and hypertension in the Northern Han Chinese. *PLoS ONE*. 6(4): 1–8.
- Madariaga Garmendia, A., Santos Palacios, S., Guillén-Grima, F., Galofré J.C., 2014. The incidence and prevalence of thyroid dysfunction in Europe: a meta-analysis. *J Clin Endocrinol Metab*. 99:923–31
- Maitland, G.M., Frishman, W.H., 1998. Thyroid hormone and cardiovascular disease. *Am Heart J*. 135; 187–196.
- Makino, Y., Konoshita, T., Omori, A., Maegawa, N., Nakaya T., Ichikawa, M., *et al.*, 2015. A genetic variant in the distal enhancer region of the human renin gene affects renin expression. *PloSone*. 10(9):0137469.
- Martinez, F.D., Graves, P.E., Baldini, M., Solomon, S., Erickson, R., 1997. Association between genetic polymorphisms of the beta2- adrenoceptor and response to albuterol in children with and without a history of wheezing. *J Clin Invest*. 100:3184–3188
- Martinez, E., Pura, S.A., Escribano, J., Sanchis, C., Carrion, L., Masso, J., *et al.*, 2002. Threonine at position 174 and 235 of the angiotensinogen polypeptide chain are related to familial history of hypertension in a Spanish – Mediterranean population. *Br J Biomed Sci*. 59:95–100.
- Maqbool, A., Hall, A.S., Ball, S.G and Balmforth, A.J., 1999. Common polymorphisms of β 1-adrenoceptor: identification and rapid screening assay. *The Lancet*. 353 (9156): 897–905.

- Mason, D.A., Moore, J.D., Green, S.A. and Liggett, S.B. ,1999 A gain-of-function polymorphism in a G-protein coupling domain of the human β 1-adrenergic receptor. *J Biol Chem.* 274(18): 12670–12674.
- Masuo, K., Katsuya, T., Fu, Y., Rakugi, H., Ogihara, T., Tuck, M.L., 2005. β 2- and β 3-Adrenergic receptor polymorphisms are related to the onset of weight gain and blood pressure elevation over 5 years. *Circulation* .111: 3429–3434.
- Masuo, K., Mikami, H., Ogihara, T., Tuck M.L., 2001. Familial obesity, sympathetic activation and blood pressure level. *Blood Pressure.* 10:199–204.
- Mason, D.A., Moore, J.D., Green, S.A., Liggett, S.B., 1999. A gain-of function polymorphism in a G-protein coupling domain of the human beta1-adrenergic receptor. *J Biol Chem.* 274:12670–12674.
- Matsana, S., Nunn, B., 1997. Angiotensin–converting enzyme deletion polymorphism is associated with hypertension in Sikh population. *Hum Hered.* 47:250-253.
- Mazza, A., Beltramello, G., Armigliato, M., Montemurro, D., Zorzan, S., Zuin, M., *et al.*, 2011. Arterial hypertension and thyroid disorders: What is important to know in clinical practice? *Annales d’Endocrinologie.* 72: 6–303.
- Menard, J., Guyene, T.T., Chatellier, G., Kleinbloesem, C. H., Bernadet P., 1991. Renin release regulation during acute renin inhibition in normal volunteers. *Hypertension.* 18:257-265.
- Mittag, J., 2011. Cardiovascular consequences of a mutant thyroid hormone receptor α 1. *US Endocrinology.* 7(1):55–8.
- Mohana, V.U., Swapna, N., Surender, R.S., Vishnupriya, S., Padma, T., 2012. Gender-related association of AGT gene variants (M235T and T174M) with essential hypertension-A case-control study. *Clin Exp Hypertens.* 34(1):38–44.
- Mondal, S., Raja, K., Schweizer, U., Mugesh, G., 2016. Chemistry and biology in the biosynthesis and action of thyroid hormones. *Angew. Chem. Int. Ed.* 55: 7606 – 7630.
- Mondorf, U.F., Russ, A Wieseemann, A., Herrero, M., Oremek, G., Lenz , T ., 1998. Contribution of Angiotensin I Converting Enzyme gene polymorphism and angiotensinogen gene polymorphism to blood pressure regulation in essential hypertension. *Am Jou Hypetent.* 11(2): 174-183.
- Mondry, A., Loh, M., Liu, P., Zhu, A.L., Nagel, M., 2005. Polymorphisms of the insertion/deletion ACE and M235T AGT genes and hypertension: surprising new findings and meta-analysis of data. *BMC Nephrol.* 6: 1-11.
- Moore, J.D., Mason, D.A., Green, S.A., Hsu, J., Liggett, S.B., 1999. Racial differences in the frequencies of cardiac beta (1)-adrenergic receptor polymorphisms: analysis of c145ANG and c1165GNC. *Hum Mutat.*14: 271.
- Morcet, J.-F., Safar, M., Thomas, F., Guize, L., & Benetos, A., 1999. Associations between heart rate and other risk factors in a large French population. *Journal of Hypertension.* 17(12): 1671–1676. doi:10.1097/00004872-199917120-00003.
- Moussa, M.M.M., El-mowafy, R.I., El-Ezaby, H.H., 2015. Prevalence of hypertension and associated risk factors among university students: Comparative study. *Journal of Nursing Edu and Pract.* 5: 19-27.

- Nakamura, Y., Tabara, Y., Miki, T., Kita, Y., Okamura, T., Ueshima, H., 2007. Both angiotensinogen M235T and alpha-adducin G460 W polymorphisms are associated with hypertension in the Japanese population. *J Hum Hypertens.* 21(3):253–255.
- Nawaz, S. K., and Hasnain, S., 2011. Association of ACE ID and ACE G2350A polymorphism with increased blood pressure in persons exposed to different sound levels in Pakistan. *Int Arch Occup Environ Health.* 84:355–360
- Nishiuma, S., Kario, K., Kayaba, K., Nagio, N., Shimada, K., Matsuo, T., *et al.*, 1995. Effect of the angiotensinogen gene Met235Thr variants on blood pressure and other cardiovascular risk factors in two Japanese population. *J Hypertens.* 13:717–226.
- Norat, T., Bowman, R., Luben, R., Welch, A., Khaw, K. T., Wareham, N., Bingham, S., 2008. Blood pressure and interactions between the angiotensin polymorphism AGT M235T and sodium intake: a crosssectional population study. *Am J Clin Nutr.* 88:392–397.
- O'Donnell C.J., Lindpaintner, K., Larson, M.G., Rao, V.S., Ordovas, E.J., Schaefer, E.J., *et al.*, 1998. Evidence for association and genetic linkage of the angiotensin-converting enzyme locus with hypertension and blood pressure in men but not women in the Framingham heart study. *Circulation.* 97: 1766–1772.
- O'Shaughnessy, K.M., Fu, B., Dickerson, C., Thurston, D., Brown, M.J., 2000. The gain-of-function G389R variant of the β_1 -adrenoceptor does not influence blood pressure or heart rate response to β -blockade in hypertensive subjects. *Clin. Sci.* 99: 233–238.
- Pacanowski, M.A., Gong, Y., Cooper-Dehoff, R.M., Schork, N.J., Shriver, M.D., Langaee, T.Y., *et al.*, 2008. Beta-adrenergic receptor gene polymorphisms and beta-blocker treatment outcomes in hypertension. *Clin Pharmacol Ther.* 84: 715–721.
- Padmanabhan, S., Caulfield, M., Dominiczak, A. F., 2015. Genetic and molecular aspects of hypertension. *Circ Res.* 16:937-959.
- Palatini P., 2011. Role of elevated heart rate in the development of cardiovascular disease in hypertension. *Hypertension.* 2011; 58(5):745–50.
- Palatini, P., Dorigatti, F., Zaetta, V., Mormino, P., Mazzer, A., Bortolazzi, A., *et al.*, 2006. Heart rate as a predictor of development of sustained hypertension in subjects screened for stage 1 hypertension: the HARVEST Study. *Journal of Hypertension.* 24(9):1873–1880. doi:10.1097/01.hjh.0000242413.962.
- Palmer, A., 2007. *Simpel Guide Tekanan Darah Tinggi*. Penerbit Erlangga, Jakarta.
- Park, H.S., Shin, E.S., and Lee, J.E., 2008. Genotypes and haplotypes of β_2 -adrenergic receptor and parameters of the metabolic syndrome in Korean adolescents. *Metabolism.* 57: 1064-1070.
- Parry, H.M., Doney, A.S.F., Palmer, C.N.A., Lang, CC., 2013. State of play pharmacogenetic and personalized medicine in heart failure. *Cardiovascular Therapeutics.* 31: 315-322.

- Pazoki, R., Dehghan, A., Evangelou, E., Warren, H., Gao, H., Caulfield, M., Elliott P., Tzoulaki, I., 2018. Genetic predisposition to high blood pressure and lifestyle factors. associations with wildlife blood pressure levels and cardiovascular events. *Circulation*.137:653–661.
- Peng, Yingxin, Xue H., Luo L., Yao, W., and Li, R., 2009. Polymorphisms of the β 1-adrenergic receptor gene are associated with essential hypertension in Chinese. *Clin Chem Lab Med*. 47:1227–31.
- Pereira, A.C., Floriano, M.S., Mota, G.F.A., Cunha, R.S., Herkenhoff, F.L., Mill, J.G., Krieger, J.E., 2003. β 2-adrenoceptor functional gene variants, obesity, and blood pressure level interactions in the general population. *Hypertension*.42 (2):685–692.
- Pereira, A.C., Mota, G.F., Cunha, R.S., Herbenhorff, F.L., Mill, J.K., Krieger, J.E., 2003. Angiotensinogen 235T allele “dosage” is associated with blood pressure phenotypes. *J Hypertens*. 41:25–30.
- Pickering, T.G., Gerin, W., Schwartz, J.E., Spruill, T.M., Davidson, K.W., Franz Volhard., 2008. Lecture: should doctors still measure blood pressure? The missing patients with masked hypertension. *J Hypertens*. 26:2259–2267.
- Pohlenz, J., Manders, L., Sadow, P.M., Kansal, P.C., Refetoff, S., Weiss, R.E., 1999. A novel point mutation in cluster 3 of the thyroid hormone receptor beta gene (P247L) causing mild resistance to thyroid hormone. *Thyroid* 9:1195– 1203.
- Pontremoli, R., Vera, M., Viazzi, F., Nicoletta, C., Berruti, V., Loncini, G., *et al.*, 2000. Genetic polymorphism of the renin-angiotensin system and organ damage in essential hypertension. *Kidney International*. 57: 561–569.
- Price, S. A., 2005. *Patofisiologi Konsep Klinis Proses-Proses Penyakit*. Jakarta.
- Primates, P., Falaschetti, E., Gupta, S., Marmot, M.G., Poulter N.R., 2001. Association between smoking and blood pressure evidence from the health survey for England. *Hypertension*. 37:187–193.
- Procopciuc, L., Popescu, T., Jebeleanu, G.H., Pop, D., Zdrenghea, D., 2002. Essential arterial hypertension and polymorphism of angiotensinogen M235T gene. *J Cell Mol Med*. 6(2):245–250.
- Provido, M.R.P., Abriis, G.P., Hong, S. 2020. Association of fried food intake with prehypertension and hypertension: the Filipino women’s diet and health study. *Nutrition Research and Practice*. 14(1):76–84.
- Pusat Data dan Informasi Kementrian Kesehatan RI. *Hipertensi*. Jakarta: INFODATIN. 2014
- Qi, Y., Niu, W., Zhou, W., Hou, S., Qiu, C., 2007. Correlation between angiotensinogen gene polymorphisms and essential hypertension in Chinese population. *J Hum Hypertens*. 22: 147–150.
- Rafique, R., & Amjad, N., 2012. Dietary predictors of early-onset ischaemic heart disease in a sample drawn from a Pakistani population. *Heart Asia*. 129–34.
- Rahajeng, E., 2012. Upaya Pengendalian Penyakit Tidak Menular di Indonesia. *Buletin Jendela Data dan Informasi Kesehatan*. Vol 2.

- Ramu, P., Mahesh Kumar, K.N., Shewade, D.G., Swaminathan, R.P., Duttam T., K., Balachander, J. and Adithan, C.. 2010. Polymorphic variants of β 1-adrenergic receptor gene (Ser49Gly dan Arg389Gly) in healthy TAMILIAN volunteers. *Indian J Med Res.* 132; 62-66.
- Ranade, K., Jorgenson, E., Sheu, W.H.H., Pei, D., Hsiung, C.A., Chiang, F., *et al.*, 2002. A polymorphism in the β 1 adrenergic receptor is associated with resting heart rate. *Am. J. Hum. Genet.* 70: 935-942.
- Rathz, D.A., Brown, K.M., Kramer, L.A. and Liggett, S.B., 2002. Amino acid 49 polymorphisms of the human β 1-adrenergic receptor affect agonist-promoted trafficking. *J Cardiovasc Pharmacol.* 39(2): 155-60.
- Rebai, M., Kallel, I. and Rebai, A., 2012. Genetic features of thyroid hormone receptors. *J. Genet.* 91, 367-374
- Redon, J., Luque-Otero, M., Martell, N., Chaves, F.J., 2005. Investigators P. Renin-angiotensin system gene polymorphisms: relationship with blood pressure and microalbuminuria in telmisartan-treated hypertensive patients. *Pharmacogenomics J.* 5(1):14-20.
- Refetoff, S., Dumitrescu, A.M., 2007. Syndromes of reduced sensitivity to thyroid hormone: genetic defects in hormone receptors, cell transporters and deiodination. *Best Pract Res Clin Endocrinol Metab.* 21:277-305.
- Reis, K.A., Onal, B., Gonen, S., Arinsoy, T., Erten, Y., Ilgit, E., Soylemezoglu, O., *et al.*, 2006. Angiotensinogen and plasminogen activator inhibitor-1 gene polymorphism in relation to renovascular disease. *Cardio Vas and Interventional Radiology.* 29: 59-63.
- Renner, W., Nauck, M., Winkelmann, B.R., Hoffmann, M.M., Scharnagl, H., Mayer, V., *et al.*, 2005. Association of angiotensinogen haplotypes with angiotensinogen levels but not with blood pressure or coronary artery disease: the Ludwigshafen Risk and Cardiovascular Health Study. *J Mol Med.* 83(3):235-239.
- Reule, S. and Drawz, P.E., 2012. Heart rate and blood pressure: Any possible implications for management of hypertension? *Curr Hypertens Rep.* 14(6): 478-484. doi:10.1007/s11906-012-0306-3.
- Reutrakul, S., Sadow, P.M., Pannain, S., Pohlenz, J., Carvalho, G.A., Macchia, P.E., Weiss, R.E., and Refetoff, S., 2000. Search for abnormalities of nuclear corepressors, coactivators, and a coregulator in families with resistance to thyroid hormone without mutations in thyroid hormone receptor. *J Clin Endocrinol Metab.* 85(10): 3609-3617.
- Rivolta, C.M., Olcese, M.C., Belforte, F.S., Chiesa, A., Grun~eiro-Papendieck, L., Iorcansky S., *et al.*, 2009. Genotyping of resistance to thyroid hormone in South American population. Identification of seven novel missense mutations in the human thyroid hormone receptor β gene. *Molecular and Cellular Probes.* 23: 148-153.
- Ross, D.S., Diagnosis of Hyperthyroidism. Available at www.uptodate.com. last updated on October 06 2017.

- Ross, D.S., Beta Blockers in The treatment of hyperthyroidism. Available at www.uptodate.com last updated on Nopember 24, 2017.
- Rotimi, C., Morrison, L., Cooper, R., Oyejide, C., Effiong, E., Ladipo, M., *et al.*, 1994. Angiotensinogen gene in human hypertension. Lack of an association of the T235 allele among the African-Americans. *Hypertension*. 24:591–4.
- Rotimi, C., Cooper, R., Ogunbiyi, O., Morrison, L., Ladipo, M., Tewksbury, D., *et al.*, 1997. Hypertension, serum angiotensinogen, and molecular variants of the angiotensinogen gene among Nigerians. *Circulation*. 95(10):2348–50.
- Ruiz, M., Montiel, M., Jime´nez, E., dan Morell, M., 1987. Effect of thyroid hormones on angiotensinogen production in ratin vivo andin vitro. *Journal of Endocrinology*. 115311–315. (doi:10.1677/joe.0.1150311)
- Russo and Arturi. 2004. Familial hyperthyroidism due to Mutations in TSH Receptor. www.orhanet.com/data/patho/GB/uk-familial-hyperthyroidism-SH.pdf
- Russo, A., Gaetano, C.D., Giovanni, C., Matullo, G., 2018. Advances in the genetics of hypertension: The Effect of Rare Variants Int. *J. Mol. Sci.* 19 (688): 1–21.
- Saab, Y.B., Gard, P.R., Overall, A.D.J., 2011. The association of hypertension with renin–angiotensin system gene polymorphisms in the Lebanese population. *Journal of the Renin-AngiotensinAldosterone System*. XX(X) 1–7.
- Safer, J.D., O’connor, M.G., Colan, S.D., Srinivasan, S., Tollin, S.R. and Wondisford, F.E., 1999. The thyroid hormone receptor-b gene mutation R383H is associated with isolated central resistance to thyroid hormone. *JCEdanM*. Vol 84 (9): 3099–3109.
- Sandilands, A.J. dan O’Shaughnessy, K.M., 2005. The functional significance of genetic variation within the β 1-adrenoceptor. *Br J Clin Pharmacol*. 60:3 235–243
- Sanusi, R. & Hargono, A., 2021. Diabetes, hypertension, obesity, and smoking as risk factors for chronic kidney disease in productive age group. *Jurnal Berkala Epidemiologi*, 9 (1): 88–95. <https://dx.doi.org/10.20473/jbe.v9i12>.
- Saputra, M.R.D., 2016. Gambaran *single nucleotide polymorphysm* rs 1801252 gen Ser49Gly pada pasien di Puskesmas Buaran dan Reni Jaya Tangerang selatan menggunakan teknik sequencing. Laporan Penelitian. Fakultas Kedokteran Universitas Islam Negeri Syarif Hidayatullah Jakarta.
- Sarkar, T. & Singh, N.P., 2015 Epidemiology and genetics of hypertension. *Journal of The Association of Physicians of India*. 63: 61–68.
- Say, Y., Ling, K., Duraisamy, G., Isaac, S., Rosli, R., 2005. Angiotensinogen M235T gene variants and its association with essential hypertension and plasma renin activity in Malaysian subjects. A case control study. *BMC Cardio Dis*.5:1–7.
- Sawczuk, M., Maciejewska-Karłowska, A., Cieszczyk, P., Zarebska, A., 2012. Ser49Gly and Arg389Gly polymorphisms of the ADRB1 gene and endurance performance. *Cent. Eur. J. Biol*. 7(5):794–800.
- Schmidt, S, van Hooft IM, Grobbee DE, Ganten, D., Ritz E., 1993. Polymorphism of the angiotensin I converting enzyme gene is apparently not related to high blood pressure: Dutch Hypertension and Offspring Study. *J Hypertens*. 11:345–348.

- Schüler, R., Osterhoff, M.A., Frahnw, T., Seltmann, A.C., Busjahn, A., Kabisch, S., *et al.*, 2017. High-Saturated-Fat Diet Increases Circulating Angiotensin-Converting Enzyme, Which Is Enhanced by the rs4343 Polymorphism Defining Persons at Risk of Nutrient-Dependent Increases of Blood Pressure. *J Am Heart Assoc.* 17;6(1):e004465. doi: 10.1161/JAHA.116.004465.
- Schunkert, H., Danser, A.H., Hense, H.W., Derkx, F.H., Ku rzinger, S., Riegger, G.A., 1997. Effects of estrogen replacement therapy on the renin-angiotensin system in postmenopausal women. *Circulation.* 9539–45.
- Schunkert, H., Hense, H.W., Holmer, S.R., Stender, M., Perz, S., Keil, U., *et al.*, 1994. Association between a deletion polymorphism of the angiotensin-converting-enzyme gene and left ventricular hypertrophy. *N Engl J Med.* 330: 1634–8.
- Sealey, J.E., Laragh, J.H., 1990. The renin-angiotensin-aldosterone system for normal regulation of blood pressure and sodium and potassium homeostasis. In Laragh J.H., Brenner, B.M., eds. *Hypertension: Pathophysiology, Diagnosis and Management.* New York, NY: Raven Press. 1287–1317.
- Seidel, E., and Scholl, U.I., 2017. Genetic mechanisms of human hypertension and their implications for blood pressure physiology. *Physiol Genomics.* 49: 630–652.
- Seppet, E.K., Kaasik, A., Minajeva, A., Paju, K., Ohisalo, J.J., Vetter, R., Braun, U., 1998. Mechanisms of thyroid hormone control over sensitivity and maximal contractile responsiveness to β -adrenergic agonists in atria. *Mol and Cel Biochem.* 184: 419–426.
- Setyanda, Y.O.G., Sulastri, D., Yuniar Lestari, Y., 2015. Hubungan merokok dengan kejadian hipertensi pada lakilaki usia 35-65 tahun di kota Padang. *Jurnal Kesehatan Andalas.* 4(2): 434-440.
- Shankarishan, P., Borah, P.K., Mahanta, J., 2018. Renin-angiotensin system gene polymorphisms and hypertension. *Journal of The Assoc of Physic of India.* 66: 79-84.
- Sheldon, GS., 2005. Mayo Clinic Hipertensi, Mengatasi Tekanan Darah Tinggi. PT Intisari Mediatama, Jakarta.
- Singh, K.H.D., Karthikeyan, M., 2014. Combined sequence and sequence-structure-based methods for analyzing RAAS gene SNPs: a computational approach. *J Recept Signal Transduct Res.* 34(6): 513–526.
- Singh, M., Singh, A.K., Singh, S., Pandey, P., Chandra, S., and Gambhir, I. S., 2016. Angiotensin-converting enzyme gene I/D polymorphism increases the susceptibility to hypertension and additive diseases: A study on North Indian patients. *Clinical and Experimental Hypertension.* 2016:1-8.
- Sinha, S., and Kar, K., 2018. Single nucleotide polymorphism of thyroid hormone receptor alpha gene can be a risk of atherogenic dyslipidemia. *J of Clin and Diag Res.* 12(9): 1-4.
- Siyad, A. R., 2011. Hypertension. *Hygeia. J.D. Med.* 3(1):1 - 16.

- Snieder, H., Dong, Y., Barbeau, P., Harshfield, G.A., Dalageogou, C., Zhu, H., Carter, N.D., Treiber, F.A., 2002. Beta2-adrenergic receptor gene and resting hemodynamics in European and African American youth. *Am J Hypertens.* 15 (11):973-979.
- Soon, T. K., dan Ting, P. H., 2018. Thyroid diseases and diet control. *J Nutr Disorders Ther.* 8: 224. doi:10.4172/2161-0509.1000224.
- Sørensen, H.G., van der Deure, W.M., Hansen, P.S., Peeters, R. P., Breteler M.M.B., Kyvik K.O., Sørensen, T.I.A., 2008. Identification and consequences of polymorphisms in the thyroid hormone receptor alpha and beta genes. *THYROID.* 18(10): 1087-1094.
- Spear, B.B., Heath-Chiozzi, M., Huff J., 2001. Clinical application of pharmacogenetics. *Trends Mol Med.* 7:201-4.
- Staessen, J. A., Kuznetsova, T., Wang, J.G Emelianov, D., Vlietinck, R., Fagard, R., 1999. M235T angiotensinogen gene polymorphism and cardiovascular renal risk. *Journal of Hypertension.* 17:9-17
- Stamler, J., 1997. The INTERSALT Study: background, methods, findings, and implications. *Am J Clin Nutr.* 65:Suppl:626S-642S.
- Strader, C.D., Fong, M.R., Tota, T.M., Underwood, D. and. Dixon, R.A.F., 1994. Structure and function of G protein-coupled receptors. *Annual Review of biochemistry.* 63:101-132.
- Sudoyo, A.W., Setiyohadi, B., Alwi, I., Marcellus, S.K., Setiati, S., 2008. *Buku Ajar Ilmu Penyakit Dalam Edisi IV Jilid I.* Jakarta: Pusat Penerbitan Ilmu Penyakit Dalam. 143:610-614.
- Sugiyama, T., Morita, H., Kato, N., 1999. Lack of sex-specific effects on the association between angiotensin-converting enzyme gene polymorphism and hypertension in Japanese. *Hypertens Res.* 22:55e59.
- Suleyman, K., Atay I.M., Akpinar, A., Efkan, U.Z., Dermidas, A., 2015. The polymorphisms of Ser49Gly and Gly389Arg in beta- I-adrenergic receptor gene in major depression. *Noro Psikiyatr Ars.* 2(2): 124-127. doi: [10.5152/npa.2015.7321](https://doi.org/10.5152/npa.2015.7321).
- Rose HR, Zulfiqar H. Jod Basedow Syndrome. [Updated 2022 Jan 7]. In: StatPearls [Internet]. Treasure Island (FL): StatPearls Publishing; 2022 Jan-. Available from: <https://www.ncbi.nlm.nih.gov/books/NBK544277/>
- Sustrani, L., 2006. *Hipertensi*. PT Gramedia Pustaka Utama. Jakarta.
- Sutomo, B., 2009. *Diet DASH Natrium untuk Penderita Hipertensi*. Diakses Tanggal 1 Mei 2014.
- Sunnie, M. Yoh, S.M., and Privalsky, M.L., 2011. Molecular analysis of human resistance to thyroid hormone syndrome dalam Thyroid hormones receptors Method in Molecular Biologi Vol 202. Ed. Baniahmad, A, Humana Press.
- Swain, M., Swain, T. and Mohanty, B.K., 2005. Autoimmune thyroid disorders - an update. *Ind J of Clin Biochem.* 20 (1):9-17.
- Szymańska, A.T., Hidalgo, R.A., Walasek, M.K., Ambroziak, A.L., Steehouwer, M., Gilissen, C., Brunner, H.G., Jurecka, A., Świątkowska, A.R., Hoischen, A.,

- Chrzanowska, K.H., 2015. Thyroid hormone resistance syndrome due to mutations in the thyroid hormone receptor α gene (THRA). *J Med Genet*.0:1–5.
- Taittonen, L., Uhari, M., Kainulainen, K., Miettinen, H., Turtinen, J., 1999. Angiotensin converting enzyme gene Insertion/Deletion polymorphism, angiotensinogen gene polymorphisms, family history of hypertension and childhood blood pressure. *Am J Hypertens*. 12(9 -1): 858–866.
- Takeda, K., Balzano, S., Sakurai, A., De Groot, L.J., Refetoff, S., 1991. Screening of nineteen unrelated families with generalized resistance to thyroid hormone for known point mutations in the thyroid hormone receptor α gene and the detection of a new mutation. *J Clin Invest*. 87:496-502.
- Taler, S.J., 2018. Initial treatment of hypertension. *N Engl J Med*. 378:636-44. DOI: 10.1056/NEJMcp1613481.
- Tanira, M.O.M. and Al Balushi, K.A., 2005. Genetic variations related to hypertension: a review. *Journal of Human Hypertension*.19:7-19.
- Tassi V, Scarnecchia L, Di Cerbo A, Pirro MT, Di Paola R, Liuzzi A, *et al.*, 1995. A thyroid hormone receptor beta gene polymorphism associated with Graves' disease. *J Mol Endocrinol*. 15(3):267-72
- Taylor, M.R., Bristow, M.R., 2004. The emerging pharmacogenomics of the β -adrenergic receptors. *Congest. Heart Fail*. 10: 281–288.
- Tchelougou, D., Kologo, J.K., Karou, S.D., Yaméogo, V.N., Bisseye, C., Djigma, FW, *et al.*, 2015. Renin-angiotensin system genes polymorphisms and essential hypertension in Burkina Faso, West Africa. *Intl J of Hypert*. 2015: 1-7.
- Te Riet, L., van Esch, J.H., Roks, A.J., van den Meiracker, A.H., Danser, A.H., 2015. Hypertension: renin-angiotensin-aldosterone system alterations. *Circ Res*. 116(6): 960–975.
- Timmermann, B., Mo, R., Luft, F.C., Gerds, E., Busjahn, A., Omvik, P., Li, G.H., *et al.*, 1998. Beta2- adrenoceptor genetic variation is associated with genetic predisposition to essential hypertension: the Bergen Blood Pressure Study. *Kidney Int*. 53:1455–1460.
- Tomaszewski, M., Brain, N.J.R., Charchar, F.J., Wang, W., Lacka, B., Padmanabahn, S., *et al.*, 2002. Essential hypertension and β_2 -adrenergic receptor gene: linkage and association analysis. *Hypertension*. 40:286-291.
- Tomer, Y., Davies, T.F., 2003. Searching for the autoimmune thyroid disease susceptibility genes: From gene mapping to gene function. *Endocrine Review*. 24(5): 694-717.
- Vargas, F., Go´mez, I.R., Tendero, P.V., Jimenez, E., and Montiel, M., 2012. The renin–angiotensin system in thyroid disorders and its role in cardiovascular and renal manifestations. *Journal of Endocrinology*.213:25–36
- Vargas-Alarcon, G., Hernandez-Pacheco, G., Rodriguez-Perez, J.M., Perez-Hernandez, N., Pavon, Z., Fragoso, J.M., *et al.*, 2003. Angiotensin-converting enzyme gene (ACE) Insertion/ Deletion polymorphism in Mexican populations. *Hum Biol*. 75:889–96.

- Vassi, V., Scarnecchia, L., Di Cerbo, A., Pirro, M.T., Di Paola, R., Liuzzi, A., *et al.*, 1995. A thyroid hormone receptor beta gene polymorphism associated with Graves' disease. *J Mol Endocrinol.* 15(3):267-72.
- Vejbjerg, P., Knudsen, N., Perrild, H., Laurberg, L., Carle, A., Pedersen, I.B., Rasmussen, L.B., Ovesen, L. and Jørgensen, T., 2009. Lower prevalence of mild hyperthyroidism related to a higher iodine intake in the population: prospective study of a mandatory iodization programme. *Clinical Endocrinol.* 71. 440–445.
- Wang A., Liu X., Guo X., Dong Y., Wu Y., Huang Z., 2014. Resting heart rate and risk of hypertension: results of the Kailuan cohort study. *Journal of Hypertension.* 32:1600–1605.
- Weiss, R.E., and Refetoff., 1992. Thyroid hormone resistance. *Annu.Rev.Med.*43: 363-375
- WHO. World health day 2013: calls for Intensified efforts to prevent and control hypertension. 2013. [cited 19 Februari 2016] available from: <http://www.who.int/workforcealliance/media/news/2013/who2013story/en/>
- Wibowo, R.A., Hastuti, P., Susanti, V.N., 2021. Polymorphism of thyroid hormones receptor, angiotensin converting enzyme, and high blood pressure in childbearing age women with hyperthyroidism. *Open Access Maced J Med Sci.* 9(A):387-392.
- Widiyani, R., 2013. Penderita hipertensi terus meningkat. [http:// health. kompas.com/ read/ 2013/ 04/05/ 1404008/ Penderita. Hipertensi Terus Meningkat](http://health.kompas.com/read/2013/04/05/1404008/Penderita_Hipertensi_Terus_Meningkat). Tanggal akses 21 Nopember 2014.
- Williams, L.T., and Lefkowitz, R.J., 1977. Thyroid hormone regulation of β -adrenergic receptor number. *The Journal of Bio Chem.* 252(8):2787–2789.
- World Health Organization. 2015. A global brief on hypertension: silent killer, global public health crisis.
- Xie, H.G., Dishy, V., Sofowora, G., Kim, R.B., Landau, R., Smiley, R.M., *et al.*, 2001. Arg389Gly beta 1-adrenoceptor polymorphism varies in frequency among different ethnic groups but does not alter response in vivo. *Pharmacogenetics*; 111: 191-7.
- Yatani and Brown, A. M., 1989. Rapid β -adrenergic modulation of cardiac calcium channel currents by a fast G protein pathway. *Science.* 245(4913):71–74.
- Yoeantafara, A. and Martini, S., 2017. The influence of diet to total cholesterol levels. *JURNAL MKMI.* 13 (4): 304-309.
- Yuan, J., Tang, W., Chun, Y., Ying, H., Yang, Y., Xiao, C., 2009. Angiotensinogen T174M and M235T variants and hypertension in the Hani and Yi Minority Groups of China. *Biochem Genet.* 47(5–6):344–350.
- Zee, R.Y., Lou, Y.K., Griffiths, L.R., Morris, B.J., 1992. Association of a polymorphism of the angiotensin I-converting enzyme gene with essential hypertension. *Biochem Biophys Res Commun.*184:9e15.
- Zhang, J., Lazar, M., 2000 The mechanism of action of thyroid hormones. *Annu Rev Physiol.* 62: 439– 466.

- Zhang, L., Miyaki, K., Araki, J., Song, Y., Kimura, T., Omae, K., and Muramatsu, M., 2006. Interaction of angiotensin I-converting enzyme insertion-deletion polymorphism and daily salt intake influences hypertension in Japanese Men. *Hypertens Res.* 29 (10): 751-758.
- Zhao, Q., Kelly, T.N., Li C, He, J., 2013. Progress and future aspects in genetics of human hypertension. *Curr Hypertens Rep.* 15(6): 676–686.
- Zimmermann, M.B., dan Andersson M., 2021. Global perspectives in endocrinology: coverage of iodized salt programs and iodine status in 2020. *European Journal of Endocrinology.* 185: R13–R21.