



DAFTAR PUSTAKA

- A. De Caro, C. (2015). UV / VIS Spectrophotometry. *Mettler-Toledo International, September 2015*, 4–14.
- Abdallah, I. I., & Quax, W. J. (2017). A Glimpse into the Biosynthesis of Terpenoids. *KnE Life Sciences*, 3(5), 81. <https://doi.org/10.18502/cls.v3i5.981>
- Al-Taweel, S. P. E.-S. P. E.-A. (2018). *Introductory Chapter: Terpenes and Terpenoids* (p. Ch. 1). IntechOpen. <https://doi.org/10.5772/intechopen.79683>
- Aly, A. H., Edrada-Ebel, R. A., Wray, V., Müller, W. E. G., Kozytska, S., Hentschel, U., Proksch, P., & Ebel, R. (2008). Bioactive metabolites from the endophytic fungus Ampelomyces sp. isolated from the medicinal plant Urospermum picroides. *Phytochemistry*, 69(8), 1716–1725. <https://doi.org/10.1016/j.phytochem.2008.02.013>
- Barden, A., Anak, N. A., Mulliken, T., Song.M., & Barden N.A.; Mulliken, T.; Song.M, A . A. (2000). Heart of the matter: Agarwood use and trade and CITES Implementation for Aquilaria malaccensis. *Traffic Network Rep*, 46(August), 17–18.
- Beckerman, J. (2008). Fungicide mobility for nursery, greenhouse, and landscape professionals. *Disease Management Strategies*, 6, 1–3.
- Bingol, K. (2018). Recent Advances in Targeted and Untargeted Metabolomics by NMR and MS/NMR Methods. *High-Throughput*, 7(2). <https://doi.org/10.3390/HT7020009>
- Boulaaba, M., Medini, F., Hajlaoui, H., Mkadmini, K., Falleh, H., Ksouri, R., Isoda, H., Smaoui, A., & Abdelly, C. (2019). Biological activities and phytochemical analysis of phenolic extracts from Salsola kali L .. Role of endogenous factors in the selection of the best plant extracts South African Journal of Botany Biological activities and phytochemical analysis of phenoli. *South African Journal of Botany*, 123(March). <https://doi.org/10.1016/j.sajb.2019.03.003>
- Chatatikun, M., & Chiabchalard, A. (2013). Phytochemical screening and free radical scavenging activities of orange baby carrot and carrot (*Daucus carota Linn.*) root crude extracts. *Journal of Chemical and Pharmaceutical Research*, 5(4), 97–102.
- Chen, H., Yang, Y., Xue, J., Wei, J., Zhang, Z., & Chen, H. (2011). Comparison of Compositions and Antimicrobial Activities of Essential Oils from Chemically Stimulated Agarwood, Wild Agarwood and Healthy Aquilaria sinensis (Lour.) Gilg Trees. 4884–4896. <https://doi.org/10.3390/molecules16064884>
- Cord-Landwehr, S., Melcher, R. L. J., Kolkenbrock, S., & Moerschbacher, B. M. (2016). A chitin deacetylase from the endophytic fungus Pestalotiopsis sp. efficiently inactivates the elicitor activity of chitin oligomers in rice cells. *Scientific Reports*, 6(September), 1–11. <https://doi.org/10.1038/srep38018>
- da Rocha, P. D. S., Paula, V. M. B., Olinto, S. C. F., Dos Santos, E. L., Souza, K. de P., & Estevinho, L. M. (2020). Diversity, chemical constituents and biological activities of endophytic fungi isolated from *Schinus terebinthifolius raddi*. *Microorganisms*, 8(6), 1–13. <https://doi.org/10.3390/microorganisms8060859>
- Dias, M. C. (2012). Phytotoxicity: An Overview of the Physiological Responses of Plants Exposed to Fungicides. *Journal of Botany*, 2012, 1–4.



<https://doi.org/10.1155/2012/135479>

Dubey, N. K. (2020). Metabolomics. *Herbs and Spices*.
<https://doi.org/10.5772/INTECHOPEN.92423>

Emwas, A.-H. M., Al-Talla, Z. A., Yang, Y., & Kharbatia, N. M. (2015). *Gas Chromatography–Mass Spectrometry of Biofluids and Extracts*. November, 1–12. <https://doi.org/10.1007/978-1-4939-2377-9>

Faeth, S. H., & Fagan, W. F. (2002). Fungal Endophytes: Common Host Plant Symbionts but Uncommon Mutualists 1. *Integrative and Comparative Biology*, 42(2), 360–368. <https://doi.org/10.1093/icb/42.2.360>

Fletcher, R. A., Gilley, A., Sankhla, N., & Davis, T. D. (2000). Triazoles as Plant Growth Regulators and Stress Protectants. In *Journal of Petrology* (Vol. 369, Issue 1).
<http://dx.doi.org/10.1016/j.jsames.2011.03.003> <https://doi.org/10.1016/j.jgr.2017.08.001> [https://doi.org/10.1016/j.precamres.2014.12.018](http://dx.doi.org/10.1016/j.precamres.2014.12.018) [https://doi.org/10.1016/j.precamres.2011.08.005](http://dx.doi.org/10.1016/j.precamres.2011.08.005) [https://doi.org/10.1016/j.precamres.2014.08.002](http://dx.doi.org/10.1016/j.precamres.2014.08.002) [https://doi.org/10.1016/j.precamres.2014.08.005](http://dx.doi.org/10.1016/j.precamres.2014.08.005) [https://doi.org/10.1016/j.precamres.2014.08.005](http://dx.doi.org/10.1016/j.precamres.2014.08.005)

FRAC, F. R. A. C. (2021). *FRAC Code List FRAC Code List ©* 2021: Fungal control agents sorted by cross resistance pattern and mode of action (including coding for FRAC Groups on product labels)*. https://www.frac.info/docs/default-source/publications/frac-code-list/frac-code-list-2021--final.pdf?sfvrsn=f7ec499a_2

Fuentes, L. F. G., Gualtieri, S. C. J., Imatom, M., & Accarini, R. B. (2020). Phytotoxic Potential of Benzyl Salicylate and Benzyl Benzoate on Bioindicator and Invasive Species. *Journal of Agricultural Science*, 12(12), 9. <https://doi.org/10.5539/jas.v12n12p9>

García, P. C., Rivero, R. M., Ruiz, J. M., & Romero, L. (2003). The Role of Fungicides in the Physiology of Higher Plants: Implications for Defense Responses. *Botanical Review*, 69(2), 162–172. [https://doi.org/10.1663/0006-8101\(2003\)069\[0162:TROFIT\]2.0.CO;2](https://doi.org/10.1663/0006-8101(2003)069[0162:TROFIT]2.0.CO;2)

Gisi, U., & Sierotzki, H. (2008). Fungicide modes of action and resistance in downy mildews. *European Journal of Plant Pathology*, 122(1), 157–167. <https://doi.org/10.1007/s10658-008-9290-5>

Gouda, S., Das, G., Sen, S. K., Shin, H. S., & Patra, J. K. (2016). Endophytes: A treasure house of bioactive compounds of medicinal importance. *Frontiers in Microbiology*, 7(SEP), 1–8. <https://doi.org/10.3389/fmicb.2016.01538>

H. Al Mamari, H. (2021). *Phenolic Compounds: Classification, Chemistry, and Updated Techniques of Analysis and Synthesis*. IntechOpen. <https://doi.org/10.5772/intechopen.98958>

Handayani, S. S., Amrullah, Fatimah, H., & Seftiani, R. (2019). The effects of temperature on alpha-cellulose content and extraction result of tobacco stem. *Journal of Physics: Conference Series*, 1280(2). <https://doi.org/10.1088/1742-6596/1280/2/022012>

Hashim, Y. Z. H. Y., Kerr, P. G., Abbas, P., & Mohd Salleh, H. (2016). Aquilaria spp. (agarwood) as source of health beneficial compounds: A review of traditional use, phytochemistry and pharmacology. *Journal of Ethnopharmacology*, 189, 331–360. <https://doi.org/10.1016/j.jep.2016.06.055>

Hendra, H., Moeljopawiro, S., & Nuringtyas, T. R. (2016). Antioxidant and antibacterial activities of agarwood (*Aquilaria malaccensis* Lamk.) leaves.



AIP Conference Proceedings, 1755(July 2016).
<https://doi.org/10.1063/1.4958565>

Hillebrand, S., & Zundel, J. L. (2008). Newer Fungicides with Unknown *Mode of action*. *Modern Crop Protection Compounds*, 1, 709–726.
<https://doi.org/10.1002/9783527619580.ch21>

Hussein, R. A., & El-Anssary, A. A. (2019). Plants Secondary Metabolites: The Key Drivers of the Pharmacological Actions of Medicinal Plants. In P. F. Builders (Ed.), *Herbal Medicine*. IntechOpen.
<https://doi.org/10.5772/intechopen.76139>

Indonesian Institute of Sciences, & DGFPNC. (2016). *Report on NDF of Agarwood for Sustainability Harvest in Indonesia*.

ITIS (Integrated taxonomic Information System). 2021. *Aquilaria malaccensis* Lam. [online]
https://www.itis.gov/servlet/SingleRpt/SingleRpt?search_topic=TSN&search_value=845890#null. [diakses Maret 2021].

Jan, R., Asaf, S., Numan, M., Lubna, & Kim, K. M. (2021). Plant secondary metabolite biosynthesis and transcriptional regulation in response to biotic and abiotic stress conditions. *Agronomy*, 11(5), 1–31.
<https://doi.org/10.3390/agronomy11050968>

Javelle, M., Vernoud, V., Rogowsky, P. M., & Ingram, G. C. (2011). Epidermis: The formation and functions of a fundamental plant tissue. *New Phytologist*, 189(1), 17–39. <https://doi.org/10.1111/j.1469-8137.2010.03514.x>

Jena, S., Tokas, R. B., Thakur, S., & Sahoo, N. K. (2015). Characterization of Optical Thin Films by Spectrophotometry and Atomic Force Microscopy. *SMC Bulletin*, 6(1), 1–9.

John Scott, K. (2005). Detection and Measurement of Carotenoids by UV/VIS Spectrophotometry. *Handbook of Food Analytical Chemistry*, 2–2, 81–90.
<https://doi.org/10.1002/0471709085.ch19>

Jong, P. L., Tsan, P., & Mohamed, R. (2014). Gas chromatography-mass spectrometry analysis of agarwood extracts from mature and juvenile *Aquilaria malaccensis*. *International Journal of Agriculture and Biology*, 16(3), 644–648.

Kandel, S., Joubert, P., & Doty, S. (2017). Bacterial Endophyte Colonization and Distribution within Plants. *Microorganisms*, 5(4), 77.
<https://doi.org/10.3390/microorganisms5040077>

Khare, E., Mishra, J., & Arora, N. K. (2018). Multifaceted interactions between endophytes and plant: Developments and Prospects. *Frontiers in Microbiology*, 9(NOV), 1–12. <https://doi.org/10.3389/fmicb.2018.02732>

Khare, S., Singh, N. B., Singh, A., Hussain, I., Niharika, K., Yadav, V., Bano, C., Yadav, R. K., & Amist, N. (2020). Plant secondary metabolites synthesis and their regulations under biotic and abiotic constraints. *Journal of Plant Biology*, 63(3), 203–216. <https://doi.org/10.1007/s12374-020-09245-7>

Khomsi, M. E., Imtara, H., Kara, M., Hmamou, A., Assouguem, A., Bourkhiss, B., Tarayrah, M., AlZain, M. N., Alzamel, N. M., Noman, O., & Hmouni, D. (2022). Antimicrobial and Antioxidant Properties of Total Polyphenols of Anchusa italicica Retz. In *Molecules* (Vol. 27, Issue 2).
<https://doi.org/10.3390/molecules27020416>

Kočevar, N., Glavač, I., & Kreft, S. (2007). Flavonoids. *Farmacevtski Vestnik*,



58(4), 145–148. <https://doi.org/10.2307/j.ctt1w0ddx8.35>

Kopka, J., Fernie, A., Weckwerth, W., Gibon, Y., & Stitt, M. (2004). Metabolite profiling in plant biology: Platforms and destinations. *Genome Biology*, 5(6), 1–9. <https://doi.org/10.1186/gb-2004-5-6-109>

Ku Hamid, K. H., Mustafar, N. S., Yusof, P. M., Mohammad Shawal, S. S., Musa, M., & Mohd Rodhi, M. N. (2015). Determination of Compounds inside Inoculated *Aquilaria malaccensis* Leaves by Soxhlet Extraction. *Advanced Materials Research*, 1113(July), 267–272. <https://doi.org/10.4028/www.scientific.net/amr.1113.267>

Kucht, S., Groß, J., Hussein, Y., Grothe, T., Keller, U., Basar, S., König, W. A., Steiner, U., & Leistner, E. (2004). Elimination of ergoline alkaloids following treatment of *Ipomoea asarifolia* (Convolvulaceae) with fungicides. *Planta*, 219(4), 619–625. <https://doi.org/10.1007/s00425-004-1261-2>

Kumoro, A. C., Hasan, M., & Singh, H. (2009). Effects of solvent properties on the Soxhlet extraction of diterpenoid lactones from *Andrographis paniculata* leaves. *ScienceAsia*, 35(3), 306–309. <https://doi.org/10.2306/scienceasia1513-1874.2009.35.306>

Kurek, J. (2019). Introductory Chapter: Alkaloids - Their Importance in Nature and for Human Life. In *Alkaloids - Their Importance in Nature and Human Life*. IntechOpen. <https://doi.org/10.5772/intechopen.85400>

Lelli, V., Belardo, A., & Maria Timperio, A. (2021). From Targeted Quantification to Untargeted Metabolomics. In *Metabolomics - Methodology and Applications in Medical Sciences and Life Sciences*. IntechOpen. <https://doi.org/10.5772/intechopen.96852>

Lichtenthaler, H. K., & Buschmann, C. (2001). Chlorophylls and Carotenoids: Measurement and Characterization by UV-VIS Spectroscopy. *Current Protocols in Food Analytical Chemistry*, 1(1), F4.3.1-F4.3.8. <https://doi.org/10.1002/0471142913.faf0403s01>

Liu, P., Cheng, Y., Yang, M., Liu, Y., Chen, K., Long, C. A., & Deng, X. (2014). Mechanisms of action for 2-phenylethanol isolated from *Kloeckera apiculata* in control of Penicillium molds of citrus fruits. *BMC Microbiology*, 14(1), 1–14. <https://doi.org/10.1186/s12866-014-0242-2>

Locatelli, M., Epifano, F., Genovese, S., Carlucci, G., Končić, M. Z., Kosalec, I., & Kremer, D. (2011). Anthraquinone profile, antioxidant and antimicrobial properties of bark extracts of *Rhamnus catharticus* and *R. orbiculatus*. *Natural Product Communications*, 6(9), 1275–1280. <https://doi.org/10.1177/1934578x1100600917>

Lozano-Grande, M. A., Gorinstein, S., Espitia-Rangel, E., Dávila-Ortiz, G., & Martínez-Ayala, A. L. (2018). Plant Sources, Extraction Methods, and Uses of Squalene. *International Journal of Agronomy*, 2018. <https://doi.org/10.1155/2018/1829160>

Macel, M., Visschers, I. G. S., Peters, J. L., van Dam, N. M., & de Graaf, R. M. (2020). High Concentrations of Very Long Chain Leaf Wax Alkanes of Thrips Susceptible Pepper Accessions (*Capsicum* spp.). *Journal of Chemical Ecology*, 46(11–12), 1082–1089. <https://doi.org/10.1007/s10886-020-01226-x>

Matos, M. J. (2015). *Coumarins — An Important Class of Phytochemicals* (L. Santana (ed.); p. Ch. 5). IntechOpen. <https://doi.org/10.5772/59982>

McGinty, D., Letizia, C. S., & Api, A. M. (2012). Fragrance material review on



- phenethyl isobutyrate. *Food and Chemical Toxicology*, 50(SUPPL. 2), S416–S419. <https://doi.org/10.1016/j.fct.2012.02.065>
- Mendgen, K., Wirsel, S. G. R., Jux, A., Ho, J., & Boland, W. (2007). *Volatiles modulate the development of plant pathogenic rust fungi*. 224(2006), 1353–1361. <https://doi.org/10.1007/s00425-006-0320-2>
- Mierziak, J., Kostyn, K., & Kulma, A. (2014). Flavonoids as important molecules of plant interactions with the environment. *Molecules*, 19(10), 16240–16265. <https://doi.org/10.3390/molecules191016240>
- Millaty, I. N. K., Wijayanti, N., Hidayati, L., & Nuringtyas, T. R. (2020). Identification of anticancer compounds in leaves extracts of agarwood (*Aquilaria malaccensis* (Lamk.)). *IOP Conference Series: Earth and Environmental Science*, 457(1). <https://doi.org/10.1088/1755-1315/457/1/012036>
- Mochahari, D., Kharnaior, S., Sen, S., & Thomas, S. C. (2020). Isolation of endophytic fungi from juvenile *Aquilaria malaccensis* and their antimicrobial properties. *Journal of Tropical Forest Science*, 32(1), 97–103. <https://doi.org/10.26525/jtfs32.1.97>
- Monggoot, S., Burawat, J., & Pripdeevech, P. (2016). Antibacterial activities of endophytic fungi isolated from mentha cordifolia leaves and their volatile constituents. *Natural Product Communications*, 11(9), 1349–1351. <https://doi.org/10.1177/1934578x1601100941>
- Monggoot, S., Popluechai, S., Gentekaki, E., & Pripdeevech, P. (2017). Fungal Endophytes: an Alternative Source for Production of Volatile Compounds from Agarwood Oil of *Aquilaria subintegra*. *Microbial Ecology*, 74(1), 54–61. <https://doi.org/10.1007/s00248-016-0908-4>
- Mukhriani, M., Rusdi, M., Arsul, M. I., Sugiarna, R., & Farhan, N. (2019). Kadar Fenolik dan Flavonoid Total Ekstrak Etanol Daun Anggur (*Vitis vinifera* L.). *Ad-Dawaa' Journal of Pharmaceutical Sciences*, 2(2). <https://doi.org/10.24252/djps.v2i2.11503>
- Munné-Bosch, S. (2005). The role of α -tocopherol in plant stress tolerance. *Journal of Plant Physiology*, 162(7), 743–748. <https://doi.org/10.1016/j.jplph.2005.04.022>
- Naef, R. (2011). *The volatile and semi-volatile constituents of agarwood , the infected heartwood of Aquilaria species : A review*. September 2010, 73–89. <https://doi.org/10.1002/ffj.2034>
- Nair, D. N., & Padmavathy, S. (2014). Impact of endophytic microorganisms on plants, environment and humans. *The Scientific World Journal*, 2014. <https://doi.org/10.1155/2014/250693>
- Nalbantoglu, S. (2019). Metabolomics: Basic Principles and Strategies. In *Molecular Medicine*. IntechOpen. <https://doi.org/10.5772/intechopen.88563>
- Nasution, A. A., Siregar, U. J., Miftahudin, & Turjaman, M. (2020). Identification of chemical compounds in agarwood-producing species *Aquilaria malaccensis* and *Gyrinops versteegii*. *Journal of Forestry Research*, 31(4), 1371–1380. <https://doi.org/10.1007/s11676-018-00875-9>
- National Center for Biotechnology Information (2022). PubChem Compound Summary for CID 138824, 3,7,11-Trimethyl-1-dodecanol. Retrieved March 11, 2022 from https://pubchem.ncbi.nlm.nih.gov/compound/3_7_11-Trimethyl-1-dodecanol.



- National Center for Biotechnology Information (2022). PubChem Compound Summary for CID 5484202, Stigmast-4-en-3-one. Retrieved March 11, 2022 from <https://pubchem.ncbi.nlm.nih.gov/compound/Stigmast-4-en-3-one>.
- National Center for Biotechnology Information (2022). PubChem Compound Summary for CID 11622, 2-Tridecanone. Retrieved March 11, 2022 from <https://pubchem.ncbi.nlm.nih.gov/compound/2-Tridecanone>.
- Naziz, P. S., Das, R., & Sen, S. (2019). The scent of stress: Evidence from the unique fragrance of agarwood. *Frontiers in Plant Science*, 10(July). <https://doi.org/10.3389/fpls.2019.00840>
- Nn, A. (2015). A Review on the Extraction Methods Use in Medicinal Plants, Principle, Strength and Limitation. *Medicinal & Aromatic Plants*, 04(03), 3–8. <https://doi.org/10.4172/2167-0412.1000196>
- Parsaeimehr, A., Sargsyan, E., & Vardanyan, A. (2011). Expression of secondary metabolites in plants and their useful perspective in animal health. *International Jounral of the Bioflux Society*, 3(2), 129–134.
- Pasaribu, G., Winarni, I., Gusti, R. E. P., Maharani, R., Fernandes, A., Harianja, A. H., Saragih, G. S., Turjaman, M., Tampubolon, A. P., Kuspradini, H., Lukmandaru, G., Njurumana, G. N., Sukito, A., Aswandi, A., & Kholibrina, C. R. (2021). Current challenges and prospects of indonesian non-timber forest products (Ntfps): A review. *Forests*, 12(12). <https://doi.org/10.3390/f12121743>
- Pilarski, J., Tokarz, K., & Kocurek, M. (2007). Comparison of photosynthetic pigment contents in stems and leaves of fruit trees: cherry, sweet cherry, common plum, and walnut tree. *Folia Horticulturae*, 19(1), 53–65.
- Pimentel, M. R., Molina, G., Dionísio, A. P., Maróstica Junior, M. R., & Pastore, G. M. (2011). The Use of Endophytes to Obtain Bioactive Compounds and Their Application in Biotransformation Process. *Biotechnology Research International*, 2011, 1–11. <https://doi.org/10.4061/2011/576286>
- Popović, B. M., Blagojević, B., Ždero Pavlović, R., Mićić, N., Bijelić, S., Bogdanović, B., Mišan, A., Duarte, C. M. M., & Serra, A. T. (2020). Comparison between polyphenol profile and bioactive response in blackthorn (*Prunus spinosa* L.) genotypes from north Serbia-from raw data to PCA analysis. *Food Chemistry*, 302, 1–13. <https://doi.org/10.1016/j.foodchem.2019.125373>
- Prabukumar, S., Rajkuberan, C., Ravindran, K., & Sivaramakrishnan, S. (2015). Isolation and characterization of endophytic fungi from medicinal plant *Crescentia cujete* L. and their antibacterial, antioxidant and anticancer properties. *International Journal of Pharmacy and Pharmaceutical Sciences*, 7(11), 316–321.
- Rahman, T., Shao, M., Pahari, S., Venglat, P., Soolanayakanahally, R., Qiu, X., Rahman, A., & Tanino, K. (2021). Dissecting the roles of cuticular wax in plant resistance to shoot dehydration and low-temperature stress in arabidopsis. *International Journal of Molecular Sciences*, 22(4), 1–21. <https://doi.org/10.3390/ijms22041554>
- Raja, P. M. V., & Barron, A. R. (2021). 4.4: UV-Visible Spectroscopy - Chemistry LibreTexts. Chemistry LibreTexts. [https://chem.libretexts.org/Bookshelves/Analytical_Chemistry/Book%3A_Physical_Methods_in_Chemistry_and_Nano_Science_\(Barron\)/04%3A_Chemi](https://chem.libretexts.org/Bookshelves/Analytical_Chemistry/Book%3A_Physical_Methods_in_Chemistry_and_Nano_Science_(Barron)/04%3A_Chemi)



cal_Speciation/4.04%3A_UV-Visible_Spectroscopy

- Rao, M. J., Ahmed, U., Ahmed, M. H., Duan, M., Wang, J., Wang, Y., & Wang, L. (2021). Comparison and Quantification of Metabolites and Their Antioxidant Activities in Young and Mature Leaves of Sugarcane. *ACS Food Science & Technology*, 1(3), 362–373. <https://doi.org/10.1021/acsfoodscitech.0c00133>
- Roessner, U., & Bowne, J. (2009). What is metabolomics all about? In *BioTechniques* (Vol. 46, Issue 5 SPEC. ISSUE, pp. 363–365). Future Science Ltd London, UK. <https://doi.org/10.2144/000113133>
- Saeed, N. M., El-Demerdash, E., Abdel-Rahman, H. M., Algandaby, M. M., Al-Abbas, F. A., & Abdel-Naim, A. B. (2012). Anti-inflammatory activity of methyl palmitate and ethyl palmitate in different experimental rat models. *Toxicology and Applied Pharmacology*, 264(1), 84–93. <https://doi.org/10.1016/j.taap.2012.07.020>
- Salamanca, L., & Saalau, E. (2018). *Fungicides and How to Use Them Effectively*. <https://hortnews.extension.iastate.edu/2018/07/fungicides-and-how-use-them-effectively>
- Sánchez-Vallet, A., Mesters, J. R., & Thomma, B. P. H. J. (2015). The battle for chitin recognition in plant-microbe interactions. *FEMS Microbiology Reviews*, 39(2), 171–183. <https://doi.org/10.1093/femsre/fuu003>
- Scognamiglio, J., Jones, L., Letizia, C. S., & Api, A. M. (2012). Fragrance material review on methyl dihydrojasmonate. *Food and Chemical Toxicology*, 50(SUPPL.3), S562–S571. <https://doi.org/10.1016/j.fct.2012.03.036>
- Sharma, M., Kansal, R., & Singh, D. (2018). Endophytic Microorganisms: Their Role in Plant Growth and Crop Improvement. In *New and Future Developments in Microbial Biotechnology and Bioengineering: Crop Improvement through Microbial Biotechnology*. Elsevier B.V. <https://doi.org/10.1016/B978-0-444-63987-5.00020-7>
- Shoeb, M., Begum, S., & Nahar, N. (2010). Study of an endophytic fungus from *Aquilaria malaccensis* Lamk. *Bangladesh Journal of Pharmacology*, 5(1), 21–24. <https://doi.org/10.3329/bjp.v5i1.4687>
- Singh, G., & Sahota, H. K. (2018). Impact of benzimidazole and dithiocarbamate fungicides on the photosynthetic machinery, sugar content and various antioxidative enzymes in chickpea. *Plant Physiology and Biochemistry*, 132(September), 166–173. <https://doi.org/10.1016/j.plaphy.2018.09.001>
- Stenzel, K., & Vors, J.-P. (2019). Sterol Biosynthesis Inhibitors*. *Modern Crop Protection Compounds*, 797–844. <https://doi.org/10.1002/9783527699261.ch19>
- Su, Y. C., Hsu, K. P., Hua, K. F., & Ho, C. L. (2015). Composition, in vitro anti-inflammatory, antioxidant and antimicrobial activities of essential oils from leaf and twig parts of cupressus cashmeriana. *Natural Product Communications*, 10(8), 1461–1464. <https://doi.org/10.1177/1934578x1501000837>
- Sudhakar, P., Latha, P., & Reddy, P. V. (2016). *Chapter 15 - Plant pigments* (P. Sudhakar, P. Latha, & P. V. B. T.-P. C. P. for P. and B. T. Reddy (eds.); pp. 121–127). Academic Press. <https://doi.org/https://doi.org/10.1016/B978-0-12-804073-7.00015-6>
- Suharti, S., Pratiwi, P., Santoso, E., & Turjaman, M. (2011). Feasibility Study of Business in Agarwood Inoculation at Different Stem Diameters and



- Inoculation Periods. *Indonesian Journal of Forestry Research*, 8(2), 114–129. <https://doi.org/10.20886/ijfr.2011.8.2.114-129>
- Suhendra, A., & Iskandar, D. (2013). *Uji Inokulasi Fusarium sp. untuk produksi gaharu pada Aquilaria beccariana*. 14(3), 182–188.
- Tan, C. S., Isa, N. M., Ismail, I., & Zainal, Z. (2019). Agarwood induction: Current developments and future perspectives. *Frontiers in Plant Science*, 10(February), 1–13. <https://doi.org/10.3389/fpls.2019.00122>
- The CIR Expert Panel. (2017). Safety Assessment of Hydroxyacetophenone as Used in Cosmetics. *Scientific Literature Review for Public Comment*.
- Thirumurugan, D., Cholarajan, A., Raja, S. S. S., & Vijayakumar, R. (2018). An Introductory Chapter: Secondary Metabolites. In R. Vijayakumar & S. S. S. Raja (Eds.), *Secondary Metabolites*. IntechOpen. <https://doi.org/10.5772/intechopen.79766>
- Togashi, N., Shiraishi, A., Nishizaka, M., Matsuoka, K., Endo, K., Hamashima, H., & Inoue, Y. (2007). Antibacterial activity of long-chain fatty alcohols against *Staphylococcus aureus*. *Molecules*, 12(2), 139–148. <https://doi.org/10.3390/12020139>
- Walsh, D. J., Livinghouse, T., Goeres, D. M., Mettler, M., & Stewart, P. S. (2019). Antimicrobial Activity of Naturally Occurring Phenols and Derivatives Against Biofilm and Planktonic Bacteria. *Frontiers in Chemistry*, 7(October), 1–13. <https://doi.org/10.3389/fchem.2019.00653>
- Wang, S., Yu, Z., Wang, C., Wu, C., Guo, P., & Wei, J. (2018). Chemical constituents and pharmacological activity of agarwood and aquilaria plants. *Molecules*, 23(2). <https://doi.org/10.3390/molecules23020342>
- Wani, M. A., Sanjana, K., Kumar, D. M., & Lal, D. K. (2010). GC - MS analysis reveals production of 2 - phenylethanol from *Aspergillus niger* endophytic in rose. *Journal of Basic Microbiology*, 50(1), 110–114. <https://doi.org/10.1002/jobm.200900295>
- Wardana, T. A. P., Nuringtyas, T. R., Wijayanti, N., & Hidayati, L. (2019). Phytochemical analysis of agarwood (*Gyrinops versteegii* (Gilg.) Domke) leaves extracts as anticancer using GC-MS. *AIP Conference Proceedings*, 2194(December). <https://doi.org/10.1063/1.5139868>
- White, J. F., Kingsley, K. L., Zhang, Q., Verma, R., Obi, N., Dvinskikh, S., Elmore, M. T., Verma, S. K., Gond, S. K., & Kowalski, K. P. (2019). Review: Endophytic microbes and their potential applications in crop management. *Pest Management Science*, 75(10), 2558–2565. <https://doi.org/10.1002/ps.5527>
- Widayat, T., Hidayati, L., Wijayanti, N., & Nuringtyas, T. R. (2021). Metabolite profiles of agarwood *Gyrinops versteegii* (Gilg) domke leaves collected from different locations. *Research Journal of Biotechnology*, 16(4), 12–19.
- Wu, S., Lv, G., & Lou, R. (2012). Applications of Chromatography Hyphenated Techniques in the Field of Lignin Pyrolysis. *Applications of Gas Chromatography*, 2017. <https://doi.org/10.5772/32446>
- Younes, I., & Rinaudo, M. (2015). Chitin and chitosan preparation from marine sources. Structure, properties and applications. *Marine Drugs*, 13(3), 1133–1174. <https://doi.org/10.3390/md13031133>
- Yusoff, N., Ghani, I. A., Othman, N. W., Aizat, W. M., & Hassan, M. (2021). Toxicity and sublethal effect of farnesyl acetate on diamondback moth,



UNIVERSITAS
GADJAH MADA

PENGARUH PEMBERIAN FUNGISIDA TERHADAP PROFIL METABOLIT TANAMAN *Aquilaria malaccensis Lamk.*

NINA MUTIARA C, Dr. Tri Rini Nuringtyas, S.Si., M.Sc.

Universitas Gadjah Mada, 2022 | Diunduh dari <http://etd.repository.ugm.ac.id/>

- plutella xylostella (L.) (lepidoptera: Plutellidae). *Insects*, 12(2), 1–12.
<https://doi.org/10.3390/insects12020109>
- Zhang, Q. W., Lin, L. G., & Ye, W. C. (2018). Techniques for extraction and isolation of natural products: A comprehensive review. *Chinese Medicine (United Kingdom)*, 13(1), 1–26. <https://doi.org/10.1186/s13020-018-0177-x>
- Zoghbi, M. das G. B., Andrade, E. H. A., Silva, M. F. F. da, & Maia, J. G. S. (2002). Flower scent analysis of Encyclia Vespa (vell.) Dressler & G. E. Pollard and E. Fragrans (Sw.) Lemée. *Acta Amazonica*, 32(1), 65–70.
<https://doi.org/10.1590/1809-43922002321070>
- Zwinkels, J. C., & Canada, C. (2020). Encyclopedia of Color Science and Technology. *Encyclopedia of Color Science and Technology*, August.
<https://doi.org/10.1007/978-3-642-27851-8>