

## DAFTAR PUSTAKA

- Amaral, P. F. F., Ferreira, T. F., Fontes, G. C., & Coelho, M. A. Z. (2009). Glycerol valorization : New biotechnological routes. *Food and Bioproducts Processing*, 87(3), 179–186. doi: <https://10.1016/j.fbp.2009.03.008>
- Akpinar-Bayazit, A. (2014) Fungal Lipids: The Biochemistry of Lipid Accumulation. *International Journal of Chemical Engineering and Applications*, 5(5), 409–414. doi: <https://10.7763/ijcea.2014.v5.419>
- Athenaki, M., Gardeli, C., Diamantopoulou, P., Tchakouteu, S. S., Sarris, D., Philippoussis, A., & Papanikolaou, S. (2018). Lipids from yeasts and fungi: physiology, production and analytical considerations. *Journal of Applied Microbiology*, 124(2), 336–367. doi: <https://10.1111/jam.13633>
- Bautista, L. F., Vicente, G., & Garre, V. (2012). *Biodiesel from microbial oil*. In *Advances in Biodiesel Production*. Woodhead Publishing Limited. 179-188. doi : <https://doi.org/10.1533/9780857095862.2.179>
- Beopoulos, A. & Nicaud, J. M. (2012). Yeast: A new oil producer?. *OCL - Oleagineux Corps Gras Lipides*, 19(1), 22–28. doi: <https://10.1684/ocl.2012.0426>
- Chen, Z. & Liu, D. (2016). Toward glycerol biorefinery: metabolic engineering for the production of biofuels and chemicals from glycerol. *Biotechnology for Biofuels*. BioMed Central, 9(1), 1–15. doi: <https://10.1186/s13068-016-0625-8>
- Calvey, C. H., Su, Y. K., Willis, L. B., McGee, M., & Jeffries, T. W. (2016). Nitrogen limitation, oxygen limitation, and lipid accumulation in *Lipomyces starkeyi*. *Bioresource Technology*. Elsevier Ltd, 200, 780–788. doi: <https://10.1016/j.biortech.2015.10.104>
- Carvalho, A. K. F., Bento, H. B. S., Rivaldi, J. D., & de Castro, H. F. (2018). Direct transesterification of *Mucor circinelloides* biomass for biodiesel production: Effect of carbon sources on the accumulation of fungal lipids and biofuel properties. *Fuel*, 234, 789–796. doi : <https://doi.org/10.1016/j.fuel.2018.07.029>
- Chebbi, H., Leiva-candia, D., Carmona-cabello, M., & Jaouani, A. (2019). Industrial Crops & Products Biodiesel production from microbial oil provided by oleaginous yeasts from olive oil mill wastewater growing on industrial glycerol. *Industrial Crops & Products*, 139, 1-9. doi : <https://doi.org/10.1016/j.indcrop.2019.111535>
- Dashti, M. G., & Abdesahian, P. (2016). Batch culture and repeated-batch culture of *Cunninghamella bainieri* 2A1 for lipid production as a comparative study. *Saudi Journal of Biological Sciences*, 23(2), 172–180. doi : <https://doi.org/10.1016/j.sjbs.2015.02.006>
- Donot, F., Fontana, A., Baccou, J. C., Strub, C., & Schorr-Galindo, S. (2014). Single cell oils (SCOs) from oleaginous yeasts and moulds: Production and genetics. *Biomass and Bioenergy*. Elsevier Ltd, 68(04), 135–150. doi :

<https://10.1016/j.biombioe.2014.06.016>

- Donot, F., Fontana, A., Baccou, J. C., Strub, C., & Schorr-Galindo, S. (2014). Single cell oils (SCOs) from oleaginous yeasts and moulds: Production and genetics. *Biomass and Bioenergy*, 68(04), 135–150. doi : <https://doi.org/10.1016/j.biombioe.2014.06.016>
- Das, S., Coelho, M. A. Z., Amaral, P. F., & Sil, J. (2017). Development of nutrient media to increase the accumulation of lipids without genetic modification of a lipogenic microorganism. *RSC Advances*. Royal Society of Chemistry, 7, 38149–38154. doi: <https://10.1039/c7ra04026a>
- Dobrowolski, A. & Mirończuk, A. M. (2020). The influence of transketolase on lipid biosynthesis in the yeast *Yarrowia lipolytica*. *Microbial Cell Factories*. BioMed Central, 19(1), 1–9. doi : <https://10.1186/s12934-020-01398-x>
- Gohel, H. R., Ghosh, S. K. & Braganza, V. J. (2013). Yeast as a viable and prolonged feedstock for biodiesel production. *International Journal of Renewable Energy Research*, 3(1), 126–131. doi: <https://10.20508/ijrer.93684>
- Hussain, S. A., Nazir, Y., Hameed, A., Yang, W., Mustafa, K., & Song, Y. (2019). Optimization of diverse carbon sources and cultivation conditions for enhanced growth and lipid and medium-chain fatty acid (MCFA) production by *Mucor circinelloides*. *Fermentation*, 5(2), 35. doi : <https://doi.org/10.3390/fermentation5020035>
- Klein, D. A. and Paschke, M. W. (2004). Filamentous fungi: The indeterminate lifestyle and microbial ecology. *Microbial Ecology*, 47(3), 224–235. doi: <https://10.1007/s00248-003-1037-4>
- Kuhn, J., Müller, H., Salzig, D., & Czermak, P. (2015). A rapid method for an offline glycerol determination during microbial fermentation. *Electronic Journal of Biotechnology*, 18(3), 252–255. doi: <https://10.1016/j.ejbt.2015.01.005>
- Kuttiraja, M., Douha, A., Valéro, J. R., & Tyagi, R. D. (2016). Elucidating the Effect of Glycerol Concentration and C/N Ratio on Lipid Production Using *Yarrowia lipolytica* SKY7. *Applied Biochemistry and Biotechnology*, 180(8), 1586–1600. doi : <https://doi.org/10.1007/s12010-016-2189-2>
- Kamoun, O., Ayadi, I., Guerfali, M., Belghith, H., Gargouri, A., & Trigui-Lahiani, H. (2018). *Fusarium verticillioides* as a single-cell oil source for biodiesel production and dietary supplements. *Process Safety and Environmental Protection*, 118, 68–78. doi : <https://doi.org/10.1016/j.psep.2018.06.027>
- Kosa, G., Zimmermann, B., Kohler, A., Ekeberg, D., Afseth, N. K., Mounier, J., & Shapaval, V. (2018). High-throughput screening of Mucoromycota fungi for production of low- and high-value lipids. *Biotechnology for Biofuels*, 11(1), 1–17. doi : <https://doi.org/10.1186/s13068-018-1070-7>
- Karamerou, E. E., & Webb, C. (2019). Cultivation modes for microbial oil

- production using oleaginous yeasts – A review. *Biochemical Engineering Journal*, 151, 1-16. doi : <https://doi.org/10.1016/j.bej.2019.107322>
- Kumar, L. R., Kaur, R., Yellapu, S. K., Zhang, X., & Tyagi, R. D. (2019). Biodiesel Production From Oleaginous Microorganisms With Wastes as Raw Materials. In *Biofuels: Alternative Feedstocks and Conversion Processes for the Production of Liquid and Gaseous Biofuels* (2nd ed.). 661-690. Elsevier Inc.,. doi: <https://doi.org/10.1016/b978-0-12-816856-1.00027-0>
- Kumar, L. R., Kumar, S., Tyagi, R. D., & Zhang, X. (2019). Bioresource Technology A review on variation in crude glycerol composition , biovalorization of crude and purified glycerol as carbon source for lipid production. *Bioresource Technology*, 293, 1-11 doi : <https://doi.org/10.1016/j.biortech.2019.122155>
- Kumar, S. P. J., Garlapati, V. K., Srinivas, G. L. K., & Banerjee, R. (2021). Bioconversion of Waste Glycerol for Enhanced Lipid Accumulation in *Trichosporon shinodae*. *Biomass Conversion and Biorefinery*, 1-12. doi : <https://doi.org/10.1007/s13399-021-01799-x>
- Li, Q., Du, W. & Liu, D. (2008). Perspectives of microbial oils for biodiesel production. *Applied Microbiology and Biotechnology*, 80(5), 749– 756. doi: <https://doi.org/10.1007/s00253-008-1625-9>
- Liang, M. H., & Jiang, J. G. (2013). Advancing oleaginous microorganisms to produce lipid via metabolic engineering technology. *Progress in Lipid Research*, 52(4), 395–408. <https://doi.org/10.1016/j.plipres.2013.05.002>
- Liu, L. P., Hu, Y., Lou, W. Y., Li, N., Wu, H., & Zong, M. H. (2017). Use of Crude Glycerol as Sole Carbon Source for Microbial Lipid Production by Oleaginous Yeasts. *Applied Biochemistry and Biotechnology*. Applied Biochemistry and Biotechnology, 182(2), 495–510. doi: <https://doi.org/10.1007/s12010-016-2340-0>
- Lopes, H. J. S., Bonturi, N., Kerkhoven, E. J., Miranda, E. A., & Lahtvee, P. J. (2020). C/N ratio and carbon source-dependent lipid production profiling in *Rhodotorula toruloides*. *Applied Microbiology and Biotechnology*, 104(6), 2639–2649. doi : <https://doi.org/10.1007/s00253-020-10386-5>
- Lv, G., Xu, Y., Tu, Y., Cheng, X., Zeng, B., Huang, J., & He, B. (2021). Effects of Nitrogen and Phosphorus Limitation on Fatty Acid Contents in *Aspergillus oryzae*. *Frontiers in Microbiology*, 12, 1–13. doi: <https://doi.org/10.3389/fmicb.2021.739569>
- Meng, X., Yang, J., Xu, X., Zhang, L., Nie, Q., & Xian, M. (2009). Biodiesel production from oleaginous microorganisms. *Renewable Energy*, 34(1), 1–5. doi : <https://doi.org/10.1016/j.renene.2008.04.014>
- Matsakas, L., Giannakou, M., & Vörös, D. (2017). Effect of synthetic and natural media on lipid production from *Fusarium oxysporum*. *Electronic Journal of Biotechnology*, 30, 95–102. doi :

<https://doi.org/10.1016/j.ejbt.2017.10.003>

- Ma, Y., Gao, Z., Wang, Q., & Liu, Y. (2018). Biodiesels from Microbial Oils : Opportunity and Challenges. *Bioresource Technology*, 263, 631-641. <https://doi.org/10.1016/j.biortech.2018.05.028>
- Miranti, A., Arbiyanti, R. & Utami, T. S. (2018). Effect of pH, temperature and medium agitation rate in production of AA, DHA, EPA from *Aspergillus oryzae* with submerged fermentation. *IOP Conference Series: Earth and Environmental Science*, 105(1), 1-7. doi: <https://doi.org/10.1088/1755-1315/105/1/012113>
- Mhlongo, S. I., Ezeokoli, O. T., Roopnarain, A., Ndaba, B., Sekoai, P. T., Habimana, O., & Pohl, C. H. (2021). The Potential of Single-Cell Oils Derived From Filamentous Fungi as Alternative Feedstock Sources for Biodiesel Production. *Frontiers in Microbiology*, 12, 1-27. doi: <https://doi.org/10.3389/fmicb.2021.637381>
- Nouri, H., Moghimi, H., Nikbakht, M., Ostovar, M., Sadat, S., Mehr, F., Ghanaatian, F., & Farhad, A. (2019). Enhanced growth and lipid production in oleaginous fungus, *Sarocladium kiliense* ADH17 : Study on fatty acid profile and prediction of biodiesel properties. *Renewable Energy*, 135, 10–20. <https://doi.org/10.1016/j.renene.2018.11.104>
- Němcová, A., Szotkowski, M., Samek, O., Cagánová, L., Sipiczki, M., & Márová, I. (2021). Use of waste substrates for the lipid production by yeasts of the genus *Metschnikowia*—screening study. *Microorganisms*, 9(11), 1–23. doi: <https://doi.org/10.3390/microorganisms9112295>
- Papanikolaou, S., Komaitis, M. & Aggelis, G. (2004). Single cell oil (SCO) production by *Mortierella isabellina* grown on high-sugar content media. *Bioresource Technology*, 95(3), 287–291. doi: <https://doi.org/10.1016/j.biortech.2004.02.016>
- Papanikolaou, S., Galiotou-Panayotou, M., Fakas, S., Komaitis, M., & Aggelis, G. (2007). Lipid production by oleaginous Mucorales cultivated on renewable carbon sources. *European Journal of Lipid Science and Technology*, 109(11), 1060–1070. doi: <https://doi.org/10.1002/ejlt.200700169>
- Prihandana, R., E. Hambali., S. Mujdalipah., & R. Hendroko. (2007). *Meraup Untung dari Jarak Pagar*. Agromedia, Jakarta. 20-24.
- PanReac AppliChem. (2018). *Nitrogen Determination by Kjeldahl Method*. 1-12.
- Pinasthika, N. P., Arbiyanti, R., Utami, T. S., & Hermansyah, H. (2018). Effect of medium and incubation time on production of AA, DHA and EPA from *Aspergillus oryzae* by solid state fermentation. *IOP Conference Series: Earth and Environmental Science*, 105(1), 1-6. doi: <https://doi.org/10.1088/1755-1315/105/1/012104>
- Rizki, M. A. A. H. & Ilmi, M. (2021). The Potential of Oleaginous Filamentous Fungi Isolated from Soil of Baturraden Botanical Garden, Central Java, Indonesia. *IOP Conference Series: Earth and Environmental Science*,

736(1), 1-9. doi: <https://10.1088/1755-1315/736/1/012060>

- Rizki, M. A. A. H. (2020). Isolasi dan Karakterisasi Kapang Oleaginous dari Tanah Kebun Raya Baturaden, Jawa Tengah, Indonesia. Tesis. Universitas Gadjah Mada. Yogyakarta. 33-77.
- Rossi, M., Amaretti, A., Raimondi, S., & Leonardi, A. (2011). Getting Lipids for Biodiesel Production from Oleaginous Fungi. In M. Stoytcheva, & G. Montero (Eds.), *Biodiesel - Feedstocks and Processing Technologies*. 71-92. IntechOpen. doi : <https://doi.org/10.5772/25864>
- Shields-Menard, S. A., Amirsadeghi, M., French, W. T., & Boopathy, R. (2018). A review on microbial lipids as a potential biofuel. *Bioresource Technology*, 259, 451–460.  
<https://doi.org/10.1016/j.biortech.2018.03.080>
- Signori, L., Ami, D., Poster, R., Giuzzi, A., Mereghetti, P., Porro, D., & Branduardi, P. (2016). Assessing an effective feeding strategy to optimize crude glycerol utilization as sustainable carbon source for lipid accumulation in oleaginous yeasts. *Microbial Cell Factories*. BioMed Central, 15(1), 1–19. doi: <https://10.1186/s12934-016-0467-x>
- Somashekar, D., Venkateshwaran, G., Sambaiah, K., & Lokesh, B. R. (2003). Effect of culture conditions on lipid and gamma-linolenic acid production by mucoraceous fungi. *Process Biochemistry*, 38(12), 1719–1724. doi : [https://doi.org/10.1016/S0032-9592\(02\)00258-3](https://doi.org/10.1016/S0032-9592(02)00258-3)
- Subhash, G. V., & Mohan, S. V. (2015). Sustainable biodiesel production through bioconversion of lignocellulosic wastewater by oleaginous fungi. *Biomass Conversion and Biorefinery*, 5(2), 215–226.  
<https://doi.org/10.1007/s13399-014-0128-4>
- Suharyati, Sadmoko, H. P., Jamaludin, L. W., & Nurina, I. P. 2019. *Outlook Energi Indonesia 2019*. Sekretariat Jenderal Dewan Energi Nasional, Jakarta Selatan. 1-7.
- Troiano, D., Orsat, V., & Dumont, M. J. (2020). Status of filamentous fungi in integrated biorefineries. *Renewable and Sustainable Energy Reviews*, 117, 1-18. doi : <https://doi.org/10.1016/j.rser.2019.109472>
- Qiao, W., Tao, J., Luo, Y., Tang, T., Miao, J., & Yang, Q. (2018). Microbial oil production from solid-state fermentation by a newly isolated oleaginous fungus, *Mucor circinelloides* Q531 from mulberry branches. *Royal Society Open Science*, 5(11), 1-11. doi: <https://10.1098/rsos.180551>
- Vicente, G., Bautista, L. F., Rodríguez, R., Gutiérrez, F. J., Sádaba, I., Ruiz-vázquez, R. M., Torres-Martínez, S., & Garre, V. (2009). *Biodiesel production from biomass of an oleaginous fungus*. 48, 22–27. doi : <https://doi.org/10.1016/j.bej.2009.07.014>
- Xia, C., Zhang, J., Zhang, W., & Hu, B. (2011). A new cultivation method for microbial oil production: cell pelletization and lipid accumulation by *Mucor circinelloides*. *Biotechnol for Biofuels* 4 (1), 1-10. doi: <https://10.1186/1754-6834-4-15>



- Xue, L., Chen, H., & Jiang, J. (2017). Progress in Lipid Research Implications of glycerol metabolism for lipid production. *Progress in Lipid Research*, 68, 12–25. doi : <https://doi.org/10.1016/j.plipres.2017.07.002>
- Yang, F., Hanna, M. A., & Sun, R. (2012). Value-added uses for crude glycerol--a byproduct of biodiesel production. *Biotechnology for biofuels*, 5 (1), 1-10. doi : <https://doi.org/10.1186/1754-6834-5-13>
- Zapata-Vélez, A. M., & Trujillo-Roldán, M. A. (2010). The lack of a nitrogen source and/or the C/N ratio affects the molecular weight of alginate and its productivity in submerged cultures of *Azotobacter vinelandii*. *Annals of Microbiology*, 60(4), 661–668. doi : <https://doi.org/10.1007/s13213-010-0111-7>
- Zhu, S., & Bonito, G. (2021). Oleaginous fungi in biorefineries, *Encyclopedia of Mycology*, (4), 577–589. doi: <https://10.1016/B978-0-12-819990-9.00004-4>