

DAFTAR PUSTAKA

1. Mayer-Davis EJ, Kahkoska AR, Jefferies C, Dabelea D, Balde N, Gong CX, et al. ISPAD Clinical Practice Consensus Guidelines 2018: Definition, epidemiology, and classification of diabetes in children and adolescents. *Pediatr Diabetes*. 2018;19:7–19.
2. Pulungan AB, Annisa D, Imada S. Diabetes Melitus Tipe-1 pada Anak: Situasi di Indonesia dan Tata Laksana. *Sari Pediatr*. 2019;20:392.
3. Patria SY, Wibowo T. Predictive factors of ketoacidosis in type 1 diabetes mellitus. *Paediatrica Indonesiana*. 2019;59:169–74.
4. Tridjaya AAP B, Yati NP, Faizi M, Marzuki ANS, Moelyo AG, Soesanti F. Konsensus Nasional Pengelolaan Diabetes Melitus tipe 1. 2015. 6–36 p.
5. LeBlanc LA, Goldsmith T, Patel DR. Behavioral aspects of chronic illness in children and adolescents. *Pediatr Clin North Am*. 2003;50:859–78.
6. Hahl J, Hämäläinen H, Simell T, Simell O. The effects of type 1 diabetes and its long-term complications on physical and mental health status. *Pharmacoeconomics*. 2006;24:559–69.
7. Pinhas-Hamiel O. Eating disorders in adolescents with type 1 diabetes: Challenges in diagnosis and treatment. *World J Diabetes*. 2015;6:517.
8. Colton P, Daneman D, Rodin G, Olmsted M, Rydall A. Disturbed Eating Behavior and Eating Disorders in Preeteen and Early Teenage Girls With Type 1 Diabetes: A case-controlled study. *Diabetes Care*. 2007;27:1654–9.
9. Codner E, Acerini CL, Craig ME, Hofer SE, Maahs DM. ISPAD Clinical Practice Consensus Guidelines 2018: What is new in diabetes care? *Pediatr Diabetes*. 2018;19:5–6.
10. IDAI 2017. Diagnosis dan Tata Laksana Diabetes Melitus Tipe-1 pada Anak dan Remaja. *Ikat Dr Anak Indones*. 2017;1–15.
11. Pawłowicz M, Birkholz D, Niedźwiecki M, Balcerska A. Difficulties or mistakes in diagnosing type 1 diabetes mellitus in children? The consequences of delayed diagnosis. *Endokrynol Diabetol i Chor Przemiany Mater Wiekui Rozw*. 2008;14:7–12.
12. Copeland K, Grey M, Deeb L, Plotnick L, Klingensmith G, Kaufman F, et al. Care of Children and Adolescents With Type 1 Diabetes: A statement of the American Diabetes Association. *Diabetes Care*. 2007;28:186–212.
13. Danne T, Battelino T, Jarosz-Chobot P, Buckingham BA, Codner E, Saboo B, et al. ISPAD Clinical Practice Consensus Guidelines 2018: Insulin

- treatment in children and adolescents with diabetes. *Pediatr Diabetes*. 2018;19:115–35.
14. Smart C, Aslander-van Vliet E, Waldron S. Nutritional management in children and adolescents with diabetes. *Pediatr Diabetes*. 2009;10 Suppl 1:100–17.
 15. Ebbeling CB, Feldman HA, Chomitz VR, Antonelli TA, Gortmaker SL, Osganian SK, et al. A Randomized Trial of Sugar-Sweetened Beverages and Adolescent Body Weight. *N Engl J Med*. 2012;367:1407–16.
 16. K. R, M.C. R, B.C. G, P. A, R. H, Robertson K, et al. ISPAD Clinical Practice Consensus Guidelines 2014. Exercise in children and adolescents with diabetes. *Pediatr Diabetes*. 2014;15:203–23.
 17. K. R, P. A, M.C. R, G. S, R. H. Exercise in children and adolescents with diabetes. *Pediatr Diabetes*. 2008;9:65–77.
 18. J.E. Y, J. H, A.M. A-S, S.D. M, J. M. A systematic review and meta-analysis of exercise interventions in adults with type 1 diabetes. *Diabetes Res Clin Pract*. 2014;106:393–400.
 19. Gomez AM, Gomez C, Aschner P, Veloza A, Muñoz O, Rubio C, et al. Effects of performing morning versus afternoon exercise on glycemic control and hypoglycemia frequency in type 1 diabetes patients on sensor-augmented insulin pump therapy. *J Diabetes Sci Technol*. 2015;9:619–24.
 20. Tridjaja B. Konsensus Nasional Pengelolaan Diabetes Mellitus Tipe 1. *UKK Endokrinol Anak dan Remaja*. 2009;25–6.
 21. IDAI. Konsesus Nasional Pengelolaan Diabetes Melitus tipe 1. 2015. 6–36 p.
 22. Swift PGF. Diabetes education in children and adolescents. *Pediatr Diabetes*. 2009;10 Suppl 1:51–7.
 23. Peyrot M, Rubin RR. Levels and risks of depression and anxiety symptomatology among diabetic adults. *Diabetes Care*. 1997;20:585–90.
 24. Donaghue KC, Marcovecchio ML, Wadwa RP, Chew EY, Wong TY, Calliari LE, et al. ISPAD Clinical Practice Consensus Guidelines 2018: Microvascular and macrovascular complications in children and adolescents. *Pediatr Diabetes*. 2018;19:262–74.
 25. Comer MDM, Kelleher KJ. NIH Public Access. 2014;153:254–60.
 26. Rahmawati L, Soedjatmiko S, Gunardi H, Sekartini R, Batubara JR, Pulungan AB. Gangguan Perilaku Pasien Diabetes Melitus tipe-1 di Poliklinik Endokrinologi Anak Rumah Sakit Cipto Mangunkusumo. *Sari Pediatr*. 2016;9:264.

27. Smith GL, McGuinness TM. Adolescent Psychosocial Assessment: The HEEADSSS. *J Psychosoc Nurs Ment Health Serv.* 2017;55:24–7.
28. Himawan IW, Pulungan AB, Tridjaja B, Batubara JRL. Komplikasi Jangka Pendek dan Jangka Panjang Diabetes Mellitus Tipe 1. *Sari Pediatr.* 2017;10:367.
29. C HA. Gambaran Klinis Ketoasidosis Diabetikum Anak Clinical Profile of Children with Diabetic Ketoacidosis. *J Kedokt Brawijaya.* 2009;27:107–10.
30. Wolfsdorf J, Glaser N, Sperling MA. Diabetic ketoacidosis in infants, children, and adolescents: A consensus statement from the American Diabetes Association. *Diabetes Care.* 2006;29:1150–9.
31. Wright J, Ruck K, Rabbitts R, Charlton M, De P, Baskar V, et al. and mortality. 2009;9:278–82.
32. Al-Hayek AA, Robert AA, Braham RB, Turki AS, Al-Sabaan FS. Frequency and associated risk factors of recurrent diabetic ketoacidosis among Saudi adolescents with type 1 diabetes mellitus. *Saudi Med J.* 2015;36:216–20.
33. Hood KK, Butler DA, Anderson BJ, Laffel LMB. Updated and revised diabetes family conflict scale. *Diabetes Care.* 2007;30:1764–9.
34. Deeb A, Akle M, Al Ozairi A, Cameron F. Common Issues Seen in Paediatric Diabetes Clinics, Psychological Formulations, and Related Approaches to Management. *J Diabetes Res.* 2018;2018:1–8.
35. Skinner TC. Recurrent diabetic ketoacidosis: Causes, prevention and management. *Horm Res.* 2002;57:78–80.
36. Abraham MB, Jones TW, Naranjo D, Karges B, Oduwale A, Tauschmann M, et al. ISPAD Clinical Practice Consensus Guidelines 2018: Assessment and management of hypoglycemia in children and adolescents with diabetes. *Pediatr Diabetes.* 2018;19:178–92.
37. Craig ME, Wong TY, Calliari LE, Donaghue KC, Marcovecchio ML, Wadwa RP, et al. ISPAD Clinical Practice Consensus Guidelines 2018: Microvascular and macrovascular complications in children and adolescents. *Pediatr Diabetes.* 2018;19:262–74.
38. Trotta D, Verrotti A, Salladini C, Chiarelli F. Diabetic neuropathy in children and adolescents. *Pediatr Diabetes.* 2004;5:44–57.
39. Giannini C, Mohn A, Chiarelli F, Kelnar CJH. Macrovascular angiopathy in children and adolescents with type 1 diabetes. *Diabetes Metab Res Rev.* 2011;27:436–60.
40. Loredana Marcovecchio M, Todd JA, Neil Dalton R, Cooper JD, Neil A, Barrett TG, et al. Prevalence of Abnormal Lipid Profiles and the Relationship

With the Development of Microalbuminuria in Adolescents With Type 1 Diabetes. *Diabetes Care*. 2009;32:658–63.

41. Celermajer DS, Ayer JGJ. Childhood risk factors for adult cardiovascular disease and primary prevention in childhood. *Heart*. 2006;92:1701–6.
42. DiMeglio LA, Evans-Molina C, Oram RA. Type 1 diabetes. *Lancet*. 2018;391:2449–62.
43. Hoey H, Aanstoot HJ, Chiarelli F, Daneman D, Danne T, Dorchy H, et al. Good metabolic control is associated with better quality of life in 2,101 adolescents with type 1 diabetes. *Diabetes Care*. 2001;24:1923–8.
44. Bonfig W, Kapellen T, Dost A, Fritsch M, Rohrer T, Wolf J, et al. Growth in children and adolescents with type 1 diabetes. *J Pediatr*. 2012;160:900-3.e2.
45. Elamin A, Hussein O, Tuvemo T. Growth, puberty, and final height in children with Type 1 diabetes. *J Diabetes Complications*. 2006;20:252–6.
46. Wise JE, Kolb EL, Sauder SE. Effect of glycemic control on growth velocity in children with IDDM. *Diabetes Care*. 1992;15:826–30.
47. Tonoli C, Heyman E, Roelands B, Pattyn N, Buyse L, Piacentini MF, et al. Type 1 diabetes-associated cognitive decline: a meta-analysis and update of the current literature. *J Diabetes*. 2014;6:499–513.
48. Gaudieri PA, Chen R, Greer TF, Holmes CS. Cognitive function in children with type 1 diabetes: a meta-analysis. *Diabetes Care*. 2008;31:1892–7.
49. Dunger DB, Sperling MA, Acerini CL, Bohn DJ, Daneman D, Danne TPA, et al. ESPE/LWPES consensus statement on diabetic ketoacidosis in children and adolescents. *Arch Dis Child*. 2004;89:188–94.
50. Hoffman RP. Adolescent adherence in type 1 diabetes. *Compr Ther*. 2002;28:128–33.
51. Olsen BS, Sjølie AK, Hougaard P, Johannesen J, Marinelli K, Jacobsen BB, et al. The significance of the prepubertal diabetes duration for the development of retinopathy and nephropathy in patients with type 1 diabetes. *J Diabetes Complications*. 2004;18:160–4.
52. Cho YH, Craig ME, Donaghue KC. Puberty as an accelerator for diabetes complications. *Pediatr Diabetes*. 2014;15:18–26.
53. Hoey H. Psychosocial factors are associated with metabolic control in adolescents: research from the Hvidoere Study Group on Childhood Diabetes. *Pediatr Diabetes*. 2009;10 Suppl 1:9–14.
54. Forga L, Goñi MJ, Ibáñez B, Cambra K, García-Mouriz M, Iriarte A.

Influence of Age at Diagnosis and Time-Dependent Risk Factors on the Development of Diabetic Retinopathy in Patients with Type 1 Diabetes. *J Diabetes Res.* 2016;2016:9898309.

55. Hampson SE, Skinner TC, Hart J, Storey L, Gage H, Foxcroft D, et al. Effects of educational and psychosocial interventions for adolescents with diabetes mellitus: a systematic review. *Health Technol Assess.* 2001;5:1–79.
56. Gerstl E-M, Rabl W, Rosenbauer J, Gröbe H, Hofer SE, Krause U, et al. Metabolic control as reflected by HbA1c in children, adolescents and young adults with type-1 diabetes mellitus: combined longitudinal analysis including 27,035 patients from 207 centers in Germany and Austria during the last decade. *Eur J Pediatr.* 2008;167:447–53.
57. Aljuhani FM, Al-Agha AE, Almunami BA, Meftah EA, Sultan RA, Sultan RA, et al. Growth status of children and adolescents with type 1 diabetes mellitus in jeddah, saudi arabia: A cross-sectional study. *Curr Pediatr Res.* 2018;22:249–54.
58. Noorani M, Ramaiya K, Manji K. Glycaemic control in type 1 diabetes mellitus among children and adolescents in a resource limited setting in Dar es Salaam - Tanzania. *BMC Endocr Disord.* 2016;16:29.
59. Franz MJ, Bantle JP, Beebe CA, Brunzell JD, Chiasson J-L, Garg A, et al. Nutrition principles and recommendations in diabetes. *Diabetes Care.* 2004;27 Suppl 1:S36-46.
60. Patria SY, Wibowo T. Predictive factors of ketoacidosis in type 1 diabetes mellitus. *Paediatrica Indonesiana.* 2019;59:169–74.
61. Michal Cohen, Smadar Shilo NZ-L and, Shehadeh N. Diabetic Ketoacidosis in the Pediatric Population with Type 1 Diabetes. 2015;chapter 5:95–119.
62. Al-Hayek AA, Robert AA, Braham RB, Turki AS, Al-Sabaan FS. Frequency and associated risk factors of recurrent diabetic ketoacidosis among Saudi adolescents with type 1 diabetes mellitus. *Saudi Med J.* 2015;36:216–20.
63. Swift PGF. Clinical practice consensus guidelines compendium diabetes education in children and adolescents. *Pediatr Diabetes.* 2009;
64. Wilson DM, Calhoun PM, Maahs DM, Chase HP, Messer L, Buckingham BA, et al. Factors associated with nocturnal hypoglycemia in at-risk adolescents and young adults with type 1 diabetes. *Diabetes Technol Ther.* 2015;17:385–91.
65. Endokrinologi UKK, Dan A, Dokter I, Indonesia A, Foundation WD. Pengelolaan Diabetes Mellitus Tipe 1. 2015.
66. Lueder GT, Silverstein J. Screening for retinopathy in the pediatric patient

with type 1 diabetes mellitus. *Pediatrics*. 2005;116:270–3.

67. Downie E, Craig ME, Hing S, Cusumano J, Chan AKF, Donaghue KC. Continued reduction in the prevalence of retinopathy in adolescents with type 1 diabetes: Role of insulin therapy and glycemic control. *Diabetes Care*. 2011;34:2368–73.
68. Goñi MJ, Forga L, Ibañez B, Cambra K, Mozas D, Anda E. Incidence and Risk Factors Involved in the Development of Nephropathy in Patients with Type 1 Diabetes Mellitus: Follow Up Since Onset. *Can J diabetes*. 2016;40:258–63.
69. Uwaezuoke SN. The role of novel biomarkers in predicting diabetic nephropathy: a review. *Int J Nephrol Renovasc Dis*. 2017;10:221–31.
70. Cobas RA, Santos B, da Silva PC, Neves R, Gomes MB. Progression to microalbuminuria in patients with type 1 diabetes: a seven-year prospective study. *Diabetol Metab Syndr*. 2011;3:21.
71. Pardede SO. Nefropati Diabetik pada Anak. *Sari Pediatr*. 2017;10:8.
72. Downie ML, Ulrich EH, Noone DG. An Update on Hypertension in Children With Type 1 Diabetes. *Can J Diabetes*. 2018;42:199–204.
73. Gomes MB, Tannus LRM, Matheus ASDM, Cobas RA, Palma CCS, Silva ATK, et al. Prevalence, awareness, and treatment of hypertension in patients with type 1 diabetes: A nationwide multicenter study in Brazil. *Int J Hypertens*. 2013;2013.
74. Himawan IW, Pulungan AB, Tridjaja B, Batubara JR. Gambaran Tekanan Darah Anak dengan Diabetes Mellitus Tipe 1 di Indonesia. *Sari Pediatr*. 2016;13:367.
75. Mackey ER, O'Brecht L, Holmes CS, Jacobs M, Streisand R. Teens with Type 1 Diabetes: How Does Their Nutrition Measure Up? *J Diabetes Res*. 2018;2018:5094569.
76. Davison KAK, Negrato CA, Cobas R, Matheus A, Tannus L, Palma CS, et al. Relationship between adherence to diet, glycemic control and cardiovascular risk factors in patients with type 1 diabetes: a nationwide survey in Brazil. *Nutr J*. 2014;13:19.
77. Piłaciński S, Zozulińska-Ziółkiewicz DA. Influence of lifestyle on the course of type 1 diabetes mellitus. *Arch Med Sci*. 2014;10:124–34.
78. Gomes MB, Santos DC, Pizarro MH, Barros BS V, de Melo LGN, Negrato CA. Does knowledge on diabetes management influence glycemic control? A nationwide study in patients with type 1 diabetes in Brazil. *Patient Prefer Adherence*. 2018;12:53–62.

79. Moore SM, Hackworth NJ, Hamilton VE, Northam EP, Cameron FJ. Adolescents with Type 1 Diabetes: Parental perceptions of child health and family functioning and their relationship to adolescent metabolic control. *Health Qual Life Outcomes* [Internet]. 2013;11:1. Available from: Health and Quality of Life Outcomes
80. Almeida AC, Leandro ME, Pereira MG. Family functioning and quality of life in adolescents with type 1 diabetes: The role of dissimilarity in illness representations and school support. *Clin Child Psychol Psychiatry*. 2020;25:494–506.
81. Anderson BJ, Vangsness L, Connell A, Butler D, Goebel-Fabbri A, Laffel LMB. Family conflict, adherence, and glycaemic control in youth with short duration Type 1 diabetes. *Diabet Med*. 2002;19:635–42.
82. Malerbi FEK, Negrato CA, Gomes MB. Assessment of psychosocial variables by parents of youth with type 1 diabetes mellitus. *Diabetol Metab Syndr*. 2012;4:48.
83. Rahmawati L, Soedjatmiko S, Gunardi H, Sekartini R, Batubara JR, Pulungan AB. Gangguan Perilaku Pasien Diabetes Melitus tipe-1 di Poliklinik Endokrinologi Anak Rumah Sakit Cipto Mangunkusumo. *Sari Pediatr*. 2016;9:264.
84. Borowsky IW, Mozayeny S, Ireland M. Brief Psychosocial Screening at Health Supervision and Acute Care Visits. *Pediatrics*. 2004;112:129–33.
85. Lewin AB, Geffken GR, Heidgerken AD, Duke DC, Novoa W, Williams LB, et al. The diabetes family behavior checklist: A psychometric evaluation. *J Clin Psychol Med Settings*. 2005;12:315–22.