

DAFTAR PUSTAKA

- Abul-Kasim, K., Strömbeck, A., Ohlin, A., Maly, P., & Sundgren, P. (2009). Reliability of Low-Radiation Dose CT in the Assessment of Screw Placement After Posterior Scoliosis Surgery, Evaluated With a New Grading System. *Spine*, *34*(9), 941-948. doi: 10.1097/brs.0b013e31819b22a4
- Borkowski, S. L., Tamrazian, E., Bowen, R. E., Scaduto, A. A., Ebramzadeh, E., & Sangiorgio, S. N. (2016). Challenging the Conventional Standard for Thoracic Spine Range of Motion: A Systematic Review. *JBJS reviews*, *4*(4), e51–e511. <https://doi.org/10.2106/JBJS.RVW.O.00048>
- Brasiliense, L., Theodore, N., Lazaro, B., Sayed, Z., Deniz, F., Sonntag, V., & Crawford, N. (2010). Quantitative analysis of misplaced pedicle screws in the thoracic spine: how much pullout strength is lost?. *Journal Of Neurosurgery: Spine*, *12*(5), 503-508. doi: 10.3171/2009.11.spine09408
- Cho W. et al. (2010). The biomechanics of pedicle screw-based instrumentation. *The Journal of Bone and Joint Surgery*. *92*(8), 1061-1065.
- Cho, S., Skovrlj, B., Lu, Y., Caridi, J., & Lenke, L. (2014). The Effect of Increasing Pedicle Screw Size on Thoracic Spinal Canal Dimensions. *Spine*, *39*(20), E1195-E1200. doi: 10.1097/brs.0000000000000514
- Christodoulou, E., Chinthakunta, S., Reddy, D., Khalil, S., Apostolou, T., Drees, P., & Kafchitsas, K. (2015). Axial pullout strength comparison of different screw designs: fenestrated screw, dual outer diameter screw and standard pedicle screw. *Scoliosis*, *10*(1). doi: 10.1186/s13013-015-0039-6
- Cramer, Gregory D. (2014). *Clinical Anatomy of the Spine, Spinal Cord, and ANS* (Third Edition). <https://doi.org/10.1016/B978-0-323-07954-9.00006-2>.
- Daud, R., Y, N., H, M., & A, S. (2020). Fatigue Analysis of Cannulated Pedicle Screw. *International Journal Of Engineering Trends And Technology*, 87-91. doi: 10.14445/22315381/cati3p214
- Gonzalvo, A., Fitt, G., Liew, S., de la Harpe, D., Vrodos, N., & McDonald, M. et al. (2015). Correlation between pedicle size and the rate of pedicle screw misplacement in the treatment of thoracic fractures: Can we predict how difficult the task will be?. *British Journal Of Neurosurgery*, *29*(4), 508-512. doi: 10.3109/02688697.2015.1019414

Hirano, Toru & Hasegawa, Kazuhiro & Takahashi, Hideaki E. & Uchiyama, Seiji & Hara, Toshiaki & Washio, Toshikatsu & Sugiura, Toru & Yokaichiya, Motoo & Ikeda, Masayuki. (1997). Structural Characteristics of the Pedicle and Its Role in Screw Stability. *Spine*. 22. 2504-9; discussion 2510. 10.1097/00007632-199711010-00007.

Huang, X., Huang, Z., Xu, L., Liang, D., Zhang, M., & Zhang, H. (2019). Pullout strength of reinserted pedicle screws using the previous entry point and trajectory. *Journal Of Orthopaedic Surgery And Research*, 14(1). doi: 10.1186/s13018-019-1240-8

Kim, Yongjung J,m Lenke, G. Lawrence. (2005). Thoracic pedicle screw placement: Free-hand technique. *Neurology India*, 4, 512-519.

Kopperdahl, D. L., Aspelund, T., Hoffmann, P. F., Sigurdsson, S., Siggeirsdottir, K., Harris, T. B., Gudnason, V., & Keaveny, T. M. (2014). Assessment of incident spine and hip fractures in women and men using finite element analysis of CT scans. *Journal of bone and mineral research : the official journal of the American Society for Bone and Mineral Research*, 29(3), 570–580. <https://doi.org/10.1002/jbmr.2069>

Kubiak, A., Lindqvist-Jones, K., Dearn, K., & Shepherd, D. (2019). Comparison of the mechanical properties of two designs of polyaxial pedicle screw. *Engineering Failure Analysis*, 95, 96-106. doi: 10.1016/j.engfailanal.2018.08.023

Liang, Y., Cao, Y., Gong, Z., Jiang, C., Jin, L., & Li, Z. et al. (2020). A finite element analysis on comparing the stability of different posterior fixation methods for thoracic total en bloc spondylectomy. *Journal Of Orthopaedic Surgery And Research*, 15(1). doi: 10.1186/s13018-020-01833-0

Liebsch, C., & Wilke, H. (2018). Basic Biomechanics of the Thoracic Spine and Rib Cage. *Biomechanics Of The Spine*, 35-50. doi: 10.1016/b978-0-12-812851-0.00003-3

Matsukawa, K., & Yato, Y. (2017). Lumbar pedicle screw fixation with cortical bone trajectory: A review from anatomical and biomechanical standpoints. *Spine surgery and related research*, 1(4), 164–173. <https://doi.org/10.22603/ssrr.1.2017-0006>

Matsukawa, Keitaro & Yato, Yoshiyuki & Imabayashi, Hideaki & Hosogane, Naobumi & Abe, Yuichiro & Asazuma, Takashi & Chiba, Kazuhiro. (2016). Biomechanical evaluation of fixation strength among different sizes of pedicle screws using the cortical bone trajectory: what is the ideal screw size for optimal fixation?. *Acta neurochirurgica*. 158. 10.1007/s00701-016-2705-8.

Onur, Y et al. (2015). The Comparison of Pullout Strengths of Various Pedicle Screw Designs on Synthetic Foams and Ovine Vertebrae. *Turk Neurosurg*, 25(4), 532-538. Doi: 10.5137/1019-5149.JTN.8907-13.1

Pelletier, M. H., Bertollo, N., Al-Khawaja, D., & Walsh, W. R. (2017). The contribution of the cortical shell to pedicle screw fixation. *Journal of spine surgery (Hong Kong)*, 3(2), 184–192. <https://doi.org/10.21037/jss.2017.06.07>

Perez-Orribo, L., Kalb, S., Reyes, P. M., Chang, S. W., & Crawford, N. R. (2013). Biomechanics of lumbar cortical screw-rod fixation versus pedicle screw-rod fixation with and without interbody support. *Spine*, 38(8), 635–641. <https://doi.org/10.1097/BRS.0b013e318279a95e>

Puvanesarajah, V., Liauw, J. A., Lo, S. F., Lina, I. A., & Witham, T. F. (2014). Techniques and accuracy of thoracolumbar pedicle screw placement. *World journal of orthopedics*, 5(2), 112–123. <https://doi.org/10.5312/wjo.v5.i2.112>

Qiu, X. S., Jiang, H., Qian, B. P., Wang, W. J., Zhu, F., Zhu, Z. Z., & Qiu, Y. (2014). Influence of prone positioning on potential risk of aorta injury from pedicle screw misplacement in adolescent idiopathic scoliosis patients. *Journal of spinal disorders & techniques*, 27(5), E162–E167. <https://doi.org/10.1097/BSD.0000000000000075>

Sahani, Rishikant, (2015). Finite Element Analysis of Human Lumbar Vertebrae in Pedicle Screw Fixation. Department of Industrial Design national Institute of Technology Rourkela.

Saputra, Marda Ade. (2018). Perbandingan Insertion Time, Pullout Strength, dan Screw Media Interface Area dari Pedicle Screw yang Disesuaikan dengan Ukuran Tulang Belakang Orang Indonesia dengan Berbagai Desain Core dan Thread dengan Pedicle Screw Komersial (Disertasi Spesialis).

Saraf, S., Singh, R., Singh, V., & Varma, A. (2013). Pullout strength of misplaced pedicle screws in the thoracic and lumbar vertebrae - A cadaveric study. *Indian Journal Of Orthopaedics*, 47(3), 238. doi: 10.4103/0019-5413.111502

Sarwahi, V., Wendolowski, S., Gecelter, R., Amaral, T., Lo, Y., Wollowick, A., & Thornhill, B. (2016). Are We Underestimating the Significance of Pedicle Screw Misplacement?. *SPINE*, 41(9), E548-E555. doi: 10.1097/brs.0000000000001318

Sis, H., Mannen, E., Wong, B., Cadel, E., Bouxsein, M., Anderson, D., & Friis, E. (2016). Effect of follower load on motion and stiffness of the human thoracic spine with intact rib cage. *Journal Of Biomechanics*, 49(14), 3252-3259. doi: 10.1016/j.jbiomech.2016.08.003

Smorgick, Yossi et al. (2005). Accuracy and Safety of Thoracic Pedicle Screw Placement in Spinal Deformities. *Spinal Disord Tech*. 18(6), 522-526.

Spielberg, Stephen. (2009). Chapter 24 – Characterization of Physical, Chemical, and Properties of UHMWPE. UHMWPE Biomaterials Handbook (Second Edition). 355-368. <https://doi.org/10.1016/B978-0-12-374721-1.00024-9>.

Su, P., Ma, R., Li, C., Liu, S., & Huang, D. (2007). Pedicle Screw Fixation of the Cervical Spine. *Clinical Orthopaedics & Related Research*, 462, 99-104. doi: 10.1097/blo.0b013e3180ebe4e5

Verma, R., Krishan, S., Haendlmayer, K., & Mohsen, A. (2010). Functional outcome of computer-assisted spinal pedicle screw placement: a systematic review and meta-analysis of 23 studies including 5,992 pedicle screws. *European spine journal : official publication of the European Spine Society, the European Spinal Deformity Society, and the European Section of the Cervical Spine Research Society*, 19(3), 370–375. <https://doi.org/10.1007/s00586-009-1258-4>

Wibowo, Eddy Setyo. (2016). Morfometri Tiga Dimensi Vertebra Torakal pada Populasi Indonesia (Disertasi Spesialis).

Xu, M., Yang, J., Lieberman, I., & Haddas, R. (2019). Finite element method-based study of pedicle screw–bone connection in pullout test and physiological spinal loads. *Medical Engineering & Physics*, 67, 11-21. doi: 10.1016/j.medengphy.2019.03.004

Yuan, L., Zhang, X., Zeng, Y., Chen, Z., & Li, W. (2021). Incidence, Risk, and Outcome of Pedicle Screw Loosening in Degenerative Lumbar Scoliosis Patients Undergoing Long-Segment Fusion. *Global Spine Journal*, 219256822110174. doi: 10.1177/21925682211017477