

DAFTAR PUSTAKA

- Aggarwal, B., Mulgirigama, A. and Berend, N. (2018) ‘Exercise-induced bronchoconstriction: prevalence, pathophysiology, patient impact, diagnosis and management’, *npj Primary Care Respiratory Medicine*. Nature Publishing Group. doi: 10.1038/s41533-018-0098-2.
- Aggarwal P, Senthilkumaran S. Dust Mite Allergy. [Updated 2020 Dec 8]. In: StatPearls [Internet]. Treasure Island (FL): StatPearls Publishing; 2021 Jan-. Available from: <https://www.ncbi.nlm.nih.gov/books/NBK560718/>
- Akinbami, L. J. and Schoendorf, K. C. (2002) ‘Trends in childhood asthma: Prevalence, health care utilization, and mortality’, *Pediatrics*, 110(2 I), pp. 315– 322. doi: 10.1542/peds.110.2.315.
- Arasi, S., Porcaro, F., Cutrera, R., & Fiocchi, A. G. (2019). Severe Asthma and Allergy: A Pediatric Perspective. *Frontiers in pediatrics*, 7, 28. <https://doi.org/10.3389/fped.2019.00028>
- Banerjee, S. *et al.* (2015) ‘Der p 11 is a Major Allergen for House Dust Mite- Allergic Patients Suffering from Atopic Dermatitis’, *Journal of Investigative Dermatology*, 135(1), pp. 102–109. doi: 10.1038/jid.2014.271.
- Biagtan, M., Viswanathan, R. and Bush, R. K. (2014) ‘Immunotherapy for House Dust Mite Sensitivity: Where Are the Knowledge Gaps?’, *Current Allergy and Asthma Reports*. Current Medicine Group LLC 1, pp. 1–7. doi: 10.1007/s11882- 014-0482-0.
- Bousquet, J., Dahl, R. and Khaltaev, N. (2007) ‘Global Alliance against Chronic Respiratory Diseases’, *European Respiratory Journal*, 29(2), pp. 233–239. doi: 10.1183/09031936.00138606.
- Burbank, A. J. and Peden, D. B. (2018) ‘Assessing the impact of air pollution on childhood asthma morbidity: How, when, and what to do’, *Current Opinion in Allergy and Clinical Immunology*. Lippincott Williams and Wilkins, pp. 124–

131.doi: 10.1097/ACI.0000000000000422.

Chu, H. T. *et al.* (2018) 'Evaluation of skin prick test to screen dust mite sensitization in chronic respiratory diseases in Southern Vietnam', *Asia Pacific Allergy*, 8(4). doi: 10.5415/apallergy.2018.8.e39.

Coban H, Aydemir Y. The Relationship Between Allergy And Asthma Control, Quality Of Life, And Emotional Status In Patients With Asthma: A Cross-Sectional Study. NCBI. 2014; 10(1): 67. doi: 10.1186/s13223-014-0067-4

Detriana V, dkk. Association Between Aeroallergen Sensitization And the Severity Of Asthma In Pediatric Patients. Proceeding ICMHS. 2016. ISBN 978-602-60569-3-1

Dharmage, S. C., Perret, J. L. and Custovic, A. (2019) 'Epidemiology of asthma in children and adults', *Frontiers in Pediatrics*. Frontiers Media S.A., p. 246. doi: 10.3389/fped.2019.00246.

Duenas-Meza, E ., Torres-Duque, C.A. (2018). High prevalence of house dust mite sensitization in children with severe asthma living at high altitude in a tropical country. *Pediatr Pulmonol*.

Fassio, F. and Guagnini, F. (2018) 'House dust mite-related respiratory allergies and probiotics: A narrative review', *Clinical and Molecular Allergy*. BioMed Central Ltd., p. 15. doi: 10.1186/s12948-018-0092-9.

Ferrante, G. and La Grutta, S. (2018) 'The burden of pediatric asthma', *Frontiers in Pediatrics*. Frontiers Media S.A., p. 186. doi: 10.3389/fped.2018.00186.

Gosepath, J., Amedee, R. G. and Mann, W. J. (2005) 'Nasal provocation testing as an international standard for evaluation of allergic and nonallergic rhinitis', *Laryngoscope*. Laryngoscope, pp.512–516. doi: 10.1097/01.MLG.0000149682.56426.6B.

Hoshino, M. *et al.* (2020) 'Association between biomarkers and house dust mite sublingual immunotherapy in allergic asthma', *Clinical & Experimental*

Allergy, 50(9), p. cea.13686. doi: 10.1111/cea.13686.

Jat, K. R. and Khairwa, A. (2017) 'Vitamin D and asthma in children: A systematic review and meta-analysis of observational studies', *Lung India*. Wolters Kluwer Medknow Publications, pp. 355–363. doi: 10.4103/0970-2113.209227.

K., M. and Shivaswamy, K. N. (2017) 'Skin prick test positivity to house dust mites (HDM) in patients with chronic urticaria', *International Journal of Research in Dermatology*, 3(1), p. 7. doi: 10.18203/issn.2455-4529.intjresdermatol20170611.

Kazemi-Shirazi, L. *et al.* (2002) 'Recombinant marker allergens: Diagnostic gatekeepers for the treatment of allergy', *International Archives of Allergy and Immunology*. Int Arch Allergy Immunol, pp. 259–268. doi: 10.1159/000057742.

Lang, J. E. and Tang, M. (2019) 'Smoking: it's still a big problem in children with asthma', *Jornal de Pediatria*, 95(5), pp. 506–508. doi: 10.1016/j.jpmed.2018.12.005.

Li, L. *et al.* (2018) 'Domestic mite-induced allergy: Causes, diagnosis, and future prospects', *International Journal of Immunopathology and Pharmacology*. SAGE Publications Inc. doi: 10.1177/2058738418804095.

Lommatzsch, M. and Virchow, J. C. (2014) 'Severe Asthma', *Deutsches Aerzteblatt Online*, 111(50). doi: 10.3238/arztebl.2014.0847.

Menteri Kesehatan Republik Indonesia (2008) *Pedoman Pengendalian Penyakit Asma, Lampiran Keputusan Menteri Kesehatan*. Available at: [moz-extension://d385393e-60c9-498a-9db0-439743af40ba/enhanced-reader.html?openApp&pdf=https%3A%2F%2Fpersi.or.id%2Fwp-content%2Fuploads%2F2020%2F11%2Fkmk10232008.pdf](https://d385393e-60c9-498a-9db0-439743af40ba/enhanced-reader.html?openApp&pdf=https%3A%2F%2Fpersi.or.id%2Fwp-content%2Fuploads%2F2020%2F11%2Fkmk10232008.pdf) (Accessed: 6 January 2021).

- Mendes, A. P., Zhang, L., Prietsch, S. O. M., Franco, O. S., Gonzáles, K. P., Fabris, A. G., & Catharino, A. (2011). *Factors Associated with Asthma Severity in Children: A Case–Control Study*. *Journal of Asthma*, 48(3), 235–240. doi:10.3109/02770903.2011.555039
- Michel, O., dkk. (2015). Severity of asthma is related to endotoxin in house dust. *American Journal of Respiratory and Critical Care Medicine*, 154(6), 1641–1646. doi:10.1164/ajrccm.154.6.8970348
- Moorman, J., Akinbami, L. and Bailey, C. (2012) *National surveillance of asthma: United States, 2001-2010 - PubMed, Vital Health Stat*. Available at: <https://pubmed.ncbi.nlm.nih.gov/24252609/> (Accessed: 6 January 2021).
- Naibaho, D. (2017). *Akurasi Score For Allergic Rhinitis (SFAR) terhadap Skin Prick Test (SPT) dalam Penegakan Rinitis Alergi, Medan: Fakultas Kedokteran Universitas Sumatera Utara*. <http://repositori.usu.ac.id/handle/123456789/4683>
- Natallya, F. R., & Barakbah, J. (2015). Retrospective Study of Skin Prick Test in Atopic Dermatitis Patients at DermatoVenereology Outpatient Clinic of Dr. Soetomo General Hospital Surabaya During 2007-2012. *Berkala Ilmu Kesehatan Kulit dan Kelamin*, 27(1), 9-16.
- Pacheco, C. M., Ciaccio, C. E., Nazir, N., Daley, C. M., DiDonna, A., Choi, W. S., Barnes, C. S., & Rosenwasser, L. J. (2014). Homes of low-income minority families with asthmatic children have increased condition issues. *Allergy and asthma proceedings*, 35(6), 467–474. <https://doi.org/10.2500/aap.2014.35.3792>
- Park, K. H. *et al.* (2018) ‘Sensitization to various minor house dust mite allergens is greater in patients with atopic dermatitis than in those with respiratory allergic disease’, *Clinical and Experimental Allergy*, 48(8), pp. 1050–1058. doi: 10.1111/cea.13164.
- Pavord, I. D. *et al.* (2018) ‘After asthma: redefining airways diseases’, *The Lancet*.

Lancet Publishing Group, pp. 350–400. doi: 10.1016/S0140-6736(17)30879-6.

Pillai, R. A. and Calhoun, W. J. (2014) ‘Introduction to asthma and phenotyping’, *Advances in Experimental Medicine and Biology*, 795, pp. 5–15. doi: 10.1007/978-1-4614-8603-9_1.

Portnoy, J. *et al.* (2013) ‘Environmental assessment and exposure control of dust mites: A practice parameter’, *Annals of Allergy, Asthma and Immunology*, 111(6), pp. 465–507. doi: 10.1016/j.anai.2013.09.018.

Putera, A. M. (2016). KESESUAIAN GEJALA KLINIS DENGAN HASIL UJI TUSUK KULIT DAN UJI PROVOKASI MAKANAN PADA REAKSI SIMPANG TERHADAP MAKANAN DI RSUD Dr SOETOMO SURABAYA (Doctoral dissertation, Universitas Airlangga).

Ramratnam, SK. And Bacharier, LB. (2017). Severe Asthma in Children. The Journal of Allergy and Clinical Immunology. doi : 10.1016/j.jaip.2017.04.031

Reddy, V. B., & Lerner, E. A. (2017). Activation of mas-related G-protein-coupled receptors by the house dust mite cysteine protease Der p1 provides a new mechanism linking allergy and inflammation. *Journal of Biological Chemistry*, 292(42), 17399–17406. <https://doi.org/10.1074/jbc.M117.787887>

Saglani, S. and Menzie-Gow, A. N. (2019) ‘Approaches to asthma diagnosis in children and adults’, *Frontiers in Pediatrics*. Frontiers Media S.A., p. 148. doi: 10.3389/fped.2019.00148.

Sarwar, M. (2020) ‘House Dust Mites: Ecology, Biology, Prevalence, Epidemiology and Elimination’, in *Parasitology and Microbiology Research*. IntechOpen. doi: 10.5772/intechopen.91891.

Shin, JW et al (2005) Atopy and House Dust Mite Sensitization as Risk Factors for Asthma in Children. *Yonsei Medical Journal*

Slager, R. E., Hawkins, G. A., Li, X., Postma, D. S., Meyers, D. A., & Bleeker, E.

- R. (2012). Genetics of asthma susceptibility and severity. *Clinics in chest medicine*, 33(3), 431–443. <https://doi.org/10.1016/j.ccm.2012.05.005>
- Stern, J., Pier, J. and Litonjua, A. A. (2020) ‘Asthma epidemiology and risk factors’, *Seminars in Immunopathology*. Springer, pp. 5–15. doi: 10.1007/s00281-020-00785-1.
- Sturm, G. J. *et al.* (2009) ‘The basophil activation test in the diagnosis of allergy: Technical issues and critical factors’, *Allergy: European Journal of Allergy and Clinical Immunology*, 64(9), pp. 1319–1326. doi: 10.1111/j.1398-9995.2009.02004.x.
- Sukartini, N., Immanuel, S. and Rengganis, I. (2019) *Evaluasi Pemeriksaan Immunoglobulin E Spesifik Menggunakan Immunoblot Assay dengan Baku Emas Skin Prick Test, Cermin Dunia Kedokteran*. Available at: <http://www.cdkjournal.com/index.php/CDK/article/view/517> (Accessed: 12 January 2021).
- Townshend, J., Hails, S. and Mckean, M. (2007) ‘Diagnosis of asthma in children’, *British Medical Journal*. BMJ Publishing Group, pp. 198–202. doi:10.1136/bmj.39234.651412.AE.
- Turjanmaa, K. *et al.* (2006) ‘EAACI/GA2LEN position paper: Present status of the atopy patch test’, *Allergy: European Journal of Allergy and Clinical Immunology*. Allergy, pp. 1377–1384. doi: 10.1111/j.1398-9995.2006.01136.x.
- Wayne Thomas (2010) *Geography of house dust mite allergens - PubMed, Asian Pac J Allergy Immunol*. Available at: <https://pubmed.ncbi.nlm.nih.gov/21337903/> (Accessed: 6 January 2021).
- Weghofer, M. *et al.* (2013) ‘Identification of Der p 23, a Peritrophin-like Protein, as a New Major Dermatophagoides pteronyssinus Allergen Associated with the Peritrophic Matrix of Mite Fecal Pellets’, *The Journal of Immunology*, 190(7), pp.3059–3067. doi: 10.4049/jimmunol.1202288.

- Yang, L. and Zhu, R. (2017) 'Immunotherapy of house dust mite allergy', *Human Vaccines and Immunotherapeutics*. Taylor and Francis Inc., pp. 2390–2396. doi: 10.1080/21645515.2017.1364823.
- Zuiani, C., & Custovic, A. (2020). Update on House Dust Mite Allergen Avoidance Measures for Asthma. *Current allergy and asthma reports*, 20(9), 50. <https://doi.org/10.1007/s11882-020-00948-y>