

DAFTAR PUSTAKA

- Aryati, D., Santoso, I., Ngadikun. 2020. Pola Absorbansi Eritrosit dalam Darah-EDTA pada Penderita Leukemia Limfoblastik Akut (LLA) Melalui Kajian Spektroskopi UV-VIS. *Jurnal Spektra*.
- Balkwill, F., 2012. The chemokine system and cancer. *The Journal of Pathology*, 226(2), pp.148-157.
- Bodine, A., Holahan, B. and Mixon, A., 2017. Benign Breast Conditions. *The Journal of the American Osteopathic Association*, 117(12), p.755.
- Clogston, J. and Patri, A., 2010. Zeta Potential Measurement. *Methods in Molecular Biology*, pp.63-70.
- Colak, T., Ipek, T., Kanik, A., Ogetman, Z. and Aydin, S., 2003. Efficacy of topical nonsteroidal antiinflammatory drugs in mastalgia treatment. *Journal of the American College of Surgeons*, 196(4), pp.525-530.
- Cunningham, F., Leveno, K., Bloom, S., Spong, C., Dashe, J., Hoffman, B., Casey, B. and Sheffield, J., 2014. *Williams obstetrics*. 24th ed. New York: McGraw Hill Medical.
- Dupont, W. and Page, D., 1985. Risk Factors for Breast Cancer in Women with Proliferative Breast Disease. *New England Journal of Medicine*, 312(3), pp.146-151.
- Dyrstad, S., Yan, Y., Fowler, A. and Colditz, G., 2015. Breast cancer risk associated with benign breast disease: systematic review and meta-analysis. *Breast Cancer Research and Treatment*, 149(3), pp.569-575.
- Encan, T. and Hannisdal, E., 1990. Blood Analyses as Prognostic Factors in Primary Lung Cancer. *Acta Oncologica*, 29(2), pp.151-154.
- Ethier, J., Desautels, D., Templeton, A., Shah, P. and Amir, E., 2017. Prognostic role of neutrophil-to-lymphocyte ratio in breast cancer: a systematic review and meta-analysis. *Breast Cancer Research*, 19(1).
- Figuerola, J., Pfeiffer, R., Brinton, L., Palakal, M., Degnim, A., Radisky, D., Hartmann, L., Frost, M., Stallings Mann, M., Papathomas, D., Gierach, G., Hewitt, S., Duggan, M., Visscher, D. and Sherman, M., 2016. Standardized measures of lobular involution and subsequent breast cancer risk among women with benign breast disease: a nested case-control study. *Breast Cancer Research and Treatment*, 159(1), pp.163-172.
- Galdiero, M., Garlanda, C., Jaillon, S., Marone, G. and Mantovani, A., 2013. Tumor associated macrophages and neutrophils in tumor progression. *Journal of Cellular Physiology*, 228(7), pp.1404-1412.

- Goehring, C. and Morabia, A., 1997. Epidemiology of Benign Breast Disease, with Special Attention to Histologic Types. *Epidemiologic Reviews*, 19(2), pp.310-327.
- Gruber, I., Landenberger, N., Staebler, A., Hahn, M., Wallwiener, D., Fehm, T., 2013. Relationship between circulating tumor cells and peripheral T-cells in patients with primary breast cancer. *Anticancer Res* 33(5):2233–2238
- Guthrie, G., Charles, K., Roxburgh, C., Horgan, P., McMillan, D. and Clarke, S., 2013. The systemic inflammation-based neutrophil–lymphocyte ratio: Experience in patients with cancer. *Critical Reviews in Oncology/Hematology*, 88(1), pp.218-230.
- Hacene, K., Desplaces, A., Brunet, M., Lidereau, R., Bourguignat, A. and Oglobine, J., 1986. Competitive prognostic value of clinicopathologic and bioimmunologic factors in primary breast cancer. *Cancer*, 57(2), pp.245-250.
- Hartmann, L., Sellers, T., Frost, M., Lingle, W., Degnim, A., Ghosh, K., Vierkant, R., Maloney, S., Pankratz, V., Hillman, D., Suman, V., Johnson, J., Blake, C., Tlsty, T., Vachon, C., Melton, L. and Visscher, D., 2005. Benign Breast Disease and the Risk of Breast Cancer. *New England Journal of Medicine*, 353(3), pp.229-237.
- Hoogerbrugge, N., Bult, P., de Widt-Levert, L., Beex, L., Kiemeny, L., Ligtenberg, M., Massuger, L., Boetes, C., Manders, P. and Brunner, H., 2003. High Prevalence of Premalignant Lesions in Prophylactically Removed Breasts From Women at Hereditary Risk for Breast Cancer. *Journal of Clinical Oncology*, 21(1), pp.41-45.
- Hughes, L., Mansel, R. and Webster, D., 1987. Aberrations Of Normal Development And Involution (Andi): A New Perspective On Pathogenesis And Nomenclature Of Benign Breast Disorders. *The Lancet*, 330(8571), pp.1316-1319.
- Kang, H., Bae, K., Kim, J., Cho, C. and Yoo, H., 2018. Correlation Between Natural Killer Cell Activity and Systemic Inflammatory Markers for Heterogeneous Cancer Patients Treated With Wheel Balance Cancer Therapy. *Integrative Cancer Therapies*, 17(2), pp.322-331.
- Karemore, M. and Avari, J., 2018. Zeta potential as a novel diagnostic tool for preeclampsia. *Pregnancy Hypertension*, 13, pp.187-197.
- Nakamura, N., Kusunoki, Y., Akiyama, M., 1990. Radiosensitivity of CD4 or CD8 positive human T-lymphocytes by an in vitro colony formation assay. *Radiat. Res.* 123 (August (2)), 224–227.
- Li, J., Chen, Q., Luo, X., Hong, J., Pan, K., Lin, X., Liu, X., Zhou, L., Wang, H., Xu, Y., Li, H. and Duan, C., 2014. Neutrophil-to-Lymphocyte Ratio Positively Correlates to Age in Healthy Population. *Journal of Clinical Laboratory Analysis*, 29(6), pp.437-443.

- Liu, L., Liu, Y., Yan, X., Zhou, C. and Xiong, X., 2020. The role of granulocyte colony-stimulating factor in breast cancer development: A review. *Molecular Medicine Reports*,.
- Love, S., Sue Gelman, R. and silen, W., 1982. Fibrocystic Disease of the Breast — A Nondisease?. *New England Journal of Medicine*, 307(16), pp.1010-1014.
- Ngadikun. 1998. Pengukuran Laju Endap Darah (Erythrocyte Sedimentation Rate) dengan Metode Spektrometri, Tesis S2 UI. Jakarta, Fakultas Kedokteran Universitas Indonesia.
- Ngadikun (2006). *Gambaran Pola Potensial Zeta Sel Darah dengan Metode Spektrofotometri pada Pasien Karsinoma Hepatoseluler dan Tikus (Rattus norvegicus)* [Disertasi]. Fakultas Kedokteran Universitas Padjajaran.
- Noh, H., Eomm, M. and Han, A., 2013. Usefulness of Pretreatment Neutrophil to Lymphocyte Ratio in Predicting Disease-Specific Survival in Breast Cancer Patients. *Journal of Breast Cancer*, 16(1), p.55.
- Özgehan, G., Kahramanca, Ş., Kaya, I., Bilgen, K., Bostanci, H., Güzel, H., Küçükpinar, T. and Kargici, H., 2014. Neutrophil-lymphocyte ratio as a predictive factor for tumor staging in colorectal cancer. *TURKISH JOURNAL OF MEDICAL SCIENCES*, 44, pp.365-368.
- Orr, B. and Kelley, J., 2016. Benign Breast Disease: Evaluation and Management. *Clinical Obstetrics & Gynecology*, 59(4), pp.710-726.
- Ozyalvacli, G., Yesil, C., Kargi, E., Kizildag, B., Kilitci, A. and Yilmaz, F., 2014. Diagnostic and Prognostic Importance of the Neutrophil Lymphocyte Ratio in Breast Cancer. *Asian Pacific Journal of Cancer Prevention*, 15(23), pp.10363-10366.
- Patnaik, J., Byers, T., DiGuseppi, C., Dabelea, D. and Denberg, T., 2011. Cardiovascular disease competes with breast cancer as the leading cause of death for older females diagnosed with breast cancer: a retrospective cohort study. *Breast Cancer Research*, 13(3).
- Pearlman, M. and Griffin, J., 2010. Benign Breast Disease. *Obstetrics & Gynecology*, 116(3), pp.747-758.
- Pusdatin Kemenkes. 2015. *Situasi Penyakit Kanker*. [online] Available at: <<https://www.pusdatin.kemkes.go.id/resources/download/pusdatin/infodatin/infodatin-kanker.pdf>> [Accessed 4 March 2021].
- Radisky, D., Visscher, D., Frank, R., Vierkant, R., Winham, S., Stallings-Mann, M., Hoskin, T., Nassar, A., Vachon, C., Denison, L., Hartmann, L., Frost, M. and Degnim, A., 2016. Natural history of age-related lobular involution and impact on breast cancer risk. *Breast Cancer Research and Treatment*, 155(3), pp.423-430.

- Renard, P., Alcolea, A. and Ginsbourger, D., 2013. Stochastic versus Deterministic Approaches. *Environmental Modelling*, pp.3-4.
- Rohan, T. and Miller, A., 1999. Hormone replacement therapy and risk of benign proliferative epithelial disorders of the breast. *European Journal of Cancer Prevention*, 8(2), pp.123-130.
- Rohan, T., Negassa, A., Chlebowski, R., Lasser, N., McTiernan, A., Schenken, R., Ginsberg, M., Wassertheil-Smoller, S. and Page, D., 2008. Estrogen plus Progestin and Risk of Benign Proliferative Breast Disease. *Cancer Epidemiology Biomarkers & Prevention*, 17(9), pp.2337-2343.
- Santen, R., 2018. *Benign Breast Disease in Women*. [online] Ncbi.nlm.nih.gov. Available at: <<https://www.ncbi.nlm.nih.gov/books/NBK278994/>> [Accessed 27 December 2021].
- Scurr, J., Hedger, W., Morris, P. and Brown, N., 2014. The Prevalence, Severity, and Impact of Breast Pain in the General Population. *The Breast Journal*, 20(5), pp.508-513.
- Siegel, R., Miller, K. and Jemal, A., 2017. Cancer statistics, 2017. *CA: A Cancer Journal for Clinicians*, 67(1), pp.7-30.
- Silvera, S. and Rohan, T., 2008. Benign proliferative epithelial disorders of the breast: a review of the epidemiologic evidence. *Breast Cancer Research and Treatment*, 110(3), pp.397-409.
- Siu, A., 2016. Screening for Breast Cancer: U.S. Preventive Services Task Force Recommendation Statement. *Annals of Internal Medicine*, 164(4), p.279.
- Sood, R., Rositch, A., Shakoob, D., Ambinder, E., Pool, K., Pollack, E., Mollura, D., Mullen, L. and Harvey, S., 2019. Ultrasound for Breast Cancer Detection Globally: A Systematic Review and Meta-Analysis. *Journal of Global Oncology*, (5), pp.1-17.
- Stachs, A., Stubert, J., Reimer, T. and Hartmann, S., 2019. Benign Breast Disease in Women. *Deutsches Aerzteblatt Online*,.
- Templeton, A., McNamara, M., Šeruga, B., Vera-Badillo, F., Aneja, P., Ocaña, A., Leibowitz-Amit, R., Sonpavde, G., Knox, J., Tran, B., Tannock, I. and Amir, E., 2014. Prognostic Role of Neutrophil-to-Lymphocyte Ratio in Solid Tumors: A Systematic Review and Meta-Analysis. *JNCI: Journal of the National Cancer Institute*, 106(6).
- Tishkowski, K., Gupta, V., Erythrocyte Sedimentation Rate. [Updated 2021 May 9]. In: StatPearls [Internet]. Treasure Island (FL): StatPearls Publishing; 2021 Jan-. Available from: <https://www.ncbi.nlm.nih.gov/books/NBK557485/>

- Venkatesulu, B., Mallick, S., Lin, S. and Krishnan, S., 2018. A systematic review of the influence of radiation-induced lymphopenia on survival outcomes in solid tumors. *Critical Reviews in Oncology/Hematology*, 123, pp.42-51.
- Verdial, F., Etzioni, R., Duggan, C. and Anderson, B., 2017. Demographic changes in breast cancer incidence, stage at diagnosis and age associated with population-based mammographic screening. *Journal of Surgical Oncology*, 115(5), pp.517-522.
- Verma, R., Foster, R., Horgan, K., Mounsey, K., Nixon, H., Smalle, N., Hughes, T. and Carter, C., 2016. Lymphocyte depletion and repopulation after chemotherapy for primary breast cancer. *Breast Cancer Research*, 18(1).
- Vorherr, H., 1986. Fibrocystic breast disease: Pathophysiology, pathomorphology, clinical picture, and management. *American Journal of Obstetrics and Gynecology*, 154(1), pp.161-179.
- Wang, M., He, X., Chang, Y., Sun, G. and Thabane, L., 2017. A sensitivity and specificity comparison of fine needle aspiration cytology and core needle biopsy in evaluation of suspicious breast lesions: A systematic review and meta-analysis. *The Breast*, 31, pp.157-166.
- Yao, M., Liu, Y., Jin, H., Liu, X., Lv, K., Wei, H., Du, C., Wang, S., Wei, B. and Fu, P., 2014. Prognostic value of preoperative inflammatory markers in Chinese patients with breast cancer. *OncoTargets and Therapy*, p.1743.
- Zeeshan, M., Salam, B., Khalid, Q., Alam, S. and Sayani, R., 2018. Diagnostic Accuracy of Digital Mammography in the Detection of Breast Cancer. *Cureus*,.