

DAFTAR PUSTAKA

- Ahmad, N., Samiulla, D., Teh, B., Zainol, M., Zolkifli, N., Muhammad, A., Matom, E., Zulkapli, A., Abdullah, N., Ismail, Z. and Syed Mohamed, A. (2018). Bioavailability of Eurycomanone in Its Pure Form and in a Standardised Eurycoma longifolia Water Extract. *Pharmaceutics*, 10(3), p.90.
- Ammirati, A.L. (2020). Chronic Kidney Disease. *Revista da Associação Médica Brasileira*, 66(suppl 1), pp.s03–s09.
- Bagus, I., Sudewa, A., Budiarta, G., An, S., Smf, K., Anestesiologi, B. and Reanimasi, D. (2017). *SIKLOOKSIGENASE, JALUR ARAKIDONAT, DAN NONSTEROIDAL ANTIINFLAMMATORY DRUGS*. [online] . Available at: https://simdos.unud.ac.id/uploads/file_penelitian_1_dir/c71616cddb009c0e8a7f1773468d9e66.pdf.
- Chinnappan, S.M., George, A., Thaggikuppe, P., Choudhary, Y., Choudhary, V.K., Ramani, Y. and Dewangan, R. (2019). Nephroprotective Effect of Herbal Extract Eurycoma longifolia on Paracetamol-Induced Nephrotoxicity in Rats. *Evidence-Based Complementary and Alternative Medicine*, 2019, pp.1–6. *COX-2/mPGES-1/Prostaglandin E2 Cascade in Kidney Injury*. [online] Mediators of Inflammation. Available at: <https://www.hindawi.com/journals/mi/2015/147894/> [Accessed 20 Sep. 2021].
- Devarajan, P. and Jefferies, J.L. (2016). PROGRESSION OF CHRONIC KIDNEY DISEASE AFTER ACUTE KIDNEY INJURY. *Progress in pediatric cardiology*, [online] 41, pp.33–40. Available at: <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4943846/> [Accessed 7 Aug. 2021].
- Doi K, Noiri E, Fujita T. Role of vaskular endotelial growth factor in kidney disease. *Curr Vasc Pharmacol*. 2010 Jan;8(1):122-8. doi: 10.2174/157016110790226606. PMID: 19485913.

- Durlacher-Betzer, K., Hassan, A., Levi, R., Axelrod, J., Silver, J. and Naveh-Many, T. (2018). Interleukin-6 contributes to the increase in fibroblast growth factor 23 expression in acute and chronic kidney disease. *Kidney International*, [online] 94(2), pp.315–325. Available at: <https://www.ncbi.nlm.nih.gov/pubmed/29861060> [Accessed 3 May 2020].
- Engel, J.E., Williams, E., Williams, M.L., Bidwell, G.L. and Chade, A.R. (2019). Targeted VEGF (Vaskular Endotelial Growth Factor) Therapy Induces Long-Term Renal Recovery in Chronic Kidney Disease via Macrophage Polarization. *Hypertension*, 74(5), pp.1113–1123.
- Fujihara, C.K., Antunes, G.R., Mattar, A.N.A.L., Andreoli, N., Avancini, D.M., Malheiros, C., Noronha, I.L. and Zatz, R. (2003). Cyclooxygenase-2 (COX-2) inhibition limits abnormal COX-2 expression and progressive injury in the remnant kidney. *Kidney International*, 64(6), pp.2172–2181.
- Giroux, M. and Descoteaux, A. (2000). Cyclooxygenase-2 Expression in Macrophages: Modulation by Protein Kinase C- α . *The Journal of Immunology*, [online] 165(7), pp.3985–3991. Available at: <https://www.jimmunol.org/content/165/7/3985#:~:text=COX%2D2%2C%20the%20inducible%20COX>.
- Goetz Moro, M., Vargas Sánchez, P.K., Lupepsa, A.C., Baller, E.M., Nobre Franco, G.C., Goetz Moro, M., Vargas Sánchez, P.K., Lupepsa, A.C., Baller, E.M. and Nobre Franco, G.C. (2017). Biología de la ciclooxigenasa en la función renal - Revisión de la literatura. *Revista Colombiana de*
- Guiteras, R., Flaquer, M. and Cruzado, J. M., 2016. Macrophage in chronic kidney disease. *Clinical Kidney Journal*, 9(6), pp. 765–771. doi: 10.1093/ckj/sfw096.
- Habib Khan, Y., Hussain Mallhi, T., Sarriff, A., Hayat Khan, A. and Tanveer, N. (2018). Prevalence of Chronic Kidney Disease in Asia: A Systematic Review of Population-Based Studies. *Journal of the College of Physicians and Surgeons Pakistan*, 28(12), pp.960–966.
- Hajjouli S., Chateauvieux S., Teiten M.H., Orlikova B., Schumacher M., Dicato M., Choo C.Y., Diederich M. Eurycomanone and Eurycomanol from *Eurycoma*

- longifolia* Jack as Regulators of Signaling Pathways Involved in Proliferation, Cell Death and Inflammation. *Molecules*. 2014;19:14649–14666. doi: 10.3390/molecules190914649.
- Hamzaoui, M., Djerada, Z., Brunel, V., Mulder, P., Richard, V., Bellien, J. and Guerrot, D. (2020). 5/6 nephrectomy induces different renal, cardiac and vaskular consequences in 129/Sv and C57BL/6JRj mice. *Scientific Reports*, [online] 10. Available at: <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC6992698/> [Accessed 10 Aug. 2021].
- Han, Y.M., Woo, S.-U., Choi, M.S., Park, Y.N., Kim, S.H., Yim, H. and Yoo, H.H. (2016). Antiinflammatory and analgetik effects of Eurycoma longifolia extracts. *Archives of Pharmacal Research*, 39(3), pp.421–428.
- HARRIS, R.C. (2000). Cyclooxygenase-2 in the Kidney. *Journal of the American Society of Nephrology*, 11(12), pp.2387–2394.
- Harris, R.C. (2006). COX-2 and the Kidney. *Journal of Cardiovascular Pharmacology*, [online] 47, p.S37. Available at: https://journals.lww.com/cardiovascularpharm/Fulltext/2006/05001/COX_2_and_the_Kidney.7.aspx.
- Hendra, P., Susana, W., Permatasari, I., Florensia, J. and Siregar, M.N. (2018). Analgesic and Anti-Inflammatory Activities of Eurycoma longifolia root in Mice. *JURNAL ILMU KEFARMASIAN INDONESIA*, 16(2), p.182.
- Horiba, N., Kumano, E., Watanabe, T., Shinkura, H., Sugimoto, T. and Inoue, M. (2002). Subtotal nephrectomy stimulates cyclooxygenase 2 expression and prostacyclin synthesis in the rat remnant kidney. *Nephron*, [online] 91(1), pp.134–141. Available at: <https://pubmed.ncbi.nlm.nih.gov/12021530/> [Accessed 1 Jan. 2022].
- Insanu M, Pratiwi S N E and Fidrianny I (2021). A review of the phytochemical compounds and pharmacological activities of Eurycoma

- longifolia. *International Journal of Research in Pharmaceutical Sciences*, 12(2), pp.1462–1470.
- Jia, Z., Zhang, Y., Ding, G., Heiney, K.M., Huang, S. and Zhang, A. (2015). *Role of Targeted VEGF (Vaskular Endotelial Growth Factor) Therapy Induces Long-Term Renal Recovery in Chronic Kidney Disease via Macrophage Polarization. Hypertension*, 74(5), pp.1113–1123.
- Kirkby, N.S., Sampaio, W., Etelvino, G., Alves, D.T., Anders, K.L., Temponi, R., Shala, F., Nair, A.S., Ahmetaj-Shala, B., Jiao, J., Herschman, H.R., Wang, X., Wahli, W., Santos, R.A. and Mitchell, J.A. (2018). Cyclooxygenase-2 Selectively Controls Renal Blood Flow Through a Novel PPAR β/δ -Dependent Vasodilator Pathway. *Hypertension*, 71(2), pp.297–305.
- Limavanady, A., J, J., Thalia, G.E., Mayora, R., Saputri, A., Wijayaningsih, R.A., Purnomo, E., Yuliani, F.S., Pratiwi, W.R. and Nugrahaningsih, D.A.A. (2020). Expression of VEGF-A And COX-2 mRNA in non-steroidal anti-inflammatory drugs treated rat primary colonic fibroblast. *Indonesian Journal of Pharmacology and Therapy*, [online] 1(1). Available at: <https://journal.ugm.ac.id/v3/JPT/article/view/508/219> [Accessed 25 Aug. 2021].
- Liu, T. et al., 2017. NF-KB signaling in inflammation. *Signal transduction and targeted therapy*. Available at: <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC5661633/> [Accessed January 20, 2022].
- Mihai, S., Codrici, E., Popescu, I.D., Enciu, A.-M., Albuлесcu, L., Necula, L.G., Mambet, C., Anton, G. and Tanase, C. (2018). *Inflammation-Related Mechanisms in Chronic Kidney Disease Prediction, Progression, and Outcome*. [online] *Journal of Immunology Research*. Available at: <https://www.hindawi.com/journals/jir/2018/2180373/>.
- Niederberger, E. and Geisslinger, G. (2008). The IKK-NF- κ B pathway: a source for novel molecular drug targets in pain therapy? *The FASEB Journal*, 22(10), pp.3432–3442.

- Prava Azza, L (2020). Efek Pemberian Ekstrak Pasak Bumi Terstandar *Eurycomanone* Terhadap Nilai Albuminuria, *Creatinine Clearance*, Skor Glomerulosklerosis, Nilai Ekspresi mRNA CD11 dan CD206 Pada Tikus Model Gagal Ginjal. Tesis Magister Ilmu Biomedik. Universitas Gadjah Mada
- Rapa, S.F., Di Iorio, B.R., Campiglia, P., Heidland, A. and Marzocco, S. (2019). Inflammation and Oxidative Stress in Chronic Kidney Disease—Potential Therapeutic Role of Minerals, Vitamins and Plant-Derived Metabolites. *International Journal of Molecular Sciences*, [online] 21(1). Available at: <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC6981831/>.
- Ricardo, S.D., van Goor, H. and Eddy, A.A. (2008). Macrophage diversity in renal injury and repair. *Journal of Clinical Investigation*, 118(11), pp.3522–3530.
- Ruan, J., Li, Z., Zhang, Y., Chen, Y., Liu, M., Han, L., Zhang, Y. and Wang, T. (2019). Bioactive Constituents from the Roots of *Eurycoma longifolia*. *Molecules*, [online] 24(17), p.3157. Available at: <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC6749187/>.
- Schrijvers, B.F., Flyvbjerg, A. and De Zeeuw, A.S. (2004). The role of vaskular endotelial growth factor (VEGF) in renal pathophysiology. *Kidney International*, 65(6), pp.2003–2017.
- Su, H., Lei, C.-T. and Zhang, C. (2017). Interleukin-6 Signaling Pathway and Its Role in Kidney Disease: An Update. *Frontiers in Immunology*, 8.
- Susana W, Permatasari I, Florensia J, Siregar N, Hendra P. Uji Aktivitas Analgesik dan Anti-Inflamasi Sediaan Infusa dan Dekokta Akar *Eurycoma longifolia* pada Mencit (Analgetik and Anti-Inflammatory Activities of Infusion and Decoction of *Eurycoma longifolia* root in Mice). *Jurnal Ilmu Kefarmasian Indonesia*.2018;16(2):182–7.
- Tan, R.-Z., Zhong, X., Li, J.-C., Zhang, Y.-W., Yan, Y., Liao, Y., Wen, D., Diao, H., Wang, L. and Shen, H.-C. (2019). An optimized 5/6 nephrectomy mouse model based on unilateral kidney ligation and its application in renal fibrosis research. *Renal Failure*, [online] 41(1), pp.555–566. Available at:

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC6598497/#:~:text=The%20conventional%205%2F6%20nephrectomy%20model%20removes%20one%20kidney%20and> [Accessed 22 Mar. 2021].

Wakelin, S.J., Marson, L., Howie, S.E.M., Garden, J., Lamb, J.R. and Forsythe, J.L.R. (2004). The Role of Vaskular Endotelial Growth Factor in the Kidney in Health and Disease. *Nephron Physiology*, 98(3), pp.p73–p79.