UNIVERSITAS
GADJAH MADA
Evaluasi Profil Mekanik Desain Pedicle Screw Kustomisasi Indonesia pada Level T11-12
AULIA ICHLASUL REZZA, dr. Yudha Mathan Sakti, Sp.OT (K) ; dr. Rusdy Ghazali Malueka, Sp.S (K)., Ph.D. ; dr. Ery
Universitas Gadjah Mada, 2022 | Diunduh dari http://etd.repository.ugm.ac.id/

DAFTAR PUSTAKA

Amaritsakul, Y., Chao, C. K., & Lin, J. (2013). Multiobjective optimization design of spinal pedicle screws using neural networks and genetic algorithm: mathematical models and mechanical validation. *Computational and mathematical methods in medicine*, *2013*, 462875. https://doi.org/10.1155/2013/462875

Chao, C. K., Hsu, C. C., Wang, J. L., & Lin, J. (2008). Increasing bending strength and pullout strength in conical pedicle screws: biomechanical tests and finite element analyses. *Journal of spinal disorders & techniques*, *21*(2), 130–138. https://doi.org/10.1097/BSD.0b013e318073cc4b

Chen CS, Chen WJ, Cheng CK, Jao SHE, Chueh SC, Wang CC. Failure analysis of broken pedicle screws on spinal instrumentation. Med Eng Phys 2005;27(6):487–96.

Chen, P. Q., Lin, S. J., Wu, S. S., & So, H. (2003). Mechanical performance of the new posterior spinal implant: effect of materials, connecting plate, and pedicle screw design. *Spine*, *28*(9), 881–887. https://doi.org/10.1097/01.BRS.0000058718.38533.B8

Cramer, G., Darby, S., & Cramer, G. *Clinical anatomy of the spine, spinal cord, and ANS* (3rd ed.). Elsevier Mosby.

Hans-Joachim Wilke., & Fabio Galbusera. (2018). *Biomechanics of the Spine: Basic Concepts, Spinal Disorders and Treatments*. Academic Press.

UNIVERSITAS
GADJAH MADA
Evaluasi Profil Mekanik Desain Pedicle Screw Kustomisasi Indonesia pada Level T11-12
AULIA ICHLASUL REZZA, dr. Yudha Mathan Sakti, Sp.OT (K) ; dr. Rusdy Ghazali Malueka, Sp.S (K)., Ph.D. ; dr. Ery
Universitas Gadjah Mada, 2022 | Diunduh dari http://etd.repository.ugm.ac.id/

Hsu CC, Chao CK, Wang JL, Hou SM, Tsai YT, Lin J. Increase of pullout strength of spinal pedicle screws with conical core: biomechanical tests and finite ele- ment analyses. J Orthop Res 2005;23:788-94.

Jansen, J. A., van de Waerden, J. P., Wolke, J. G., & de Groot, K. (1991). Histologic evaluation of the osseous adaptation to titanium and hydroxyapatite-coated titanium implants. *Journal of biomedical materials research*, *25*(8), 973–989. https://doi.org/10.1002/jbm.820250805

Jeffrey S. Ross. (2018). *Imaging in Spine Surgery* (1st ed., pp. 74 - 75). Amirsys Publishing, Inc.

Kwok AW, Finkelstein JA, Woodside T, Hearn TC, Hu RW (1996) Insertional torque and pull-out strengths of conical and cylindrical pedicle screws in cadaveric bone. Spine (PhilaPa 1976) 21(21):2429–2434.

Liang, Y., Cao, Y., Gong, Z., Jiang, C., Jin, L., & Li, Z. et al. (2020). A finite element analysis on comparing the stability of different posterior fixation methods for thoracic total en bloc spondylectomy. *Journal Of Orthopaedic Surgery And Research*, *15*(1). https://doi.org/10.1186/s13018-020-01833-0

Magetsari, R., Rukmoyo, T., Saputra, M., & Sakti, Y. (2021). Comparison of Insertion Time, Pull-out Strength, and Screw-media Interface Area of Customized Pedicle Screw With Different Core and Thread Design Against Commercial Pedicle Screw. https://doi.org/10.21203/rs.3.rs-429747/v1

UNIVERSITAS
GADJAH MADA
Evaluasi Profil Mekanik Desain Pedicle Screw Kustomisasi Indonesia pada Level T11-12
AULIA ICHLASUL REZZA, dr. Yudha Mathan Sakti, Sp.OT (K) ; dr. Rusdy Ghazali Malueka, Sp.S (K)., Ph.D. ; dr. Ery
Universitas Gadjah Mada, 2022 | Diunduh dari http://etd.repository.ugm.ac.id/

Mannen, E., Anderson, J., Arnold, P., & Friis, E. (2015). Mechanical Contribution of the Rib Cage in the Human Cadaveric Thoracic Spine. *Spine*, *40*(13), E760-E766. https://doi.org/10.1097/brs.0000000000000879

Mohanty, S. P., Pai Kanhangad, M., Bhat, S. N., & Chawla, S. (2018). Morphometry of the lower thoracic and lumbar pedicles and its relevance in pedicle fixation. *Musculoskeletal surgery*, *102*(3), 299–305. https://doi.org/10.1007/s12306-018-0534-z

Moore, K., Dalley, A., Agur, A., & Moore, K. (2014). *Moore clinically oriented anatomy* (8th ed.). Wolters Kluwer Health/Lippincott Williams & Wilkins.

Sarathy, K., Dhawale, A., Rokade, S., Badve, S., Mandlecha, P., & Aroojis, A. et al. (2021). Assessment of pedicle screw malposition in uniplanar versus multiplanar spinal deformities in children. North American Spine Society Journal (NASSJ), 5, 100049. doi: 10.1016/j.xnsj.2021.100049

Shih, K., Hsu, C., Zhou, S., & Hou, S. (2015). Biomechanical Investigation of Pedicle Screw-based Posterior Stabilization Systems for the Treatment of Lumbar Degenerative Disc Disease using Finite Element Analyses. *Biomedical Engineering: Applications, Basis And Communications*, *27*(06), 1550060. https://doi.org/10.4015/s101623721550060x

Sterba, W., Kim, D. G., Fyhrie, D. P., Yeni, Y. N., & Vaidya, R. (2007). Biomechanical analysis of differing pedicle screw insertion angles. Clinical biomechanics (Bristol, Avon), 22(4), 385–391. https://doi.org/10.1016/j.clinbiomech.2006.11.007

UNIVERSITAS
GADJAH MADA
Evaluasi Profil Mekanik Desain Pedicle Screw Kustomisasi Indonesia pada Level T11-12
AULIA ICHLASUL REZZA, dr. Yudha Mathan Sakti, Sp.OT (K) ; dr. Rusdy Ghazali Malueka, Sp.S (K)., Ph.D. ; dr. Ery
Universitas Gadjah Mada, 2022 | Diunduh dari http://etd.repository.ugm.ac.id/

Tsai, W., Chen, P., Lu, T., Wu, S., Shih, K., & Lin, S. (2021). *Comparison and prediction of pullout strength of conical and cylindrical pedicle screws within synthetic bone*. Retrieved 5 December 2021, from.

Tsuang, F., Chen, C., Wu, L., Kuo, Y., Lin, S., & Chiang, C. (2016). Biomechanical arrangement of threaded and unthreaded portions providing holding power of transpedicular screw fixation. *Clinical Biomechanics*, *39*, 71-76. doi: 10.1016/j.clinbiomech.2016.09.010

Viezens, L., Sellenschloh, K., Püschel, K., Morlock, M., Lehmann, W., Huber, G., & Weiser, L. (2021). Impact of Screw Diameter on Pedicle Screw Fatigue Strength—A Biomechanical Evaluation. *World Neurosurgery*, *152*, e369-e376. doi: 10.1016/j.wneu.2021.05.108

Warburton, A., Girdler, S., Mikhail, C., Ahn, A., & Cho, S. (2020). Biomaterials in Spinal Implants: A Review. *Neurospine*, *17*(1), 101-110. https://doi.org/10.14245/ns.1938296.148

Wibowo, E. (2016). *Morfometri Tiga Dimensi Vertebra Torakal pada Populasi Indonesia* (Postgraduate). Universitas Gadjah Mada.

Xu, M., Yang, J., Lieberman, I., & Haddas, R. (2019). Finite element method-based study of pedicle screw–bone connection in pullout test and physiological spinal loads. *Medical Engineering & Physics*, *67*, 11-21. https://doi.org/10.1016/j.medengphy.2019.03.004