

References

Sun, X., Han, H., Qiu, H., Wu, B., Lin, G., Niu, B., Zhou, J., Lu, J., Xu, L., Zhang, G. and Xiao, Y., 2020. Comparison of safety of loop ileostomy and loop transverse colostomy for low-lying rectal cancer patients undergoing anterior resection: A retrospective, single institution, propensity score-matched study. *Asia-Pacific Journal of Clinical Oncology*.

Keane, C., Park, J., Öberg, S., Wedin, A., Bock, D., O'Grady, G., Bissett, I., Rosenberg, J. and Angenete, E., 2019. Functional outcomes from a randomized trial of early closure of temporary ileostomy after rectal excision for cancer. *Journal of British Surgery*, 106(5), pp.645-652..

Park, J., Angenete, E., Bock, D., Correa-Marinez, A., Danielsen, A.K., Gehrman, J., Haglind, E., Jansen, J.E., Skullman, S., Wedin, A. and Rosenberg, J., 2020. Cost analysis in a randomized trial of early closure of a temporary ileostomy after rectal resection for cancer (EASY trial). *Surgical endoscopy*, 34(1), pp.69-76.

Banaszkiewicz, Z., Woda, Ł.P., Zwoliński, T., Tojek, K., Jarmocik, P. and Jawień, A., 2015. Intestinal stoma in patients with colorectal cancer from the perspective of 20-year period of clinical observation. *Przegląd gastroenterologiczny*, 10(1), p.23.

Vonk-Klaassen, S.M., de Vocht, H.M., den Ouden, M.E., Eddes, E.H. and Schuurmans, M.J., 2016. Ostomy-related problems and their impact on quality of life of colorectal cancer ostomates: a systematic review. *Quality of life research*, 25(1), pp.125-133..

Hiranyakas, A., Rather, A., Da Silva, G., Weiss, E.G. and Wexner, S.D., 2013. Loop ileostomy closure after laparoscopic versus open surgery: is there a difference?. *Surgical endoscopy*, 27(1), pp.90-94..

Lertsithichai, P. and Rattanapichart, P., 2004. Temporary ileostomy versus temporary colostomy: a meta-analysis of complications. *Asian journal of surgery*, 27(3), pp.202-210..

Jansen, L., Koch, L., Brenner, H. and Arndt, V., 2010. Quality of life among long-term (≥ 5 years) colorectal cancer survivors-systematic review. *European Journal of Cancer*, 46(16), pp.2879-2888.

Dincer, M. and Çıtlak, G., 2019. Indications and Complications of Stoma Formations in Emergency Surgery. *International Journal of Innovative Research in Medical Science (IJIRMS)*, 4(02).

Massenga, A., Chibwae, A., Nuri, A.A., Bugimbi, M., Munisi, Y.K., Mfinanga, R. and Chalya, P.L., 2019. Indications for and complications of intestinal stomas in the children and adults at a tertiary care hospital in a resource-limited setting: a Tanzanian experience. *BMC gastroenterology*, 19(1), pp.1-10..

Goldwag, J.L., Wilson, L.R., Ivatury, S.J., Pauli, E.M., Tsapakos, M.J. and Wilson, M.Z., 2020. Stoma closure and reinforcement (SCAR): A study protocol for a pilot trial. *Contemporary Clinical Trials Communications*, 19, p.100582..

Baik, H. and Bae, K.B., 2021. Low albumin level and longer interval to closure increase the early complications after ileostomy closure. *Asian journal of surgery*, 44(1), pp.352-357.

Ahmad, Z., Sharma, A., Saxena, P., Choudhary, A. and Ahmed, M., 2013. A clinical study of intestinal stomas: its indications and complications.

Tulchinsky, H., Shacham-Shmueli, E., Klausner, J.M., Inbar, M. and Geva, R., 2014. Should a loop ileostomy closure in rectal cancer patients be done during or after adjuvant chemotherapy?. *Journal of surgical oncology*, 109(3), pp.266-269..

Prout Jr, G.R., Wesley, M.N., Yancik, R., Ries, L.A., Havlik, R.J. and Edwards, B.K., 2005. Age and comorbidity impact surgical therapy in older bladder carcinoma patients: a population-based study. *Cancer*, 104(8), pp.1638-1647.

Jain, S., McGory, M.L., Ko, C.Y., Sverdlik, A., Tomlinson, J.S., Wendel, C.S., Coons, S.J., Rawl, S.M., Schmidt, C.M., Grant, M. and McCorkle, R., 2007. Comorbidities play a larger role in predicting health-related quality of life compared to having an ostomy. *The American journal of surgery*, 194(6), pp.774-779.

Mármol, I., Sánchez-de-Diego, C., Pradilla Dieste, A., Cerrada, E. and Rodriguez Yoldi, M.J., 2017. Colorectal carcinoma: a general overview and future perspectives in colorectal cancer. *International journal of molecular sciences*, 18(1), p.197.

Peeters, K.C., 2007. Dutch Colorectal Cancer Group. The TME trial after a median follow-up of 6 years: increased local control but no survival benefit in irradiated patients with resectable rectal carcinoma. *Ann Surg*, 246, pp.693-701..

Sier, M.F., Van Gelder, L., Ubbink, D.T., Bemelman, W.A. and Oostenbroek, R.J., 2015. Factors affecting timing of closure and non-reversal of temporary ileostomies. *International journal of colorectal disease*, 30(9), pp.1185-1192.

Li, C., Qin, X., Yang, Z., Guo, W., Huang, R., Wang, H. and Wang, H., 2021. A nomogram to predict the incidence of permanent stoma in elderly patients with rectal cancer. *Annals of translational medicine*, 9(4).

Kim, M.J., Kim, Y.S., Park, S.C., Sohn, D.K., Kim, D.Y., Chang, H.J. and Oh, J.H., 2016. Risk factors for permanent stoma after rectal cancer surgery with temporary ileostomy. *Surgery*, 159(3), pp.721- 727.

Skeps, R., McMullen, C.K., Wendel, C.S., Bulkley, J., Grant, M., Mohler, J., Hornbrook, M.C., Krouse, R.S. and Herrinton, L.J., 2013. Changes in body mass index and stoma related problems in theelderly. *Journal of geriatric oncology*, 4(1), pp.84-89.

Lee, C.M., Huh, J.W., Park, Y.A., Cho, Y.B., Kim, H.C., Yun, S.H., Lee, W.Y. and Chun, H.K., 2015. Risk factors of permanent stomas in patients with rectal cancer after low anterior resection with temporary stomas. *Yonsei medical journal*, 56(2), pp.447-453.

Pan, H.D., Peng, Y.F., Wang, L., Li, M., Yao, Y.F., Zhao, J., Zhan, T.C. and Gu, J., 2016. Risk factors for nonclosure of a temporary defunctioning ileostomy following anterior resection of rectal cancer. *Diseases of the Colon & Rectum*, 59(2), pp.94-100.

Kuryba, A.J., Scott, N.A., Hill, J., van der Meulen, J.H. and Walker, K., 2016. Determinants of stoma reversal in rectal cancer patients who had an anterior resection between 2009 and 2012 in the EnglishNational Health Service. *Colorectal Disease*, 18(6), pp.O199-O205.

Seo, S.I., Yu, C.S., Kim, G.S., Lee, J.L., Yoon, Y.S., Kim, C.W., Lim, S.B. and Kim, J.C., 2013. Characteristics and risk factors associated with permanent stomas after sphincter-saving resection for rectal cancer. *World journal of surgery*, 37(10), pp.2490-2496.

Colwell, J.C. and Fichera, A., 2005. Care of the Obese PatientWith an Ostomy. *Journal of Wound Ostomy & Continence Nursing*, 32(6), pp.378-383.

Beck, S.J., 2011. Stoma issues in the obese patient. *Clinics in colon and rectal surgery*, 24(04), pp.259-262.

