

REFERENSI

- Afiyanti, Y. (2020). Antenatal depression and its associated factors among pregnant women in Jakarta, Indonesia. *Enfermería Clínica*, 30, 96-101.
- Akiki, S., Avison, W. R., Speechley, K. N., & Campbell, M. K. (2016). Determinants of maternal antenatal state-anxiety in mid-pregnancy: Role of maternal feelings about the pregnancy. *Journal of affective disorders*, 196, 260-267.
- Alvidrez, J., Snowden, L. R., Rao, S. M., & Boccillari, A. (2009). Psychoeducation to address stigma in black adults referred for mental health treatment: A randomized pilot study. *Community mental health journal*, 45(2), 127-136.
- American Psychiatric Association. (2013). *Diagnostic and statistical manual of mental disorders* (5th ed.). Washington, DC: Author.
- Ayaz, R., Hocaoglu, M., Günay, T., Yardımcı, O. D., Turgut, A., & Karateke, A. (2020). Anxiety and depression symptoms in the same pregnant women before and during the COVID-19 pandemi. *Journal of perinatal medicine*, /j/jpme.ahead-of-print/jpm-2020-0380/jpm-2020-0380.xml. Advance online publication. <https://doi.org/10.1515/jpm-2020-0380>
- Balhara, Y., Singh, S., & Narang, P. (2020). Effect of lockdown following COVID-19 pandemi on alcohol use and help-seeking behavior: Observations and insights from a sample of alcohol use disorder patients under treatment from a tertiary care center. *Psychiatry and clinical neurosciences*, 74(8), 440-441. <https://doi.org/10.1111/pcn.13075>
- Beck, A. T., & Clark, D. A. (1988). Anxiety and depression: An information processing perspective. *Anxiety Research*, 1(1), 23-36. <https://doi.org/10.1080/10615808808248218>
- Biaggi, A., Conroy, S., Pawlby, S., & Pariante, C. M. (2016). Identifying the women at risk of antenatal anxiety and depression: A systematic review. *Journal of affective disorders*, 191, 62-77. <https://doi.org/10.1016/j.jad.2015.11.014>
- BKKBN. (2020). Lindungi kesehatan ibu dengan tunda hamil saat pagebluk. Diakses pada 25 September 2020, dari <https://www.bkkbn.go.id/detailpost/lindungi-kesehatan-ibu-dengan-tunda-hamil-saat-pagebluk>.
- Born, L.; Zinga, D.; Phillips, S.D. Update on the treatment of depression during pregnancy. *Therapy* 2006, 3, 153-161.
- Campbell A. M. (2020). An increasing risk of family violence during the Covid-19 pandemi: Strengthening community collaborations to save lives. *Forensic Science International: Reports*, 2, 100089. <https://doi.org/10.1016/j.fsir.2020.100089>
- Cohen, S., & Wills, T. A. (1985). Stress, social support, and the buffering hypothesis. *Psychological bulletin*, 98(2), 310.
- Cox, J.L., Holden, J.M., Sagovsky, R., 1987. Detection of postnatal depression. Development of the 10-item Edinburgh Postnatal Depression Scale. *British Journal of Psychiatry* 150, 782-786.
- Coussons-Read, M.E., 2013. Effects of prenatal stress on pregnancy and human development: mechanisms and pathways. *Obstet. Med.* 6 (2), 52-57. <https://doi.org/10.1177/1753495X12473751>.

- Demisse, Z.; Siega-Riz, A.M.; Evenson, K.R.; Herring, A.H.; Dole, N.; Gaynes, B.N. (2011). Physical Activity and depressive symptoms among pregnant women: The PIN3 study. *Arch. Womens Ment. Health*, 14, 145–157.
- Dobson, K. S. (1985). The relationship between anxiety and depression. *Clinical Psychology Review*, 5(4), 307-324.
- Dong, L., & Bouey, J. (2020). Public Mental Health Crisis during COVID-19 Pandemi, China. *Emerging Infectious Diseases*, 26(7), 1616-1618. <https://dx.doi.org/10.3201/eid2607.200407>
- Dunkel Schetter, C. (2011). Psychological science on pregnancy: stress processes, biopsychosocial models, and emerging research issues. *Annual review of psychology*, 62, 531-558.
- Eastwood, J.; Ogbo, F.A.; Hendry, A.; Noble, J.; Page, A. The Impact of Antenatal Depression on Perinatal Outcomes in Australian Women. *PLoS ONE* 2017, 12, e0169907
- Edwards, G.D., Shinfuku, N., Gittelman, M., Ghozali, E.W., Haniman, F., Wibisono, S., Yamamoto, K., Miyaji, N.T., & Rappe, P. (2006). Postnatal depression in Surabaya, Indonesia. *International Journal of Mental Health*, 35 (1), 62-74. doi. 10.2753/IMH0020-7411350105.
- Field, T., Diego, M., Delgado, J., & Medina, L. (2013). Peer support and interpersonal psychotherapy groups experienced decreased prenatal depression, anxiety and cortisol. *Early Human Development*, 89(9), 621-624.
- Friedman, L. E., Gelaye, B., Sanchez, S. E., & Williams, M. A. (2020). Association of social support and antepartum depression among pregnant women. *Journal of affective disorders*, 264, 201-205.
- Galbally M, Watson SJ, Boyce P, Nguyen T, Lewis AJ. 2020. The mother, the infant and the mother-infant relationship: What is the impact of antidepressant medication in pregnancy. *Journal of Affective Disorders*, 272, 363-370. DOI: 10.1016/j.jad.2020.03.116
- Gelaye B, Rondon MB, Araya R, Williams MA (2016) Epidemiology of maternal depression, risk factors, and child outcomes in low-income and middle-income countries. *Lancet Psychiatry* 3:973–982
- Giesbrecht, G. F., Poole, J. C., Letourneau, N., Campbell, T., Kaplan, B. J., & APrON Study Team. (2013). The buffering effect of social support on hypothalamic-pituitary-adrenal axis function during pregnancy. *Psychosomatic medicine*, 75(9), 856-862.
- Godin, G. (2011). The Godin-Shephard Leisure-Time Physical Activity Questionnaire. *The Health & Fitness Journal of Canada*, 4(1), 18–22. <https://doi.org/10.14288/hfjc.v4i1.82>
- Gustafsson, M.K.; Stafne, S.N.; Romundstad, P.R.; Morkved, S.; Salvesen, K.A.; Helvik, A.S. (2016). The effects of an exercise programme during pregnancy on health-related quality of life in pregnant women: A Norwegian randomised controlled trial. *BJOG* 2016, 123, 1152–1160. [CrossRef] [PubMed]
- Hammen C. (2005). Stress and depression. *Annual review of clinical psychology*, 1, 293–319. <https://doi.org/10.1146/annurev.clinpsy.1.102803.143938>

- Harandi, T. F., Taghinasab, M. M., & Nayeri, T. D. (2017). The correlation of social support with mental health: A meta-analysis. *Electronic physician*, 9(9), 5212–5222. <https://doi.org/10.19082/5212>
- Hartini, N., Fardana, N. A., Ariana, A. D., & Wardana, N. D. (2018). Stigma toward people with mental health problems in Indonesia. *Psychology research and behavior management*, 11, 535–541. <https://doi.org/10.2147/PRBM.S175251>
- Hawryluck, L., Gold, W.L., Robinson, S., Pogorski, S., Galea, S., Styra, R., 2004. SARS control and psychological effects of quarantine, Toronto, Canada. *Emerg. Infect. Dis.* 10 (7), 1206–1212. <https://doi.org/10.3201/eid1007.030703>.
- Hutauruk, I.S. (2012). Indonesian version of the Edinburgh Postnatal Depression Scale: Cross cultural adaptation and validation. Tesis. Fakultas Psikologi Universitas Gunadarma.
- Kementrian Kesehatan Republik Indonesia. 2018. Riset Kesehatan Dasar; RISKESDAS. Jakarta: Balitbang Kemenkes Ri Mak IW, Chu CM, Pan PC, Yiu MG, Chan VL.
2009. Long-term psychiatric morbidities among SARS survivors. *Gen Hosp Psychiatry*, 31, 318–26. DOI PubMed
- Kloos, A.L.; Dubin-Rhodin, A.; Cantor Sackett, J.; Dixon, T.A.; Weller, R.A.; Weller, E.B. (2010). Wpływ zaburzeń nastrojów i ich leczenie z arna , płódidziecko. *Curr.PsychiatryRep.* 12,96–103
- Kurniati, H. & Setiyawati, D. (2018). *Perbandingan metode deteksi depresi maternal dengan wawancara oleh bidan dan penggunaan Edinburgh Postnatal Depression* (Tesis). Fakultas Psikologi Universitas Gadjah Mada.
- Laksmi, O. D., Chung, M. H., Liao, Y. M., & Chang, P. C. (2020). Multidimensional Scale of Perceived Social Support in Indonesian adolescent disaster survivors: A psychometric evaluation. *PloS one*, 15(3), e0229958. <https://doi.org/10.1371/journal.pone.0229958>.
- Lauber, C., & Rössler, W. (2007). Stigma towards people with mental illness in developing countries in Asia. *International review of psychiatry*, 19(2), 157-178.
- Lebel, C., MacKinnon, A., Bagshawe, M., Tomfohr-Madsen, L., & Giesbrecht, G. (2020). Elevated depression and anxiety symptoms among pregnant individuals during the COVID-19 pandemi. *Journal of affective disorders*, 277, 5–13. Advance online publication. <https://doi.org/10.1016/j.jad.2020.07.126>
- Lebel, C., Walton, M., Letourneau, N., Giesbrecht, G.F., Kaplan, B.J., Dewey, D., 2016. Prepartum and postpartum maternal depressive symptoms are related to children's brain structure in preschool. *Biol. Psychiatry* 80 (11), 859–868. <https://doi.org/10.1016/j.biopsych.2015.12.004>.
- Lee AL, Ogle WO, Sapolsky RM. 2002. Stress and depression: possible links to neuron death in the hippocampus. *Bipolar Disorder*. 4:117–28 .
- Li, H., Glicia, A., Kent-Wilkinson, A., Leidl, D., Kleib, M., & Risling, T. (2021). Transition of mental health service delivery to telepsychiatry in response to COVID-19: a literature review. *Psychiatric Quarterly*, 1-17.
- Maddock, C., & Pariente, C. M. (2001). How does stress affect you? An overview of stress, immunity, depression and disease. *Epidemiologia e psichiatria sociale*, 10(3), 153–162. <https://doi.org/10.1017/s1121189x00005285>

- Magriples, U., Boynton, M. H., Kershaw, T. S., Lewis, J., Rising, S. S., Tobin, J. N., ... & Ickovics, J. R. (2015). The impact of group prenatal care on pregnancy and postpartum weight trajectories. *American journal of obstetrics and gynecology*, 213(5), 688-e1.
- Martínez-Galiano, J.M., Hernández-Martínez, A., Rodríguez-Almagro, J. et al. Relationship between parity and the problems that appear in the postpartum period. *Sci Rep* 9, 11763 (2019). <https://doi.org/10.1038/s41598-019-47881-3>
- Milgrom, J., Gemmill, A.W., Bilszta, J.L., Hayes, B., Barnett, B., Brooks, J., Ericksen, J., Ellwood, D., Buist, A., 2008. Antenatal risk factors for postnatal depression: a large prospective study. *Journal of Affective Disorder*. 108, 147–157.
- Missler, M., Beijers, R., Denissen, J., & Van Straten, A. (2018). Effectiveness of a psycho-educational intervention to prevent postpartum parental distress and enhance infant well-being: study protocol of a randomized controlled trial. *Trials*, 19(1), 1-12.
- Molly J. Stout, Cosmas J. M. Van De Ven, Vikas I. Parekh, Jennifer L. Pardo, Maxim Garifullin, Min Xu, Dee E. Fenner, Roger D. Smith. **Use of Electronic Medical Records to Estimate Changes in Pregnancy and Birth Rates During the COVID-19 Pandemic**. *JAMA Network Open*, 2021; 4 (6): e2111621 DOI: [10.1001/jamanetworkopen.2021.11621](https://doi.org/10.1001/jamanetworkopen.2021.11621)
- Muraca, G. M., & Joseph, K. S. (2014). The association between maternal age and depression. *Journal of obstetrics and gynaecology Canada : JOGC = Journal d'obstetrique et gynecologie du Canada : JOGC*, 36(9), 803–810. [https://doi.org/10.1016/S1701-2163\(15\)30482-5](https://doi.org/10.1016/S1701-2163(15)30482-5)
- Nicola, M., Alsafi, Z., Sohrabi, C., Kerwan, A., Al-Jabir, A., Iosifidis, C., Agha, M., & Agha, R. (2020). The socio-economic implications of the coronavirus pandemi (COVID-19): A review. *International journal of surgery (London, England)*, 78, 185–193. <https://doi.org/10.1016/j.ijsu.2020.04.018>
- Nowacka, U., Kozłowski, S., Januszewski, M., Sierdzinski, J., Jakimiuk, A., & Issat, T. (2021). COVID-19 Pandemic-Related Anxiety in Pregnant Women. *International journal of environmental research and public health*, 18(14), 7221. <https://doi.org/10.3390/ijerph18147221>
- Nwafor, J. I., Okedo-Alex, I. N., & Ikeotuonye, A. C. (2021). Prevalence and predictors of depression, anxiety, and stress symptoms among pregnant women during COVID-19-related lockdown in Abakaliki, Nigeria. *Malawi Medical Journal*, 33(1), 54-58.
- Pampaka, D., Papatheodorou, S.I., AlSeaidan, M., Al Wotayan, R., Wright, R.J., Buring, J.E., Dockery, D.W., Christophi, C.A. (2018). Depressive symptoms and comorbid problems in pregnancy - results from a population based study, *Journal of Psychosomatic Research*, Volume 112, Pages 53-58, ISSN 0022-3999, <https://doi.org/10.1016/j.jpsychores.2018.06.011>. (<https://www.sciencedirect.com/science/article/pii/S0022399917311534>)
- Perales, M.; Refoyo, I.; Coterón, J.; Bacchi, M.; Barakat, R. (2015). Exercises during pregnancy attenuates prenatal depression: A randomized controlled trial. *Eval. Health Prof*, 38, 59–72.

- Rahimi, R., Dolatabadi, Z., Moeindarbary, S., Behzadfar, S., Fakhr Ghasemi, N., Tafrishi, R., & Kamali, M. (2020). A systematic review of the prevalence of mental health disorders in pregnant women during the COVID-19 pandemic. *International Journal of Pediatrics*, 8(11), 12397-12407.
- Ran, L., Wang, W., Ai, M., Kong, Y., Chen, J., & Kuang, L. (2020). Psychological resilience, depression, anxiety, and somatization symptoms in response to COVID-19: A study of the general population in China at the peak of its epidemic. *Social science & medicine* (1982), 262, 113261. <https://doi.org/10.1016/j.socscimed.2020.113261>
- Reid, K.M., Taylor, M.G., 2015. Social support, stress, and maternal postpartum depression: a comparison of supportive relationships. *Soc. Sci. Res.* 54, 246–262.
- Rini, C.K., Dunkel Schetter, C., Hobel, C., Glynn, L., Sandman, C.A., 2006. Effective social support: antecedents and consequences of partner support during pregnancy. *Personal Relationships*, 13 (2), 207–229. 10.1111/j.1475-6811.2006.00114.x.
- Shultz JM, Cooper JL, Baingana F, Oquendo MA, Espinel Z, Althouse BM, et al. 2016. The role of fear-related behaviors in the 2013–2016 West Africa Ebola virus disease outbreak. *Curr Psychiatry Rep*, 18:104. DOI PubMed
- Stewart, D.E.; Robertson, E.; Phil, M.; Dennis, C.L.; Grace, S.L.; Wallington, T. *Postpartum Depression: Literature Review of Risk Factors and Interventions*; University Health Network Women's Health Program; Toronto Public Health: Toronto, Canada, 2003
- Sun, G., Wang, F., & Cheng, Y. (2020). Perinatal depression during the COVID-19 epidemic in Wuhan, China. *China* (4/11/2020).
- Syam, A., Iskandar, I., Qasim, M., Kadir, A., & Usman, A. N. (2020). Identifying risk factors of prenatal depression among mothers in Indonesia. *Enfermería Clínica*, 30, 550-554.
- Tafet, G. E., & Nemeroff, C. B. (2016). The links between stress and depression: psychoneuroendocrinological, genetic, and environmental interactions. *The Journal of neuropsychiatry and clinical neurosciences*, 28(2), 77-88.
- Takahasi, E.H.; Alves, M.T.; Alves, G.S.; Silva, A.A.; Batista, R.F.; Simões, V.M.; Del-Ben, C.M.; Barbieri, M.A. (2013). Mental health and physical inactivity during pregnancy: A cross-sectional study nested in the BRISA cohort study. *Cad. Saude Publica*, 29, 1583–1594.
- Tennant C. (2002). Life events, stress and depression: a review of recent findings. *The Australian and New Zealand journal of psychiatry*, 36(2), 173–182. <https://doi.org/10.1046/j.1440-1614.2002.01007.x>
- Tesfaye, Y., Agenagnew, L., Terefe Tucho, G., Anand, S., Birhanu, Z., Ahmed, G., ... & Yitbarek, K. (2020). Attitude and help-seeking behavior of the community towards mental health problems. *Plos one*, 15(11), e0242160.
- Thomas, J. C., Letourneau, N., Campbell, T. S., Giesbrecht, G. F., & Apron Study Team. (2018). Social buffering of the maternal and infant HPA axes: Mediation and moderation in the intergenerational transmission of adverse childhood experiences. *Development and Psychopathology*, 30(3), 921-939.
- Tomfohr-Madsen, L. M., Racine, N., Giesbrecht, G. F., Lebel, C., & Madigan, S. (2021). Depression and anxiety in pregnancy during COVID-19: A rapid review and

- meta-analysis. *Psychiatry research*, 300, 113912.
<https://doi.org/10.1016/j.psychres.2021.113912>
- Topalidou, A., Thomson, G., & Downe, S. (2020). COVID-19 and maternal mental health: Are we getting the balance right? *medRxiv*.
<https://doi.org/10.1101/2020.03.30.20047969>
- Van den Bergh, B.R., van den Heuvel, M.I., Lahti, M., Braeken, M., de Rooij, S.R., Entringer, S., King, S., 2017. Prenatal developmental origins of behavior and mental health: the influence of maternal stress in pregnancy. *Neurosci. Biobehav. Rev.*
- VandenBos, Gary R. (2015). *APA Dictionary of Psychology. Second edition*. Washington, DC: American Psychological Association.
- van Praag H. M. (2004). Can stress cause depression?. *Progress in neuro-psychopharmacology & biological psychiatry*, 28(5), 891–907.
<https://doi.org/10.1016/j.pnpbp.2004.05.031>
- Vieira, L. G., Camargo, E. L. J. S., Schneider, G., Rocatti da Silva, G. P., Thomazini, M., Possani, M. A., ... & de Sousa Ibiapina, A. R. (2021). Effects of the COVID-19 Pandemic on the Mental Health of Pregnant and Puerperal Women: A Systematic Review. *The Open Nursing Journal*, 15(1).
- Wang, C., Pan, R., Wan, X., Tan, Y., Xu, L., Ho, C.S., Ho, R.C., 2020. Immediate psychological responses and associated factors during the initial stage of the 2019 Coronavirus Disease (COVID-19) Epidemic among the General Population in China. *International Journal of Environment Research Public Health* 17 (5).
<https://doi.org/10.3390/ijerph17051729>.
- Waters CS, Hay D, Simmonds J, van Goozen S (2014) Prenatal depression and children's developmental outcomes: potential mechanisms and treatment options. *Eur Child Adolesc Psychiatry* 23(10):957–971
- WHO. (2020). Coronavirus Disease (COVID-19) Dashboard. Diakses pada 29 September 2021, dari <https://covid19.who.int/>.
- Wei Y, McGrath PJ, Hayden J, et al. (2015). Mental health literacy measures evaluating knowledge, attitudes and help-seeking: a scoping review. *BMC Psychiatry*; 15: 291
- WHO. (2020). Coronavirus Disease (COVID-19) Dashboard. Diakses pada 29 September 2019, dari <https://covid19.who.int/>.
- World Health Organization. Physical Activity. Available online: <https://www.who.int/dietphysicalactivity/pa/en/> (accessed on 9 March 2021).
- World Health Organization. Physical Activity and Adults: Recommended Levels of Physical Activity for Adults Aged 18–64 Years. Available online: https://www.who.int/dietphysicalactivity/factsheet_adults/en/ (accessed on 9 March 2021).
- Xiong, J., Lipsitz, O., Nasri, F., Lui, L., Gill, H., Phan, L., Chen-Li, D., Iacobucci, M., Ho, R., Majeed, A., & McIntyre, R. S. (2020). Impact of COVID-19 pandemi on mental health in the general population: A systematic review. *Journal of affective disorders*, 277, 55–64. Advance online publication.
<https://doi.org/10.1016/j.jad.2020.08.001>
- Zimet, G.D., Dahlem, N.W., Zimet, S.G., & Farley, G.K. (1998). The multidimensional scale of perceived social support. *Journal of Personality Assessment*, 52(1), 30–41.

