

## REFERENCES

- Aguilar, M.I. and Freeman, W.D., 2010. Spontaneous intracerebral hemorrhage. *Seminars in neurology*, 30(5), pp.555-64.
- An, S.J., Kim, T.J., Yoon, B.W., 2017. Epidemiology, risk factors, and clinical features of intracerebral hemorrhage: an update. *Journal of stroke*, 19(1), pp.3-10.
- Bowry, R., Navalkele, D.D. and Gonzales, N.R., 2014. Blood pressure management in stroke: five new things. *Neurology: Clinical Practice*, 4(5), pp.419-426.
- Broderick, J.P., Adams, Jr., H.P., Barsan, W., Feinberg, W., Feldmann, E., Grotta, J., Kase, C., Krieger, D., Mayberg, M., Tilley, B. and Zabramski, J.M., 1999. Guidelines for the management of spontaneous intracerebral hemorrhage: a statement for healthcare professionals from a special writing group of the Stroke Council, American Heart Association. *Stroke*, 30(4), pp.905-15.
- Budi, H. and Bahar, I., 2017. Faktor Resiko Stroke Hemorrhagic Pada Pasien Usia Produktif. *Jurnal Sehat Mandiri*, 12(2), pp.29-36.
- Chandra, A., Li, W.A., Stone, C.R., Geng, X. and Ding, Y., 2017. The cerebral circulation and cerebrovascular disease I: Anatomy. *Brain circulation*, 3(2), p.45.
- Charan, J. and Biswas, T., 2013. How to calculate sample size for different study designs in medical research?. *Indian journal of psychological medicine*, 35(2), p.121.
- Chen, C.J., Ding, D., Ironside, N., Buell, T.J., Southerland, A.M., Koch, S., Flaherty, M., Woo, D., Worrall, B.B. and ERICH Investigators, 2019. Cigarette smoking history and functional outcomes after spontaneous intracerebral hemorrhage. *Stroke*, 50(3), pp.588-594.
- Cho, S., Rehni, A.K. and Dave, K.R., 2021. Tobacco Use: A Major Risk Factor of Intracerebral Hemorrhage. *Journal of Stroke*, 23(1), p.37.
- Duffy, L., Gajree, S., Langhorne, P., Stott, D.J. and Quinn, T.J., 2013. Reliability (inter-rater agreement) of the Barthel Index for assessment of stroke survivors: systematic review and meta-analysis. *Stroke*, 44(2), pp.462-8.
- Erawantini, F. and Chairina, R.R.L., 2016. Hipertensi Terhadap Kejadian Stroke. *Jurnal Ilmiah Inovasi*, 16(2).

- Falcone, G.J., Biffi, A., Brouwers, H.B., Anderson, C.D., Battey, T.W., Ayres, A.M., Vashkevich, A., Schwab, K., Rost, N.S., Goldstein, J.N. and Viswanathan, A., 2013. Predictors of hematoma volume in deep and lobar supratentorial intracerebral hemorrhage. *JAMA neurology*, 70(8), pp.988-994.
- Gupta, K. and Das, J.M., 2020. Charcot Bouchard Aneurysm. StatPearls [Internet].
- Habibi-koolae, M., Shahmoradi, L., Niakan Kalhori, S.R., Ghannadan, H. and Younesi, E., 2018. Prevalence of Stroke Risk Factors and Their Distribution Based on Stroke Subtypes in Gorgan: A Retrospective Hospital-Based Study—2015-2016. *Neurology research international*, pp.1-7.
- Hegde, S. and Aeddula, N.R., 2020. Secondary Hypertension. StatPearls [Internet].
- Hemphill III, J.C., Greenberg, S.M., Anderson, C.S., Becker, K., Bendok, B.R., Cushman, M., Fung, G.L., Goldstein, J.N., Macdonald, R.L., Mitchell, P.H. and Scott, P.A., 2015. Guidelines for the management of spontaneous intracerebral hemorrhage: a guideline for healthcare professionals from the American Heart Association/American Stroke Association. *Stroke*, 46(7), pp.2032-60.
- Hesami, O., Kasmaei, H.D., Matini, F., Assarzagdegan, F., Mansouri, B. and Jabbehdari, S., 2015. Relationship between intracerebral hemorrhage and diabetes mellitus: a case-control study. *Journal of clinical and diagnostic research: JCDR*, 9(4), p.OC08.
- Hosseini, Z.S., Peyrovi, H. and Gohari, M., 2019. The effect of early passive range of motion exercise on motor function of people with stroke: a randomized controlled trial. *Journal of Caring Sciences*, 8(1), p.39.
- Iqbal AM, Jamal SF. Essential Hypertension. [Updated 2020 Jul 10]. In: StatPearls [Internet]. Treasure Island (FL): StatPearls Publishing; 2020 Jan-. Available from: <https://www.ncbi.nlm.nih.gov/books/NBK539859/>
- Johansson, B.B., 1999. Hypertension mechanisms causing stroke. *Clinical and experimental pharmacology and physiology*, 26(7), pp.563-5.
- Katz for the Association of Rheumatology Health Professionals Outcomes Measures Task Force, P.P., 2003. Measures of adult general functional status: The barthel index, katz index of activities of daily living, health assessment questionnaire (HAQ), MACTAR patient preference disability questionnaire, and modified health assessment questionnaire (MHAQ). *Arthritis Care & Research: Official Journal of the American College of Rheumatology*, 49(S5), pp.S15-S27.

- Kremer, P.H., Jolink, W.M., Kappelle, L.J., Algra, A., Klijn, C.J. and SMART and ESPRIT Study Groups, 2015. Risk factors for lobar and non-lobar intracerebral hemorrhage in patients with vascular disease. *PLoS One*, 10(11), p.e0142338.
- Kumar, S., 2017. Hypertension and hemorrhagic stroke. *Hypertension Journal*, 3(2), pp.89-93.
- Kurth, T., Kase, C.S., Berger, K., Schaeffner, E.S., Buring, J.E. and Gaziano, J.M., 2003. Smoking and the risk of hemorrhagic stroke in men. *Stroke*, 34(5), pp.1151-1155.
- Lau, L.H., Lew, J., Borschmann, K., Thijs, V. and Ekinici, E.I., 2019. Prevalence of diabetes and its effects on stroke outcomes: A meta-analysis and literature review. *Journal of diabetes investigation*, 10(3), pp.780-792.
- Lee, K.B., Kim, J.S., Hong, B.Y., Kim, Y.D., Hwang, B.Y. and Lim, S.H., 2015. The motor recovery related with brain lesion in patients with intracranial hemorrhage. *Behavioural Neurology*, 2015.
- Lujan, H.L., Augustyniak, R.A. and DiCarlo, S.E., 2018. Physiology of the Cerebrovascular System. In *Extracranial Carotid and Vertebral Artery Disease* (pp. 9-19). Springer, Cham.
- Musa, K.I. and Keegan, T.J., 2018. The change of Barthel Index scores from the time of discharge until 3-month post-discharge among acute stroke patients in Malaysia: A random intercept model. *PloS one*, 13(12), p.e0208594.
- National High Blood Pressure Education Program. The Seventh Report of the Joint National Committee on Prevention, Detection, Evaluation, and Treatment of High Blood Pressure. Bethesda (MD): National Heart, Lung, and Blood Institute (US); 2004 Aug. Classification of Blood Pressure. Available from: <https://www.ncbi.nlm.nih.gov/books/NBK9633/>
- O'donnell, M.J., Xavier, D., Liu, L., Zhang, H., Chin, S.L., Rao-Melacini, P., Rangarajan, S., Islam, S., Pais, P., McQueen, M.J. and Mondo, C., 2010. Risk factors for ischaemic and intracerebral haemorrhagic stroke in 22 countries (the INTERSTROKE study): a case-control study. *The Lancet*, 376(9735), pp.112-23.
- Paolucci, S., Antonucci, G., Grasso, M.G., Bragoni, M., Coiro, P., De Angelis, D., Fusco, F.R., Morelli, D., Venturiero, V., Troisi, E. and Pratesi, L., 2003. Functional outcome of ischemic and hemorrhagic stroke patients after inpatient rehabilitation: a matched comparison. *Stroke*, 34(12), pp.2861-5.
- Perna, R. and Temple, J., 2015. Rehabilitation outcomes: ischemic versus hemorrhagic strokes. *Behavioural Neurology*, 2015.

- Quinn, T.J., Langhorne, P. and Stott, D.J., 2011. Barthel index for stroke trials: development, properties, and application. *Stroke*, 42(4), pp.1146-51.
- Qureshi, A.I., Tuhim, S., Broderick, J.P., Batjer, H.H., Hondo, H. and Hanley, D.F., 2001. Spontaneous intracerebral hemorrhage. *New England Journal of Medicine*, 344(19), pp.1450-60.
- Rajashekar, D. and Liang, J.W., 2020. Intracerebral Hemorrhage. StatPearls [Internet].
- Riset Kesehatan Dasar (Riskesdas), 2018. Badan Penelitian dan Pengembangan Kementerian Kesehatan RI.
- Rizal, A., Faisal, A. and Dwidanarti, S.R., 2018. Correlation of volume and intracerebral site with hemorrhagic stroke mortality based on CT scan. *Academic Hospital Journal*, 1(1), p.20.
- Sang, Y.H., Su, H.X., Wu, W.T., So, K.F. and Cheung, R.T.F., 2011. Elevated blood pressure aggravates intracerebral hemorrhage-induced brain injury. *Journal of neurotrauma*, 28(12), pp.2523-34.
- Sanyasi, R.D.L.R. and Pinzon, R.T., 2018. Clinical symptoms and risk factors comparison of ischemic and hemorrhagic stroke. *Jurnal kedokteran dan kesehatan Indonesia*, 9(1), pp.5-15.
- Setyopranoto, I., Bayuangga, H.F., Panggabean, A.S., Alifaningdyah, S., Lazuardi, L., Dewi, F.S.T. and Malueka, R.G., 2019. Prevalence of stroke and associated risk factors in sleman district of Yogyakarta Special Region, Indonesia. *Stroke research and treatment*, 2019.
- Shah, S., Vanclay, F. and Cooper, B., 1989. Improving the sensitivity of the Barthel Index for stroke rehabilitation. *Journal of clinical epidemiology*, 42(8), pp.703-9.
- Shinohara, Y., 2008. Hemorrhagic stroke syndromes: clinical manifestations of intracerebral and subarachnoid hemorrhage. *Handbook of clinical neurology*, 93, pp.577-94.
- Soewarno, S.A. and Annisa, Y., 2017. Pengaruh hipertensi terhadap terjadinya stroke hemoragik berdasarkan hasil ct-scan kepala di instalasi radiologi RSUD Prof. Dr. Margono Soekarjo. *MEDISAINS*, 15(1), pp.39-46.
- Sreekrishnan, A., Dearborn, J.L., Greer, D.M., Shi, F.D., Hwang, D.Y., Leasure, A.C., Zhou, S.E., Gilmore, E.J., Matouk, C.C., Petersen, N.H. and Sansing, L.H., 2016. Intracerebral hemorrhage location and functional outcomes of patients: a systematic literature review and meta-analysis. *Neurocritical care*, 25(3), pp.384-391.

Sulter, G., Steen, C. and De Keyser, J., 1999. Use of the Barthel index and modified Rankin scale in acute stroke trials. *Stroke*, 30(8), pp.1538-1541.

Trisetiawati, L. and Yuniar, P., 2018. Recurrent Stroke among Patients at Indonesia's National Brain Center Hospital: Contributing Factors. *KnE Life Sciences*, 4(4) pp.19-26.

Types of Stroke | cdc.gov [Internet]. Cdc.gov. 2021 [cited 8 February 2021]. Available from: [https://www.cdc.gov/stroke/types\\_of\\_stroke.htm#:~:text=It%20occurs%20when%20an%20artery,thin%20tissues%20that%20cover%20it.](https://www.cdc.gov/stroke/types_of_stroke.htm#:~:text=It%20occurs%20when%20an%20artery,thin%20tissues%20that%20cover%20it.)

Usrin, I., Mutiara, E. and Yusad, Y., 2013. Pengaruh Hipertensi terhadap Kejadian Stroke Iskemik dan Stroke Hemoragik di Ruang Neurologi di Rumah Sakit Stroke Nasional (RSSN) Bukittinggi Tahun 2011. *Kebijakan, Promosi Kesehatan dan Biostatistik*,.

Wang, X., Dong, Y., Qi, X., Huang, C. and Hou, L., 2013. Cholesterol levels and risk of hemorrhagic stroke: a systematic review and meta-analysis. *Stroke*, 44(7), pp.1833-1839.

Woo, D., Haverbusch, M., Sekar, P., Kissela, B., Khoury, J., Schneider, A., Kleindorfer, D., Szaflarski, J., Pancioli, A., Jauch, E. and Moomaw, C., 2004. Effect of untreated hypertension on hemorrhagic stroke. *Stroke*, 35(7), pp.1703-1708.

Zafar, A. and Khan, F.S., 2008. Clinical and radiological features of intracerebral haemorrhage in hypertensive patients. *Journal of the Pakistan Medical Association*, 58(7), p.356.

Zhang, J., Wang, Y., Wang, G.N., Sun, H., Sun, T., Shi, J.Q., Xiao, H. and Zhang, J.S., 2011. Clinical factors in patients with ischemic versus hemorrhagic stroke in East China. *World journal of emergency medicine*, 2(1), p.18.