

DAFTAR PUSTAKA

- Baars, O. and Perlman, D.H., 2016, Small Molecule LC-MS / MS Fragmentation Data Analysis and Application to Siderophore Identification, *Intech*, 9,191-212.
- Burrows, J.N., Hooft Van Huijsduijnen, R., Möhrle, J.J., Oeuvray, C. and Wells, T.N., 2013, Designing the next generation of medicines for malaria control and eradication, *Malaria J.*, 12(1), 1–20.
- Chen, X., Li, H.A.O., Tian, L., Li, Q., Luo, J. and Zhang, Y., 2020, Based on Lipinski 's Rule of Five, *J. Computational Biologi*, 27(0), 1–10.
- Doak, B.C., Zheng, D.J., Dobritzsch and Kihlberg, J., 2016, How beyond rule of 5 drugs and clinical candidates bind to their targets, *J. Med. Chem.*, 59, 2312–2327.
- Dohutia, C., Chetia, D., Gogoi, K. and Sarma, K., 2017, Design, in silico and in vitro evaluation of curcumin analogues against Plasmodium falciparum, *Experimental Parasitology*, 175, 51–58.
- Figtree, M., Lee, R., Bain, L., Kennedy, T., Mackertich, S., Urban, M., Cheng, Q. and Hudson, B.J., 2010, Plasmodium knowlesi in human, Indonesian Borneo, *Emerging Infectious Diseases*, 16(4), 672–674.
- Franco, L.L., Almeida, M.V., Silva, L.F.R., Vieira, P.P.R., Pohlit, A.M. and Valle, M.S., 2012, Synthesis and Antimalarial Activity of Dihydroperoxides and Tetraoxanes Conjugated with Bis(benzyl)acetone Derivatives, *J. Chem. Bio.&Drug Design*, 79(5), 790–797.
- French, L., Gray, T. and Natarajan, P., 2014, Malaria: prevention and treatment, *InnovAiT: Education and Inspiration for General Practice*, 4(7), 224–232.
- Gross, J., 2017, *Mass Spectrometry*, Springer Nature, Heidelberg.
- Jenie, U.A., Kardono, L.B.S., Hanafi, M., Rumampuk, R.J. and Darmawan, A., 2014, *Teknik Modern Spektroskopi NMR : Teori dan Aplikasi dalam Elusidasi Struktur Molekul Organik*, LIPI, Serpong.
- Ji, H.F. and Shen, L., 2009, Interactions of curcumin with the PfATP6 model and

- the implications for its antimalarial mechanism, *Bioorganic and Medicinal Chemistry Letters*, 19(9), 2453–2455.
- Jiang, Y., Du, Z., Xue, G., Chen, Q., Lu, Y., Zheng, X., Conney, A.H. and Zhang, K., 2013, Synthesis and biological evaluation of unsymmetrical curcumin analogues as tyrosinase inhibitors, *Molecules*, 18(4), 3948–3961.
- Kalita, J., Chetia, D. and Rudrapal, M., 2019, Molecular Docking, Drug-likeness Studies and ADMET Prediction of Quinoline Imines for Antimalarial Activity, *J. Med. Chem. and Drug Design*, 2(1), 1–7.
- Lefevre, T., Ohm, J., Dabiré, K.R., Cohuet, A., Choisy, M., Thomas, M.B. and Cator, L., 2018, Transmission traits of malaria parasites within the mosquito: Genetic variation, phenotypic plasticity, and consequences for control, *Evolutionary Applications*, 11(4), 456–469.
- Li, Q., Chen, J., Luo, S., Xu, J., Huang, Q. and Liu, T., 2015, Synthesis and assessment of the antioxidant and antitumor properties of asymmetric curcumin analogues, *Europ. J. of Med. Chem.*, 93, 461–469.
- Lipinski, C.A., 2016, Rule of five in 2015 and beyond: Target and ligand structural limitations, ligand chemistry structure and drug discovery project decisions, *Advanced Drug Delivery Reviews*, 169–409.
- Manohar, S., Khan, S.I., Kandi, S.K., Raj, K., Sun, G., Yang, X., Calderon Molina, A.D., Ni, N., Wang, B. and Rawat, D.S., 2013, Synthesis, antimalarial activity and cytotoxic potential of new monocarbonyl analogues of curcumin, *Bioorganic and Medicinal Chemistry Letters*, 23(1), 112–116.
- Mardianis, Y., Anwar, C. and Haryadi, W., 2017, Sintesis Analog Kurkumin Monoketon Berbahan Dasar Sinamaldehida dan Uji Aktivitasnya Sebagai Inhibitor Enzim A-Glukosidase, *J. Sains Dasar*, 6(2), 123–132.
- Masuda, T., Jitoe, A., Isobe, J., Nakatani, N. and Sigetomo Y., 1993, Key Word Index-Curcuma, *Phytochemistry*, 32(6), 1557–1560.
- Pandey, S., Agarwal, P., Srivastavab, K., S.RajaKumar, K.Puri, S., Verma, P., Saxena, J.K., Sharma, A., Lal, J. and Chauhan, M.S.P., 2013, Synthesis and bioevaluation of novel 4-aminoquinoline-tetrazole derivatives as potent antimalarial agents, *Europ. J. Med. Chem.*, 66, 69–81.

- Paulraj, F., Abas, F., Lajis, N.H., Othman, I. and Naidu, R., 2019, Molecular pathways modulated by curcumin analogue, diarylpentanoids in cancer, *Biomolecules*, 9(7), 1–14.
- Pavia, D.L., Lampman, G.M., Kriz, G.S., A. and Vyvyan, J.R., 2015, *Introduction to Spectroscopy*, 5th Ed., Cengage Learning, Stamford.
- Pavia, D.L., Lampman, G.M., Kriz, G.S. and Vyvyan, J.R., 2017, *Introduction to Spectroscopy*, Cengage learning, Bellingham.
- Prakash, N., 2010, Molecular Docking Studies of Antimalarial Drugs for Malaria, *J.Comp. Sci. and Systems Bio.*, 03(03), 70-73.
- Rayar, A., Veitía, M.S.I. and Ferroud, C., 2015, An efficient and selective microwave-assisted Claisen-Schmidt reaction for the synthesis of functionalized benzalacetones, *SpringerPlus*, 4(1), 8–12.
- Reddy, R.C., Vatsala, P.G., Keshamouni, V.G., Padmanaban, G. and Rangarajan, P.N., 2005, Curcumin for malaria therapy, *Biochemical and Biophysical Research Communications*, 326(2), 472–474.
- Rosenthal, P.J., 2003, Antimalarial drug discovery: Old and new approaches, *J. of Experimental Biology*, 206(21), 3735–3744.
- Singh, A., Singh, J.V., Rana, A., Bhagat, Kavita, Gulati, H.K., Kumar, Raman, Salwan, R., Bhagat, Kajal, Kaur, G., Singh, N., Kumar, Randeep, Singh, H., Sharma, S. and Bedi, P.M.S., 2019, Monocarbonyl curcumin based molecular hybrids as potent antibacterial agents, *ACS Omega*, 4(7), S1–S50.
- Sohilait, M.R., Pranowo, H.D. and Haryadi, W., 2017, Molecular docking analysis of curcumin analogues with COX-2, *Bioinformation*, 13(11), 356–359.
- Syahri, J., Nasution, H., Nurohmah, B.A., Purwono, B., Yuanita, E., Zakaria, N.H. and Hassan, N.I., 2020, Design, synthesis and biological evaluation of aminoalkylated chalcones as antimalarial agent, *Sains Malaysiana*, 49(11), 2667–2677.
- Tahghighi, A., Mohamadi-Zarch, S.M., Rahimi, H., Marashiyan, M., Maleki, R.N. and Eslamifar, A., 2020, In silico and in vivo anti-malarial investigation on 1-(heteroaryl)-2-((5-nitroheteroaryl)methylene) hydrazine derivatives, *Malaria J.*, 19(1), 1–12.

- Ugwu, D.I., Okoro, U.C., Ukoha, P.O., Okafor, S., Ibezim, A. and Kumar, N.M., 2017, Synthesis, characterization, molecular docking and in vitro antimalarial properties of new carboxamides bearing sulphonamide, *Europ. J. of Med. Chem.*, 135, 349–369.
- Wellems, T.E. and Plowe, C. V, 2001, Chloroquine-Resistant Malaria, *The J. of Infectious Diseases*, 184, 770–776.
- Yuvaniyama, J., Chitnumsub, P., Kamchonwongpaisan, S., Vanichtanankul, J., Sirawaraporn, W., Taylor, P., Walkinshaw, M.D. and Yuthavong, Y., 2003, Insights into antifolate resistance from malarial DHFR-TS structures, *Nature Structural Biology*, 10(5), 357–365.
- Zhao, C., Zhang, Y., Zou, P., Wang, J., He, W., Shi, D., Li, H., Liang, G. and Yang, S., 2015, Synthesis and biological evaluation of a novel class of curcumin analogs as anti-inflammatory agents for prevention and treatment of sepsis in mouse model, *Drug Design, Development and Therapy*, 9, 1663–1678.