

## REFERENCE

- Abouras, T., 2018, "Managing Single-Sided Deafness and Unilateral Hearing Loss," *The Hearing Journal*, 71(3), 32–35.
- Alkahtani, R., Rowan, D., Kattan, N. & Alwan, N.A., 2019, "Age of identification of sensorineural hearing loss and Characteristics of affected children: Findings from two cross-sectional studies in Saudi Arabia," *International Journal of Pediatric Otorhinolaryngology*, 122, 27–30.
- Bamiou, D.E., Savy, L., O'Mahoney, C., Phelps, P. & Sirimanna, T., 1999, "Unilateral sensorineural hearing loss and its aetiology in childhood: the contribution of computerised tomography in aetiological diagnosis and management.," *International journal of pediatric otorhinolaryngology*, 51(2), 91–99.
- Banda, F.M., Powis, K.M., Mokoka, A.B., Mmapetla, M., Westmoreland, K.D., David, T. & Steenhoff, A.P., 2018, "Hearing Impairment Among Children Referred to a Public Audiology Clinic in Gaborone, Botswana," *Global Pediatric Health*, 5.
- Beeck Calkoen, E.A. van, Engel, M.S.D., Kamp, J.M. van de, Yntema, H.G., Goverts, S.T., Mulder, M.F., Merkus, P. & Hensen, E.F., 2019, "The etiological evaluation of sensorineural hearing loss in children," *European Journal of Pediatrics*, 178(8), 2–5.
- Davis, A.C. & Hoffman, H.J., 2019, "Hearing loss: rising prevalence and impact," *Bulletin of the World Health Organization*, 97(10).
- Dewi, Y.A. & Agustian, R.A., 2011, *Karakteristik Gangguan Dengar Sensorineural Kongenital pada Anak yang Dideteksi dengan Brainstem Evoked Response Audiometry*, vol. 43.
- Dornhoffer, J.R. & Dornhoffer, J.L., 2016, "Pediatric unilateral sensorineural hearing loss: implications and management.," *Current opinion in otolaryngology & head and neck surgery*, 24(6), 522–528.
- Gao, M., Yin, D., Dou, X. & Fan, M., 2020, "[Common clinical causes and audiological manifestations of unilateral hearing loss in children].," *Lin chuang er bi yan hou tou jing wai ke za zhi = Journal of clinical otorhinolaryngology, head, and neck surgery*, 34(5).
- Hild, W.J., Sobotta, J., Ferner, H. & Staubesand, J., 1983, *Sobotta atlas of human anatomy*, 15th edn., vol. 3.

- Kabani, N. & Ross, S.A., 2020, "Congenital Cytomegalovirus Infection," *The Journal of Infectious Diseases*, 221(Supplement\_1).
- Khurayzi, T., 2018, "Unilateral Sensorineural Hearing Loss in the Southern Region of Saudi Arabia," *Global Journal of Otolaryngology*, 15(4), 1–5.
- Kishimoto, I., Yamazaki, H., Naito, Y., Shinohara, S., Fujiwara, K., Kikuchi, M., Kanazawa, Y., Tona, R. & Harada, H., 2014, "Clinical features of rapidly progressive bilateral sensorineural hearing loss," *Acta Oto-Laryngologica*, 134(1), 59–65.
- Kizilay, A. & Koca, Ç.F., 2016, "Pediatric Sudden Sensorineural Hearing Loss," *Journal of Craniofacial Surgery*, 27(4).
- Lu, Y., Zhou, L., Imrit, T.S. & Liu, A., 2019, "Sudden Sensorineural Hearing Loss in Children: Clinical Characteristics, Etiology, Treatment Outcomes, and Prognostic Factors," *Otology & Neurotology*, 40(4).
- Masuda, S. & Usui, S., 2019, "Comparison of the prevalence and features of inner ear malformations in congenital unilateral and bilateral hearing loss," *International Journal of Pediatric Otorhinolaryngology*, 125.
- Purnami, N., Dipta, C. & Rahman, A., 2018, *Characteristics of infants and young children Characteristics of infants and young children with sensorineural hearing loss in Dr. Soetomo Hospital*, vol. 48.
- Tanna, R.J., Lin, J.W. & Jesus, O. de, 2021, *Sensorineural Hearing Loss*.
- Wentland, C.J., Ronner, E.A., Basonbul, R.A., Pinnapureddy, S., Mankarious, L., Keamy, D., Lee, D.J. & Cohen, M.S., 2018, "Utilization of diagnostic testing for pediatric sensorineural hearing loss," *International Journal of Pediatric Otorhinolaryngology*, 111.
- Wieringen, A. van, Boudewyns, A., Sangen, A., Wouters, J. & Desloovere, C., 2019, "Unilateral congenital hearing loss in children: Challenges and potentials.," *Hearing research*, 372, 3–10.
- Zhang, J., Sawaf, T., Anne, S., Pham, G.N., Pakanati, K., Raol, N., Ongkasuwan, J. & Georgopoulos, R., 2021, "Imaging in pediatric bilateral sensorineural hearing loss: Diagnostic yield with computed tomography versus magnetic resonance imaging," *International Journal of Pediatric Otorhinolaryngology*, 147.