

DAFTAR PUSTAKA

- Adab, H., Kanniah, K. D., & Solaimani, K. 2013. Modeling forest fire risk in the northeast of Iran using remote sensing and GIS techniques. *Natural Hazards*. 65(3), 1723–1743. <https://doi.org/10.1007/s11069-012-0450-8>
- Adam dkk. 2019. Sistem Informasi Geografi untuk Zonasi Kerentanan Kebakaran Lahan dan Hutan di Kecamatan Malifut, Halmahera Utara. *Jurnal Teknologi Informasi dan Ilmu Komputer (JTIK)*. Vol. 6, No. 5, Oktober 2019, hlm. 559- 566. <http://dx.doi.org/10.25126/jtiik.201743299>.
- Afniati, R. E. 2010. Pemanfaatan Data Penginderaan Jauh untuk Pemantauan dan Analisis Sebaran Titik Panas (Studi Kasus: Provinsi Kalimantan Tengah). *Skripsi*. UIN Syarif Hidayatullah: Jakarta.
- Akagi, S. K., Yokelson, R. J., Wiedinmyer, C., Alvarado, M. J., Reid, J. S., Karl, T., Crouse, J. D., & Wennberg, P. O. 2011. Emission factors for open and domestic biomass burning for use in atmospheric models. *Atmospheric Chemistry and Physics*, 11(9), 4039–4072. <https://doi.org/10.5194/acp-11-4039-2011>
- Allison, R., Johnston, J., Craig, G., & Jennings, S. 2016. Airborne Optical and Thermal Remote Sensing for Wildfire Detection and Monitoring. *Sensors*, 16(8), 1310. <https://doi.org/10.3390/s16081310>
- Almeida-Filho, R., & Shimabukuro, Y. E. 2004. Cover: Monitoring biomass burning in the Brazilian Amazônia. *International Journal of Remote Sensing*, 25(24), 5537–5541. <https://doi.org/10.1080/0143116031000075143>
- Ashari dan Nuraini. 2014. Pengembangan Model Konservasi Lingkungan dengan Metode Introducir Vegetasi Asli Pegunungan Jawa Pada Lereng Baratdaya Gunungapi Merbabu: Tinjauan Biogeografi. *Prosiding Pertemuan Ilmiah Tahunan*. ISBN: 978-602-71088-1-3. p912-922
- Balai Taman Nasional Gunung Merbabu. 2021. *Laporan Tahunan*. Boyolali: BTNGMb (Balai Taman Nasional Gunung Merbabu).
- Basuki, Wasis. 2006. Dampak Kebakaran Hutan terhadap Sifat Tanah Mineral pada Hutan Tanaman Industri Kecamatan Tualang Kabupaten Siak Provinsi Riau. *Conference*. Fakultas Kehutanan IPB: Bogor
- Bastarrika, A., Alvarado, M., Artano, K., Martinez, M. P., Mesanza, A., Torre, L., Ramo, R., & Chuvieco, E. 2014. *BAMS: A Tool for Supervised Burned Area Mapping Using Landsat Data*. 21.

- Bastarrika, A., Chuvieco, E., & Martín, M. P. 2011. Mapping burned areas from Landsat TM/ETM+ data with a two-phase algorithm: Balancing omission 65 and commission errors. *Remote Sensing of Environment*, 115(4), 1003–1012. <https://doi.org/10.1016/j.rse.2010.12.005>
- Belenguer-Plomer, M. A., Tanase, M. A., Fernandez-Carrillo, A., & Chuvieco, E. 2019. Burned area detection and mapping using Sentinel-1 backscatter coefficient and thermal anomalies. *Remote Sensing of Environment*, 233, 111345. <https://doi.org/10.1016/j.rse.2019.111345>
- Borden, K. A., Schmidlein, M. C., Emrich, C. T., Piegorsch, W. W., & Cutter, S. L. 2007. Vulnerability of U.S. Cities to Environmental Hazards. *Journal of Homeland Security and Emergency Management*, 4(2). <https://doi.org/10.2202/1547-7355.1279>
- Boschetti, L., Roy, D. P., Justice, C. O., & Humber, M. L. 2015. MODIS–Landsat fusion for large area 30 m burned area mapping. *Remote Sensing of Environment*, 161, 27–42. <https://doi.org/10.1016/j.rse.2015.01.022>
- Chafer, Chris J. 2008. A Comparison of Fire Severity Measures an Australian Example and Implications for Predicting Major Areas Soil Erosion. *Catena*. p-235 - 245. <http://dx.doi.org/10.1016/j.catena.2007.12.005>.
- Chen, Gang., Margaret, R. Metz., David. M. R., Ross. K. M. 2015. Mapping Burn Severity in a disease-impacted Forest Landscape Using Landsat and MASTER Imagery. *International Journal of a Applied Earth Observation and Geoinformation*.40(91-99). <http://dx.doi.org/10.1016/j.jag.2015.04.005>
- Chuvieco, E., & Congalton, R. G. 1989. Application of remote sensing and geographic information systems to forest fire hazard mapping. *Remote Sensing of Environment*, 29(2), 147–159. [https://doi.org/10.1016/0034-4257\(89\)90023-0](https://doi.org/10.1016/0034-4257(89)90023-0)
- Chuvieco, E., Martín, M. P., & Palacios, A. 2002. Assessment of different spectral indices in the red-near-infrared spectral domain for burned land discrimination. *International Journal of Remote Sensing*, 23(23), 5103–5110. <https://doi.org/10.1080/01431160210153129>
- Cocke, A. E., Fulé, P. Z., & Crouse, J. E. 2005. Comparison of burn severity assessments using Differenced Normalized Burn Ratio and ground data. *International Journal of Wildland Fire*, 14(2), 189. <https://doi.org/10.1071/WF04010>
- Collins BM, Lydersen JM, Everett R, Stephens SL. 2018. How does forest recovery following moderate-severity fire influence effects of subsequent

wildfire in mixed-conifer forests. *Fire Ecology*. 14(3):1-9
<https://doi.org/10.1186/s42408-018-0004-x>.

Danoedoro, P. 2012. *Pengantar Penginderaan Jauh Digital*. Yogyakarta: Penerbit ANDI

Davies, D. K., Vosloo, H. F., Frost, P. E., & Vannan, S. S. 2008. Near real-time fire alert system in South Africa: From desktop to mobile service. *Physical Sciences and Engineering*. p315-322.

de Groot, W. J., Wotton, B. M., & Flannigan, M. D. 2015. Wildland Fire Danger Rating and Early Warning Systems. *Dalam Wildfire Hazards, Risks and 66 Disasters* (hlm. 207–228). Elsevier. <https://doi.org/10.1016/B978-0-12-410434-1.00011-7>

de Groot, W. J., & Flannigan, M. D. 2014. Climate Change and Early Warning Systems for Wildland Fire. Dalam A. Singh & Z. Zommers (Ed.), *Reducing Disaster: Early Warning Systems for Climate Change* (hlm. 127–151). Springer Netherlands. https://doi.org/10.1007/978-94-017-8598-3_7

de Groot, W. J., Goldammer, J. G., Keenan, T., Brady, M. A., Lynham, T. J., Justice, C. O., Csiszar, I. A., & O'Loughlin, K. 2006. Developing a global early warning system for wildland fire. *Forest Ecology and Management*, 234, S10. <https://doi.org/10.1016/j.foreco.2006.08.025>

Dwyer, A. 2004. Quantifying social vulnerability: A methodology for identifying those at risk to natural hazards. *Geoscience Australia*.

Efthimiou, N., Psomiadis, E., & Panagos, P. (2020). Fire severity and soil erosion susceptibility mapping using multi-temporal Earth Observation data: The case of Mati fatal wildfire in Eastern Attica, Greece. *CATENA*, 187, 104320. <https://doi.org/10.1016/j.catena.2019.104320>

Epting, J., Verbyla, D., & Sorbel, B. 2005. Evaluation of remotely sensed indices for assessing burn severity in interior Alaska using Landsat TM and ETM+. *Remote Sensing of Environment*, 96(3–4), 328–339. <https://doi.org/10.1016/j.rse.2005.03.002>

Escuin, S., Navarro, R., & Fernández, P. 2008. Fire severity assessment by using NBR (Normalized Burn Ratio) and NDVI (Normalized Difference Vegetation Index) derived from LANDSAT TM/ETM images. *International Journal of Remote Sensing*, 29(4), 1053–1073. <https://doi.org/10.1080/01431160701281072>

Fang, Y., Zhao, J., Liu, L., & Wang, J. 2020. Comparison of Eight Topographic Correction Algorithms Applied to Landsat-8 OLI Imagery Based on the

DEM. *IOP Conference Series: Earth and Environmental Science*, 428, 012051. <https://doi.org/10.1088/1755-1315/428/1/012051>

- Fernández-García *et al.* 2018. Burn severity metrics in fire-prone pine ecosystems along a climate gradient using landsat imagery. *Remote Sensing Environment*. Vol. 206, No. 1, Maret 2018 p205-217. <https://doi.org/10.1016/j.rse.2017.12.029>
- Fisher, P. 1987. Principles of Geographical Information Systems for Land Resources Assessment. *International Journal of Geographical Information Systems*. Vol. 1 No. 2. Kent State University: Ohio p189–190. <https://doi.org/10.1080/02693798708927804>
- Franco, M. G., Mundo, I. A., & Veblen, T. T. 2020. Field-Validated Burn-Severity Mapping in North Patagonian Forests. *Remote Sensing*, 12(2), 214. <https://doi.org/10.3390/rs12020214>
- García-Haro *et al.* 2001. Monitoring fire-affected areas using Thematic Mapper Data. *International Journal of Remote Sensing*. Vol. 22, no. 4, p533–549. <http://dx.doi.org/10.1080/01431160050505847>.
- Ghorbanzadeh, O., Valizadeh Kamran, K., Blaschke, T., Aryal, J., Naboureh, A., Einali, J., & Bian, J. 2019. Spatial Prediction of Wildfire Susceptibility Using Field Survey GPS Data and Machine Learning Approaches. *Fire*, 2(3), 43. <https://doi.org/10.3390/fire2030043>
- Giglio, L. 2006. Global estimation of burned area using MODIS active fire observations. *Atmos. Chem. Phys.*, 18.
- Giglio, L., Loboda, T., Roy, D. P., Quayle, B., & Justice, C. O. 2009. An active-fire based burned area mapping algorithm for the MODIS sensor. *Remote Sensing of Environment*, 113(2), 408–420. <https://doi.org/10.1016/j.rse.2008.10.006>
- Gitas, I., Mitri, G., Veraverbeke, S., & Polychronaki, A. 2012. Advances in Remote Sensing of Post-Fire Vegetation Recovery Monitoring-A Review. Dalam L. Fatoyinbo (Ed.), *Remote Sensing of Biomass-Principles and Applications*. InTech. <https://doi.org/10.5772/20571>
- Goward, S. N., Dye, D., Kerber, A., & Kalb, V. 1987. Comparison of North and South American biomes from AVHRR observations. *Geocarto International*, 2(1), 27–39. <https://doi.org/10.1080/10106048709354079>
- Hadiyan, Y., & Pambudi, H. 2017. Memahami dan Membangun Pendekatan Penyelesaian Deforestasi dan Degradasi Hutan di Region Sumatera dan Kalimantan. *Proceeding Biology Education Conference*. Vol. 14, No. 1, p166-169.

- Hall, J. V., Loboda, T. V., Giglio, L., & McCarty, G. W. 2016. A MODIS-based burned area assessment for Russian croplands: Mapping requirements and challenges. *Remote Sensing of Environment*, 184, 506–521. <https://doi.org/10.1016/j.rse.2016.07.022>
- Handayani, dkk. 2014. Pemanfaatan Data Terra MODIS untuk Identifikasi Titik Api pada Kebakaran Hutan Gambut (Studi Kasus: Kota Dumai Provinsi Riau). *Seminar Nasional Teknologi Informasi dan Komunikasi*. ISSN: 2089-9813. p461-467.
- Hubbert, K.R.; Wohlgemuth, P.M.; Beyers, J.L.; Narog, M.G.; Gerrard, R. Post-Fire Soil Water Repellency, Hydrologic Response, and Sediment Yield Compared between Grass-Converted and Chaparral Watersheds. *Fire Ecol.* 2012, 8, 143–162.
- Huffman DW, Sánchez Meador AJ, Stoddard MT, Crouse JE, Roccaforte JP. 2017. Efficacy of resource objective wildfires for restoration of ponderosa pine (*Pinus ponderosa*) forests in northern Arizona. *Forest Ecology and Management*. 389(Supplement C):395–403
- Husseini. R. *et al.* 2020. Fire Control System in Forest Reserves: An Assessment of Three Forest Districts in The Northern Region, Ghana. *Scientific African*, 7, 1–14. <https://doi.org/10.1016/j.sciaf.2019.e00245>
- Irons, J. R., Dwyer, J. L., & Barsi, J. A. 2012. The next Landsat satellite: The Landsat Data Continuity Mission. *Remote Sensing of Environment*, 122, 11–21. <https://doi.org/10.1016/j.rse.2011.08.026>
- Itsnaini et al. 2017. Analisis Hubungan Curah Hujan dan Parameter Sistem Peringkat Bahaya Kebakaran (SPBK) Dengan Kejadian Kebakaran Hutan dan Lahan untuk Menentukan Nilai Ambang Batas Kebakaran. *Jurnal Geodesi Undip*. Vol. 6, No. 2. p62-70.
- Jaya, I. N. S., & Syaufina, L. 2012. Model Spasial Tingkat Kerawanan Kebakaran Hutan dan Lahan (Studi Kasus Propinsi Kalimantan Tengah). *FORESTA Indonesian Journal of Forestry*. I (1) 2012: 12-18.
- Jensen, J. R. 2014. *Remote sensing of the environment: An earth resource perspective* (Second edition [exclusive edition only for the benefit of students outside the United States and Canada]). Pearson.
- Justice, C. O., Giglio, L., Korontzi, S., Owens, J., Morisette, J. T., Roy, D., Descloitres, J., Alleaume, S., Petitcolin, F., & Kaufman, Y. 2002. The MODIS fire products. *Remote Sensing of Environment*, 83(1–2), 244–262. [https://doi.org/10.1016/S0034-4257\(02\)00076-7](https://doi.org/10.1016/S0034-4257(02)00076-7)

- Jylhä, K., Tuomenvirta, H., Ruosteenoja, K., Niemi-Hugaerts, H., Keisu, K., & Karhu, J. A. 2010. Observed and Projected Future Shifts of Climatic Zones in Europe and Their Use to Visualize Climate Change Information. *Weather, Climate, and Society*, 2(2), 148–167. <https://doi.org/10.1175/2010WCAS1010>
- Kalabokidis et al. 2015. Effect of Climate Change Projections on Forest Fire Behavior and Values-at-Risk in Southwestern Greece). *Forests*. ISSN 1999-4907. doi:10.3390/f6062214.
- Kalantar, B., Ueda, N., Idrees, M. O., Janizadeh, S., Ahmadi, K., & Shabani, F. 2020. Forest Fire Susceptibility Prediction Based on Machine Learning Models with Resampling Algorithms on Remote Sensing Data. *Remote Sensing*, 12(22), 3682. <https://doi.org/10.3390/rs12223682>
- Karasneh, B., & Chaudron, M. R. V. 2013. Extracting UML models from images. *2013 5th International Conference on Computer Science and Information Technology*, 169–178. <https://doi.org/10.1109/CSIT.2013.6588776>
- Keeley, Jon. E. 2009. Fire Intensity, Fire Severity and Burn Severity: A Brief Review and Suggested Usage. *International Journal of Wildland Fire*, 18(116-126). DOI: 10.1071/WF07049
- Key, C. H., & Benson, N. C. 2006. Landscape Assessment (Sampling and Analysis Method). *USDA Forest Service Gen. Tech.*
- Kibler, C. L., Parkinson, A.-M. L., Peterson, S. H., Roberts, D. A., D'Antonio, C. M., Meerdink, S. K., & Sweeney, S. H. 2019. Monitoring Post-Fire Recovery of Chaparral and Conifer Species Using Field Surveys and Landsat Time Series. *Remote Sensing*, 11(24), 2963. <https://doi.org/10.3390/rs11242963>
- Kokaly, R. F., Rockwell, B. W., Haire, S. L., & King, T. V. V. 2007. Characterization of post-fire surface cover, soils, and burn severity at the Cerro Grande Fire, New Mexico, using hyperspectral and multispectral remote sensing. *Remote Sensing of Environment*, 106(3), 305–325. <https://doi.org/10.1016/j.rse.2006.08.006>
- Kurnia, E., Jaya, I. N. S., & Atmaka, W. 2016. Satellite-Based Land Surface Temperature Estimation of Bogor, Indonesia. *Indonesian Journal of Electrical Engineering and Computer Science*, 2(1), 221. <https://doi.org/10.11591/ijeecs.v2.i1.pp221-228>
- Li, P., Jiang, L., & Feng, Z. 2013. Cross-Comparison of Vegetation Indices Derived from Landsat-7 Enhanced Thematic Mapper Plus (ETM+) and Landsat-8

Operational Land Imager (OLI) Sensors. *Remote Sensing*, 6(1), 310–329.
<https://doi.org/10.3390/rs6010310>

Liu, J., Heiskanen, J., Maeda, E. E., & Pellikka, P. K. E. 2018. Burned area detection based on Landsat time series in savannas of southern Burkina Faso. *International Journal of Applied Earth Observation and Geoinformation*, 64, 210–220. <https://doi.org/10.1016/j.jag.2017.09.011>

Liu, S., Wang, S., Chi, T., Wen, C., Wu, T., & Wang, D. 2020. An improved combined vegetation difference index and burn scar index approach for mapping cropland burned areas using combined data from Landsat 8 multispectral and thermal infrared bands. *International Journal of Wildland Fire*, 29(6), 499. <https://doi.org/10.1071/WF18146>

Lo, C.P., dan Albert K.W. Yeung. 2007. *Concepts and Techniques of Geographic Information System*. Jew Jersey. USA: Pearson Prentice Hall.

Lu, B., He, Y., & Tong, A. 2016. Evaluation of spectral indices for estimating burn severity in semiarid grasslands. *International Journal of Wildland Fire*, 25(2), 147. <https://doi.org/10.1071/WF15098>

Lydersen JM, Collins BM, Miller JD, Fry DL, Stephens SL. 2016. Relating firecaused change in forest structure to remotely sensed estimates of fire severity. *Fire Ecology*. 12(3):99–116 <https://doi.org/10.4996/fireecology.1203099>

Ma'ruf, A., Safitri, S. A., & Sinaga, A. 2016. Pengaruh Pemanasan Global terhadap Beberapa Tanaman C3 di Indonesia. *Jurnal Penelitian Pertanian BERNAS*. Vol. 12, No. 2, p44-54.

Masuoka, E., Fleig, A., Wolfe, R. E., & Patt, F. 1998. Key characteristics of MODIS data products. *IEEE Transactions on Geoscience and Remote Sensing*, 36(4), 1313–1323. <https://doi.org/10.1109/36.701081>

Maulana dkk. 2018. Aplikasi teknologi satelit multitemporal untuk penyusunan model spasial sebaran potensi kebakaran hutan di lereng selatan Gunung Merbabu. *Geomedia*. Vol. 16 No. 2. p97 – 107.

McCoy, R. M. (2005). *Field methods in remote sensing*. Guilford Press.

Miettinen, J., & Liew, S. C. 2009. Burn-scar patterns and their effect on regional burnt-area mapping in insular South-East Asia. *International Journal of Wildland Fire*. 18, p837–847. [10.1071/WF08102](https://doi.org/10.1071/WF08102).

Miller, C., & Ager, A. A. 2013. A review of recent advances in risk analysis for wildfire management. *International Journal of Wildland Fire*, 22(1), 1. <https://doi.org/10.1071/WF11114>

- Mutai, S. C. 2019. Analysis of burnt scar using optical and radar satellite data. *Thesis*. Faculty of Geo-Information Science and Earth Observation: University of Twente.
- Nurhayati, A. D. 2019. Penyebab Kebakaran Hutan di Kawasan Hutan Pendidikan Gunung Walat, Jawa Barat. *Jurnal Silvikultur Tropika*. Vol. 10, No. 3, ISSN: 2086-8227. p173-177.
- Nursoleha, P., Banowati, E., & Parman, S. 2014. Zonasi Tingkat Kerawanan Kebakaran Hutan di Taman Nasional Gunung Ciremai (TNGC) Berbasis Sistem Informasi Geografis (SIG). *Geo Image*. Vol 3, no 1 Universitas Negeri Semarang.
- Plummer, S., Arino, O., Simon, M., & Steffen, W. 2006. Establishing A Earth Observation Product Service for The Terrestrial Carbon Community: The Globcarbon Initiative. *Mitigation and Adaptation Strategies for Global Change*, 11(1), 97–111. <https://doi.org/10.1007/s11027-006-1012-8>
- Prasasti, I., D. Triyono, D., & Suwarsono. 2017. Detecting the Burned Area in Volcanic Region by Using Multitemporal Landsat-8 OLI (Case Study: Mt. Sumbing, Central Java). *Journal of Physics: Conference Series*, 1577, 012017. <https://doi.org/10.1088/1742-6596/1577/1/012017>
- Prasasti, I., Rahmi, K., Nugroho, J., Sitorus, J., Arief, R., Triyono, D., & Suwarsono. 2020. Detecting the burned area in southern Kalimantan by using the sentinel-1 polarimetric SAR and landsat-8 OLI optic. *Journal of Physics: Conference Series*, 1528, 012048. <https://doi.org/10.1088/1742-6596/1528/1/012048>
- Rather, M. A., Farooq, M., Meraj, G., Dada, M. A., Sheikh, B. A., & Wani, I. A. 2018. Remote Sensing and GIS Based Forest Fire Vulnerability Assessment in Dachigam National Park, North Western Himalaya. *Asian Journal of Applied Sciences*, 11(2), 98–114. <https://doi.org/10.3923/ajaps.2018.98.114>
- Rezainy, A., Syaufina, L., & Sitanggang, I. S. 2020. Pemetaan Daerah Rawan Kebakaran Di Lahan Gambut Berdasarkan Pola Sekuens Titik Panas Di Kabupaten Pulang Pisau Kalimantan Tengah. *Jurnal Pengelolaan Sumberdaya Alam dan Lingkungan (Journal of Natural Resources and Environmental Management)*. Vol. 10. no 1, p66–76. <https://doi.org/10.29244/jpsl.10.1.66-76>
- Rianawati, F., & Asyári, M. 2016. Pemetaan Daerah Rawan Kebakaran pada Lahan Basah di Kecamatan Gambut Provinsi Kalimantan Selatan. *Seminar Nasional dan Gelar Produk*. Fakultas Kehutanan: Universitas Lambung Mangkurat.

- Roy, D. P., & Boschetti, L. 2009. Southern Africa Validation of the MODIS, L3JRC, and GlobCarbon Burned-Area Products. *IEEE Transactions on Geoscience and Remote Sensing*, 47(4), 1032–1044. <https://doi.org/10.1109/TGRS.2008.2009000>
- Roy, D. P., Boschetti, L., Justice, C. O., & Ju, J. 2008. The collection 5 MODIS burned area product—Global evaluation by comparison with the MODIS active fire product. *Remote Sensing of Environment*, 112(9), 3690–3707. <https://doi.org/10.1016/j.rse.2008.05.013>
- Roy, D. P., Wulder, M. A., Loveland, T. R., C.E., W., Allen, R. G., Anderson, M. C., Helder, D., Irons, J. R., Johnson, D. M., Kennedy, R., Scambos, T. A., Schaaf, C. B., Schott, J. R., Sheng, Y. 2014. Landsat-8: Science and product vision for terrestrial global change research. *Remote Sensing of Environment*, 145, 154–172. <https://doi.org/10.1016/j.rse.2014.02.001>
- Roy, D. P., Frost, P. G. H., Justice, C. O., Landmann, T., Le Roux, J. L., Gumbo, K., Makungwa, S., Dunham, K., Du Toit, R., Mhwandagara, K., Zacarias, A., Tacheba, B., Dube, O. P., Pereira, J. M. C., Mushove, P., Morissette, J. T., Santhana Vannan, S. K., & Davies, D. 2005. The Southern Africa Fire Network (SAFNet) regional burned-area product-validation protocol. *International Journal of Remote Sensing*, 26(19), 4265–4292. <https://doi.org/10.1080/01431160500113096>
- Roy, P. S. 2005. Forest Fire and Degradation Assesment Using Satellite Remote Sensing and Geographic Information System. *Indian Institute of Remote Sensing: Dehra Dun*. p361-400.
- Saefurrohman. 2005. Pengembangan Database Spasial untuk Pembuatan Aplikasi Berbasis SIG. *Jurnal Teknologi Informasi DINAMIK*. Vol. X, No. 3. p133-142.
- Salvador et al. 2000. A semi-automatic methodology to detect re scars in shrubs and evergreen forests with Landsat MSS time series. *International Journal Remote Sensing*. Vol. 21, No. 4. p655-671.
- Saputra A. D., Setiabudidaya, D., Setyawan, D., Khakim, M. Y. N., & Iskandar, I. 2017. Burn scar analysis using normalized burning ratio (NBR) index during 2015 forest fire at Merang-Kepahyang peat forest, South Sumatra, Indonesia. *International Symposium on Earth Hazard and Disaster Mitigation (ISEDMD)*. <https://doi.org/10.1063/1.4987107>.
- Schroeder, W., Oliva, P., Giglio, L., Quayle, B., Lorenz, E., & Morelli, F. 2016. Active fire detection using Landsat-8/OLI data. *Remote Sensing of Environment*, 185, 210–220. <https://doi.org/10.1016/j.rse.2015.08.032>

- Smith, A. M. S., Drake, N. A., Wooster, M. J., Hudak, A. T., Holden, Z. A., & Gibbons, C. J. 2007. Production of Landsat ETM+ reference imagery of burned areas within Southern African savannahs: Comparison of methods and application to MODIS. *International Journal of Remote Sensing*, 28(12), 2753–2775. <https://doi.org/10.1080/01431160600954704>
- Solomon, S., Intergovernmental Panel on Climate Change, & Intergovernmental Panel on Climate Change (Ed.). 2007. Climate change 2007: The physical science basis: contribution of Working Group I to the Fourth Assessment Report of the Intergovernmental Panel on Climate Change. *Cambridge University Press*.
- Stroppiana, D., Azar, R., Calò, F., Pepe, A., Imperatore, P., Boschetti, M., Silva, J., Brivio, P., & Lanari, R. 2015. Integration of Optical and SAR Data for Burned Area Mapping in Mediterranean Regions. *Remote Sensing*, 7(2), 1320–1345. <https://doi.org/10.3390/rs70201320>
- Stroppiana, D., Tansey, K., Gregoire, J., & Pereira, J. M. C. 2003. An algorithm for mapping burnt areas in australia using SPOT-VEGETATION data. *IEEE Transactions on Geoscience and Remote Sensing*, 41(4), 907–909. <https://doi.org/10.1109/TGRS.2003.808898>
- Suresh Babu, K. V., Roy, A., & Aggarwal, R. (2018). MAPPING OF FOREST FIRE BURNED SEVERITY USING THE SENTINEL DATASETS. *The International Archives of the Photogrammetry, Remote Sensing and Spatial Information Sciences*, XLII-5, 469–474. <https://doi.org/10.5194/isprs-archives-XLII-5-469-2018>
- Suwargana, N. 2013. Resolusi Spasial, Temporal dan Spektral pada Citra Satelit Landsat, SPOT, dan Ikonos. *Jurnal Ilmiah WIDYA*. Vol. 1, No. 2. p167-174.
- Suwarsono dkk. 2016. Analisis Karakteristik Temperatur Area Terbakar (Burned Area) Menggunakan Data Landsat-8 TIRS di Kalimantan. *Jurnal Penginderaan Jauh*. Vol.13, No.1. p13-22.
- Szpakowski, D., & Jensen, J. 2019. A Review of the Applications of Remote Sensing in Fire Ecology. *Remote Sensing*, 11(22), 2638. <https://doi.org/10.3390/rs11222638>
- Tacconi, Luca. 2013. Kebakaran Hutan di Indonesia: Penyebab, Biaya, dan Implikasi Kebijakan. *CIFOR*. Occasional Paper No. 38 (i). Bogor: Indonesia
- Tansey, K., Grégoire, J.-M., Defourny, P., Leigh, R., Pekel, J.-F., van Bogaert, E., & Bartholomé, E. 2008. A new, global, multi-annual (2000–2007) burnt

- area product at 1 km resolution. *Geophysical Research Letters*, 35(1), L01401. <https://doi.org/10.1029/2007GL031567>
- Teixeira Pinto, C., Jing, X., & Leigh, L. 2020. Evaluation Analysis of Landsat Level-1 and Level-2 Data Products Using in Situ Measurements. *Remote Sensing*, 12(16), 2597. <https://doi.org/10.3390/rs12162597>
- Thoha, A. S. 2006. Penggunaan Penginderaan Jauh untuk Deteksi Kebakaran Gambut di Kabupaten Bengkalis Provinsi Riau. *Peronema Forestry Science Journal*. Vol. 2, No. 2 p-53-58.
- Tien Bui et al. 2016. Tropical Forest Fire Susceptibility Mapping at the Cat Ba National Park Area, Hai Phong City, Vietnam, Using GIS-Based Kernel Logistic Regression. *Remote Sensing*. 8, 347; doi:10.3390/rs8040347.
- Van Hoang, T., Chou, T. Y., Fang, Y. M., Nguyen, N. T., Nguyen, Q. H., Xuan Canh, P., Ngo Bao Toan, D., Nguyen, X. L., & Meadows, M. E. 2020. Mapping Forest Fire Risk and Development of Early Warning System for NW Vietnam Using AHP and MCA/GIS Methods. *Applied Sciences*, 10(12), 4348. <https://doi.org/10.3390/app10124348>
- van Wagendonk, J. W., Root, R. R., & Key, C. H. 2004. Comparison of AVIRIS and Landsat ETM+ detection capabilities for burn severity. *Remote Sensing of Environment*, 92(3), 397–408. <https://doi.org/10.1016/j.rse.2003.12.015>
- Van Westen, C. J. 2013. 3.10 Remote Sensing and GIS for Natural Hazards Assessment and Disaster Risk Management. *Dalam Treatise on Geomorphology* (hlm. 259–298). Elsevier. <https://doi.org/10.1016/B978-0-12-374739-6.00051-8>
- Vetrita, Y., & Cochrane, M. A. 2019. Fire Frequency and Related Land-Use and Land-Cover Changes in Indonesia's Peatlands. *Remote Sensing*, 12(1), 5. <https://doi.org/10.3390/rs12010005>
- Wang, S., Baig, M. H. A., Liu, S., Wan, H., Wu, T., & Yang, Y. 2018. Estimating the area burned by agricultural fires from Landsat 8 Data using the Vegetation Difference Index and Burn Scar Index. *International Journal of Wildland Fire*, 27(4), 217. <https://doi.org/10.1071/WF17069>
- Xaud, H. A. M., Martins, F. da S. R. V., & Santos, J. R. dos. 2013. Tropical forest degradation by mega-fires in the northern Brazilian Amazon. *Forest Ecology and Management*, 294, 97–106. <https://doi.org/10.1016/j.foreco.2012.11.036>
- Xie C, Huang B, Claramunth C, Chandramouli M, 2005. Spatial Logistics Regression and GIS to Model Rural-Urban Land Conversion. *In Second*

International Colloquium on the Behavioral Foundations of Integrated Land-use and Transportation Model; Framework, Models and Applications. 2005 July, Toronto, Canada.

Yulianto, F. 2009. Pemanfaatan Data Modis untuk Identifikasi Daerah Bekas Terbakar (Burned Area) Berdasarkan Perubahan Nilai NDVI di Provinsi Kalimantan Tengah Tahun 2009. *Jurnal Penginderaan Jauh*. Vol. 6, p54-64.

Wibowo, Ronni Wahyu. 2011. Forest Fire Susceptibility Map at Gunung Merbabu National Park in the Framework of an Early Warning System. *Tesis*. UGM: Yogyakarta.