

DAFTAR PUSTAKA

- Abu-Saied, M. A., Wycisk, R., Abbassy, M. M., El-Naim, G. A., El-Demerdash, F., Youssef, M. E., Bassuony, H., & Pintauro, P. N. (2017). Sulfated chitosan/PVA absorbent membrane for removal of copper and nickel ions from aqueous solutions—Fabrication and sorption studies. *Carbohydrate Polymers*, 165, 149–158.
- Ahvenainen, R. (2003). Active and intelligent packaging: An introduction. in R Ahvenainen (ed.), *Novel FP Techniques*. Woodhead Publishing, Cambridge, Woodhead Publishing Series in Food Science, Technology and Nutrition, pp. 5-21.
- Ali, A., & Ahmed, S. (2018). Recent Advances in Edible Polymer Based Hydrogels as a Sustainable Alternative to Conventional Polymers. *Journal of Agricultural and Food Chemistry*, 66(27), 6940–6967.
- Amjadi, S., Emaminia, S., Heyat Davudian, S., Pourmohammad, S., Hamishehkar, H., & Roufegarinejad, L. (2019). Preparation and characterization of gelatin-based nanocomposite containing chitosan nanofiber and ZnO nanoparticles. *Carbohydrate Polymers*, 216, 376–384.
- Anthika, B., Kusumocahyo, S. P., & Sutanto, H. (2015). Ultrasonic Approach in *Clitoria ternatea* (Butterfly Pea) Extraction in Water and Extract Sterilization by Ultrafiltration for Eye Drop Active Ingredient. *Procedia Chemistry*, 16, 237–244.
- Arfat, Y. A., Benjakul, S., Prodpran, T., Sumpavapol, P., & Songtipya, P. (2014). Properties and antimicrobial activity of fish protein isolate/fish skin gelatin lapisan containing basil leaf essential oil and zinc oxide nanoparticles. *Food Hydrocolloids*, 41, 265–273.
- Arrieta, M. P., Samper, M. D., Aldas, M., & Lopez, J. (2017). On the use of PLA-PHB blends for sustainable FP applications. *Materials*, 10, 1008.

- Atay, E., Fabra, M. J., Martínez-Sanz, M., Gomez-Mascaraque, L. G., Altan, A., & Lopez- Rubio, A. (2018). Development and characterization of chitosan/gelatin electrosprayed microparticles as food gade delivery vehicles for anthocyanin extracts. *Food Hydrocolloids*, 77, 699–710.
- Balbinot-Alfaro E., Craveiro D.V., Lima K.O., Costa H.L.G., Lopes D.R., Prentice C. (2019). Intelligent packaging with pH indicator potential. *Food Eng Rev* 11: 235-244.
- Bafdal N. 2007. Packaging Optimization for Transporting Broccoli at Low Temperatur. Joint Research Between The Padjadjaran University and The Korea Research Institute Bandung, Indonesia.
- Bang, Y.J., Shankar, S., & Rhim, J.W. (2019). In situ synthesis of multi-functional gelatin/resorcinol/silver nanoparticles composite lapisans. *FP and Shelf Life*, 22, Article 100399.
- Bano, I., Arshad, M., Yasin, T., Ghauri, M. A., & Younus, M. (2017). Chitosan: A potential biopolymer for wound management. *International Journal of Biological Macromolecules*, 102, 380–383.
- Bhargava, N., Sharanagat, V. S., Mor, R. S., & Kumar, K. (2020). Active and intelligent biodegradable packaging lapisans using food and food waste-derived bioactive compounds: A review. *Trends in Food Science and Technology*, 105, 385–401.
- Berryman, Paul. 2014. Advances in Food and Baverage Labelling. *Cambridge: Woodhead Publishing*.
- Binda, M. 2011., *Organic Electronic: Principles, devices and applications*., Milano., November 15-18.
- Bondre, S., Patil, P., Kulkarni, A., & Pillai, M. M. (2012). Study On Isolation And Purification Of Anthocyanins And Its Application As Ph Indicator. *International Journal of Advanced Biotechnology and Research*, 3(3): 698-702.

- Borkowski, T., Szymusiak, H., Gliszczyńska-Świgło, A., Rietjens, I. M., & Tyrakowska, B. (2005). Radical scavenging capacity of wine anthocyanins is strongly pH-dependent. *Journal of Agricultural and Food Chemistry*, 53(14), 5526–5534.
- Brooks, J. C., Alvarado, M., Stephens, T. P., Kellermeier, J. D., Tittor, A. W., Miller, M. F., & Brashears, M. M. (2008). Spoilage and Safety Characteristics of Gound Beef Packaged in Traditional and Modified Atmosphere Packages. In *Journal of Food Protection* (Vol. 71, Issue 2).
- Casey, L.S. and Wilson, L.D. (2015) Investigation of Chitosan-PVA Composite Lapisans and Their Adsorption Properties. *Journal of Geoscience and Environment Protection*, 3, 78-84.
- Chandrakala, H. N., Ramaraj, B., Shivakumaraiah, Lee, J. H., & Siddaramaiah. (2013). Polyvinyl alcohol/carbon coated zinc oxide nanocomposites: Electrical, optical, structural and morphological characteristics. *Journal of Alloys and Compounds*, 580, 392–400.
- Choi, I., Lee, J.Y., Lacroix, M. and Han, J. (2017). Intelligent pH indicator lapisan composed of agar/ potato starch and anthocyanin extracts from purple sweet potato. *Food Chemistry*, 218, 122–128.
- Cobos, M., González, B., Fernández, M. J., & Fernández, M. D. (2018). Study on the effect of gaphene and glycerol plasticizer on the properties of chitosan-gaphene nanocomposites via in situ geen chemical reduction of gaphene oxide. *International Journal of Biological Macromolecules*, 114, 599–613.
- Cowd, M.A., 1991, Kimia Polimer, Penerbit ITB, Bandung
- Damodaran, T., Tan, B.W.L., Liao, P., Ramanathan, S., Lim, G.K. and Hassan, Z. (2018). Clitoria ternatea L. root extract ameliorated the cognitive and hippocampal long-term potentiation deficits induced by chronic cerebral hypoperfusion in the rat. *Journal of Ethnopharmacology*, 224(1), 381–390.

- Deshmukh, K., Basheer Ahamed, M., Deshmukh, R. R., Khadheer Pasha, S. K., Bhagat, P. R., & Chidambaram, K. (2017). Biopolymer Composites With High Dielectric Performance: Interface Engineering. *Biopolymer Composites in Electronics*, 27–128.
- Dotson NE, Galvan R, Laurence RL, Tirrell M. Polymerization Process Modeling. New York (NY): Wiley VCH; 1996. p 35.
- Epure, V., Giffon, M., Pollet, E., & Avérous, L. (2011). Structure and properties of glycerol-plasticized chitosan obtained by mechanical kneading. *Carbohydrate Polymers*, 83(2), 947–952.
- Fan, L., Yang, H., Yang, J., Peng, M., & Hu, J. (2016). Preparation and characterization of chitosan/gelatin/PVA hydrogel for wound dressings. *Carbohydrate Polymers*, 146, 427–434.
- Fang, Z., Zhao, Y., Warner, R. D., & Johnson, S. K. (2017). Active and intelligent packaging in meat industry. *Trends in Food Science & Technology*, 61, 60–71.
- Finger F.L., Endres, P.R., Mosquim and Puiatti. 1999. Physiological Changes During Postharvest Senescence of Broccoli in Pesquisa Agropecuária Brasileira 58 Print ISSN 0100-204X *Pesq. agopec. bras.* vol. 34 no.9 Brasília.
- Flick GJ, Martin RE (2000) Chitin and chitosan. In: Martin RE, Carter EP, Flick GJ, Davis LM (eds) Marine & freshwater products handbook. *Technomic, Lancaster*, pp 627–634.
- Gelli, R., Buffa, S. D., Tempesti, P., Bonini, M., Ridi, F., & Baglioni, P. (2017). Multi-scale investigation of gelatin/poly (vinyl alcohol) interactions in water. *Colloids and Surfaces A: Physicochemical and Engineering Aspects*, 532, 18 –25.
- Ghaderi, J., Hosseini, S. F., Keyvani, N., & Gómez-Guillén, M. C. (2019). Polymer blending effects on the physicochemical and structural features

of the chitosan/poly (vinyl alcohol)/fish gelatin ternary biodegradable lapisans. *Food Hydrocolloids*, 95, 122–132.

Giannakas, A., Vlachas, M., Salmas, C., Leontiou, A., Katapodis, P., Stamatis, H., Barkoula, N. M., & Ladavos, A. (2016). Preparation, characterization, mechanical, barrier and antimicrobial properties of chitosan/PVOH/tanah liat nanocomposites. *Carbohydrate Polymers*, 140, 408–415.

Goldstein, J., I., Newbury, D., E., Echlin, P., Joy, D., C., Lyman, C., E., Lifshin, E., Linda Sawyer, L. and Michael, J., R. “Scanning Electron Microscopy and X-Ray Microanalysis”, Kluwer Academic, New York. (2003).

Gujić, R., Vujadinović, D., & Savanović, D. (2017). Biopolymers as FP materials. In E. Pellicer, D. Nikolic, J. Sort, M. D. Baro, F. Zivic, N. Gujovic, S. Pelemis (Eds.), *Advances in applications of industrial biomaterials* (pp. 139–160). Springer International Publishing.

Gomez-Guillen, M. C., Gimenez, B., Lopez-Caballero, M. E., & Montero, M. P. (2011). Functional and bioactive properties of collagen and gelatin from alternative sources: A review. *Food Hydrocolloids*, 25(8), 1813–1827.

Haghighi, H., Leugoue, S. K., Pfeifer, F., Siesler, H. W., Licciardello, F., Fava, P., et al. (2020). Development of antimicrobial lapisans based on chitosan-polyvinyl alcohol blend enriched with ethyl lauroyl arginate (LAE) for FP applications. *Food Hydrocolloids*, 100, 105419.

Haghighi, H., Gullo, M., la China, S., Pfeifer, F., Siesler, H. W., Licciardello, F., & Pulvirenti, A. (2021). Characterization of bio-nanocomposite lapisans based on gelatin/polyvinyl alcohol blend reinforced with bacterial cellulose nanowhiskers for FP applications. *Food Hydrocolloids*, 113, 106454.

Hahladakis, J. N., Iacovidou, E., & Gerassimidou, S. (2020). Plastic waste in a circular economy. *Plastic Waste and Recycling*, 481–512.

- Halász, K & Csóka, L. (2018). Black chokeberry (*Aronia melanocarpa*) pomace extract immobilized in chitosan for colorimetric pH indicator lapisan application. *FP Shelf Life*, 16, 185–193.
- Hameed, A. M., Asiyanbi-H., T., Idris, M., Fadzillah, N., & Mirghani, M. E. S. (2018). A review of gelatin source authentication methods. *Tropical Life Sciences Research*, 29(2), 213–227.
- Han, J.-W., Ruiz-Garcia, L., Qian, J.-P. and Yang, X.-T. (2018), FP: A Comprehensive Review and Future Trends. *Comprehensive Reviews in Food Science and Food Safety*, 17: 860-877.
- Harborne, J.B. 1987. *Metode Fitokimia Penuntun Cara Modern Menganalisis Tumbuhan*. Bandung: Penerbit ITB. 6, 13.
- Hasan, M., Rusman, R., Khaldun, I., Ardana, L., Mudatsir, M., & Fansuri, H. (2020). Active edible sugar palm starch-chitosan lapisans carrying extra virgin olive oil: Barrier, thermo-mechanical, antioxidant, and antimicrobial properties. *International Journal of Biological Macromolecules*, 163, 766–775.
- Hashim, S. B. H., Elrasheid Tahir, H., Liu, L., Zhang, J., Zhai, X., Ali Mahdi, A., Nureldin Awad, F., Hassan, M. M., Xiaobo, Z., & Jiyong, S. (2022). Intelligent colorimetric pH sensing packaging lapisans based on sugarcane wax/agar integrated with butterfly pea flower extract for optical tracking of shrimp freshness. *Food Chemistry*, 373, 131514.
- Haya, F. D., Sulhadi, dan Aji, M. P. 2017. *Pembuatan Semak (Semprotan Anti Keruh) Sebagai Alternatif Lapisan Pencegah Kekeruhan Pada Kacamata*, Jurnal Ilmu Pendidikan Fisika, 2 (1), 12-16.
- Hejazi, M., Behzad, T., Heidarian, P., & Nasri-Nasrabadi, B. (2018). A study of the effects of acid, plasticizer, cross-linker, and extracted chitin nanofibers on the properties of chitosan biofilm. *Composites Part A, Applied Science and Manufacturing*, 109, 221–231.

- Hu, D., & Wang, L. (2016). Fabrication of antibacterial blend lapisan from poly (vinyl alcohol) and quaternized chitosan for packaging. *Materials Research Bulletin*, 78, 46–52.
- Hu, H., Yao, X., Qin, Y., Yong, H., & Liu, J. (2020). Development of multifunctional FP by incorporating betalains from vegetable amaranth (*Amaranthus tricolor* L.) into quaternary ammonium chitosan/fish gelatin blend lapisans. *International Journal of Biological Macromolecules*, 159, 675–684.
- Jackson, T. C., Acuff, G. R., Vanderzant, C., Sharp, T. R., & Savell, J. W. (1992). Identification and evaluation of volatile compounds of vacuum and modified atmosphere packaged beef strip loins. *Meat Science*, 31(2), 175–190.
- Jo, G. H., Park, R. D., Jung, W. J. (2011). Enzymatic production of chitin from crustacean shell waste. In: Kim SK (ed) *Chitin, Chitosan, Oligosaccharides and Their Derivatives*. CRC Press/Taylor & Francis, Boca Raton, pp 37–45.
- Kadam, A. A., Singh, S., & Gaikwad, K. K. (2021). Chitosan based antioxidant lapisans incorporated with pine needles (*Cedrus deodara*) extract for active FP applications. *Food Control*, 124, 107877.
- Khomsan A. (2004). *Pangan dan Gizi*. Yogyakarta.
- Kalpana, S., Priyadarshini, S. R., Maria Leena, M., Moses, J. A., & Anandharamakrishnan, C. 597 (2019). Intelligent packaging: Trends and applications in food systems. *Trends in Food Science and Technology*, 93(October 2018), 145–157.
- Kariminejad, M., Sadeghi, E., Rouhi, M., Mohammadi, R., Askari, F., Taghizadeh, M., et al. (2018). The effect of nano-SiO₂ on the physicochemical and structural properties of gelatin-polyvinyl alcohol composite lapisans. *Journal of Food Process Engineering*, 41(6), Article e12817.
- Karmakar, S. R. 1999. *Chemical Technology in The Pre-Treatment Processes of Textiles*. Elsevier, New Delhi.

- Kaewklin, P., Siripatrawan, U., Suwanagul, A. & Lee, Y.S. (2018). Active packaging from chitosan-titanium dioxide nanocomposite lapisan for prolonging storage life of tomato fruit. *Int. J. Biol. Macromol*, 112, 523–529.
- Kim, H.-J., Roy, S., & Rhim, J.-W. (2022). Gelatin/agar-based color-indicator lapisan integrated with Clitoria ternatea flower anthocyanin and zinc oxide nanoparticles for monitoring freshness of shrimp. *Food Hydrocolloids*, 124, 107294.
- Kong, J., & Yu, S. (2007). Fourier transform infrared spectroscopic analysis of protein secondary structures. *Acta Biochimica et Biophysica Sinica*, 39(8), 549–559.
- Kozloff E (1990) Invertebrates. Saunder College Publishing, New York.
- Kumosa, L. S., Zetterberg, V., & Schouenborg, J. (2018). Gelatin promotes rapid restoration of the blood brain barrier after acute brain injury. *Acta Biomateriali* J.ACTBIO.2017.10.020.
- Kumar, S., Krishnakumar, B., Sobral, A. J. F. N., & Koh, J. (2019). Bio-based (chitosan/PVA/ZnO) nanocomposites lapisan: Thermally stable and photoluminescence material for removal of organic dye. *Carbohydrate Polymers*, 205, 559–564.
- Kurita K (1998) Chemistry and application of chitin and chitosan. *Polym Degrad Stability* 59:117–120
- Kusmono, & Abdurrahim, I. (2019). Water sorption, antimicrobial activity, and thermal and mechanical properties of chitosan/tanah liat/glycerol nanocomposite lapisans. *Heliyon*, 5(8), e02342.
- Lakshan, S.A.T., Jayanath N.Y., Abeysekera W.P.K.M., Abeysekera WKSM. (2019). A commercial potential blue pea (*Clitoria ternatea* L.) flower extract incorporated beverage having functional properties. *Evid- Based Compl Altern Med* (3): 1-13.

- Lei, Y., Mao, L., Yao, J., & Zhu, H. (2021). Improved mechanical, antibacterial and UV barrier properties of catechol-functionalized chitosan/polyvinyl alcohol biodegradable composites for active FP. *Carbohydrate Polymers*, 264, 117997.
- Lewandowska, K., Sionkowska, A., Kaczmarek, B., & Furtos, G. (2014). Characterization of chitosan composites with various tanah liats. *International Journal of Biological Macromolecules*, 65, 534–541.
- Liu, J., Huang, J., Ying, Y., Hu, L., & Hu, Y. (2021). pH-sensitive and antibacterial lapisans developed by incorporating anthocyanins extracted from purple potato or roselle into chitosan/polyvinyl alcohol/nano-ZnO matrix: Comparative study. *International Journal of Biological Macromolecules*, 178, 104–112.
- Liu, L., Zhang, J., Shi, J., Huang, X., Zou, X., Zhang, D., Zhai, X., Yang, Z., Li, Z., & Li, Y. (2020). Preparation and comparison of two functional nanoparticle-based bilayers reinforced with a κ -carrageenan–anthocyanin complex. *International Journal of Biological Macromolecules*, 165, 758–766.
- Luchese, C. L., Sperotto, N., Spada, J. C., & Tessaro, I. C. (2017). Effect of blueberry agroindustrial waste addition to corn starch-based films for the production of a pH-indicator film. *International Journal of Biological Macromolecules*, 104, 11–18.
- Luo, Q., Hossen, M. A., Zeng, Y., Dai, J., Li, S., Qin, W., & Liu, Y. (2022). Gelatin-based composite lapisans and their application in FP: A review. *Journal of Food Engineering*, 313, 110762.
- Luzi, F., Torre, L., Kenny, J. M., & Puglia, D. (2019). Bio- and fossil-based polymeric blends and nanocomposites for packaging: Structure-property relationship. *Materials*, 12(3), 1–49.
- Lv, L. C., Huang, Q. Y., Ding, W., Xiao, X. H., Zhang, H. Y., & Xiong, L. X. (2019). Fish gelatin: The novel potential applications. *Journal of Functional Foods*, 63, 103581.
- M. Chaplin, Water Structure and Science: Gelatin, Website: <http://www.lsbu.ac.uk/water/hygel.html>, 2012.

- Majid, S., Kang, S., Saeed, M., Javad, S. (2020). Preparation and characterization of polyvinyl alcohol/chitosan blends plasticized and compatibilized by glycerol/polyethylene glycol. *Carbohydrate Polymer* 232 (2020) 115784.
- Mallakpour, S., & Madani, M. (2012). Transparent and thermally stable improved poly (vinyl alcohol)/Cloisite Na⁺/ZnO hybrid nanocomposite films: Fabrication, morphology and surface properties. *Progress in Organic Coating*, 74, 520–525.
- Mareta, D. T. 2011. Pengemasan Produk Sayuran Dengan Bahan Kemasan Plastik Pada Penyimpanan Suhu Ruang Dan Suhu Dingin. *J. Ilmu Pertanian*, 7(1): 26-40.
- Mark JE, Allcock HR, West R. Inorganic Polymers. 2nd ed. New York (NY): Oxford University Press; 2005.
- Marpaung, A. M., Andarwulan, N., Hariyadi, P., & Nur Faridah, D. (2017). The colour degradation of anthocyanin-rich extract from butterfly pea (*Clitoria ternatea* L.) petal in various solvents at pH 7. *Natural Product Research*, 31(19), 2273–2280.
- Mohammadi, R., Mohammadifar, M.A., Rouhi, M., Kariminejad, M., Mortazavian, A.M., Sadeghi, E., Hasanvand, S. (2018). Physico-mechanical and structural properties of eggshell membrane gelatin- chitosan blend edible lapisans. *Int. J. Biol. Macromol.* 107, 406–412.
- Moloney, M., Robbins, R. J., Collins, T. M., Kondo, T., Yoshida, K., & Dangles, O. (2018). Red cabbage anthocyanins: The influence of D-glucose acylation by hydroxycinnamic acids on their structural transformations in acidic to mildly alkaline conditions and on the resulting color. *Dyes and Pigments*, 158, 342–352.
- Moradi, M., Tajik, H., Almasi, H., Forough, M., & Ezati, P. (2019). A novel pH-sensing indicator based on bacterial cellulose nanofibers and black carrot anthocyanins for monitoring fish freshness. *Carbohydrate Polymers*, 222,

115030.

Morawetz H. *Polymers: The Origin and Growth of a Science*. Mineola (NY): Dover Publications Inc.; 2002.

Morrison, LR (1994) *Glycerin in Encyclopedia of Chemical Technology*, Wiley, New York, 681-694.

Moulana, R., Juanda., Rohaya, S., & Rosika, R. (2012). Efektivitas Penggunaan Jenis Pelarut dan Asam dalam Proses Ekstraksi Pigmen Antosianin Kelopak Bunga Rosella (*Hibiscus sabdariffa* L). *J. Teknol. dan Ind. Pertan. Indones.*, vol. 4, no. 3, pp. 20–25.

Mourya, V.K., Inamdar, N.N. (2008). Chitosan-modifications and applications: opportunities galore. *React Funct Polym* 68:1013–1051.

Musso, Y. S., Salgado, P. R., & Mauri, A. N. (2019). Smart gelatin films prepared using red cabbage (*Brassica oleracea* L.) extracts as solvent. *Food Hydrocolloids*, 89, 674–681.

Narayan R, Pettigew C. *ASTM Standardization News*; 1999 December: 36–42.

Nehra, P., Chauhan, R., Garg, N., & Verma, K. (2018). Antibacterial and antifungal activity of chitosan coated iron oxide nanoparticles. *British Journal of Biomedical Science*, 75(1), 13–18.

No, H., Meyers, S., Prinyawiwatkul, W. and Xu, Z. (2007). Applications of Chitosan for Improvement of Quality and Shelf Life of Foods: A Review. *Journal of Food Science*, 72: R87-R100.

Nuanman, S., Prodpran, T., & Benjakul, S. (2015). Potential use of gelatin hydrolystate as plasticizer in fish myofibrillar protein lapisan. *Food Hydrocolloids*, 47, 61-68.

Nur Hanani, Z. A., Roos, Y. H., & Kerry, J. P. (2014). Use and application of gelatin as potential biodegradable packaging materials for food products. *International Journal of Biological Macromolecules*, 71, 94–102.

- Patachia, S., Valente, A.J.M., Papanceaa, A. & Victor M. M. Lobo, 2009, Poly Vinyl Alcohol[pva]-based Polymer Membranes, Nova Science Publisher, UK.
- Pereira, V. A., de Arruda, I. N. Q., & Stefani, R. (2015). Active chitosan/PVA lapisans with anthocyanins from Brassica oleraceae (Red Cabbage) as Time–Temperature Indicators for application in intelligent FP. *Food Hydrocolloids*, 43, 180–188.
- Powel. 2003. Kejuruteraan dengan Polimer. University Teknologi Malaysia, Johor Baharu.
- Prateepchanachai, S., Thakhiew, W., Devahastin, S., & Soponronnarit, S. (2019). Improvement of mechanical and heat-sealing properties of edible chitosan lapisans via addition of gelatin and CO₂ treatment of lapisan-forming solutions. *International Journal of Biological Macromolecules*, 131, 589–600.
- Pourjavaher, S., Almasi, H., Meshkini, S., Pirs, S., & Parandi, E. (2017). Development of a colorimetric pH indicator based on bacterial cellulose nanofibers and red cabbage (*Brassica oleraceae*) extract. *Carbohydr. Polym*, 156, 193–201.
- Purnaningum, R. 2017. Sudut Kontak dan Aktivitas Antibakteri Kain Nylon 6,6 Dengan Modifikasi Penambahan Nanopartikel Perak Dan Senyawa Silan, Skripsi, Fakultas Matematika Dan Ilmu Pengetahuan Alam Universitas Negeri Yogyakarta.
- Ramli, M. E., Salleh, R. M., Tajarudin, H. A., & Zulkurnain, M. (2021). Influence of amylose content on phenolics fortification of different rice varieties with butterfly pea (*Clitoria ternatea*) flower extract through parboiling. *Lebensmittel-Wissenschaft und -Technologie- Food Science and Technology*, 147, 111493.
- Rana, P., Murmu, N., Padhan, S. K., & Sahu, S. N. (2020). Butterfly pea (*Clitoria ternatea*) extract as a green analytical tool for selective colorimetric detection of bisulphate (HSO₄[–]) ion in aqueous medium. *Spectrochimica Acta Part A*:

Molecular and Biomolecular Spectroscopy, 237, 118376.

Rawdkuen, S., Faseha, A., Benjakul, S., & Kaewprachu, P. (2020). Application of anthocyanin as a color indicator in gelatin lapisans. *Food Bioscience*, 36, Article 100603.

Rezaee, M., Askari, G., EmamDjomeh, Z., & Salami, M. (2018). Effect of organic additives on physiochemical properties and anti-oxidant release from chitosan-gelatin composite lapisans to fatty food simulant. *International Journal of Biological Macromolecules*, 114, 844–850.

Riahi, Z., Priyadarshi, R., Rhim, J.-W., & Bagheri, R. (2021). Gelatin-based functional lapisans integrated with gapefruit seed extract and TiO₂ for active FP applications. *Food Hydrocolloids*, 112, Article 106314.

Rodrigues, M. A. V., Bertolo, M. R. V., Marangon, C. A., Martins, V., & Plepis, A. M. G. (2020). Chitosan and gelatin materials incorporated with phenolic extracts of gape seed and jabuticaba peel: Rheological, physicochemical, antioxidant, antimicrobial and barrier properties. *International Journal of Biological Macromolecules*, 160, 769–779.

Roy, S., & Rhim, J.-W. (2020). Preparation of antimicrobial and antioxidant gelatin/ curcumin composite lapisans for active FP application. *Colloids and Surfaces B: Biointerfaces*, 188, Article 11076

Roy, S., Kim, H.-J., & Rhim, J.-W. (2021). Effect of blended colorants of anthocyanin and shikonin on carboxymethyl cellulose/agar-based smart packaging lapisan. *International Journal of Biological Macromolecules*, 183, 305–315.

Pang, Z., Deeth, H., Sopade, P., Sharma, R., & Bansal, N. (2014). Rheology, texture and microstructure of gelatin gels with and without milk proteins. *Food Hydrocolloids*, 35, 484–493.

Patachia, S. (2009). *Poly (Vinyl Alcohol) [PVA] - Based Polymer Membranes*. New York: Nova Science Publishers, Inc.

Qiao, C, Ma, X, Wang, X, Yao, J. (2019). Effect of water on the thermal transition in chitosan lapisans. *Polymer Crystallization* 2: e10092.

S. Claude, *Lipid Fett*, 1999, 101, 101–104.

Sanjaya, G. I. dan Puspita, T. 2010. Pengaruh Penambahan Khitosan dan Plasticizer Gliserol pada Karakteristik Plastik Biodegradable dari Pati Limbah Kulit Singkong. Surabaya: ITS.

Saptarini, N.M., Suryasaputra, D., & Nurmalia, H. (2015). Application of butterfly pea (*Clitoria ternatea*) extract as indicator in acid-base titration. *Journal of Chemical and Pharmaceutical Research*, 7, 275–280.

Shankar, S., Jaiswal, L., & Rhim, J.-W. (2016). Gelatin-based nanocomposite lapisans: Potential use in antimicrobial active packaging. In J. Barros-Velázquez (Ed.), *Antimicrobial FP* (pp. 339–348). San Diego: Academic Press.

Shankar, S., & Rhim, J. W. (2017). Preparation and characterization of agar/lignin/silver nanoparticles composite lapisans with ultraviolet light barrier and antibacterial properties. *Food Hydrocolloids*, 71, 76–84.

Shalumon, K. T., Anulekha, K. H., Nair, S. v., Nair, S. v., Chennazhi, K. P., & Jayakumar, R. (2011). Sodium alginate/(polyvinyl alcohol)/nano ZnO composite nanofibers for antibacterial wound dressings. *International Journal of Biological Macromolecules*, 49(3), 247–254.

Shojaee Kang Sofla, M., Mortazavi, S., & Seyfi, J. (2020). Preparation and characterization of polyvinyl alcohol/chitosan blends plasticized and compatibilized by glycerol/polyethylene glycol. *Carbohydrate Polymers*, 232, 115784.

Siracusa, V., Rocculi, P., Romani, S., & Dalla Rosa, M. (2008). Biodegradable polymers for FP: A review. *Trends in Food Science & Technology*, 19(12), 634–643.

- Souza Costa-Júnior, E., Pereira, M.M., &, Mansur, H.S. (2009). Properties and biocompatibility of chitosan lapisans modified by blending with PVA and chemically crosslinked. *J. Mater. Sci. Mater. Med.* 2009, 20, 553–561.
- Suhartati, T. 2017. *Dasar-Dasar Spektrofotometri Uv-Vis Dan Spektrometri Massa Untuk Penentuan Struktur Senyawa Organik*. Bandar Lampung: CV. Anugah Utama Raharja.
- Sultana, S., Ali, M. E., & Ahamad, M. N. U. (2018). Gelatine, collagen, and single cell proteins as a natural and newly emerging food ingedients. *Preparation and Processing of Religious and Cultural Foods*, 215–239.
- Suppakul, P., 2006, *Plasticizer and Relative Humidity Effects on Mechanical Properties of Cassava Flour Lapisans*, Kasetsart University, Thailand.
- Syahida, N., Fitry, I., Zuriyati, A., & Hanani, N. (2020). Effects of palm wax on the physical, mechanical and water barrier properties of fish gelatin lapisans for FP application. *FP and Shelf Life*, 100437.
- Teodorescu, M., Bercea, M., &, Morariu, S. (2018). Biomaterials of Poly (vinyl alcohol) and Natural Polymers. *Polym. Rev.* 58, 247–287.
- Thakur,V.K.(2015).Nanocellulose Polymer Nanocomposite Fundamentals and applications. Scrivener Publishing.Beferly
- Tian, Y., Li, H., Wang, M., Yang, C., Yang, Z., & Liu, X. (2020). Insights into the stability of fluorinated super-hydrophobic coating in different corrosive solutions. *Prograss in Organic Coatings*.
- Tokura SS, Nishimura N, Sakairi N, Nishi N (1996) Biological activities of biodegadable polysaccharide. *Macromol Symp* 101:389–396.
- Torskangerpoll, K., & Andersen, Ø. M. (2005). Colour stability of anthocyanins in aqueous solutions at various pH values. *Food Chemistry*, 89(3), 427–440.
- Venugopal, V. (2011). Marine polysaccharides: food applications. CRC Press/Taylor & Francis Goup, Boca Raton.

- Vlacha, M., Giannakas, A., Katapodis, P., Stamatis, H., Ladavos, A., & Barkoula, N. M. (2016). On the efficiency of oleic acid as plasticizer of chitosan/tanah liat nanocomposites and its role on thermo-mechanical, barrier and antimicrobial properties – Comparison with glycerol. *Food Hydrocolloids*, 57, 10–19.
- Wadsö, L. (1992) ‘A Critical Review on Anomalous or Non-Fickian vapor Sorption’.
- Wafiroh, S., Wathoniyyah, M., Abdulloh, A., Rahardjo, Y. and Fahmi, M. Z. (2017). Application of glutaraldehyde-crosslinked chitosan membranes from shrimp shellwaste on production of biodiesel from *Calophyllum Inophyllum* oil. *Chemistry and Chemical Technology*, 11(1), 65–70.
- Wang, H., Zhang, R., Zhang, H., Jiang, S., Liu, H., Sun, M., & Jiang, S. (2015). Kinetics and functional effectiveness of nisin loaded antimicrobial packaging lapisan based on chitosan/poly (vinyl alcohol). *Carbohydrate Polymers*, 127, 64–71.
- Wang, J., Wang, L., Yu, H., Zain-ul-Abdin, Chen, Y., Chen, Q., Zhou, W., Zhang, H., & Chen, X. (2016). Recent progress on synthesis, property and application of modified chitosan: An overview. *International Journal of Biological Macromolecules*, 88, 333–344.
- Wei, Y.C., Cheng, C.H., Ho, Y.C., Tsai, M.L. and Mi, F.L. (2017). Active gellan gum/purple sweet potato composite lapisan capable of monitoring pH variations. *Food Hydrocolloids*, 69, 491–502.
- Wiyantoko, B., & Astuti, A. (2020). Butterfly Pea (*Clitoria Ternatea* L.) Extract as Indicator of 658 Acid-Base Titration. *IJCA (Indonesian Journal of Chemical Analysis)*, 3(1), 22–32.
- Wu, Z., Huang, X., Li, Y. C., Xiao, H., & Wang, X. (2018). Novel chitosan lapisan with laponite immobilized Ag nanoparticles for active FP. *Carbohydrate Polymers*, 199, 210–218.

X. Sun, C. Luo, F. Luo, *Eur. Polym. J.* 2020, 124, 109465.

Yoshida, C.M.P., Junior, E.N.O., &Franco, T.T. (2009). Chitosan Tailor-Made Lapisans: The Effects of Additives on Bamer and Mechanical Properties. *Packaging Technology and Science*, 22, 161–170.

Zussiva, A.M., Laurent B.K., &., Budiyati, S. (2012). Extraction and analysis of blue dye (Anthocyanin) from butterfly pea (*Clitoria ternatea*) as a natural dye. *J Teknol Kim Ind* 1 (1): 356-365.