UNIVERSITAS
GADJAH MADA
FABRIKASI DAN KARAKTERISASI LAPISAN PVA/KITOSAN DENGAN PENAMBAHAN GLISEROL DAN GELATIN SERTA ANTOSIANIN BUNGA TELANG (Butterfly Pea) DAN POTENSINYA SEBAGAI FOOD PACKAGING
SITI KHANIFAH, Dr. Sc. Ari Dwi Nugraheni, S.Si., M.Sc. ; Sholihun, S.Si., M.Sc., Ph.D.Sc.
Universitas Gadjah Mada, 2022 | Diunduh dari http://etd.repository.ugm.ac.id/

DAFTAR PUSTAKA

Abu-Saied, M. A., Wycisk, R., Abbassy, M. M., El-Naim, G. A., El-Demerdash, F., Youssef, M. E., Bassuony, H., & Pintauro, P. N. (2017). Sulfated chitosan/PVA absorbent membrane for removal of copper and nickel ions from aqueous solutions—Fabrication and sorption studies. *Carbohydrate Polymers*, *165*, 149–158.

Ahvenainen, R. (2003). Active and intelligent packaging: An introduction. in R Ahvenainen (ed.), *Novel FP Techniques.* Woodhead Publishing, Cambridge, Woodhead Publishing Series in Food Science, Technology and Nutrition, pp. 5-21.

Ali, A., & Ahmed, S. (2018). Recent Advances in Edible Polymer Based Hydrogels as a Sustainable Alternative to Conventional Polymers. *Journal of Agicultural and Food Chemistry*, *66*(27), 6940–6967.

Amjadi, S., Emaminia, S., Heyat Davudian, S., Pourmohammad, S., Hamishehkar, H., & Roufegarinejad, L. (2019). Preparation and characterization of gelatin-based nanocomposite containing chitosan nanofiber and ZnO nanoparticles. *Carbohydrate Polymers*, 216, 376–384.

Anthika, B., Kusumocahyo, S. P., & Sutanto, H. (2015). Ultrasonic Approach in Clitoria ternatea (Butterfly Pea) Extraction in Water and Extract Sterilization by Ultrafiltration for Eye Drop Active Ingedient. *Procedia Chemistry*, *16*, 237–244.

Arfat, Y. A., Benjakul, S., Prodpran, T., Sumpavapol, P., & Songtipya, P. (2014). Properties and antimicrobial activity of fish protein isolate/fish skin gelatin lapisan containing basil leaf essential oil and zinc oxide nanoparticles. *Food Hydrocolloids*, 41, 265–273.

Arrieta, M. P., Samper, M. D., Aldas, M., & Lopez, J. (2017). On the use of PLA-PHB blends for sustainable FP applications. *Materials*, 10, 1008.

UNIVERSITAS
GADJAH MADA
**FABRIKASI DAN KARAKTERISASI LAPISAN PVA/KITOSAN DENGAN PENAMBAHAN GLISEROL DAN GELATIN SERTA
ANTOSIANIN BUNGA TELANG (Butterfly Pea) DAN POTENSINYA SEBAGAI FOOD PACKAGING**
SITI KHANIFAH, Dr. Sc. Ari Dwi Nugraheni, S.Si., M.Sc. ; Sholihun, S.Si., M.Sc., Ph.D.Sc.
Universitas Gadjah Mada, 2022 | Diunduh dari http://etd.repository.ugm.ac.id/

Atay, E., Fabra, M. J., Martínez-Sanz, M., Gomez-Mascaraque, L. G., Altan, A., & Lopez- Rubio, A. (2018). Development and characterization of chitosan/gelatin electrosprayed microparticles as food gade delivery vehicles for anthocyanin extracts. *Food Hydrocolloids*, 77, 699–710.

Balbinot-Alfaro E., Craveiro D.V., Lima K.O., Costa H.L.G., Lopes D.R., Prentice C. (2019). Intelligent packaging with pH indicator potential. *Food Eng* Rev 11: 235-244.

Bafdal N. 2007. Packaging Optimization for Transporting Broccoli at Low Temperatur. Joint Research Between The Padjadjaran University and The Korea Research Institute Bandung, Indonesia.

Bang, Y.J., Shankar, S., & Rhim, J.W. (2019). In situ synthesis of multi-functional gelatin/resorcinol/silver nanoparticles composite lapisans. *FP and Shelf Life*, 22, Article 100399.

Bano, I., Arshad, M., Yasin, T., Ghauri, M. A., & Younus, M. (2017). Chitosan: A potential biopolymer for wound management. *International Journal of Biological Macromolecules*, 102, 380–383.

Bhargava, N., Sharanagat, V. S., Mor, R. S., & Kumar, K. (2020). Active and intelligent biodegadable packaging lapisans using food and food waste-derived bioactive compounds: A review. *Trends in Food Science and Technology*, 105, 385–401.

Berryman, Paul. 2014. Advances in Food and Baverage Labelling. *Cambridge: Woodhead Publishing.*

Binda, M. 2011., *Organic Electronic: Principles, devices and applications.*, Milano., November 15-18.

Bondre, S., Patil, P., Kulkarni, A., & Pillai, M. M. (2012). Study On Isolation And Purification Of Anthocyanins And Its Application As Ph Indicator. *International Journal of Advanced Biotechnology and Research*, 3(3): 698-702.

UNIVERSITAS
GADJAH MADA
**FABRIKASI DAN KARAKTERISASI LAPISAN PVA/KITOSAN DENGAN PENAMBAHAN GLISEROL DAN GELATIN SERTA
ANTOSIANIN BUNGA TELANG (Butterfly Pea) DAN POTENSINYA SEBAGAI FOOD PACKAGING**
SITI KHANIFAH, Dr. Sc. Ari Dwi Nugraheni, S.Si., M.Sc. ; Sholihun, S.Si., M.Sc., Ph.D.Sc.
Universitas Gadjah Mada, 2022 | Diunduh dari http://etd.repository.ugm.ac.id/

Borkowski, T., Szymusiak, H., Gliszczyńska-Świgło, A., Rietjens, I. M., & Tyrakowska, B. (2005). Radical scavenging capacity of wine anthocyanins is strongly pH-dependent. *Journal of Agicultural and Food Chemistry*, 53(14), 5526–5534.

Brooks, J. C., Alvarado, M., Stephens, T. P., Kellermeier, J. D., Tittor, A. W., Miller, M. F., & Brashears, M. M. (2008). Spoilage and Safety Characteristics of Gound Beef Packaged in Traditional and Modified Atmosphere Packages. In *Journal of Food Protection* (Vol. 71, Issue 2).

Casey, L.S. and Wilson, L.D. (2015) Investigation of Chitosan-PVA Composite Lapisans and Their Adsorption Properties. *Journal of Geoscience and Environment Protection*, 3, 78-84.

Chandrakala, H. N., Ramaraj, B., Shivakumaraiah, Lee, J. H., & Siddaramaiah. (2013). Polyvinyl alcohol/carbon coated zinc oxide nanocomposites: Electrical, optical, structural and morphological characteristics. *Journal of Alloys and Compounds*, *580*, 392–400.

Choi, I., Lee, J.Y., Lacroix, M. and Han, J. (2017). Intelligent pH indicator lapisan composed of agar/ potato starch and anthocyanin extracts from purple sweet potato. *Food Chemistry*, 218, 122–128.

Cobos, M., González, B., Fernández, M. J., & Fernández, M. D. (2018). Study on the effect of gaphene and glycerol plasticizer on the properties of chitosan-gaphene nanocomposites via in situ geen chemical reduction of gaphene oxide. *International Journal of Biological Macromolecules*, 114, 599–613.

Cowd, M.A., 1991, Kimia Polimer, Penerbit ITB, Bandung

Damodaran, T., Tan, B.W.L., Liao, P., Ramanathan, S., Lim, G.K. and Hassan, Z. (2018). Clitoria ternatea L. root extract ameliorated the cognitive and hippocampal long-term potentiation deficits induced by chronic cerebral hypoperfusion in the rat. *Journal of Ethnopharmacology*, 224(1), 381–390.

UNIVERSITAS
GADJAH MADA
**FABRIKASI DAN KARAKTERISASI LAPISAN PVA/KITOSAN DENGAN PENAMBAHAN GLISEROL DAN GELATIN SERTA
ANTOSIANIN BUNGA TELANG (Butterfly Pea) DAN POTENSINYA SEBAGAI FOOD PACKAGING**
SITI KHANIFAH, Dr. Sc. Ari Dwi Nugraheni, S.Si., M.Sc. ; Sholihun, S.Si., M.Sc., Ph.D.Sc.
Universitas Gadjah Mada, 2022 | Diunduh dari http://etd.repository.ugm.ac.id/

Deshmukh, K., Basheer Ahamed, M., Deshmukh, R. R., Khadheer Pasha, S. K., Bhagat, P. R., & Chidambaram, K. (2017). Biopolymer Composites With High Dielectric Performance: Interface Engineering. *Biopolymer Composites in Electronics*, 27–128.

Dotson NE, Galvan R, Laurence RL, Tirrell M. Polymerization Process Modeling. New York (NY): Wiley VCH; 1996. p 35.

Epure, V., Giffon, M., Pollet, E., & Avérous, L. (2011). Structure and properties of glycerol-plasticized chitosan obtained by mechanical kneading. Carbohydrate Polymers, 83(2), 947–952.

Fan, L., Yang, H., Yang, J., Peng, M., & Hu, J. (2016). Preparation and characterization of chitosan/gelatin/PVA hydrogel for wound dressings. *Carbohydrate Polymers*, 146, 427–434.

Fang, Z., Zhao, Y., Warner, R. D., & Johnson, S. K. (2017). Active and intelligent packaging in meat industry. *Trends in Food Science & Technology*, *61*, 60–71.

Finger F.L., Endres, P.R., Mosquim and Puiatti. 1999. Physiological Changes During Postharvest Senescence of Broccoli in Pesquisa Agopecuária Brasileira 58 Print ISSN 0100-204X *Pesq. agopec. bras*. vol. 34 no.9 Brasília.

Flick GJ, Martin RE (2000) Chitin and chitosan. In: Martin RE, Carter EP, Flick GJ, Davis LM (eds) Marine & freshwater products handbook. *Technomic, Lancaster*, pp 627–634.

Gelli, R., Buffa, S. D., Tempesti, P., Bonini, M., Ridi, F., & Baglioni, P. (2017). Multi-scale investigation of gelatin/poly (vinyl alcohol) interactions in water. *Colloids and Surfaces A: Physicochemical and Engineering Aspects*, 532, 18 –25.

Ghaderi, J., Hosseini, S. F., Keyvani, N., & G´omez-Guill´en, M. C. (2019). Polymer blending effects on the physicochemical and structural features

UNIVERSITAS
GADJAH MADA
**FABRIKASI DAN KARAKTERISASI LAPISAN PVA/KITOSAN DENGAN PENAMBAHAN GLISEROL DAN GELATIN SERTA
ANTOSIANIN BUNGA TELANG (Butterfly Pea) DAN POTENSINYA SEBAGAI FOOD PACKAGING**
SITI KHANIFAH, Dr. Sc. Ari Dwi Nugraheni, S.Si., M.Sc. ; Sholihun, S.Si., M.Sc., Ph.D.Sc.
Universitas Gadjah Mada, 2022 | Diunduh dari http://etd.repository.ugm.ac.id/

of the chitosan/poly (vinyl alcohol)/fish gelatin ternary biodegadable lapisans. *Food Hydrocolloids,* 95, 122–132.

Giannakas, A., Vlacha, M., Salmas, C., Leontiou, A., Katapodis, P., Stamatis, H., Barkoula, N. M., & Ladavos, A. (2016). Preparation, characterization, mechanical, barrier and antimicrobial properties of chitosan/PVOH/tanah liat nanocomposites. *Carbohydrate Polymers*, *140*, 408–415.

Goldstein, J., I., Newbury, D., E., Echlin, P., Joy, D., C., Lyman, C., E., Lifshin, E., Linda Sawyer, L. and Michael, J.,R. "Scanning Electron Microscopy and X-Ray Microanalysis", Kluwer Academic, New York. (2003).

Guji´c, R., Vujadinovi´c, D., & Savanovi´c, D. (2017). Biopolymers as FP materials. In E. Pellicer, D. Nikolic, J. Sort, M. D. Baro, ´ F. Zivic, N. Gujovic, S. Pelemis (Eds.), *Advances in applications of industrial biomaterials* (pp. 139–160). Springer International Publishing.

Gomez-Guillen, M. C., Gimenez, B., Lopez-Caballero, M. E., & Montero, M. P. (2011). Functional and bioactive properties of collagen and gelatin from alternative sources: A review. *Food Hydrocolloids*, *25*(8), 1813–1827.

Haghighi, H., Leugoue, S. K., Pfeifer, F., Siesler, H. W., Licciardello, F., Fava, P., et al. (2020). Development of antimicrobial lapisans based on chitosan-polyvinyl alcohol blend enriched with ethyl lauroyl arginate (LAE) for FP applications. *Food Hydrocolloids*, 100, 105419.

Haghighi, H., Gullo, M., la China, S., Pfeifer, F., Siesler, H. W., Licciardello, F., & Pulvirenti, A. (2021). Characterization of bio-nanocomposite lapisans based on gelatin/polyvinyl alcohol blend reinforced with bacterial cellulose nanowhiskers for FP applications. *Food Hydrocolloids*, *113*, 106454.

Hahladakis, J. N., Iacovidou, E., & Gerassimidou, S. (2020). Plastic waste in a circular economy. *Plastic Waste and Recycling*, 481–512.

UNIVERSITAS
GADJAH MADA
**FABRIKASI DAN KARAKTERISASI LAPISAN PVA/KITOSAN DENGAN PENAMBAHAN GLISEROL DAN GELATIN SERTA
ANTOSIANIN BUNGA TELANG (Butterfly Pea) DAN POTENSINYA SEBAGAI FOOD PACKAGING**
SITI KHANIFAH, Dr. Sc. Ari Dwi Nugraheni, S.Si., M.Sc. ; Sholihun, S.Si., M.Sc., Ph.D.Sc.
Universitas Gadjah Mada, 2022 | Diunduh dari http://etd.repository.ugm.ac.id/

Halász, K & Csóka, L. (2018). Black chokeberry (Aronia melanocarpa) pomace extract immobilized in chitosan for colorimetric pH indicator lapisan application. *FP Shelf Life*, 16, 185–193.

Hameed, A. M., Asiyanbi-H., T., Idris, M., Fadzillah, N., & Mirghani, M. E. S. (2018). A review of gelatin source authentication methods. *Tropical Life Sciences Research*, *29*(2), 213–227.

Han, J.-W., Ruiz-Garcia, L., Qian, J.-P. and Yang, X.-T. (2018), FP: A Comprehensive Review and Future Trends. *Comprehensive Reviews in Food Science and Food Safety*, 17: 860-877.

Harborne, J.B. 1987. *Metode Fitokimia Penuntun Cara Moderen Menganalisis Tumbuhan. Bandung*: Penerbit ITB. 6, 13.

Hasan, M., Rusman, R., Khaldun, I., Ardana, L., Mudatsir, M., & Fansuri, H. (2020). Active edible sugar palm starch-chitosan lapisans carrying extra virgin olive oil: Barrier, thermo-mechanical, antioxidant, and antimicrobial properties. International Journal of Biological Macromolecules, 163, 766–775.

Hashim, S. B. H., Elrasheid Tahir, H., Liu, L., Zhang, J., Zhai, X., Ali Mahdi, A., Nureldin Awad, F., Hassan, M. M., Xiaobo, Z., & Jiyong, S. (2022). Intelligent colorimetric pH sensoring packaging lapisans based on sugarcane wax/agar integated with butterfly pea flower extract for optical tracking of shrimp freshness. *Food Chemistry*, *373*, 131514.

Haya, F. D., Sulhadi, dan Aji, M. P. 2017. *Pembuatan Semak (Semprotan Anti Keruh) Sebagai Alternatif Lapisan Pencegah Kekeruhan Pada Kacamata*, Jurnal Ilmu Pendidikan Fisika, 2 (1), 12-16.

Hejazi, M., Behzad, T., Heidarian, P., & Nasri-Nasrabadi, B. (2018). A study of the effects of acid, plasticizer, cross-linker, and extracted chitin nanofibers on the properties of chitosan biofilm. *Composites Part A, Applied Science and Manufacturing*, 109, 221–231.

UNIVERSITAS
GADJAH MADA
**FABRIKASI DAN KARAKTERISASI LAPISAN PVA/KITOSAN DENGAN PENAMBAHAN GLISEROL DAN GELATIN SERTA
ANTOSIANIN BUNGA TELANG (Butterfly Pea) DAN POTENSINYA SEBAGAI FOOD PACKAGING**
SITI KHANIFAH, Dr. Sc. Ari Dwi Nugraheni, S.Si., M.Sc. ; Sholihun, S.Si., M.Sc., Ph.D.Sc.
Universitas Gadjah Mada, 2022 | Diunduh dari http://etd.repository.ugm.ac.id/

Hu, D., & Wang, L. (2016). Fabrication of antibacterial blend lapisan from poly (vinyl alcohol) and quaternized chitosan for packaging. *Materials Research Bulletin*, *78*, 46–52.

Hu, H., Yao, X., Qin, Y., Yong, H., & Liu, J. (2020). Development of multifunctional FP by incorporating betalains from vegetable amaranth (Amaranthus tricolor L.) into quaternary ammonium chitosan/fish gelatin blend lapisans. *International Journal of Biological Macromolecules*, 159, 675–684.

Jackson, T. C., Acuff, G. R., Vanderzant, C., Sharp, T. R., & Savell, J. W. (1992). Identification and evaluation of volatile compounds of vacuum and modified atmosphere packaged beef strip loins. *Meat Science*, *31*(2), 175–190.

Jo,G.H., Park R.D., Jung, W.J.(2011). Enzymatic production of chitin from crustacean shell waste. In: Kim SK (ed) Chitin, Chitosan, Oligosaccharides and Their Derivatives. CRC Press/Taylor & Francis, Boca Raton, pp 37–45.

Kadam, A. A., Singh, S., & Gaikwad, K. K. (2021). Chitosan based antioxidant lapisans incorporated with pine needles (Cedrus deodara) extract for active FP applications. *Food Control*, *124*, 107877.

Khomsan A. (2004). Pangan dan Gizi. Yogyakarta.

Kalpana, S., Priyadarshini, S. R., Maria Leena, M., Moses, J. A., & Anandharamakrishnan, C. 597 (2019). Intelligent packaging: Trends and applications in food systems. *Trends in Food 598 Science and Technology*, 93(October 2018), 145–157.

Kariminejad, M., Sadeghi, E., Rouhi, M., Mohammadi, R., Askari, F., Taghizadeh, M., et al. (2018). The effect of nano-SiO2 on the physicochemical and structural properties of gelatin-polyvinyl alcohol composite lapisans. *Journal of Food Process Engineering*, 41(6), Article e12817.

Karmakar, S. R. 1999. Chemical Technology in The Pre-Treatment Processes of Textiles. Elsevier, New Delhi.

UNIVERSITAS
GADJAH MADA
**FABRIKASI DAN KARAKTERISASI LAPISAN PVA/KITOSAN DENGAN PENAMBAHAN GLISEROL DAN GELATIN SERTA
ANTOSIANIN BUNGA TELANG (Butterfly Pea) DAN POTENSINYA SEBAGAI FOOD PACKAGING**
SITI KHANIFAH, Dr. Sc. Ari Dwi Nugraheni, S.Si., M.Sc. ; Sholihun, S.Si., M.Sc., Ph.D.Sc.
Universitas Gadjah Mada, 2022 | Diunduh dari http://etd.repository.ugm.ac.id/

Kaewklin, P., Siripatrawan, U., Suwanagul, A. & Lee, Y.S. (2018). Active packaging from chitosan-titanium dioxide nanocomposite lapisan for prolonging storage life of tomato fruit. *Int. J. Biol. Macromol*, 112, 523–529.

Kim, H.-J., Roy, S., & Rhim, J.-W. (2022). Gelatin/agar-based color-indicator lapisan integated with Clitoria ternatea flower anthocyanin and zinc oxide nanoparticles for monitoring freshness of shrimp. *Food Hydrocolloids*, *124*, 107294.

Kong, J., & Yu, S. (2007). Fourier transform infrared spectroscopic analysis of protein secondary structures. *Acta Biochimica et Biophysica Sinica*, 39(8), 549–559.

Kozloff E (1990) Invertebrates. Saunder College Publishing, New York.

Kumosa, L. S., Zetterberg, V., & Schouenborg, J. (2018). Gelatin promotes rapid restoration of the blood brain barrier after acute brain injury. *Acta Biomateriali* J.ACTBIO.2017.10.020.

Kumar, S., Krishnakumar, B., Sobral, A. J. F. N., & Koh, J. (2019). Bio-based (chitosan/PVA/ZnO) nanocomposites lapisan: Thermally stable and photoluminescence material for removal of organic dye. *Carbohydrate Polymers*, *205*, 559–564.

Kurita K (1998) Chemistry and application of chitin and chitosan. *Polym Degad Stability* 59:117–120

Kusmono, & Abdurrahim, I. (2019). Water sorption, antimicrobial activity, and thermal and mechanical properties of chitosan/tanah liat/glycerol nanocomposite lapisans. *Heliyon*, *5*(8), e02342.

Lakshan, S.A.T., Jayanath N.Y., Abeysekera W.P.K.M., Abeysekera WKSM. (2019). A commercial potential blue pea (Clitoria ternatea L.) flower extract incorporated beverage having functional properties. *Evid- Based Compl Altern Med* (3): 1-13.

UNIVERSITAS
GADJAH MADA
**FABRIKASI DAN KARAKTERISASI LAPISAN PVA/KITOSAN DENGAN PENAMBAHAN GLISEROL DAN GELATIN SERTA
ANTOSIANIN BUNGA TELANG (Butterfly Pea) DAN POTENSINYA SEBAGAI FOOD PACKAGING**
SITI KHANIFAH, Dr. Sc. Ari Dwi Nugraheni, S.Si., M.Sc. ; Sholihun, S.Si., M.Sc., Ph.D.Sc.
Universitas Gadjah Mada, 2022 | Diunduh dari http://etd.repository.ugm.ac.id/

Lei, Y., Mao, L., Yao, J., & Zhu, H. (2021). Improved mechanical, antibacterial and UV barrier properties of catechol-functionalized chitosan/polyvinyl alcohol biodegadable composites for active FP. *Carbohydrate Polymers*, *264*, 117997.

Lewandowska, K., Sionkowska, A., Kaczmarek, B., & Furtos, G. (2014). Characterization of chitosan composites with various tanah liats. *International Journal of Biological Macromolecules*, *65*, 534–541.

Liu, J., Huang, J., Ying, Y., Hu, L., & Hu, Y. (2021). pH-sensitive and antibacterial lapisans developed by incorporating anthocyanins extracted from purple potato or roselle into chitosan/polyvinyl alcohol/nano-ZnO matrix: Comparative study. *International Journal of Biological Macromolecules*, *178*, 104–112.

Liu, L., Zhang, J., Shi, J., Huang, X., Zou, X., Zhang, D., Zhai, X., Yang, Z., Li, Z., & Li, Y. (2020). Preparation and comparison of two functional nanoparticle-based bilayers reinforced with a κ-carrageenan–anthocyanin complex. *International Journal of Biological Macromolecules,* 165, 758–766.

Luchese, C. L., Sperotto, N., Spada, J. C., & Tessaro, I. C. (2017). Effect of blueberry agoindustrial waste addition to corn starch-based films for the production of a pH-indicator film. *International Journal of Biological Macromolecules*, 104, 11 –18.

Luo, Q., Hossen, M. A., Zeng, Y., Dai, J., Li, S., Qin, W., & Liu, Y. (2022). Gelatin-based composite lapisans and their application in FP: A review. *Journal of Food Engineering*, *313*, 110762.

Luzi, F., Torre, L., Kenny, J. M., & Puglia, D. (2019). Bio- and fossil-based polymeric blends and nanocomposites for packaging: Structure-property relationship. *Materials,* 12(3), 1–49.

Lv, L. C., Huang, Q. Y., Ding, W., Xiao, X. H., Zhang, H. Y., & Xiong, L. X. (2019). Fish gelatin: The novel potential applications. *Journal of Functional Foods*, *63*, 103581.

M. Chaplin, Water Structure and Science: Gelatin, Web-site: *http://www.lsbu.ac.uk/water/hygel.html*, 2012.

UNIVERSITAS
GADJAH MADA
**FABRIKASI DAN KARAKTERISASI LAPISAN PVA/KITOSAN DENGAN PENAMBAHAN GLISEROL DAN GELATIN SERTA
ANTOSIANIN BUNGA TELANG (Butterfly Pea) DAN POTENSINYA SEBAGAI FOOD PACKAGING**
SITI KHANIFAH, Dr. Sc. Ari Dwi Nugraheni, S.Si., M.Sc. ; Sholihun, S.Si., M.Sc., Ph.D.Sc.
Universitas Gadjah Mada, 2022 | Diunduh dari http://etd.repository.ugm.ac.id/

Majid, S., Kang, S., Saeed, M., Javad, S. (2020). Preparation and characterization of polyvinyl alcohol/chitosan blends plasticized and compatibilized by glycerol/polyethylene glycol. *Carbohydrate Polymer* 232 (2020) 115784.

Mallakpour, S., & Madani, M. (2012). Transparent and thermally stable improved poly (vinyl alcohol)/Cloisite Na^+ /ZnO hybrid nanocomposite films: Fabrication, morphology and surface properties. *Progess in Organic Coating*, *74*, 520–525.

Mareta, D. T. 2011. Pengemasan Produk Sayuran Dengan Bahan Kemas Plastik Pada Penyimpanan Suhu Ruang Dan Suhu Dingin. *J. Ilmu Pertanian*, 7(1): 26-40.

Mark JE, Allcock HR, West R. Inorganic Polymers. 2nd ed. New York (NY): Oxford University Press; 2005.

Marpaung, A. M., Andarwulan, N., Hariyadi, P., & Nur Faridah, D. (2017). The colour degadation of anthocyanin-rich extract from butterfly pea (Clitoria ternatea L.) petal in various solvents at pH 7. *Natural Product Research*, *31*(19), 2273–2280.

Mohammadi, R., Mohammadifar, M.A., Rouhi, M., Kariminejad, M., Mortazavian, A.M., Sadeghi, E., Hasanvand, S. (2018). Physico-mechanical and structural properties of eggshell membrane gelatin- chitosan blend edible lapisans. *Int. J. Biol. Macromol*. 107, 406–412.

Moloney, M., Robbins, R. J., Collins, T. M., Kondo, T., Yoshida, K., & Dangles, O. (2018). Red cabbage anthocyanins: The influence of D-glucose acylation by hydroxycinnamic acids on their structural transformations in acidic to mildly alkaline conditions and on the resulting color. *Dyes and Pigments*, 158, 342–352.

Moradi, M., Tajik, H., Almasi, H., Forough, M., & Ezati, P. (2019). A novel pH-sensing indicator based on bacterial cellulose nanofibers and black carrot anthocyanins for monitoring fish freshness. *Carbohydrate Polymers*, 222,

UNIVERSITAS
GADJAH MADA
**FABRIKASI DAN KARAKTERISASI LAPISAN PVA/KITOSAN DENGAN PENAMBAHAN GLISEROL DAN GELATIN SERTA
ANTOSIANIN BUNGA TELANG (Butterfly Pea) DAN POTENSINYA SEBAGAI FOOD PACKAGING**
SITI KHANIFAH, Dr. Sc. Ari Dwi Nugraheni, S.Si., M.Sc. ; Sholihun, S.Si., M.Sc., Ph.D.Sc.
Universitas Gadjah Mada, 2022 | Diunduh dari http://etd.repository.ugm.ac.id/

115030.

Morawetz H. Polymers: The Origin and Gowth of a Science. Mineola (NY): Dover Publications Inc.; 2002.

Morrison, LR (1994) Glycerin in Encyclopedia of Chemical Technology, Wiley, New York, 681-694.

Moulana, R., Juanda., Rohaya, S., & Rosika, R. (2012). Efektivitas Penggunaan Jenis Pelarut dan Asam dalam Proses Ekstraksi Pigmen Antosianin Kelopak Bunga Rosella (Hibiscus sabdariffa L). *J. Teknol. dan Ind. Pertan. Indones.*, vol. 4, no. 3, pp. 20–25.

Mourya, V.K., Inamdar, N.N. (2008). Chitosan-modifications and applications: opportunities galore. *React Funct Polym* 68:1013–1051.

Musso, Y. S., Salgado, P. R., & Mauri, A. N. (2019). Smart gelatin films prepared using red cabbage (Brassica oleracea L.) extracts as solvent. *Food Hydrocolloids*, 89, 674–681.

Narayan R, Pettigew C. ASTM Standardization News; 1999 December: 36–42.

Nehra, P., Chauhan, R., Garg, N., & Verma, K. (2018). Antibacterial and antifungal activity of chitosan coated iron oxide nanoparticles. British Journal of Biomedical Science, 75(1), 13–18.

No, H., Meyers, S., Prinyawiwatkul, W. and Xu, Z. (2007). Applications of Chitosan for Improvement of Quality and Shelf Life of Foods: A Review. *Journal of Food Science*, 72: R87-R100.

Nuanman, S., Prodpran, T., & Benjakul, S. (2015). Potential use of gelatin hydrolystate as plasticizer in fish myofibrillar protein lapisan. *Food Hydrocolloids*, 47, 61-68.

Nur Hanani, Z. A., Roos, Y. H., & Kerry, J. P. (2014). Use and application of gelatin as potential biodegadable packaging materials for food products. *International Journal of Biological Macromolecules, 71*, 94–102.

UNIVERSITAS
GADJAH MADA
**FABRIKASI DAN KARAKTERISASI LAPISAN PVA/KITOSAN DENGAN PENAMBAHAN GLISEROL DAN GELATIN SERTA
ANTOSIANIN BUNGA TELANG (Butterfly Pea) DAN POTENSINYA SEBAGAI FOOD PACKAGING**
SITI KHANIFAH, Dr. Sc. Ari Dwi Nugraheni, S.Si., M.Sc. ; Sholihun, S.Si., M.Sc., Ph.D.Sc.
Universitas Gadjah Mada, 2022 | Diunduh dari http://etd.repository.ugm.ac.id/

Patachia, S., Valente, A.J.M., Papanceaa, A. & Victor M. M. Lobo, 2009, Poly Vinyl Alcohol[pva]-based Polymer Membranes, Nova Science Publisher, UK.

Pereira, V. A., de Arruda, I. N. Q., & Stefani, R. (2015). Active chitosan/PVA lapisans with anthocyanins from Brassica oleraceae (Red Cabbage) as Time–Temperature Indicators for application in intelligent FP. *Food Hydrocolloids*, *43*, 180–188.

Powel. 2003. Kejuruteraan dengan Polimer. University Teknologi Malaysia, Johor Baharu.

Prateepchanachai, S., Thakhiew, W., Devahastin, S., & Soponronnarit, S. (2019). Improvement of mechanical and heat-sealing properties of edible chitosan lapisans via addition of gelatin and CO2 treatment of lapisan-forming solutions. International Journal of Biological Macromolecules, 131, 589–600.

Pourjavaher, S., Almasi, H., Meshkini, S., Pirsa, S., & Parandi, E. (2017). Development of a colorimetric pH indicator based on bacterial cellulose nanofibers and red cabbage (Brassica oleraceae) extract. *Carbohydr. Polym*, 156, 193–201.

Purnaningum, R. 2017. Sudut Kontak dan Aktivitas Antibakteri Kain Nylon 6,6 Dengan Modifikasi Penambahan Nanopartikel Perak Dan Senyawa Silan, Skripsi, Fakultas Matematika Dan Ilmu Pengetahuan Alam Universitas Negeri Yogyakarta.

Ramli, M. E., Salleh, R. M., Tajarudin, H. A., & Zulkurnain, M. (2021). Influence of amylose content on phenolics fortification of different rice varieties with butterfly pea (Clitoria ternatea) flower extract through parboiling. *Lebensmittel-Wissenschaft und -Technologie- Food Science and Technology*, 147, 111493.

Rana, P., Murmu, N., Padhan, S. K., & Sahu, S. N. (2020). Butterfly pea (Clitoria ternatea) extract as a geen analytical tool for selective colorimetric detection of bisulphate (HSO_4^-) ion in aqueous medium. *Spectrochimica Acta Part A:*

UNIVERSITAS GADJAH MADA
FABRIKASI DAN KARAKTERISASI LAPISAN PVA/KITOSAN DENGAN PENAMBAHAN GLISEROL DAN GELATIN SERTA ANTOSIANIN BUNGA TELANG (Butterfly Pea) DAN POTENSINYA SEBAGAI FOOD PACKAGING
SITI KHANIFAH, Dr. Sc. Ari Dwi Nugraheni, S.Si., M.Sc. ; Sholihun, S.Si., M.Sc., Ph.D.Sc.
Universitas Gadjah Mada, 2022 | Diunduh dari http://etd.repository.ugm.ac.id/

Molecular and Biomolecular Spectroscopy, 237, 118376.

Rawdkuen, S., Faseha, A., Benjakul, S., & Kaewprachu, P. (2020). Application of anthocyanin as a color indicator in gelatin lapisans. *Food Bioscience*, 36, Article 100603.

Rezaee, M., Askari, G., EmamDjomeh, Z., & Salami, M. (2018). Effect of organic additives on physiochemical properties and anti-oxidant release from chitosan-gelatin composite lapisans to fatty food simulant. *International Journal of Biological Macromolecules*, 114, 844–850.

Riahi, Z., Priyadarshi, R., Rhim, J.-W., & Bagheri, R. (2021). Gelatin-based functional lapisans integated with gapefruit seed extract and TiO2 for active FP applications. *Food Hydrocolloids*, 112, Article 106314.

Rodrigues, M. A. V., Bertolo, M. R. V., Marangon, C. A., Martins, V., & Plepis, A. M. G. (2020). Chitosan and gelatin materials incorporated with phenolic extracts of gape seed and jabuticaba peel: Rheological, physicochemical, antioxidant, antimicrobial and barrier properties. *International Journal of Biological Macromolecules*, 160, 769–779.

Roy, S., & Rhim, J.-W. (2020). Preparation of antimicrobial and antioxidant gelatin/ curcumin composite lapisans for active FP application. *Colloids and Surfaces B: Biointerfaces*, 188, Article 11076

Roy, S., Kim, H.-J., & Rhim, J.-W. (2021). Effect of blended colorants of anthocyanin and shikonin on carboxymethyl cellulose/agar-based smart packaging lapisan. *International Journal of Biological Macromolecules*, 183, 305–315.

Pang, Z., Deeth, H., Sopade, P., Sharma, R., & Bansal, N. (2014). Rheology, texture and microstructure of gelatin gels with and without milk proteins. *Food Hydrocolloids*, *35*, 484–493.

Patachia, S. (2009). *Poly (Vinyl Alcohol) [PVA] - Based Polymer Membranes*. New York: Nova Science Publishers, Inc.

UNIVERSITAS
GADJAH MADA
**FABRIKASI DAN KARAKTERISASI LAPISAN PVA/KITOSAN DENGAN PENAMBAHAN GLISEROL DAN GELATIN SERTA
ANTOSIANIN BUNGA TELANG (Butterfly Pea) DAN POTENSINYA SEBAGAI FOOD PACKAGING**
SITI KHANIFAH, Dr. Sc. Ari Dwi Nugraheni, S.Si., M.Sc. ; Sholihun, S.Si., M.Sc., Ph.D.Sc.
Universitas Gadjah Mada, 2022 | Diunduh dari http://etd.repository.ugm.ac.id/

Qiao, C, Ma, X, Wang, X, Yao, J. (2019). Effect of water on the thermal transition in chitosan lapisans. *Polymer Crystallization* 2: e10092.

S. Claude, *Lipid Fett*, 1999, 101, 101–104.

Sanjaya, G. I. dan Puspita, T. 2010. Pengaruh Penambahan Khitosan dan Plasticizer Gliserol pada Karakteristik Plastik Biodegadable dari Pati Limbah Kulit Singkong. Surabaya: ITS.

Saptarini, N.M., Suryasaputra, D., & Nurmalia, H. (2015). Application of butterfly pea (Clitoriaternatea) extract as indicator in acid-base titration. *Journal of Chemical and Pharmaceutical Research*,7,275–280.

Shankar, S., Jaiswal, L., & Rhim, J.-W. (2016). Gelatin-based nanocomposite lapisans: Potential use in antimicrobial active packaging. In J. Barros-Vel´azquez (Ed.), *Antimicrobial FP* (pp. 339–348). San Diego: Academic Press.

Shankar, S., & Rhim, J. W. (2017). Preparation and characterization of agar/lignin/silver nanoparticles composite lapisans with ultraviolet light barrier and antibacterial properties. *Food Hydrocolloids*, 71, 76–84.

Shalumon, K. T., Anulekha, K. H., Nair, S. v., Nair, S. v., Chennazhi, K. P., & Jayakumar, R. (2011). Sodium alginate/(polyvinyl alcohol)/nano ZnO composite nanofibers for antibacterial wound dressings. *International Journal of Biological Macromolecules*, *49*(3), 247–254.

Shojaee Kang Sofla, M., Mortazavi, S., & Seyfi, J. (2020). Preparation and characterization of polyvinyl alcohol/chitosan blends plasticized and compatibilized by glycerol/polyethylene glycol. *Carbohydrate Polymers*, *232*, 115784.

Siracusa, V., Rocculi, P., Romani, S., & Dalla Rosa, M. (2008). Biodegadable polymers for FP: A review. *Trends in Food Science & Technology*, 19(12), 634–643.

UNIVERSITAS
GADJAH MADA
**FABRIKASI DAN KARAKTERISASI LAPISAN PVA/KITOSAN DENGAN PENAMBAHAN GLISEROL DAN GELATIN SERTA
ANTOSIANIN BUNGA TELANG (Butterfly Pea) DAN POTENSINYA SEBAGAI FOOD PACKAGING**
SITI KHANIFAH, Dr. Sc. Ari Dwi Nugraheni, S.Si., M.Sc. ; Sholihun, S.Si., M.Sc., Ph.D.Sc.
Universitas Gadjah Mada, 2022 | Diunduh dari http://etd.repository.ugm.ac.id/

Souza Costa-Júnior, E., Pereira, M.M., &., Mansur, H.S. (2009). Properties and biocompatibility of chitosan lapisans modified by blending with PVA and chemically crosslinked. *J. Mater. Sci. Mater. Med.* 2009, 20, 553–561.

Suhartati, T. 2017. *Dasar-Dasar Spektrofotometri Uv-Vis Dan Spektrometri Massa Untuk Penentuan Struktur Senyawa Organik*. Bandar Lampung: CV. Anugah Utama Raharja.

Sultana, S., Ali, M. E., & Ahamad, M. N. U. (2018). Gelatine, collagen, and single cell proteins as a natural and newly emerging food ingedients. *Preparation and Processing of Religious and Cultural Foods*, 215–239.

Suppakul, P., 2006, *Plasticizer and Relative Humidity Effects on Mechanical Properties of Cassava Flour Lapisans*, Kasetsart University, Thailand.

Syahida, N., Fitry, I., Zuriyati, A., & Hanani, N. (2020). Effects of palm wax on the physical, mechanical and water barrier properties of fish gelatin lapisans for FP application. *FP and Shelf Life*, 100437.

Teodorescu, M., Bercea, M., &., Morariu, S. (2018). Biomaterials of Poly (vinyl alcohol) and Natural Polymers. *Polym. Rev*. 58, 247–287.

Thakur,V.K.(2015).Nanocellulose Polymer Nanocomposite Fundamentals and applications. Scrivener Publishing.Beferly

Tian, Y., Li, H., Wang, M., Yang, C., Yang, Z., & Liu, X. (2020). Insights into the stability of fluorinated super-hydrophobic coating in different corrosive solutions. *Progess in Organic Coatings.*

Tokura SS, Nishimura N, Sakairi N, Nishi N (1996) Biological activities of biodegadable polysaccharide. *Macromol Symp* 101:389–396.

Torskangerpoll, K., & Andersen, Ø. M. (2005). Colour stability of anthocyanins in aqueous solutions at various pH values. *Food Chemistry*, *89*(3), 427–440.

Venugopal, V. (2011). Marine polysaccharides: food applications. CRC Press/Taylor & Francis Goup, Boca Raton.

UNIVERSITAS
GADJAH MADA
**FABRIKASI DAN KARAKTERISASI LAPISAN PVA/KITOSAN DENGAN PENAMBAHAN GLISEROL DAN GELATIN SERTA
ANTOSIANIN BUNGA TELANG (Butterfly Pea) DAN POTENSINYA SEBAGAI FOOD PACKAGING**
SITI KHANIFAH, Dr. Sc. Ari Dwi Nugraheni, S.Si., M.Sc. ; Sholihun, S.Si., M.Sc., Ph.D.Sc.
Universitas Gadjah Mada, 2022 | Diunduh dari http://etd.repository.ugm.ac.id/

Vlacha, M., Giannakas, A., Katapodis, P., Stamatis, H., Ladavos, A., & Barkoula, N. M. (2016). On the efficiency of oleic acid as plasticizer of chitosan/tanah liat nanocomposites and its role on thermo-mechanical, barrier and antimicrobial properties – Comparison with glycerol. *Food Hydrocolloids*, *57*, 10–19.

Wadsö, L. (1992) 'A Critical Rerriew on Anomalous or | üon-Fickian vapor Sorption'.

Wafiroh, S., Wathoniyyah, M., Abdulloh, A., Rahardjo, Y. and Fahmi, M. Z. (2017). Application of glutaraldehyde-crosslinked chitosan membranes from shrimp shellwaste on production of biodiesel from Calophyllum Inophyllum oil. *Chemistry and Chemical Technology*, 11(1), 65–70.

Wang, H., Zhang, R., Zhang, H., Jiang, S., Liu, H., Sun, M., & Jiang, S. (2015). Kinetics and functional effectiveness of nisin loaded antimicrobial packaging lapisan based on chitosan/poly (vinyl alcohol). *Carbohydrate Polymers*, *127*, 64–71.

Wang, J., Wang, L., Yu, H., Zain-ul-Abdin, Chen, Y., Chen, Q., Zhou, W., Zhang, H., & Chen, X. (2016). Recent progess on synthesis, property and application of modified chitosan: An overview. *International Journal of Biological Macromolecules*, *88*, 333–344.

Wei, Y.C., Cheng, C.H., Ho, Y.C., Tsai, M.L. and Mi, F.L. (2017). Active gellan gum/purple sweet potato composite lapisans capable of monitoring pH variations. *Food Hydrocolloids*, 69, 491–502.

Wiyantoko, B., & Astuti, A. (2020). Butterfly Pea (Clitoria Ternatea L.) Extract as Indicator of 658 Acid-Base Titration. *IJCA (Indonesian Journal of Chemical Analysis)*, 3(1), 22–32.

Wu, Z., Huang, X., Li, Y. C., Xiao, H., & Wang, X. (2018). Novel chitosan lapisans with laponite immobilized Ag nanoparticles for active FP. *Carbohydrate Polymers*, *199*, 210–218.

UNIVERSITAS
GADJAH MADA
**FABRIKASI DAN KARAKTERISASI LAPISAN PVA/KITOSAN DENGAN PENAMBAHAN GLISEROL DAN GELATIN SERTA
ANTOSIANIN BUNGA TELANG (Butterfly Pea) DAN POTENSINYA SEBAGAI FOOD PACKAGING**
SITI KHANIFAH, Dr. Sc. Ari Dwi Nugraheni, S.Si., M.Sc. ; Sholihun, S.Si., M.Sc., Ph.D.Sc.
Universitas Gadjah Mada, 2022 | Diunduh dari http://etd.repository.ugm.ac.id/

X. Sun, C. Luo, F. Luo, Eur. *Polym. J*. 2020, 124, 109465.

Yoshida, C.M.P., Junior, E.N.O., &Franco, T.T. (2009). Chitosan Tailor-Made Lapisans: The Effects of Additives on Bamer and Mechanical Properties. *Packaging Technology and Science*, 22, 161–170.

Zussiva, A.M., Laurent B.K., &., Budiyati, S. (2012). Extraction and analysis of blue dye (Anthocyanin) from butterfly pea (Clitoria ternatea) as a natural dye. *J Teknol Kim Ind* 1 (1): 356-365.