

## DAFTAR PUSTAKA

- Ahmed, I., House, C.M., Nelson, W.B., 2009. Predictors of inotrope use in patients undergoing concomitant coronary artery bypass graft (CABG) and aortic valve replacement (AVR) surgeries at separation from cardiopulmonary bypass (CPB). *J. Cardiothorac. Surg.* 4, 24.
- Aftabuddin, Nivesh, R., Zillur R., Nadira I., Omar S. 2015. Cardiopulmonary Bypass Induced Hematological Changes in Patients Undergoing Cardiac Surgery. *Bangladesh Heart Journal*, 30(2) : 53-57.
- Al Sarraf, N, Tahlib, L, Hughes, A, Houlihan, M, Tolan, M, Young, V, MCGovern, E, Cross clamp time is an independent predictor of mortality and morbidity in low dan high risk cardiac patients. *International Journal of Surgery*, 2010.
- Anggraini, D., Widodo, U., Pratomo, B.Y. 2017. Hubungan antara lama CPB dan Aortic Cross Clamp dengan mortalitas dan pemanjangan lama rawat di ICU pada pasien pasca operasi katup jantung di RSUP dr. Sardjito. Respository UGM:113108.
- Azarfarin, R., Ashouri, N., Totonchi Z., Bakhshandeh H., Yaghoubi A. 2014. Factors Influencing Prolong ICU Stay After Open Heart Surgery. *Res Cardiovasc Med*. November, 3(4): e20159.
- Almashrafi, A., Alsabti, H., Mukaddirov, M., Balan, B., & Aylin, P. 2016. Factors associated with prolonged length of stay following cardiac surgery in a major referral hospital in Oman: a retrospective observational study. *BMJ Open*, 6(6), e010764. doi:10.1136/bmjopen-2015-010764
- Andersson B, Nilsson J, Brandt J, et al: Gastrointestinal complications after cardiac surgery. *Br J Surg* 92:326-333, 2005
- Biglioli P, Paroli A, Dainese L, Naliato M, Polvani G, Lozardi C, Trezzi M, Fusari M, Beverini C, Tremoli E, Alamanni F. 2008. Do women currently receive the same standard of care in coronary artery bypass graft procedures as men? A propensity analysis. *Ann Thoracic Surg*, 85(3):885-90.
- Bhukal, I., Solanki, S.L., Ramaswamy, S., Narayana, L., Yaddanapudi, Jain, A., Kumar, P., Perioperative predictors of morbidity and mortality following cardiac surgery under cardiopulmonary bypass. *Saudi Journal of Anaesthesia*. 2012. Vol 6.

- Bucerius, J., Gummert, J. F., Walther, T., Doll, N., Falk, V., Scmatt, D. V., & Mohr, F. W. (2004). Predictors of prolonged ICU stay after on-pump versus off-pump coronary artery bypass grafting. *Intensive Care Medicine*, 30(1), 80-95.
- Boom, Cindy E. 2013. Pintas jantung paru cardiopulmonary bypass, *Panduan Klinis Perioperatif Kardiovaskular Anestesia*. Komisi Pendidikan Spesialis Anestesi Kardiovaskular (KAKV). Indonesia, 9:124-141.
- Careddu, L., Barberio, G., Di marco L., Cattabriga, I., Santia, M., Frascaroli, G., Leonel, A., Di Bartolomeo, R., Pacini, D., Can we make an early prediction of who will be discharged from intensive care unit the day after heart sugery?. *The Open Cardiovascular and Thoracic Surgery Journal* 2012. Vol 5.
- Carnero-Alcázar, M., Silva Guisasola, J.A., Reguillo Lacruz, F.J., Maroto Castellanos, L.C., Cobiella Carnicer, J., Villagrán Medinilla, E., Tejerina Sánchez, T., Rodríguez Hernández, J.E., 2013. Validation of EuroSCORE II on a single-centre 3800 patient cohort. *Interact. Cardiovasc. Thorac. Surg.* 16, 293–300. <https://doi.org/10.1093/icvts/ivs480>.
- Chalmers, J., Pullan, M., Mediratta, N., Poulis, M., A need for speed? Bypass time and outcomes after isolated aortic valve replacement surgery. *Intensive Cardiovascular and Thoracic Surgery*. 2014. Vol 19.
- Cooper, J, R., Giesecke, N, M. 2000. Hemodilution and Priming Solution. In: Gravlee GP *et al*, editors. *Cardiopulmonary bypass Principles and Practice*. 2<sup>nd</sup>ed. Philadelphia Lippincott Wiliams and Wilkins.
- Cornelissen, H. & Arrowsmith, J.E. 2006. Preoperative assessment for cardiac surgery. *Continuing Education in Anaesthesia, Critical Care & Pain*, 6(3): 109-113.
- Davies, L, K. 2000. Physiology and Clinical Use In: Gravlee GP *et al*, editors. *Cardiopulmonary bypass Principles and Practice*. 2<sup>nd</sup>ed. Philadelphia Lippincott Wiliams and Wilkins.
- Di Dedda, U., Pelissero, G., Agnelli, B., De Vincentiis, C., Castelvechio, S., Ranucci, M., 2013. Accuracy, calibration and clinical performance of the new EuroSCORE II risk stratification system. *Eur. J. Cardiothorac. Surg.* 43, 27–32. <https://doi.org/10.1093/ejcts/ezs196>.

- Duncan, D. & Wijeyesundera, D.N. 2016. Preoperative Cardiac Evaluation and Management of the Patient Undergoing Major Vascular Surgery. *International Anesthesiology Clinics*, 54(2): 1-32.
- Dupuis, J. Y., Wang, F., Nathan, H., Lam, M., Grimes, S., & Bourke, M. (2001). *The Cardiac Anesthesia Risk Evaluation Score A Clinically Useful Predictor of Mortality and Morbidity after Cardiac Surgery*. Retrieved from [www.anesthesiology.org](http://www.anesthesiology.org) (Accessed 20 November 2020).
- Elsayad, M., Manaa, A., Elwakeel, A., Nasr, S., Sameh, M., Abdelfatah, E.M., 2014. EuroSCORE II as a Predictor of Need For Prolonged Mechanical Ventilation Following Valvular Heart Surgery in Egyptian Patients. Editor. BOARD 22, 1.
- Eltheni, J.W.C., Boateng, P., Wechsler, A.S., Section IV: Circulatory Support. In: Hensley, F.A., Martin, D.E., Gravlee, G.P., editors. *A Practical Approach to Cardiac Anesthesia*, 5<sup>th</sup>ed. Philadelphia: Lippincott William & Wilkins. 2013.
- Francisco, U. V. J., Nilson, A., Reinaldo, W. V., Lúcia, M. P. Á., Eduardo, T. C. (2012). Hemolysis in extracorporeal circulation: relationship between time and procedures. *Rev Bras Cir Cardiovasc*;27(4):535-41.
- Friedrich, I., Simm, A., Kotting, J., Tholen, F., Fischer, B., & Silber, R. E. (2009). Der alte patient in der herzchirurgie. *Deutsches Arzteblatt*, Vol.106, pp. 416-422.
- Gerhardt, M. A. 2007. Postoperative care of the cardiac surgical patient. In F. A. Hensley, D. E. Martin, & G. P. Gravlee (Eds.), *A Practical approach to cardiac anesthesia* (pp. 261-288). Philadelphia, PA: Lippincott Williams & Wilkins.
- Gajic, O., Rana, R., Mendez, J. L., Rickman, O. B., Lymp, J. F., Hubmayr, R. D., & Moore, S. B. (2004). Acute lung injury after blood transfusion in mechanically ventilated patients. *Transfusion*, 44(10), 1468-1474.
- Gravlee GP, Davis RF, Hammon JW, Kussman BD. 2016 *Cardiopulmonary Bypass and Mechanical Support, Principles and Practice*. Fourth Edition, 2:38-155.
- Herman, C., Karolak, W., Yip, A.M., Buth, K.J., Hassan, A. & Legare, J.F. 2009. Predicting prolonged intensive care unit length of stay in patients undergoing coronary artery bypass

surgery-development of an entirely preoperative scorecard. *Interactive CardioVascular and Thoracic Surgery*, 9(4): 654-658.

Herrera, A. 2008. *Stoeltings Anesthesia and CoExisting Disease*. 5<sup>th</sup> edition. Chapter 2: Valvular Heart Disease.

Hessel EA, 2013. Cardiopulmonary bypass equipment. In: estafanaous Fg, et al., eds. *Cardiac Anesthesia*. 2nd ed. Philadelphia, PA: Lippincott Williams & Wilkins.

Hessel, E, A., Ghansah, J, N. 2008. Pathophysiology of Cardiopulmonary Bypass. *Practical Approach of Cardiac Anesthesia*. 4<sup>th</sup> edition. Lippincott Wiliiams and Wilkins.

Hornick, P., Taylor K, M. 2000. Immune and Inflammatory Response After Cardiopulmonary Bypass. In: Gravlee GP et al, editors. *Cardiopulmonary bypass Principles and Practice*. 2<sup>nd</sup> ed. Philadelphia Lippincott Wiliams and Wilkins.

Kapodohos, T., Angelopoulos, E., Vasileiadis, I., Nanas, S., Kotanidou, A., Karabinis, A., Routsis, C. (2017). Determinants of prolonged intensive care unit stay in patient after cardiac surgery: A prospective observational study. *Journal of Thoracic Disease*, 9(1), 70-79.

Karkouti, K., Beattie, W . S., Wijeysondera, D,N., Rao, V., Chan, C., Dattilo, K. M., Djaiani,G., Ivanov, J., Karski, J. and David, T.E. 2005. Hemodilution during cardiopulmonary bypass is associated with increased risk of postoperative stroke in cardiac surgery. *Ann Thorac Surg*, 80, 1381-7.

Kementerian Kesehatan Republik Indonesia. (2018). Laporan nasional riskesdas 2018. Badan Penelitian dan Pengembangan Kesehatan. Diakses pada 20 Juni 2020. [http://kesmas.kemkes.go.id/assets/upload/dir\\_519d41d8cd98f00/files/Hasil-riskesdas\\_2018\\_1274.pdf](http://kesmas.kemkes.go.id/assets/upload/dir_519d41d8cd98f00/files/Hasil-riskesdas_2018_1274.pdf).

Kurki, T.S., Kataja, M.J. & Reich, D.L. 2002. Validation of preoperative risk index predictor of perioperative morbidity and hospital costs in coronary aretey bypass graft surgery. *Journal of Cardiothoracic and Vascular Anesthesia*, 16(4): 401-404.

Kumle B, Boldt J, Suttner SW, et al: Influence of prolonged cardiopulmonary bypass times on splanchnic perfusion and markers of splanchnic organ function. *Ann Thorac Surg* 75:1558-1564, 2003.

Mahesh, B., Chongg, C. K., Goldsmith, K., Gerrard, C., Nashef, S. A. M., & Vuylsteke, A. (2012) Prolonged stay in intensive care unit is a powerful predictor of adverse outcomes after cardiac operations. *Annals of Thoracic Surgery*, 94(1), 109-116.

Mangano CM, Diamondstone LS, Ramsay JG, et al: Renal dysfunction after myocardial revascularization: Risk factors, adverse outcomes, and hospital resource utilization. *Ann Intern Med* 128:194-203, 1998

Mazzeffi In-Hospital Mortality After Cardiac Surgery: Patient Characteristics, Timing, and Association With Postoperative Length of Intensive Care Unit and Hospital Stay ([annalsthoracicsurgery.org](http://annalsthoracicsurgery.org))

McKee, Andrew, Sidebotham. David & Gladding, Patrick A 2007. Standard Management of Cardiac Surgery Patient. *Cardiothoracic Critical Care*, 1<sup>st</sup> ed. Elsevier Saunders.

Mehmood A, Nadeem R N, Kabbani M S, et al. 2019. Impact of Cardiopulmonary Bypass and Aorta Cross Clamp Time on the Length of Mechanical Ventilation after Cardiac Surgery among Children: A Saudi Arabian Experience. *Cureus* 11(8): e5333. DOI 10.7759/cureus.5333

Murphy, G,S., Hessel, E,A., Groom, R,C. 2009. Optimal Perfusion During Cardiopulmonary Bypass : An Evidence-Based Approach. *International Anesthesia Research Society*, 108: 1394-1417.

Nakasuji, M., Matsushita, M., & Asada, A. 2005. Risk factors for prolonged ICU stay in patients following coronary artery bypass grafting with a long duration of cardiopulmonary bypass. *Journal of Anesthesia*, 19(2), 118–123. doi:10.1007/s00540-005-0301-9

Nashef, S.A.M., Roques, F., Sharples, L.D., Nilsson, J., Smith, C., Goldstone, A.R., Lockowandt, U., 2012. EuroSCORE II. *Eur. J. Cardiothorac. Surg.* 41, 734–745. <https://doi.org/10.1093/ejcts/ezs043>.

Nicolic B.D., Putnik S.M., Lazovic D.M., Vranes M.D. 2012. Can we identify risk factors for postoperative delirium in cardiac coronary patient? Our experience, *The Heart Surgery Forum*, 15(4) 195-199.

Nielsen, D.V., Hansen, M.K., Johnsen, S.P., Hansen, M., Hindsholm, K., Jakobsen, C.-J., 2014. Health outcomes with and without use of inotropic therapy in cardiac surgery: results of a propensity score-matched analysis. *Anesthesiology* 120, 1098–1108. <https://doi.org/10.1097/ALN.0000000000000224>

Nishida, T., Sonoda, H., Oishi, Y., Tanoue, Y., Nakashima, A., Shiokawa, Y., Tominaga, R., 2014. The novel EuroSCORE II algorithm predicts the hospital mortality of thoracic aortic surgery in 461 consecutive Japanese patients better than both the original additive and logistic EuroSCORE algorithms. *Interact. Cardiovasc. Thorac. Surg.* 18, 446–450. <https://doi.org/10.1093/icvts/ivt524>.

Nissinen, J., Biancari, F., Wisbacka, J.O., Peltola, T., Lojonen, P., Safe time limits of aortic cross-clamping and cardiopulmonary bypass in adult cardiac surgery. *Perfusion*. 2009.

Noyez, L., Kievit, P.C., van Swieten, H.A., de Boer, M.-J., 2012. Cardiac operative risk evaluation: The EuroSCORE II, does it make a real difference? *Neth. Heart J.* 20, 494–498. <https://doi.org/10.1007/s12471-012-0327-1>.

Nussmeier NA. 2005. Management of Temperature During And After Cardiac Surgery. *Cardiovascular Anesthesiology*. Department of Cardiovascular Anesthesiology, Texas Heart Institute St.Luke’sEpiscopal Hospital, 32 (4) : 472-6.

Palazzo M. 2014. Severity of Illness and Likely Outcome from Critical Illness. *OH’S Intensive Care Manual 7th Ed*. UK. Pp: 16 - 26.

Perugini RA, Orr RK, Porter D, et al: Gastrointestinal complications following cardiac surgery. An analysis of 1477 cardiac surgery patients. *Arch Surg* 132:352-357, 1997

Petrou, A., Tzimas, P. & Siminelakis, S., (2016) ‘Massive bleeding in cardiac surgery’. Definitions, predictors and challenges. *Hippokratia*. 20 (3), 179–186.

Piotto, R.F., Ferreira, F.B., Colósimo, F.C., Silva, G.S. da, Sousa, A.G. de, Braile, D.M., 2012. Independent predictors of prolonged mechanical ventilation after coronary artery bypass surgery. *Rev. Bras. Cir. Cardiovasc.* 27, 520–528. <https://doi.org/10.5935/1678-9741.20120093>

- Rodrigues, C.D., Oliveira, R.A., Soares, O.M., Figueiredo, L.C., Sebastião, A., Dragosavac, D. 2010. Lung injury and mechanical ventilation in cardiac surgery: a review. *Rev Bras Cir Cardiovasc*, 22:4.
- Saad, M., Aladawy, M. 2013. Temperature Management in Cardiac Surgery. *Global Cardiology Science and Practice. A Qatar Foundation Academic Journal*, 7: 42-62.
- Salis, S., Valeria, V., Mazzani, Guido, M., Luca, S., Calogero, T., Fabrizio, V., Ermino, S. 2008. Cardiopulmonary Bypass Duration Is an Independent Predictor of Morbidity and Mortality After Cardiac Surgery, *Journal of Cardiothoracic and Vascular Anesthesia*, Vol 22, N0 6 (December) pp 814-822.
- Sastroasmoro S, Ismael S. 2014. Dasar-dasar Metodologi Penelitian Klinis. Edisi 5. Jakarta : Binarupa Aksara.
- Shah, R., Patel, R., Sharma, R., Pandya, H., Shah, K., Factors Influencing Prolonged Stay in The Intensive Care Unit After Cardiac Surgery. *National Journal of Medical Research*. Juni 2015. Vol 5.
- Snell, A., Parizkova, B. Organ damage during cardiopulmonary bypass In: Ghosh, S., Falter, F., Cook, DJ. 2009. *Cardiopulmonary Bypass*. Cambridge University Press: Cambridge.
- Sniecinski, RM., Levy, JH., The Inflammatory Response to Cardiopulmonary Bypass In: Mongero, LB., Beck, JR. 2009. *ON BYPASS: Advanced Perfusion Techniques*. Humana Press: Totowa.
- Theodore, K., Epameinondas, A., Ioannis, V., Serafeim, N., Anastasia K., Andreas K. 2016. Determinants of prolonged intensive care unit stay in patients after cardiac surgery: a prospective observational study, *Journal of Thoracic Disease*, 9(1):70-79.
- Tias, D., Reza, W., Ike, S. 2017. Korelasi antara Lama Pintas Jantung Paru dan Lama Bantuan Ventilasi Mekanis pada Pasien Pascabedah Pintas Arteri Koroner di Unit Perawatan Intensif Jantung RSUP Dr. Hasan Sadikin Bandung. *Jurnal Anestesi Perioperatif*, Volume 5 Nomor 2.
- Toumpoulis, I., Anagnostopoulos, C., Swistel, D., Derosejr, J., 2005. Does EuroSCORE predict length of stay and specific postoperative complications after cardiac surgery? *Eur. J. Cardiothorac. Surg.* 27, 128–133. <https://doi.org/10.1016/j.ejcts.2004.09.020>.

Tune, M., Sahutoglu, C., Karaca, N., Kocabas, S., & Askar, F. Z. (2018). Risk factors for prolonged intensive care unit stay after open heart surgery in adults. *Turk Anesteziyoloji ve Reanimasyon Dernegi Dergisi*, 46 (4), 283-291.

Widyastuti, Y., Stensethc, R., Wahbar, A., Pleyrnd, H., Viderna, V., Length of intensive care unit stay following cardiac surgery, is it imposible to find a universal prediction model?. *Interactive CardioVascular and Thoracic Surgery*. 2012.

WHO. 2013. World Health Statistic 2013; 53-79. Diakses pada 20 Juni 2020. Available from: <http://www.who.int>.

Zhang, G., Wang, C., Wang, L., Lu, F., Li, B., Han, L., Xu, Z., 2013. Validation of EuroSCORE II in Chinese Patients Undergoing Heart Valve Surgery. *Heart Lung Circ*. 22, 606–611. <https://doi.org/10.1016/j.hlc.2012.12.012>.

Zhang, X., Zhang, W., Lou, H., Luo, C., Du, Q., Meng, Y., Wu, X., & Zhang, M. 2021. Risk factors for prolong intensive care unit stays in patients after cardiac surgery with cardiopulmonary bypass : A retrospective observational study. *International Journal of Nursing Sciences* 8 : e388-393. <https://doi.org/10.1016/j.ijnss.2021.09.002>