



DAFTAR PUSTAKA

- Alcantarilla, P. F., Bartoli, A., & Davison, A. J. (2012). KAZE features. *Lecture Notes in Computer Science (Including Subseries Lecture Notes in Artificial Intelligence and Lecture Notes in Bioinformatics)*, 7577 LNCS(PART 6), 214–227. https://doi.org/10.1007/978-3-642-33783-3_16
- Azhar, R., Tuwohingide, D., Kamudi, D., Sarimuddin, & Suciati, N. (2015). Batik Image Classification Using SIFT Feature Extraction, Bag of Features and Support Vector Machine. *Procedia Computer Science*, 72, 24–30. <https://doi.org/10.1016/j.procs.2015.12.101>
- Bay, H., Ess, A., Tuytelaars, T., & Van Gool, L. (2008). Speeded-Up Robust Features (SURF). *Computer Vision and Image Understanding*, 110(3), 346–359. <https://doi.org/10.1016/j.cviu.2007.09.014>
- Boser, B. E., Vapnik, V. N., & Guyon, I. M. (1992). Training Algorithm Margin for Optimal Classifiers. *Perception*, 144–152.
- Calonder, M., Lepetit, V., Strecha, C., & Fua, P. (2010). BRIEF: Binary robust independent elementary features. *Lecture Notes in Computer Science (Including Subseries Lecture Notes in Artificial Intelligence and Lecture Notes in Bioinformatics)*, 6314 LNCS(PART 4), 778–792. https://doi.org/10.1007/978-3-642-15561-1_56
- Chaudhry, Q., Chrétien, J., Craciun, M., Guo, G., Lemke, F., Müller, J. A., Neagu, D., Piclin, N., Pintore, M., & Trundle, P. (2007). Algorithms for (Q)SAR model building. *Quantitative Structure-Activity Relationships (QSAR) for Pesticide Regulatory Purposes*, 111–147. <https://doi.org/10.1016/B978-044452710-3/50006-9>
- Chen, T., & Guestrin, C. (2016). XGBoost: A scalable tree boosting system. *Proceedings of the ACM SIGKDD International Conference on Knowledge Discovery and Data Mining*, 13-17-Aug, 785–794.

<https://doi.org/10.1145/2939672.2939785>

- Chhabra, P., Naresh, •, Garg, K., & Kumar, • Munish. (2018). Content-based image retrieval system using ORB and SIFT features. *Neural Computing and Applications*, 32. <https://doi.org/10.1007/s00521-018-3677-9>
- Coastera, F. F. (2008). *Sistem Pakar untuk Mengenal Nama dan Karakter Tokoh Wayang Kulit Purwa Menggunakan Basisdata XML*. Universitas Gadjah Mada.
- Csurka, G., Dance, C. R., Fan, L., Willamowski, J., & Bray, C. (2004). Visual categorization with bags of keypoints. *Workshop on Statistical Learning in Computer Vision, ECCV*, 1(1–22), 1–2. <https://people.eecs.berkeley.edu/~efros/courses/AP06/Papers/csurka-eccv-04.pdf>
- Dimitriadis, S. I., & Liparas, D. (2018). How random is the random forest? Random forest algorithm on the service of structural imaging biomarkers for Alzheimer’s disease: from Alzheimer’s disease neuroimaging initiative (ADNI) database. *Neural Regeneration Research*, 13(6), 962–970. <https://doi.org/10.4103/1673-5374.233433>
- Duda, R. O., Hart, P. E., & Stork, D. G. (2000). *Pattern Classification* (2nd ed.). John Wiley & Sons.
- Faria, L. C. De, Rodrigues, L. F., & Mari, F. (2018). *Cell classification using handcrafted features and bag of visual words*. February 2019.
- Gonzales, R. C., & Wintz, P. (1978). *Digital Image Processing* (2nd ed.). Addison-Wesley.
- Haryadi, T., & Khamadi. (2004). Perancangan Model Wujud Visual Tokoh Pewayangan. *Jurnal Dekade*, 4(2), 56–76.
- Jadia, A., & Chawla, M. P. S. (2020). Image Classification and Detection of Insulators using Bag of Visual Words and Speeded up Robust Features.

- International Journal of Innovative Science and Modern Engineering*, 6(10), 7–13. <https://doi.org/10.35940/ijisme.j1260.0961020>
- Kingma, D. P., & Ba, J. L. (2015). Adam: A method for stochastic optimization. *3rd International Conference on Learning Representations, ICLR 2015 - Conference Track Proceedings*, 1–15.
- Li, W., Qian, Y., Loomes, M., & Gao, X. (2015). The Application of KAZE features to the classification echocardiogram videos. *Lecture Notes in Computer Science (Including Subseries Lecture Notes in Artificial Intelligence and Lecture Notes in Bioinformatics)*, 9059, 61–72. https://doi.org/10.1007/978-3-319-24471-6_6
- Lowe, D. G. (2004). Distinctive image features from scale-invariant keypoints. *International Journal of Computer Vision*, 60(2), 91–110. <https://doi.org/10.1023/B:VISI.0000029664.99615.94>
- Malpani, S., Asha, C. S., & Narasimhadhan, A. V. (2017). Thermal vision human classification and localization using bag of visual word. *IEEE Region 10 Annual International Conference, Proceedings/TENCON*, 3135–3139. <https://doi.org/10.1109/TENCON.2016.7848627>
- Marlia, M., Purnamawati, D., Santoso, A. J., Ardanari, P., Teknik, M., Universitas, I., Jaya, A., & Pakar, S. (2013). Perancangan Sistem Pakar Neuro Fuzzy Untuk Pengenalan Tokoh Wayang Kulit Purwa. *Seminar Nasional Informatika, 2013(semnasIF)*, 14–21.
- Menzies, T., Kocagüneli, E., Minku, L., Peters, F., & Turhan, B. (2015). Using Goals in Model-Based Reasoning. *Sharing Data and Models in Software Engineering*, 321–353. <https://doi.org/10.1016/B978-0-12-417295-1.00024-2>
- Muhammad, U., Wang, W., Hadid, A., & Pervez, S. (2019). Bag of words KAZE (BoWK) with two-step classification for high-resolution remote sensing images. *IET Computer Vision*, 13(4), 369–375. <https://doi.org/10.1049/iet-cvi.2018.5069>



- Muhathir, Santoso, M. H., & Larasati, D. A. (2021). *Wayang Image Classification Using SVM Method and GLCM Feature Extraction*. 4(January), 373–382.
- Mustafid, A., Pamuji, M. M., & Helmiyah, S. (2020). A Comparative Study of Transfer Learning and Fine-Tuning Method on Deep Learning Models for Wayang Dataset Classification. *International Journal on Informatics for Development*, 9(2), 100–110. <https://doi.org/10.14421/ijid.2020.09207>
- Nugraha, K. A., Santoso, A. J., Suselo, T., Studi, P., Teknik, M., Atma, U., Yogyakarta, J., Tiruan, J. S., & Tepi, D. (2013). Algoritma Backpropagation Pada Jaringan Saraf Tiruan Untuk Pengenalan Pola Wayang Kulit. *Seminar Nasional Informatika, 2013(semnasIF)*, 8–13. Wayang Kulit, Jaringan Saraf Tiruan, Backpropagation, Deteksi Tepi
- Palvia, P., Mao, E., Salam, A. F., & Soliman, K. S. (2003). Management Information Systems Research: What's There in a Methodology? *Communications of the Association for Information Systems*, 11(March). <https://doi.org/10.17705/1cais.01116>
- Parikesit, G. O. F. (2016). 3D Wayang Kulit: Traditional shadow puppetry meets modern display technology. *International Journal of Arts and Technology*, 9(2), 162–172. <https://doi.org/10.1504/IJART.2016.077238>
- Peng, W., Chen, J., & Zhou, H. (2009). An Implementation of ID3 Decision Tree Learning Algorithm. *Project of Comp 9417: Machine Learning*, 1, 1–20. <http://cis.k.hosei.ac.jp/~rhuang/Miccl/AI-2/L10-src/DecisionTree2.pdf>
- Pflanz, M., Nordmeyer, H., & Schirrmann, M. (2018). Weed mapping with UAS imagery and a bag of visualwords based image classifier. *Remote Sensing*, 10(10), 1–17. <https://doi.org/10.3390/rs10101530>
- Purwanto, S. (2018). Pendidikan Nilai dalam Pagelaran Wayang Kulit. *Ta'allum: Jurnal Pendidikan Islam*, 6(1), 1–30. <https://doi.org/10.21274/taalum.2018.6.1.1-30>
- Qidwai, U., & Chen, C. H. (2009). *Digital Image Processing: An Algorithmic*



Approach with MATLAB. CRC Press.

Resa, M., Yudianto, A., & Fatta, H. Al. (2020). Analisis Pengaruh Tingkat Akurasi Klasifikasi Citra Wayang Dengan Algoritma Convolutional Neural Network. *Jurnal Teknologi Informasi*, 4(2), 182–190.

Rosten, E., Porter, R., & Drummond, T. (2010). Faster and better: A machine learning approach to corner detection. *IEEE Transactions on Pattern Analysis and Machine Intelligence*, 32(1), 105–119. <https://doi.org/10.1109/TPAMI.2008.275>

Rublee, E., Rabaud, V., Konolige, K., & Bradski, G. (2011). ORB: An efficient alternative to SIFT or SURF. *Proceedings of the IEEE International Conference on Computer Vision, November 2011*, 2564–2571. <https://doi.org/10.1109/ICCV.2011.6126544>

Sanchez-Morillo, D., González, J., García-Rojo, M., & Ortega, J. (2018). Classification of Breast Cancer Histopathological Images Using KAZE Features. *Lecture Notes in Computer Science (Including Subseries Lecture Notes in Artificial Intelligence and Lecture Notes in Bioinformatics)*, 10814 LNBI, 276–286. https://doi.org/10.1007/978-3-319-78759-6_26

Sandy, B., Siahaan, J. K., Permana, P., & Muhathir. (2019). *Klasifikasi Citra Wayang Dengan Menggunakan Metode k-NN & GLCM*. 2(November), 71–77.

Santoso, M. H., Larasati, D. A., & Muhathir. (2020). Wayang Image Classification Using MLP Method and GLCM Feature Extraction. *Journal of Informatics and Telecommunication Engineering*, 1(2), 111–119. <https://doi.org/10.31289/jite.v4i2.4524>

Schmitt, D., & McCoy, N. (2011). Object Classification and Localization Using SURF Descriptors. *Object Classification and Localization Using SURF Descriptors*, 1–5.

Sculley, D. (2010). Web-scale k-means clustering. *Proceedings of the 19th International Conference on World Wide Web, WWW '10*, 1177–1178.

<https://doi.org/10.1145/1772690.1772862>

Shen, L., Lin, J., Wu, S., & Yu, S. (2013). *HEp-2 image classification using intensity order pooling based features and bag of words*.
<https://doi.org/10.1016/j.patcog.2013.09.020>

Singhal, N., Singhal, N., & Kalaichelvi, V. (2017, November 21). Image classification using bag of visual words model with FAST and FREAK. *Proceedings of the 2017 2nd IEEE International Conference on Electrical, Computer and Communication Technologies, ICECCT 2017*.
<https://doi.org/10.1109/ICECCT.2017.8117861>

Soekarno. (1992). *Wayang Kulit Purwa: Klasifikasi, Jenis, dan Sejarah*. Aneka Ilmu.

Suh, H. K., Hofstee, J. W., IJsselmuiden, J., & van Henten, E. J. (2018). Sugar beet and volunteer potato classification using Bag-of-Visual-Words model, Scale-Invariant Feature Transform, or Speeded Up Robust Feature descriptors and crop row information. *Biosystems Engineering*, 166, 210–226.
<https://doi.org/10.1016/j.biosystemseng.2017.11.015>

Sulardi, R. M. (1953). *Printjening Gambar Ringgit Purwa*. Balai Pustaka.

Sunarto. (1989). *Wayang Kulit Purwa Gaya Yogyakarta*. Balai Pustaka.

Susanto, A., & Mulyono, I. U. W. (2019). Rekognisi Wayang Kulit Menggunakan Jaringan Syaraf Tiruan. *Prosiding SENDI_U, October*, 978–979.

Suthaharan, S. (2016). A Cognitive Random Forest: An Intra- and Intercognitive Computing for Big Data Classification Under Cune Condition. *Handbook of Statistics*, 35, 207–227. <https://doi.org/10.1016/BS.HOST.2016.07.006>

Uijlings, J. R. R., Smeulders, A. W. M., & Scha, R. J. H. (2010). Real-time visual concept classification. *IEEE Transactions on Multimedia*, 12(7), 665–681.
<https://doi.org/10.1109/TMM.2010.2052027>

Vadakkenevettill, B. S. (2012). Grey Level Co-Occurrence Matrices: Generalisation



and Some New Features. *International Journal of Computer Science, Engineering and Information Technology*, 2(2), 151–157.
<https://doi.org/10.5121/ijcseit.2012.2213>

Vapnik, V. N. (1998). *Statistical Learning Theory*. John Wiley & Sons.

Wang, G., Rister, B., & Cavallaro, J. R. (2013). Workload analysis and efficient OpenCL-based implementation of SIFT algorithm on a smartphone. *2013 IEEE Global Conference on Signal and Information Processing, GlobalSIP 2013 - Proceedings, December*, 759–762.
<https://doi.org/10.1109/GlobalSIP.2013.6737002>

Wisnudhanti, K., & Candra, F. (2020). Image Classification of Pandawa Figures Using Convolutional Neural Network on Raspberry Pi 4. *Journal of Physics: Conference Series*, 1655(1). <https://doi.org/10.1088/1742-6596/1655/1/012103>

Zhang, Y., Jin, R., & Zhou, Z. H. (2010). Understanding bag-of-words model: A statistical framework. *International Journal of Machine Learning and Cybernetics*, 1(1–4), 43–52. <https://doi.org/10.1007/s13042-010-0001-0>

Zhou, L., Zhou, Z., & Hu, D. (2012). *Scene classification using a multi-resolution bag-of-features model*. <https://doi.org/10.1016/j.patcog.2012.07.017>