

DAFTAR PUSTAKA

- Abbood, A., Smadja, C., Herrenknecht, C., Alahmad, Y., Tchaplal, A., dan Taverna, M., 2009. Retention mechanism of peptides on a stationary phase embedded with a quaternary ammonium group: A liquid chromatography study. *Journal of Chromatography A*, **1216**: 3244–3251.
- Abdelaleem, E.A. dan Abdelwahab, N.S., 2013. Validated stability indicating RP-HPLC method for determination of paracetamol, methocarbamol and their related substances. *Anal. Methods*, **5**: 541–545.
- Abdelwahab, N.S., Abdelrahman, M.M., Boshra, J.M., dan Taha, A.A., 2019. Different stability-indicating chromatographic methods for specific determination of paracetamol, dantrolene sodium, their toxic impurities and degradation products. *Biomedical Chromatography*, **33**: 1-9.
- Abdelwahab, N.S., Ali, N.W., Zaki, M.M., dan Abdelkawy, M., 2014. Validated Chromatographic Methods for Simultaneous Determination of Tolfenamic Acid and Its Major Impurities. *Journal of Chromatographic Science*, **53**: 484–491.
- Acharya, S., Daniel, A., Gyadangi, B., dan Ramsamy, S., 2015. Isolation, Characterization of a Potential Degradation Product of Aspirin and an HPLC Method for Quantitative Estimation of Its Impurities. *Journal of Chromatographic Science*, **53**: 1491–1497.
- Agrahari, V., Bajpai, M., dan Nanda, S., 2013, Essential Concepts of Mobile Phase Selection for Reversed Phase HPLC. *Research J. Pharm. and Tech*, **6**: 459-464.
- Ahmed, H.M., Elshamy, Y.S., Talaat, W., Labib, H.F. dan Belal, T.S., 2019, Simultaneous analysis of chlorzoxazone, diclofenac sodium and tramadol hydrochloride in presence of three potential impurities using validated HPLC-DAD and HPTLC methods. *Microchemical Journal*, **153**: 104505.
- Ahmed, S., Sheraz, M.A., dan Ahmad, I., 2018. Tolfenamic Acid, dalam: *Profiles of Drug Substances, Excipients and Related Methodology*. 255-319, Elsevier, Amsterdam.
- Ahuja, S. & Dong, M.W. 2005. *Handbook of Pharmaceutical Analysis by HPLC*, 48-73, Elsevier Acad. Press, Amsterdam.
- Association of Official Analytical Chemists, 2016. Appendix F: Guidelines for *Standard Method Performance Requirements*, dalam: Association of

Official Analytical Chemists, *AOAC Official Method of Analysis*. 9, AOAC International, Maryland.

- Aubry, A.F., Tattersall, P., & Ruan, J., 2009. Development of Stability Indicating Methods, dalam: Huynh-Ba, K. (Editor), *Handbook of Stability Testing in Pharmaceutical Development*. 139-161, Springer New York, New York.
- Awad, H., Aboul-Enein, H.Y., dan Lashin, S., 2011. A validated enantioselective HPLC assay of dexibuprofen in dexibuprofen tablet formulations: Enantioselective HPLC assay of dexibuprofen. *Biomedical Chromatography*, **26**: 502–506.
- Azougagh, M., Elkarbane, M., Bakhous, M., Issmaili, S., Skalli, A., Moussad, S.I., dan Benaji, B., 2016. A novel stability-indicating UPLC method development and validation for the determination of seven impurities in various diclofenac pharmaceutical dosage forms. *Annales Pharmaceutiques Françaises*, **74**: 358–369.
- Bapatu, H.R., Maram, R.K., dan Murthy, R.S., 2015. Stability-Indicating HPLC Method for Quantification of Celecoxib and Diacerein Along With Its Impurities in Capsule Dosage Form. *Journal of Chromatographic Science*, **53**: 144–153.
- Belal, T.S., Bedair, M.M., Gazy, A.A., dan Guirguis, K.M., 2015. Validated Selective HPLC-DAD Method for the Simultaneous Determination of Diclofenac Sodium and Lidocaine Hydrochloride in Presence of Four of Their Related Substances and Potential Impurities. *Acta Chromatographica*, **27**: 477–493.
- Binnor, A.K., Mukkanti, K., Suryanarayana, M.V., dan Roy, S.B., 2013. Stability-Indicating UPLC Method for Tramadol HCl Impurities in the Tramadol Injection after Dilution by Infusion Fluids (5% Dextrose and 0.9% Sodium Chloride). *Scientia Pharmaceutica*, **81**: 1003-1015.
- Blessy, M., Patel, R.D., Prajapati, P.N., dan Agrawal, Y.K., 2014. Development of forced degradation and stability indicating studies of drugs—A review. *Journal of Pharmaceutical Analysis*, **4**: 159-165.
- Boltia, S.A., Soudi, A.T., Elzanfaly, E.S., dan Zaazaa, H.E., 2019. Development and Validation of Chromatographic Methods for Simultaneous Determination of Paracetamol, Orphenadrine Citrate and Caffeine in Presence of P-aminophenol; Quantification of P-aminophenol Nephrotoxic Impurity Using LC-MS/MS. *Journal of chromatographic science*, **58**: 223-233.

- Briscoe, C.J. & Hage, D.S. 2009. Factors affecting the stability of drugs and drug metabolites in biological matrices. *Bioanalysis*, **1**: 205–220.
- Bushra, R., Shoaib, M.H., Naeem, M.I., dan Aslam, N., 2013. Aceclofenac: a new effective and safe NSAID. *International Journal of Drug Delivery Technology*, **4**: 34-42.
- Calinescu, O., Badea, I.A., Vladescu, L., Meltzer, V., dan Pincu, E., 2012. HPLC Separation of Acetaminophen and its Impurities Using A Mixed-mode Reversed-Phase/Cation Exchange Stationary Phase. *Journal of Chromatographic Science*. **50**: 335-42.
- Chang, R, 2010. *Chemistry*. 136, McGraw-Hill, New York.
- Chawla, G. dan Ranjan, C., 2016. Principle, Instrumentation, and Applications of UPLC: A Novel Technique of Liquid Chromatography. *Open Chemistry Journal*, **3**: 1-16.
- Coskun, O., 2016. Separation Techniques: Chromatography. *Northern Clinics of Istanbul*, **3**: 156-60.
- Darwish, K., Salama, I., Mostafa, S., dan El-Sadek, M., 2012. Validated Stability-Indicating Reversed-Phase-HPLC Method for Simultaneous Determination of Orphenadrine Citrate, Caffeine and Aspirin. *Chemical and Pharmaceutical Bulletin*, **60**: 1426–1436.
- Debbih, M., Guermouche, M.-H., dan Guermouche, S., 2017. Microemulsion high performance liquid chromatography method for the determination of ibuprofen in the presence of preservatives and impurities in oral pediatric suspension. *Chemical Papers*, **71**: 1693–1703.
- Deshpande, M.M., 2020. Analytical, Bioanalytical, Stability-Indicating Methods: Key Part of Regulatory Submissions <https://www.intechopen.com/online-first/analytical-bioanalytical-stability-indicating-methods-key-part-of-regulatory-submissions>, diakses pada 10 November 2020.
- Dolan, J.W., 2003. Why Do Peaks Tail?. *LCGC North America*, **21**: 612-616.
- Dongala, T., Katari, N.K., Palakurthi, A.K., dan Jonnalagadda, S.B., 2019. Stability-indicating HPLC method for simultaneous quantification of 14 impurities in excedrin tablet formulations and identification of new impurity by LC–MS in accelerated stability studies. *Biomedical Chromatography*, **33**: e4608.

- El-Gindy, A., Attia, K.A.-S., Nassar, M.W., Abu Seada, H.H., dan Shoeib, M.A.-S., 2013. HPLC method for determination of paracetamol, pseudoephedrine, triprolidine, methylparaben, propylparaben, sodium benzoate, and their related substances in pharmaceutical syrup. *Journal of Liquid Chromatography & Related Technologies*, **36**: 1251–1263.
- El-Houssini, O.M., 2013. RP-LC and TLC Densitometric Determination of Paracetamol and Pamabrom in Presence of Hazardous Impurity of Paracetamol and Application to Pharmaceuticals. *Analytical Chemistry Insights*, **8**: 73-81.
- El-Ragehy, N.A., Hassan, N.Y., Tantawy, M.A., dan Abdelkawy, M., 2016. Simultaneous Determination of Aspirin, Dipyridamole and Two of Their Related Impurities in Capsules by Validated TLC-Densitometric and HPLC Methods. *Journal of Chromatographic Science*, **54**: 1120–1128.
- El-Yazbi, A.F., Guirguis, K.M., Bedair, M.M., dan Belal, T.S., 2020. Validated specific HPLC-DAD method for simultaneous estimation of paracetamol and chlorzoxazone in the presence of five of their degradation products and toxic impurities. *Drug Development and Industrial Pharmacy*, **46**: 1853–1861.
- El-Yazbi, F.A., Amin, O.A., El-Kimary, E.I., Khamis, E.F., dan Younis, S.E., 2018. Simultaneous determination of methocarbamol and aspirin in presence of their pharmacopeial-related substances in combined tablets using novel HPLC-DAD method. *Drug Development and Industrial Pharmacy*, **45**: 265–272.
- Elzanfaly, E.S., Zaazaa, H.E., Soudi, A.T., dan Salem, M.Y., 2015. Development and Validation of Chromatographic Methods for Simultaneous Determination of Ibuprofen and Famotidine in Presence of Related Substances in Pharmaceutical Formulations. *Acta Chimica Slovenica*, **62**: 45-51.
- European Directorate for the Quality of Medicines & HealthCare, 1998, *Pharmeuropa 10.1*, Council of Europe Portal, Strasbourg.
- European Directorate for the Quality of Medicines & HealthCare, 2000, *Pharmeuropa 12.3*, Council of Europe Portal, Strasbourg.
- European Directorate for the Quality of Medicines & HealthCare, 2005, *Pharmeuropa 17.2*, Council of Europe Portal, Strasbourg.

- European Directorate for the Quality of Medicines & HealthCare, 2006, *Pharmeuropa 18.3*, Council of Europe Portal, Strasbourg.
- European Directorate for the Quality of Medicines & HealthCare, 2012, *Pharmeuropa 24.2*, Council of Europe Portal, Strasbourg.
- European Directorate for the Quality of Medicines & HealthCare, 2016, *Pharmeuropa 28.3*, Council of Europe Portal, Strasbourg.
- European Directorate for the Quality of Medicines & HealthCare, 2018, *Pharmeuropa 30.4*, Council of Europe Portal, Strasbourg.
- European Directorate for the Quality of Medicines & HealthCare, 2019, *Pharmeuropa 31.3*, Council of Europe Portal, Strasbourg.
- European Directorate for the Quality of Medicines & HealthCare, 2020a, *Comment on drafts (Pharmeuropa)*, <https://www.edqm.eu/en/comment-drafts-pharmeuropa#:~:text=All%20new%20and%20revised%20monographs,and%20draft%20monographs%20are%20welcomed.&text=monograph%20which%20is%20a%20legal%20standard%20in%20Europe.>, diakses pada 7 Februari 2021.
- European Directorate for the Quality of Medicines & HealthCare, 2020b, *Pharmeuropa 32.1*, Council of Europe Portal, Strasbourg.
- Fanali, S., Haddad, P., Poole, C., Schoenmakers, P., Lloyd, D., 2013a. *Liquid Chromatography. Fundamentals and Instrumentation*. 1-18, Elsevier, Amsterdam.
- Fanali, S., Haddad, P., Poole, C., Schoenmakers, P., Lloyd, D., 2013b. *Liquid Chromatography. Applications*. 431-454, Elsevier, Amsterdam.
- Gandjar, I.G. & Rohman, A., 2014, *Kimia Farmasi Analisis*, 323-406, Pustaka Pelajar, Yogyakarta.
- Garg, A., Solas, D.W., Takahashi, L.H., dan Cassella, J.V., 2010. Forced degradation of fentanyl: Identification and analysis of impurities and degradants. *Journal of Pharmaceutical and Biomedical Analysis*, **53**: 325-34.
- Geigert, J., 2019. Complex Process-Related Impurity Profiles, dalam: *The Challenge of CMC Regulatory Compliance for Biopharmaceuticals*. 231–260, Springer International Publishing, Cham.
- GlobeNewswire, 2020. Global Analgesics Industry, <https://www.globenewswire.com/>, diakses pada 14 Januari 2021.

- Gousuddin, Md., Sengupta, P., Chatterjee, B., dan Das, S.K., 2017. Stability-indicating RP-HPLC method for simultaneous quantitation of tramadol and aceclofenac in presence of their major degradation products: Method development and validation. *Journal of Liquid Chromatography & Related Technologies*, **40**: 887–893.
- Han, Z., 2017. Development and Validation of an HPLC Method for Simultaneous Determination of Ibuprofen and 17 Related Compounds. *Chromatographia*, **80**: 1353-1360.
- Hebbes, C. dan Lambert, D., 2008. Non-opioid analgesic drugs. *Anaesthesia & Intensive Care Medicine*, **9**: 79–83.
- Hong, S., Xu, K., Guo, S., Yuan, L., dan Wang, H., 2017. Development and Validation of a New Simple HPLC Method for the Determination of 3-[4-(2-Methylpropyl)phenyl] Propanoic Acid as an Impurity of Ibuprofen and Ibuprofen Sodium. *Chromatographia*, **80**: 1095–1100.
- Ibrahim, H., Hamdy, A.M., Merey, H.A., dan Saad, A.S., 2020. Simultaneous Determination of Paracetamol, Propyphenazone and Caffeine in Presence of Paracetamol Impurities Using Dual-Mode Gradient HPLC and TLC Densitometry Methods. *Journal of chromatographic science*, **59**: 140-147.
- ICH, 2003, *Stability Testing of New Drug Substances and Products Q1A(R2)*, International Conference on Harmonisation of Technical Requirements for Registration of Pharmaceuticals for Human Use, Geneva.
- ICH, 2005, *Validation of Analytical Procedures: Text and Methodology Q2(R1)*, International Conference on Harmonisation of Technical Requirements for Registration of Pharmaceuticals for Human Use, Geneva.
- ICH, 2006, *Impurities in New Drug Substances Q3A(R2)*, International Conference on Harmonisation of Technical Requirements for Registration of Pharmaceuticals for Human Use, Geneva.
- Iram, F., Iram, H., Iqbal, A. & Husain, A., 2016. Forced Degradation Studies. *Journal of Analytical & Pharmaceutical Research*, **3**: 00073.
- Ismail, B. & Nielsen, S.S., 2010. Basic Principles of Chromatography, dalam: Nielsen, S.S. (Editor), *Food Analysis, Food Science Texts Series*. 473-498, Springer US, Boston.
- Karbhari, P., Joshi, S., dan Bhoir, S., 2014. RP-LC gradient elution method for simultaneous determination of thiocolchicoside, aceclofenac and related

impurities in tablet formulation. *Journal of Pharmacy and Bioallied Sciences*, **6**: 246-252.

Kelce, W.R., 2017. Drug Substance and Drug Product Impurities, Now what?. *MOJ Toxicology*, **3**: 9-13.

Koppala, S., Ranga reddy, V., dan Anireddy, J.S., 2016. Development and Validation of a Novel Stability-Indicating RP-HPLC Method for the Simultaneous Determination of Related Substances of Ketoprofen and Omeprazole in Combined Capsule Dosage Form. *Journal of Chromatographic Science*, **54**: 765–775.

Korodi, T., Bukowski, K., dan Lachmann, B., 2012. Evaluation of a short stability-indicating HPLC method for diclofenac sodium gels. *Pharmazie*, **67**: 980–983.

Krier, F., Brion, M., Debrus, B., Lebrun, P., Driesen, A., Ziemons, E., Evrard, B., dan Hubert, P., 2011. Optimisation and validation of a fast HPLC method for the quantification of sulindac and its related impurities. *Journal of Pharmaceutical and Biomedical Analysis*, **54**: 694-700.

Kumar, R.V., Rao, V.U., Kumar, N.A., dan Subbaiah, B.V., 2015. A Novel, Rapid, and Validated Stability-Indicating UPLC Method for the Estimation of Drotaverine Hydrochloride and Ibuprofen Impurities in Oral Solid Dosage Form. *Scientia Pharmaceutica*, **83**: 567–581.

LaCourse, M.E. dan LaCourse, W.R., 2017. General instrumentation in HPLC *, dalam: *Liquid Chromatography*. 417-429, Elsevier, Amsterdam

Liu, K.-T. & Chen, C.-H., 2019. Determination of Impurities in Pharmaceuticals: Why and How?, <https://www.intechopen.com/books/quality-management-and-quality-control-new-trends-and-developments/determination-of-impurities-in-pharmaceuticals-why-and-how->, diakses pada 9 November 2020.

Louati, K., Bargaoui, I., dan Safta, F., 2018. Development and validation of ultra-performance liquid chromatography method for the determination of meloxicam and its impurities in active pharmaceutical ingredients. *Annales Pharmaceutiques Françaises*, **76**: 187-200.

Medscape, 2020. Nonsteroidal Anti-Inflammatory Drug (NSAID) Classes, <https://emedicine.medscape.com/article/2172136-overview>, diakses pada 4 Februari 2021

- Meyer, V.R., 2010. *Practical High-Performance Liquid Chromatography*. 5-16, John Wiley and Sons. Chichester.
- Morcross, M.M., Abdelwahab, N.S., Ali, N.W., dan Elsaady, M.T., 2017. Different Chromatographic Methods for Simultaneous Determination of Mefenamic Acid and Two of Its Toxic Impurities. *Journal of Chromatographic Science*, **55**: 766–772.
- N'cho, J.S., Fofana, I., Hadjadj, Y. & Beroual, A., 2016, Review of Physicochemical-Based Diagnostic Techniques for Assessing Insulation Condition in Aged Transformers. *Energies*. **9**: 367.
- Papadoyannis, I.N. dan Gika, H.G., 2004. Peak Purity Determination with a Diode Array Detector. *Journal of Liquid Chromatography & Related Technologies*, **27**: 1083–1092.
- Peraman, R., Rao, D.S., Kadiri, R.R., dan Bommireddy, A.R., 2017, Stability-indicating RP- HPLC -DAD method for the simultaneous estimation of Tramadol HCl and Diclofenac sodium. *Journal of Applied Pharmaceutical Science*, **7**: 085-093.
- Petkovska, A., Acevska, J., Chachorovska, M., Petrusevski, G., Stefkov, G., Petkovska, R., dkk., 2017. Impurity profiling of morphine by liquid chromatography-heated electrospray ionization mass spectrometry (LC-HESI-MS). *Turkish Journal of Chemistry*, **41**: 904-916.
- Pilaniya, K., Chandrawanshi, H., Pilaniya, U., Manchandani, P., Jain, P., dan Singh, N., 2010. Recent trends in the impurity profile of pharmaceuticals. *Journal of Advanced Pharmaceutical Technology & Research*, **1**: 302.
- Poole, C.F., 2003. *The Essence of Chromatography*, 1st ed. ed. 2, Elsevier, Amsterdam.
- Pubchem, 2021. *Explore Chemistry*, <https://pubchem.ncbi.nlm.nih.gov/>, diakses pada 21 Januari 2021.
- Ragab, M.A.A. dan El-Kimary, E.I., 2017. High performance liquid chromatography with photo diode array for separation and analysis of naproxen and esomeprazole in presence of their chiral impurities: Enantiomeric purity determination in tablets. *Journal of Chromatography A*, **1497**: 110–117.
- Rao, D.D., Sait, S.S., dan Mukkanti, K., 2011. Development and Validation of an UPLC Method for Rapid Determination of Ibuprofen and Diphenhydramine

Citrate in the Presence of Impurities in Combined Dosage Form. *Journal of Chromatographic Science*, **49**: 281–286.

Rensburg, R.V. dan Reuter, H., 2019. An overview of analgesics: NSAIDs, paracetamol, and topical analgesics. *South African Family Practice*, **61**: 6-12.

Research and Markets, 2020. Analgesics Global Market Report 2020-30: COVID-19 Implications and Growth, <https://www.researchandmarkets.com/>, diakses pada 14 Januari 2021.

Reuhs, B.L. & Rounds, M.A., 2010. High-Performance Liquid Chromatography, dalam: Nielsen, S.S. (Editor), *Food Analysis, Food Science Texts Series*. 499–512, Springer US, Boston, MA.

Rodrigues, E.B., Farah, M.E., Bottós, J.M., dan Aggio, F.B., 2010. Nonsteroidal anti-inflammatory drugs (NSAIDs) in the treatment of retinal diseases, dalam: *Retinal Pharmacotherapy*. 196-200, Elsevier, Amsterdam.

Runje, M., Babić, S., Meštrović, E., Nekola, I., Dujmić-Vučinić, Ž., dan Vojčić, N., 2016. Forced degradation of nepafenac: Development and validation of stability indicating UHPLC method. *Journal of Pharmaceutical and Biomedical Analysis*, **123**: 42–52.

Samanthula, G., Shrigod, V.V., dan Patel, P.N., 2013. Validated Stability-Indicating Assay Method for Simultaneous Determination of Aceclofenac and Thiocolchicoside using RP-HPLC. *Drug Res*, **64**: 429-435.

Sawant, S. dan Barge, V., 2013. A Validated Stability Indicating RP-HPLC Method for Nabumetone, Identification and Characterization of Forced Degradation Products of Nabumetone Using LC-MS/MS. *Asian J. Chem.*, **25**: 6.

Schofferman, J. dan Mazanec, D., 2012. Opioid Analgesics, dalam: *Evidence-Based Management of Low Back Pain*. 154-170, Elsevier, Amsterdam.

Schuster, S.A., Johnson, W.L., DeStefano, J.J., dan Kirkland, J.J., 2013. Methods for Changing Peak Resolution in HPLC: Advantages and Limitations. *LCGC Special Issues*, **31**: 10-18.

Shaalán, R.A. dan Belal, T.S., 2013. Validated Stability-Indicating HPLC-DAD Method for the Simultaneous Determination of Diclofenac Sodium and Diflunisal in Their Combined Dosage Form. *Sci Pharm.*, **81**: 713-732.

- Shabir, G.A., 2004. Step-by-Step Analytical Methods Validation and Protocol in the Quality System Compliance Industry. *Journal of Validation Technology*, **10**: 314-324.
- Shabir, G., 2010. Development and validation of a reversed-phase HPLC method for the determination of hydroxybenzene in a cream formulation. *Indian Journal of Pharmaceutical Sciences*, **72**: 307.
- Solomons, T.W.G. dan Fryhle, C.B., 2011. *Organic Chemistry*. 691-699, John Wiley & Sons, New Jersey.
- Soponar, F., Staniloae, D., Moise, G., Szaniszlo, B., dan David, V., 2012. Simultaneous determination of paracetamol, propyphenazone and caffeine from pharmaceutical preparations in the presence of related substances using a validated HPLC-DAD method. *Revue Roumaine de Chimie*, **58**: 433-440.
- Stoll, D.R., 2019. Mobile Phase Buffers in Liquid Chromatography (LC): Effect of Buffer Preparation Method on Retention Repeatability. <https://www.chromatographyonline.com/view/mobile-phase-buffers-lc-effect-buffer-preparation-method-retention-repeatability-0>, diakses pada 21 Februari 2021.
- Swartz, M., 2010. HPLC Detectors: A Brief Review. *Journal of Liquid Chromatography & Related Technologies*, **33**:1130-1150.
- Thammana, M., 2016. A Review on High Performance Liquid Chromatography (HPLC). *Journal of Pharmaceutical Analysis*, **5**: 22-28.
- Tjay, T.N. & Rahardja, K., 2007, *Obat-Obat Penting Khasiat, Penggunaan dan Efek-Efek Sampingnya*, Edisi Keenam. 310-380, PT. Elex Media Komputindo, Jakarta.
- Tumpa, A., Miladinović, T., Rakić, T., Stajić, A., dan Jančić-Stojanović, B., 2015. Quality by Design Determination of Diclofenac Potassium and its Impurities by High-Performance Liquid Chromatography. *Analytical Letters*, **49**: 445-457.
- United States Pharmacopeia, 2014, *The United States Pharmacopeia*, United States Pharmacopeial Convention Inc, Rockville.
- Vare, S.R., Shelke, M.M., Gholap, S.M., Bidkar, J.S. & Dama, G.Y., 2019. A Review: Development and Validation of RP-HPLC Method for Quantitative Analysis of Pharmaceutical Dosage Form. *World Journal of Pharmaceutical Research*. **8**: 502-532.

- Vojta, J., Hanzlík, P., Jedlička, A., dan Coufal, P., 2014. Separation and determination of impurities in paracetamol, codeine and pitophenone in the presence of fempiverinium in combined suppository dosage form. *Journal of Pharmaceutical and Biomedical Analysis*, **102**: 85–92.
- Wang, Y., Xu, L., Lu, Y., Sun, F., Wu, D., Wang, J., dkk., 2020. Impurity profiling of alfentanil hydrochloride by liquid chromatography/quadrupole time-of-flight high-resolution mass spectrometric techniques for drug enforcement. *Rapid Communications in Mass Spectrometry*, **34**: e8847.
- Yang, Z., Zhao, J., Feng, Y., Lei, Y., Liu, D., Qin, F., dkk., 2020. Identification, synthesis and structural confirmation of process-related impurities in proparacaine hydrochloride. *Journal of Pharmaceutical and Biomedical Analysis*, **190**: 113497.
- Yuwono, M. & Indrayanto, G., 2005. Validation of Chromatographic Method of Analysis. *Profiles of Drug Substances, Excipients, and Related Methodology*, **32**: 243-259.
- Zhou, D., Porter, W.R., & Zhang, G.G.Z., 2009, Drug Stability and Degradation Studies, dalam Chen, Y., (Ed.) *Developing Solid Oral Dosage Forms: Pharmaceutical Theory and Practice*, 87-124, Elsevier, Amsterdam.