

DAFTAR PUSTAKA

- Abdelouahab Reddam, H., Elmail, R., Lloria, S.C., Monrós Tomás, G., Reddam, Z.A., and Coloma-Pascual, F., 2020, Synthesis of Fe, Mn and Cu modified TiO₂ photocatalysts for photodegradation of Orange II, *Bol. la Soc. Esp. Ceram. y Vidr.*, 59, 138–148.
- Abdi, J., Yahyanezhad, M., Sakhaie, S., Vossoughi, M., and Alemzadeh, I., 2019, Synthesis of porous TiO₂/ZrO₂ photocatalyst derived from zirconium metal organic framework for degradation of organic pollutants under visible light irradiation, *J. Environ. Chem. Eng.*, 7, 103096.
- Ahmed, W. and Iqbal, J., 2022, Mn doped ZrO₂ nanoparticles: An optically tuned photocatalyst with superior structural, magnetic and dielectric characteristics, *J. Phys. Chem. Solids*, 160, 110285.
- Akpan, U.G. and Hameed, B.H., 2009, Parameters affecting the photocatalytic degradation of dyes using TiO₂-based photocatalysts: A review, *J. Hazard. Mater.*, 170, 520–529.
- Alifi, A., Kurniawan, R., and Syofian, A., 2020, Zinc-Doped Titania Embedded on the Surface of Zirconia: A Potential Visible-Responsive Photocatalyst Material, *Indones. J. Chem.*, 20, 1374–1381.
- Bellardita, M., Paola, A. Di, Yurdakal, S., and Palmisano, L., 2019, Preparation of Catalysts and Photocatalysts Used for Similar Processes, Elsevier B.V.
- Berlin, I.J., Sujatha, S., Ganesan, V., Thomas, P. V., and Joy, K., 2014, Effect of Mn doping on the structural and optical properties of ZrO₂ thin films prepared by sol – gel method, *Thin Solid Films*, 550, 199–205.
- Bonanni, A., 2007, Ferromagnetic nitride-based semiconductors doped with transition metals and rare earths, *Semicond. Sci. Technol.*, 22, R41–R56.
- Chauhan, R., Kumar, A., and Chaudhary, R.P., 2012, Structural and photocatalytic studies of Mn doped TiO₂ nanoparticles, *Spectrochim. Acta - Part A Mol. Biomol. Spectrosc.*, 98, 256–264.
- Chen, Y.F., Lee, C.Y., Yeng, M.Y., and Chiu, H.T., 2003, The effect of calcination temperature on the crystallinity of TiO₂ nanopowders, *J. Cryst. Growth*, 247, 363–370.
- Cheng, Q., Yang, W., Chen, Q., Zhu, J., Li, D., Fu, L., and Zhou, L., 2020, Fe-doped zirconia nanoparticles with highly negative conduction band potential for enhancing visible light photocatalytic performance, *Appl. Surf. Sci.*, 530, 147291.
- Choi, J., Park, H., and Hoffmann, M.R., 2010, Effects of single metal-ion doping on the visible-light photoreactivity of TiO₂, *J. Phys. Chem. C*, 114, 783–792.
- Deng, Q.R., Xia, X.H., Guo, M.L., Gao, Y., and Shao, G., 2011, Mn-doped TiO₂ nanopowders with remarkable visible light photocatalytic activity, *Mater. Lett.*, 65, 2051–2054.
- Farid, S.B.H., 2019, Structure, microstructure, and properties of bioceramics, *Biocer: For Material Sci and Eng*, 39-76.
- Gnanasekaran, L., Hemamalini, R., Saravanan, R., Ravichandran, K., Gracia, F., and Gupta, V.K., 2016, Intermediate state created by dopant ions (Mn, Co and Zr) into TiO₂ nanoparticles for degradation of dyes under visible light, *J. Mol. Liq.*, 223, 652–659.

- Hanaor, D.A.H. and Sorrell, C.C., 2011, Review of the anatase to rutile phase transformation, *J. Mater. Sci.*, 46, 855–874.
- Hashimoto, K., Irie, H., and Fujishima, A., 2006, Invited Review Paper TiO₂ Photocatalysis: A Historical Overview and Future Prospects, 44, 8269–8285.
- Kanan, D.K. and Carter, E.A., 2012, Band gap engineering of MnO via ZnO alloying: A potential new visible-light photocatalyst, *J. Phys. Chem. C*, 116, 9876–9887.
- Kerkez-Kuyumcu, Ö., Kibar, E., Dayioğlu, K., Gedik, F., Akin, A.N., and Özkara Aydınoğlu, S., 2015, A comparative study for removal of different dyes over M/TiO₂ (M = Cu, Ni, Co, Fe, Mn and Cr) photocatalysts under visible light irradiation, *J. Photochem. Photobiol. A Chem.*, 311, 176–185.
- Kernazhitsky, L., Shymanovska, V., Gavrilko, T., Puchkovska, G., Naumov, V., Khalyavka, T., Kshnyakin, V., Chernyak, V., and Baran, J., 2010, Optical and photocatalytic properties of titanium-manganese mixed oxides, *Mater. Sci. Eng. B Solid-State Mater. Adv. Technol.*, 175, 48–55.
- Kokporka, L., Onsuratoom, S., and Puangpetch, T., 2013, Materials Science in Semiconductor Processing mixed oxide nanocrystals and their photocatalytic sensitized H₂ production activity under visible light irradiation, *Mater. Sci. Semicond. Process.*, 16, 667–678.
- Kurniawan, R., 2018, Synthesis Of Iron Doped Zirconium Titanate As Potential Visible-Responsive Photocatalyst With Various Dopant Concentrations And Calcination Temperatures Sintesis Zirkonium Titanat Terdoping Besi Thesis Synthesis Of Iron Doped Zirconium Titanate As Potential, *Thesis*, FMIPA, Universitas Gadjah Mada, Indonesia.
- Kurniawan, R., Sudiono, S., Trisunaryanti, W., and Syoufian, A., 2019, Synthesis of iron-doped zirconium titanate as a potential visible-light responsive photocatalyst, *Indones. J. Chem.*, 19, 454–460.
- Lemes, M.A., Godinho, M.S., Rabelo, D., Martins, F.T., Mesquita, A., De Souza Neto, F.N., Araujo, O.A., and De Oliveira, A.E., 2014, Estimating mean crystallite size of magnetite using multivariate calibration and powder X-ray diffraction analysis, *Acta Chim. Slov.*, 61, 778–785.
- Liang, Q., Liu, X., Zeng, G., Liu, Z., Tang, L., Shao, B., Zeng, Z., Zhang, W., Liu, Y., Cheng, M., Tang, W., and Gong, S., 2019, Surfactant-assisted synthesis of photocatalysts: Mechanism, synthesis, recent advances and environmental application, 372, 429–451.
- Lim, D.J., Marks, N.A., and Rowles, M.R., 2020, Universal Scherrer equation for graphene fragments, *Carbon N. Y.*, 162, 475–480.
- Low, J., Yu, J., Jaroniec, M., Wageh, S., and Al-ghamdi, A.A., 2017, Heterojunction Photocatalysts, *Adv. Mater. Lett.*, 1–20.
- Lu, H.F., Zhou, Y., Han, W.F., Huang, H.F., and Chen, Y.F., 2013, Promoting effect of ZrO₂ carrier on activity and thermal stability of CeO₂-based oxides catalysts for toluene combustion, *Appl. Catal. A Gen.*, 464–465, 101–108.
- Malengreaux, C.M., Pirard, S.L., Bartlett, J.R., and Heinrichs, B., 2014, Kinetic study of 4-nitrophenol photocatalytic degradation over a Zn²⁺ doped TiO₂ catalyst prepared through an environmentally friendly aqueous sol-gel process,

- Chem. Eng. J.*, 245, 180–190.
- Martínez-Castañón, G.A. Sánchez-Loredo, M.G., Martínez-Mendoza, J.R., and Ruiz, F., 2005, Synthesis of CdS Nanoparticles: a Simple Method in Aqueous Media, *J. Mater. Online*, 1, 1–7.
- Molinari, R., Argurio, P., Bellardita, M., and Palmisano, L., 2017, Photocatalytic Processes in Membrane Reactors,.
- Oshida, Y., 2013, Oxidation and Oxides, *Biosci. Bioeng. Titan. Mater.*, 87–115.
- Pirzada, B.M., Mir, N.A., Qutub, N., Mehraj, O., Sabir, S., and Muneer, M., 2015, Synthesis, characterization and optimization of photocatalytic activity of TiO₂/ZrO₂ nanocomposite heterostructures, *Mater. Sci. Eng. B Solid-State Mater. Adv. Technol.*, 193, 137–145.
- Quan, F., Hu, Y., Zhang, X., and Wei, C., 2014, Applied Surface Science Simple preparation of Mn-N-codoped TiO₂ photocatalyst and the enhanced photocatalytic activity under visible light irradiation, *Appl. Surf. Sci.*, 320, 120–127.
- Ramamoorthy, S., Das, S., Balan, R., and Lekshmi, I.C., 2021, TiO₂-ZrO₂ nanocomposite with tetragonal zirconia phase and photocatalytic degradation of Alizarin Yellow GG azo dye under natural sunlight, *Mater. Today Proc.*,.
- Reddy, C.V., Reddy, I.N., Akkinepally, B., Harish, V.V.N., Reddy, K.R., and Jaesool, S., 2019, Mn-doped ZrO₂ nanoparticles prepared by a template-free method for electrochemical energy storage and abatement of dye degradation, *Ceram. Int.*, 45, 15298–15306.
- S.M.Sze and Ng, K., 2007, Physics of Semiconductor Devices, A Jhon Wiley & Sons, INC., Publication, HOBOKEN, NJ, USA.
- Sakthisharmila, P., Sivakumar, N., and Mathupriya, J., 2021, Synthesis, characterization of Mn, Fe doped ZrO₂ composites and its applications on photocatalytic and solar catalytic studies, *Mater. Today Proc.*, 47, 2159–2167.
- Sambasivam, S., Muralee, C.V. V, Saradhi, P., Mueen, H., Narayanaswamy, V., Kamzin, A.S., and Obaidat, I.M., 2021, Journal of Solid State Chemistry Investigation of optical and magnetic properties of Mn-doped tetragonal ZrO₂ nanocrystals, *J. Solid State Chem.*, 294, 121872.
- Samet, L., Ben Nasseur, J., Chtourou, R., March, K., and Stephan, O., 2013, Heat treatment effect on the physical properties of cobalt doped TiO₂ sol-gel materials, *Mater. Charact.*, 85, 1–12.
- Sharotri, N., Sharma, D., and Sud, D., 2019, Experimental and theoretical investigations of Mn-N-co-doped TiO₂ photocatalyst for visible light induced degradation of organic pollutants, *J. Mater. Res. Technol.*, 8, 3995–4009.
- Simonsen, M.E. and Søgaaard, E.G., 2010, Sol-gel reactions of titanium alkoxides and water: Influence of pH and alkoxy group on cluster formation and properties of the resulting products, *J. Sol-Gel Sci. Technol.*, 53, 485–497.
- Singh, H., Yadav, K.K., Bajpai, V.K., and Jha, M., 2020, Tuning the bandgap of m-ZrO₂ by incorporation of copper nanoparticles into visible region for the treatment of organic pollutants, 123, 1–10.
- Singh, K.P., Shin, C.H., Lee, H.Y., Razmjooei, F., Sinhamahapatra, A., Kang, J., and Yu, J.S., 2020, TiO₂/ZrO₂ Nanoparticle Composites for Electrochemical Hydrogen Evolution, *ACS Appl. Nano Mater.*, 3, 3634–3645.

- Sudrajat, H., Babel, S., Ta, A.T., and Nguyen, T.K., 2020, Mn-doped TiO₂ photocatalysts: Role, chemical identity, and local structure of dopant, *J. Phys. Chem. Solids*, 144, 109517.
- Sulaikhah, E.F., Kurniawan, R., Pradipta, M.F., Trisunaryanti, W., and Syoufian, A., 2020, Cobalt Doping on Zirconium Titanate as a Potential Photocatalyst with Visible-Light-Response, *Indones. J. Chem.*, 20, 911.
- Sun, W., Meng, S., Zhang, S., Zheng, X., Ye, X., Fu, X., and Chen, S., 2018, Insight into the Transfer Mechanisms of Photogenerated Carriers for Heterojunction Photocatalysts with the Analogous Positions of Valence Band and Conduction Band: A Case Study of ZnO/TiO₂, *J. Phys. Chem. C*, 122, 15409–15420.
- Teufer, G., 1962, The crystal structure of tetragonal ZrO₂, *Acta Crystallogr.*, 15, 1187–1187.
- Tomar, L.J. and Chakrabarty, B.S., 2013, Synthesis, structural and optical properties of TiO₂-ZrO₂ nanocomposite by hydrothermal method, *Adv. Mater. Lett.*, 4, 64–67.
- Venkatachalam, N., Palanichamy, M., Arabindoo, B., and Murugesan, V., 2007, Enhanced photocatalytic degradation of 4-chlorophenol by Zr⁴⁺ doped nano TiO₂, *J. Mol. Catal. A Chem.*, 266, 158–165.
- Wang, F., Pan, K., Wei, S., Ren, Y., Zhu, H., Wu, H.H., and Zhang, Q., 2021, Solvothermal preparation and characterization of ordered-mesoporous ZrO₂/TiO₂ composites for photocatalytic degradation of organic dyes, *Ceram. Int.*, 47, 7632–7641.
- Wetchakun, N., Incessungvorn, B., Wetchakun, K., and Phanichphant, S., 2012, Influence of calcination temperature on anatase to rutile phase transformation in TiO₂ nanoparticles synthesized by the modified sol-gel method, *Mater. Lett.*, 82, 195–198.
- Xiao, M., Li, Y., Lu, Y., and Ye, Z., 2015, Synthesis of ZrO₂:Fe nanostructures with visible-light driven H₂ evolution activity, *J. Mater. Chem. A*, 3, 2701–2706.
- Yaacob, N., Sean, G.P., Nazri, N.A.M., Ismail, A.F., Zainol Abidin, M.N., and Subramaniam, M.N., 2021, Simultaneous oily wastewater adsorption and photodegradation by ZrO₂-TiO₂ heterojunction photocatalysts, *J. Water Process Eng.*, 39, .
- Zhang, J., Zhou, P., Liu, J., and Yu, J., 2014, New understanding of the difference of photocatalytic activity among anatase, rutile and brookite TiO₂, *Phys. Chem. Chem. Phys.*, 16, 20382–20386.
- Zhang, Q., Gao, L., and Guo, J., 2000, Effects of calcination on the photocatalytic properties of nanosized TiO₂ powders prepared by TiCl₄ hydrolysis, *Appl. Catal. B Environ.*, 26, 207–215.
- Zheng, J., Sun, L., Jiao, C., Shao, Q., Lin, J., Pan, D., and Naik, N., 2021, Colloids and Surfaces A : Physicochemical and Engineering Aspects Hydrothermally synthesized Ti/Zr bimetallic MOFs derived N self-doped TiO₂ / ZrO₂ composite catalysts with enhanced photocatalytic degradation of methylene blue, *Colloids Surfaces A Physicochem. Eng. Asp.*, 623, 126629.