

DAFTAR PUSTAKA

- Al-Omary, F. A. M. (2013) *Melatonin. Comprehensive Profile*. 1st edn, *Profiles of Drug Substances, Excipients and Related Methodology*. 1st edn. Elsevier Inc. doi: 10.1016/B978-0-12-407691-4.00005-8.
- Asghari, M. H. *et al.* (2017) 'A review of the protective effect of melatonin in pesticide-induced toxicity', *Expert Opinion on Drug Metabolism and Toxicology*, 13(5), pp. 545–554. doi: 10.1080/17425255.2016.1214712.
- Badan Pusat Statistik (BPS) Kabupaten Magelang, 2019. *Indikator Pertanian Kabupaten Magelang 2018*. BPS Kabupaten Magelang.
- Badan Pusat Statistik (BPS) Kabupaten Magelang, 2020. *Kabupaten Magelang Dalam Angka 2020*. BPS Kabupaten Magelang.
- Badan Pusat Statistik (BPS), 2019. *Keadaan Ketenagakerjaan Indonesia Februari 2019*. BPS. Jakarta.
- Chaudary, *et al.* 2016. Caffeine consumption, insomnia, and sleep duration: Results from a nationally representative sample. *Nutrition*. 2016 ; 32(11-12): 1193–1199. doi:10.1016/j.nut.2016.04.005.
- Chen, C., Qian, Y., Chen, Q., *et al.*, 2011. Evaluation of pesticide residues in fruits and vegetables from Xiamen, China. *Food Control*, 22(7), 1114-1120.
- Chen, P. Y., Jan, Y. W. and Yang, C. M. (2017) 'Are the Insomnia Severity Index and Pittsburgh Sleep Quality Index valid outcome measures for Cognitive Behavioral Therapy for Insomnia? Inquiry from the perspective of response shifts and longitudinal measurement invariance in their Chinese versions', *Sleep Medicine*. Elsevier B.V., 35, pp. 35–40. doi: 10.1016/j.sleep.2017.04.003.
- Colovic, M. B. *et al.* (2013) 'Acetylcholinesterase Inhibitors: Pharmacology and Toxicology', *Current Neuropharmacology*, 11(3), pp. 315–335. doi: 10.2174/1570159x11311030006.
- Costa, L.G., 2015. The neurotoxicity of organochlorine and pyrethroid pesticides. In *Handbook of clinical neurology* (Vol. 131, pp. 135-148). Elsevier.
- Costa, L.G., 2018. Organophosphorus compounds at 80: some old and new issues. *Toxicological Sciences*, 162(1), 24-35.
- Crispim, C. A. *et al.* (2011) 'Relationship between food intake and sleep pattern in healthy individuals', *Journal of Clinical Sleep Medicine*, 7(6), pp. 659–664. doi: 10.5664/jcsm.1476.

- Elsersek, T. and Filipic, M. (2011) 'Organophosphorous Pesticides - Mechanisms of Their Toxicity', *Pesticides - The Impacts of Pesticides Exposure*, (January 2011). doi: 10.5772/14020.
- Farahat, T. M. *et al.* (2003) 'Neurobehavioural effects among workers occupationally exposed to organophosphorous pesticides', *Occupational and Environmental Medicine*, 60(4), pp. 279–286. doi: 10.1136/oem.60.4.279.
- Fitriadi, B.R., Putri, A.C., 2016. Metode-Metode Pengurangan Residu Pestisida pada Hasil Pertanian. *Jurnal Rekayasa Kimia & Lingkungan*, 11(2), 61-71.
- Garfield, V. (2019) 'The association between body mass index (BMI) and sleep duration: Where are we after nearly two decades of epidemiological research?', *International Journal of Environmental Research and Public Health*, 16(22). doi: 10.3390/ijerph16224327.
- Greiner, A.J., Richardson, R.J., Worden, R.M., *et al.*, 2010. Influence of lysophospholipid hydrolysis by the catalytic domain of neuropathy target esterase on the fluidity of bilayer lipid membranes. *Biochimica et Biophysica Acta (BBA)-Biomembranes*, 1798(8), 1533-1539.
- Hana Nika Rustia (2009) 'Pengaruh Paparan Pestisida', *Skripsi*. Available at: http://lib.ui.ac.id/file?file=digital/126279-S-5722-Pengaruh_pajanan-Literatur.pdf.
- Hasibuan, R., 2015. *Insektisida Organik Sintetik dan Biorasional*. Xplantaxia. Yogyakarta.
- Hut, R. A. and Van der Zee, E. A. (2011) 'The cholinergic system, circadian rhythmicity, and time memory', *Behavioural Brain Research*, 221(2), pp. 466–480. doi: 10.1016/j.bbr.2010.11.039.
- Ipmawati, P.A., Setiani, O., Danudianti, Y.H., 2016. Analisis Faktor–Faktor Risiko yang Mempengaruhi Tingkat Keracunan Pestisida pada Petani di Desa Jati, Kecamatan Sawangan, Kabupaten Magelang, Jawa Tengah. *Jurnal Kesehatan Masyarakat (e-Journal)*, 4(1), 427-435.
- Jamal, G. A., Hansen, S. and Julu, P. O. O. (2002) 'Low level exposures to organophosphorus esters may cause neurotoxicity', *Toxicology*, 181–182, pp. 23–33. doi: 10.1016/S0300-483X(02)00447-X.
- Jayaraj, R., Megha, P. and Sreedev, P. (2016) 'Review Article. Organochlorine pesticides, their toxic effects on living organisms and their fate in the environment', *Interdisciplinary Toxicology*, 9(3–4), pp. 90–100. doi: 10.1515/intox-2016-0012.
- Jokanovic, M., Segrt, Z., Stojiljkovic, M.P., *et al.*, 2019. Organophosphate- Induced Delayed Polyneuropathy in Man: Clinical Presentation, Mechanisms and Treatment.

- Kamanyire, R. and Karalliedde, L. (2004) 'Organophosphate toxicity and occupational exposure', *Occupational Medicine*, 54(2), pp. 69–75. doi: 10.1093/occmed/kqh018.
- Kamel, F. and Hoppin, J. A. (2004) 'Association of pesticide exposure with neurologic dysfunction and disease', *Environmental Health Perspectives*, 112(9), pp. 950–958. doi: 10.1289/ehp.7135.
- Karalliedde, L., Baker, D., Marrs, T.C., 2006. Organophosphate-induced intermediate syndrome. *Toxicological reviews*, 25(1), 1-14.
- Klein, G.M., 2008. Mechanism of action of organophosphate pesticides and nerve agents. *Disaster preparednes: emergency response to*, 63.
- Komersova, A., Komers, K., Cegan, A., 2007. New findings about Ellman's method to determine cholinesterase activity. *Zeitschrift für Naturforschung C*, 62(1-2), 150-154.
- Kurnia, A., Nurhasan, N., 2017. Identifikasi Potensi Pencemaran Residu Pestisida di Lahan Pertanian Jawa Tengah. *Prosiding Seminar Nasional Fakultas Pertanian UNS* (Vol. 1, No. 1, pp. 334-340).
- Lee, S.B., Ryu, S.H., Park, D.Y., *et al.*, 2018. Intermediate syndrome after dermal exposure to organophosphate insecticide. *Annals of Clinical Neurophysiology*, 20(1), 41-43.
- Li, J. *et al.* (2019) 'Relationship between cumulative exposure to pesticides and sleep disorders among greenhouse vegetable farmers', *BMC Public Health*. *BMC Public Health*, 19(1), pp. 1–11. doi: 10.1186/s12889-019-6712-6.
- Lionetto, M.G., Caricato, R., Calisi, A., *et al.*, 2013. Acetylcholinesterase as a biomarker in environmental and occupational medicine: new insights and future perspectives. *BioMed research international*, 2013.
- Lu, J. L. (2009) 'Total pesticide exposure calculation among vegetable farmers in benguet, philippines', *Journal of Environmental and Public Health*, 2009. doi: 10.1155/2009/412054.
- Malekirad, A. A. *et al.* (2013) 'Neurocognitive, mental health, and glucose disorders in farmers exposed to organophosphorus pesticides', *Arhiv za Higijenu Rada i Toksikologiju*, 64(1), pp. 1–8. doi: 10.2478/10004-1254-64-2013-2296.
- Machado, A. K. F., Wendt, A. and Wehrmeister, F. C. (2018) 'Sleep problems and associated factors in a rural population of a Southern Brazilian city', *Revista de Saude Publica*, 52, pp. 1–11. doi: 10.11606/S1518-8787.2018052000260.
- Minaka, D.A., Sawitri, A.S., Wirawan, D.N., 2016. Hubungan penggunaan pestisida dan alat pelindung diri dengan keluhan kesehatan pada petani

hortikultura di buleleng, bali. *Public Health and Preventive Medicine Archieve*, 4(1), 94-103.

- Mwabulambo, S. G. *et al.* (2018) 'Health symptoms associated with pesticides exposure among flower and onion pesticide applicators in Arusha region', *Annals of Global Health*, 84(3), pp. 369–379. doi: 10.29024/aogh.2303.
- Oktaviani, R., Pawenang, E.T., 2020. Risiko Gejala Keracunan Pestisida pada Petani Greenhouse. *HIGEIA (Journal of Public Health Research and Development)*, 4(2), 178-188.
- Okvitasari, R., Anwar, C., & Suparmin. (2016). Hubungan Antara Keracunan Pestisida Dengan Kejadian Anemia Pada Petani Kentang Di Gabungan Kelompok Tani Al Farruq Desa Patak Banteng Kecamatan Kejajar Kabupaten Wonosobo Tahun 2016. Politeknik Kesehatan Kemenkes Semarang, 299–310.
- Pak, V. M. *et al.* 2018. Choline, Sleep Disturbance, and Alzheimer's Disease. *J Aging Res Clin Practice* 2018;7:91-99. <http://dx.doi.org/10.14283/jarcp.2018.17>
- Postuma, R. B. *et al.* (2012) 'Environmental risk factors for REM sleep behavior disorder', *Neurology*, 79, pp. 248–434.
- Prijanto, B.P., 2009. Analisis faktor risiko keracunan pestisida organofosfat pada keluarga petani hortikultura di Kecamatan Ngablak Kabupaten Magelang Doctoral dissertation, Program Pasca Sarjana Universitas Diponegoro.
- Rahardjo, L.P., Gofir, A., Sutarni, S., 2018. *Korelasi Kadar Kholinesterase Darah Dengan Gangguan Kognitif Pada Petani Terpapar Pestisida Di Kecamatan Ngablak, Kabupaten Magelang, Jawa Tengah*. Tesis, Program Pendidikan Dokter Spesialis Universitas Gadjah Mada.
- Read, D.J., Li, Y., Chao, M.V., *et al.*, 2009. Neuropathy target esterase is required for adult vertebrate axon maintenance. *Journal of Neuroscience*, 29(37), 11594-11600.
- Roberts, J. R. and Reigart, J. R. (2013) 'Chronic Effects', *Recognition and Management of Pesticide Poisonings*, pp. 212–230. Available at: https://www.epa.gov/sites/production/files/2015-01/documents/rmpp_6thed_final_lowresopt.pdf.
- Ruhendi, D., 2008. Faktor determinan aktivitas kholinesterase darah petani hortikultura di Kabupaten Majalengka. *Kesmas: National Public Health Journal*, 2(5), 220-225.
- Samosir, K., Setiani, O. and Nurjazuli, N. (2017) 'Hubungan Paparan Pestisida dengan Gangguan Keseimbangan Tubuh Petani Hortikultura di Kecamatan Ngablak Kabupaten Magelang', *Jurnal Kesehatan Lingkungan Indonesia*, 16(2), p. 63. doi: 10.14710/jkli.16.2.63-69.

- Serrano-Medina, A. *et al.* (2019) 'Neuropsychiatric disorders in farmers associated with organophosphorus pesticide exposure in a rural village of Northwest México', *International Journal of Environmental Research and Public Health*, 16(5). doi: 10.3390/ijerph16050689.
- Sidhu, G.K., Singh, S., Kumar, V., et al., 2019. Toxicity, monitoring and biodegradation of organophosphate pesticides: A review. *Critical Reviews in Environmental Science and Technology*, 1–53.
- Smulders, C. J. G. M. *et al.* (2003) 'Selective effects of carbamate pesticides on rat neuronal nicotinic acetylcholine receptors and rat brain acetylcholinesterase', *Toxicology and Applied Pharmacology*, 193(2), pp. 139–146. doi: 10.1016/j.taap.2003.07.011.
- Sulistiyono, L., 2004. Dilema penggunaan pestisida dalam sistem pertanian tanaman hortikultura di Indonesia. *Makalah Pengantar ke Falsafah Sains. Sekolah Pasca Sarjana S3*.
- Sumiati, A., Julianto, R.P., 2019. Analisa Residu Pestisida di Wilayah Malang dan Penanggulangannya untuk Keamanan Pangan Buah Jeruk. *Buana Sains*, 18(2), 125-130.
- Summary, B., Synthetic, F. S. and Sciences, E. H. (2020) 'Insecticides mimic melatonin , creating higher risk for diabetes Scientists provide first evidence that carbamates can upset circadian rhythms', pp. 2–5.
- Suparti, S., Setiani, O., 2016. Beberapa faktor risiko yang berpengaruh terhadap kejadian keracunan pestisida pada petani. *Pena Medika Jurnal Kesehatan*, 6(2).
- Schutte-rodin, S., Broch, L., Buysse, C. *et al.* (2017) 'New guidelines', *Nutrition & Food Science : Clinical Guideline for the Evaluation and Management of Chronic Insomnia in Adults*, 35(6), pp. 151–152.
- Tsani, R.A., Setiani, O., Dewanti, N.A., 2017. Hubungan Riwayat Paparan Pestisida dengan Gangguan Fungsi Hati Pada Petani di Desa Sumberejo Kecamatan Ngablak Kabupaten Magelang. *Jurnal Kesehatan Masyarakat (e-Journal)*, 5(3), 411-419.chen
- Turana, Y. *et al.* (2019) 'Hypertension and Dementia: A comprehensive review from the HOPE Asia Network', *Journal of Clinical Hypertension*, 21(8), pp. 1091–1098. doi: 10.1111/jch.13558.
- Ulva, F., Rizyana, N.P., Rahmi, A., 2019. Hubungan Tingkat Pengetahuan Dengan Gejala Keracunan Pestisida pada Petani Penyemprot Pestisida Tanaman Holtikultura di Kecamatan Lembah Gumanti Kabupaten Solok Tahun 2019. *J Ilmiah Universitas Batanghari Jambi*, 19(3), 501-503.

- Uwaifo, F. and John-Ohimai, F. (2020) 'Dangers of organophosphate pesticide exposure to human health', *Matrix Science Medica*, 4(2), p. 27. doi: 10.4103/mtsm.mtsm_2_20.
- Voorhees, J.R., Rohlman, D.S., Lein, P.J., *et al.*, 2017. Neurotoxicity in preclinical models of occupational exposure to organophosphorus compounds. *Frontiers in neuroscience*, 10, 590.
- Waiskopf, N. and Soreq, H. (2015) *Cholinesterase Inhibitors: From Molecular Mechanisms of Action to Current and Future Prospects. From Molecular Mechanisms of Action to Current and Future Prospects, Handbook of Toxicology of Chemical Warfare Agents: Second Edition*. Elsevier Inc. doi: 10.1016/B978-0-12-800159-2.00052-X.
- Wicaksono, A.B., Widiyanto, T., Subagiyo, A., 2017. Faktor internal yang berhubungan dengan kadar enzim cholinesterase pada darah petani kentang di Gapoktan Al-Farruq Desa Patak Banteng Kecamatan Kejajar Kabupaten Wonosobo tahun 2016. *Buletin Keslingmas*, 36(3), 194-202.
- Wing, Li, R. H. Y. *et al.* (2002) 'Gender differences in insomnia - A study in the Hong Kong Chinese population', *Journal of Psychosomatic Research*, 53(1), pp. 601–609. doi: 10.1016/S0022-3999(02)00437-3.
- Yuantari, M.C., 2011. Dampak pestisida organoklorin terhadap kesehatan manusia dan lingkungan serta penanggulangannya. In *Prosiding Seminar Nasional*.
- Yuantari, M.C., Widianarko, B., Sunoko, H.R., 2015. Analisis Risiko Paparan Pestisida Terhadap Kesehatan Petani. *KEMAS: Jurnal Kesehatan Masyarakat*, 10(2), 239-245.
- Zulfania, K.D., Setiani, O., Dangiran, H.L., 2017. Hubungan riwayat paparan pestisida dengan tekanan darah pada petani penyemprot di desa sumberejo kecamatan ngablak kabupaten magelang. *Jurnal Kesehatan Masyarakat (e-Journal)*, 5(3), 392-401.
- Zuraida, R., & Chie, H.H., 2014. Pengujian Skala Pengukuran Kelelahan (SPK) pada Responden di Indonesia. *ComTech: Computer, Mathematics and Engineering Applications*, 5(2), 1012-1020.