

## DAFTAR PUSTAKA

- Adharini, R. I., Suyono, E. A., Suadi, Jayanti, A. D., & Setyawan, A. R. 2019. A comparison of nutritional values of *Kappaphycus alvarezii*, *Kappaphycus striatum*, and *Kappaphycus spinosum* from the farming sites in Gorontalo Province, Sulawesi, Indonesia. *Journal of Applied Phycology*, 31(1), 725–730. <https://doi.org/10.1007/s10811-018-1540-0>
- Adhikari, S. P., Meng, S., Wu, Y.-J., Mao, Y.-P., Ye, R.-X., Wang, Q.-Z., Sun, C., Sylvia, S., Rozelle, S., Raat, H., & Zhou, H. 2020. Epidemiology, causes, clinical manifestation and diagnosis, prevention and control of coronavirus disease (COVID-19) during the early outbreak period: A scoping review. *Infectious Diseases of Poverty*, 9(1), 29. <https://doi.org/10.1186/s40249-020-00646-x>
- Ajawanawong, P. 2016. Molecular Phylogenetics: Concepts for a Newcomer. In I. Nookaew (Ed.), *Network Biology* (Vol. 160, pp. 185–196). Springer International Publishing. [https://doi.org/10.1007/10\\_2016\\_49](https://doi.org/10.1007/10_2016_49)
- Alshehri, M.A., Aziz, A. T., Alzahrani, O., Alasmari, A., Ibrahim, S., Osman, G., & Bahattab, O. (2019). DNA-barcoding and Species Identification for some Saudi Arabia Seaweeds using *rbcL* Gene. *Journal of Pure and Applied Microbiology*, 13(4), 2035–2044. <https://doi.org/10.22207/JPAM.13.4.15>
- Anggraeni, S. R., Sudarsono, & Soedharma, D. 2008. Karakterisasi Genetika Rumput Laut *Eucheuma* spp. Dari Tiga Daerah di Indonesia (Kepulauan Seribu, Keruak, dan Sumenep). *Jurnal Bionatura*, 10(3), 13.
- Annisaqois, M., Gerung, G., Wullur, S., Sumilat, D., Wagey, B., & Mandagi, S. 2018. Analisis molekuler DNA alga merah (Rhodophyta) *Kappaphycus* sp. *Jurnal Pesisir dan Laut Tropis*, 6(1), 107. <https://doi.org/10.35800/jplt.6.1.2018.20589>
- Asdary, M., Prastowo, D., Yuliana, & Kusumaningrum, I. 2019. Pembesaran Kakap Putih (*Lates calcalifer*) dengan Sistem Resirkulasi Raceway. *Jurnal Perekayasa Budidaya Air Payau Dan Laut*, 14, 64–71.
- Ayuningrum, P. I., Afrianto, E., & Mulyani, Y. 2012. Keragaman Genetik Rumput Laut *Eucheuma* spp. Dari Sukabumi, Jawa Barat Berdasarkan Metode RAPD PCR. *Jurnal Perikanan Dan Kelautan*, 3(4), 337–345.
- Bafeel, S., Arif, I., Bakir, M., Khan, H., Farhan, A., Al-Homaidan, A., Ahamed, A., & Thomas, J. 2011. Comparative evaluation of PCR success with universal *primers* of maturase K (*matK*) and ribulose-1, 5-bisphosphate carboxylase oxygenase large *subunit* (*rbcL*) for barcoding of some arid plants. *Plant Omics J.*, 4 (4), 195–198.
- Bakhoun, M. T., Sarr, M., Fall, A. G., Huber, K., Fall, M., Sembène, M., Seck, M. T., Labuschagne, K., Gardès, L., Ciss, M., Gimonneau, G., Bouyer, J., Baldet, T., & Garros, C. 2018. DNA barcoding and molecular identification of field-collected *Culicoides* larvae in the Niayes area of Senegal. *Parasites & Vectors*, 11(1), 615. <https://doi.org/10.1186/s13071-018-3176-y>
- Bartolo, A. G., Zammit, G., Peters, A. F., & Küpper, F. C. 2020. The current state of DNA barcoding of macroalgae in the Mediterranean Sea: Presently lacking but urgently required. *Botanica Marina*, 63(3), 253–272. <https://doi.org/10.1515/bot-2019-0041>
- Bast, F. 2014. An Illustrated Review on Cultivation and Life History of Agronomically Important Seaplants. In V. H. Pomin (Ed.), *Seaweeds: Agricultural uses, biological and antioxidant agents* (pp. 39–70). Nova Publishers.

- Bernard, M. S., Strittmatter, M., Murúa, P., Heesch, S., Cho, G. Y., Leblanc, C., & Peters, A. F. 2019. Diversity, biogeography and host specificity of kelp endophytes with a focus on the genera *Laminarionema* and *Laminariocolax* (Ectocarpales, Phaeophyceae). *European Journal of Phycology*, 54(1), 39–51. <https://doi.org/10.1080/09670262.2018.1502816>
- Bindu, M. S., & Levine, I. A. 2011. The commercial red seaweed *Kappaphycus alvarezii*—An overview on farming and environment. *Journal of Applied Phycology*, 23(4), 789–796. <https://doi.org/10.1007/s10811-010-9570-2>
- Birky, C. W. 2008. Uniparental inheritance of organelle genes. *Current Biology*, 18(16), R692–R695. <https://doi.org/10.1016/j.cub.2008.06.049>
- Bixler, H. J., & Porse, H. 2011. A decade of change in the seaweed hydrocolloids industry. *Journal of Applied Phycology*, 23(3), 321–335. <https://doi.org/10.1007/s10811-010-9529-3>
- Boo, G. H., Hwang, I. K., Ha, D. S., Miller, K. A., Kogame, K., Cho, G. Y., Kim, J. Y., & Boo, S. M. 2016a. Phylogeny and distribution of the genus *Pikea* (Gigartinales, Rhodophyta) with special reference to *P. yoshizakii* from Korea. *Phycologia*, 55(1), 3–11. <https://doi.org/10.2216/15-80.1>
- Boo, G. H., Nelson, W. A., Preuss, M., Kim, J. Y., & Boo, S. M. 2016b. Genetic segregation and differentiation of a common subtidal alga *Pterocladia lucida* (Gelidiales, Rhodophyta) between Australia and New Zealand. *Journal of Applied Phycology*, 28(3), 2027–2034. <https://doi.org/10.1007/s10811-015-0699-x>
- Brotosudarmo, T. H. P., Shioi, Y., Adhiwibawa, M. A. S., Indrawati, R., & Limantara, L. 2018. Composition of the Main Dominant Pigments from Potential Two Edible Seaweeds. *Philippine Journal of Science*, 147(1), 47–55.
- Bryant, P. J., & Arehart, T. E. 2019. Diversity and life-cycle analysis of Pacific Ocean zooplankton by videomicroscopy and DNA barcoding: Hydrozoa. *PLOS ONE*, 14(10), e0218848. <https://doi.org/10.1371/journal.pone.0218848>
- Buchholz, C. M., Krause, G., & Buck, B. H. 2012. Seaweed and Man. In C. Wiencke & K. Bischof (Eds.), *Seaweed Biology* (Vol. 219, pp. 471–493). Springer Berlin Heidelberg. [https://doi.org/10.1007/978-3-642-28451-9\\_22](https://doi.org/10.1007/978-3-642-28451-9_22)
- Bui, T. 2019. *Structure, Rheological Properties and Connectivity of Gels Formed by Carrageenan Extracted from Different Red Algae Species* [Doctoral Thesis]. Le Mans Universite.
- Butlin, R. K., Saura, M., Charrier, G., Jackson, B., André, C., Caballero, A., Coyne, J. A., Galindo, J., Grahame, J. W., Hollander, J., Kemppainen, P., Martínez-Fernández, M., Panova, M., Quesada, H., Johannesson, K., & Rolán-Alvarez, E. 2014. Parallel Evolution of Local Adaptation and Reproductive Isolation in the Face of Gene Flow: Parallel Local Adaptation. *Evolution*, 68(4), 935–949. <https://doi.org/10.1111/evo.12329>
- Caetano-Anollés, G., Nasir, A., Kim, K. M., & Caetano-Anollés, D. 2018. Rooting Phylogenies and the Tree of Life While Minimizing Ad Hoc and Auxiliary Assumptions. *Evolutionary Bioinformatics*, 14, 117693431880510. <https://doi.org/10.1177/1176934318805101>
- Čandek, K., & Kuntner, M. 2015. DNA barcoding gap: Reliable species identification over morphological and geographical scales. *Molecular Ecology Resources*, 15(2), 268–277. <https://doi.org/10.1111/1755-0998.12304>
- Carja, O., Liberman, U., & Feldman, M. W. 2014. Evolution in changing environments: Modifiers of mutation, recombination, and migration. *Proceedings of the National Academy of Sciences*, 111(50), 17935–17940. <https://doi.org/10.1073/pnas.1417664111>

- Carlile, A. L., & Sherwood, A. R. 2013. Phylogenetic affinities and distribution of the Hawaiian freshwater red algae (Rhodophyta). *Phycologia*, 52(3), 309–319. <https://doi.org/10.2216/12-097.1>
- Chen, H.-Y., & Shih, H.-H. 2015. Occurrence and prevalence of fish-borne Anisakis larvae in the spotted mackerel *Scomber australasicus* from Taiwanese waters. *Acta Tropica*, 145, 61–67. <https://doi.org/10.1016/j.actatropica.2015.02.011>
- Cho, A. 2012. *Constructing Phylogenetic Trees Using Maximum likelihood* [Thesis]. Scripps College.
- Choi, K., & Henderson, I. R. 2015. Meiotic recombination hotspots—A comparative view. *The Plant Journal*, 83(1), 52–61. <https://doi.org/10.1111/tpj.12870>
- Christie, J. R., & Beekman, M. 2017. Uniparental Inheritance Promotes Adaptive Evolution in Cytoplasmic Genomes. *Molecular Biology and Evolution*, 34(3), 677–691. PubMed. <https://doi.org/10.1093/molbev/msw266>
- Coissac, E., Hollingsworth, P. M., Laverigne, S., & Taberlet, P. 2016. From barcodes to genomes: Extending the concept of DNA barcoding. *Molecular Ecology*, 25(7), 1423–1428. <https://doi.org/10.1111/mec.13549>
- Conklin, K. Y., Kurihara, A., & Sherwood, A. R. 2009. A molecular method for identification of the morphologically plastic invasive algal genera *Eucheuma* and *Kappaphycus* (Rhodophyta, Gigartinales) in Hawaii. *Journal of Applied Phycology*, 21(6), 691–699. <https://doi.org/10.1007/s10811-009-9404-2>
- Dang, D., Hoang, M., Ngo, H., Hoang, S., Huynh, Q., & Tran, M. 2008. Analysis of the genetic variation of *Eucheuma* and *Kappaphycus* strains in Vietnam using RAPD markers. In S. M. Phang, K. Lewmanomont, & P. E. Lim (Eds.), *Taxonomy of Southeast Asian Seaweeds*. Institute of Ocean and Earth Sciences, University of Malaya.
- de Barros-Barreto, M. B. B., Marinho, L. C., Reis, R. P., da Mata, C. S., & Ferreira, P. C. G. 2013. *Kappaphycus alvarezii* (Gigartinales, Rhodophyta) cultivated in Brazil: Is it only one species? *Journal of Applied Phycology*, 25(4), 1143–1149. <https://doi.org/10.1007/s10811-012-9952-8>
- Dewi, E. N., Ibrahim, R., & Suharto, S. 2015. Morphological Structure Characteristic and Quality of Semi Refined Carrageenan Processed by Different Drying Methods. *Procedia Environmental Sciences*, 23, 116–122. <https://doi.org/10.1016/j.proenv.2015.01.018>
- Dharmayanti, N. L. P. I. 2011. Filogenetika Molekuler: Metode Taksonomi Organisme Berdasarkan Sejarah Evolusi. *WARTAZOA*, 21(1), 1–10.
- Díaz-Tapia, P., Maggs, C. A., Macaya, E. C., & Verbruggen, H. 2018. Widely distributed red algae often represent hidden introductions, complexes of cryptic species or species with strong phylogeographic structure. *Journal of Phycology*, 54(6), 829–839. <https://doi.org/10.1111/jpy.12778>
- Diharmi, A., Rusnawati, & Irasari, N. 2019. Characteristic of carrageenan *Eucheuma cottonii* collected from the coast of Tanjung Medang Village and Jaga Island, Riau. *IOP Conference Series: Earth and Environmental Science*, 404, 012049. <https://doi.org/10.1088/1755-1315/404/1/012049>
- Doroftei, E., Sava, D., & Arcus, M. 2011. Structural and ultrastructural characteristics of Rhodophyta from the Romanian Black Sea coast. *Botanica Serbica*, 35, 10.
- Dumilag, R. V., Gallardo, W. G. M., Garcia, C. P. C., You, Y., Chaves, A. K. G., & Agahan, L. 2018. Phenotypic and mtDNA variation in Philippine *Kappaphycus cottonii* (Gigartinales, Rhodophyta). *Mitochondrial DNA Part A*, 29(6), 951–963. <https://doi.org/10.1080/24701394.2017.1398745>

- Dumilag, R. V., & Lluisma, A. 2014. Resolving the phylogenetic affinities of *Kappaphycus* inermis within the genus *Kappaphycus* (Gigartinales, Solieriaceae) using mitokondrial and plastid markers. *Phytotaxa*, 162(4), 223. <https://doi.org/10.11646/phytotaxa.162.4.5>
- Dumilag, R. V., Salvador, R. C., & Halling, C. 2016. Genotype introduction affects population composition of native Philippine *Kappaphycus* (Gigartinales, Rhodophyta). *Conservation Genetics Resources*, 8(4), 439–441. <https://doi.org/10.1007/s12686-016-0591-2>
- Emerson, B. C., & Patiño, J. 2018. Anagenesis, Cladogenesis, and Speciation on Islands. *Trends in Ecology & Evolution*, 33(7), 488–491. <https://doi.org/10.1016/j.tree.2018.04.006>
- Excoffier, L., & Lischer, H. E. L. 2010. Arlequin suite ver 3.5: A new series of programs to perform population genetics analyses under Linux and Windows. *Molecular Ecology Resources*, 10(3), 564–567. <https://doi.org/10.1111/j.1755-0998.2010.02847.x>
- Fadilah, S., Alimuddin, Pong-Masak, P. R., Santoso, J., & Parenrengi, A. 2016. Growth, Morphology and Growth Related Hormone Level in *Kappaphycus alvarezii* Produced by Mass Selection in Gorontalo Waters, Indonesia. *HAYATI Journal of Biosciences*, 23(1), 29–34. <https://doi.org/10.1016/j.hjb.2015.09.004>
- FAO. 2018. *The Global Status of Seaweed Production, trade and utilization. Globefish Research Programme Vol. 124* (Globefish Research Programme, p. 120). [www.fao.org/3/CA1121EN/ca1121en.pdf](http://www.fao.org/3/CA1121EN/ca1121en.pdf)
- Fawaiq, M. 2015. BAB II: Produksi Rumput Laut Indonesia. In Z. Salim & Ernawati, *Info Komoditi Rumput Laut. Badan Pengkajian dan Pengembangan Kebijakan Perdagangan Kementerian Perdagangan Republik Indonesia*. AMP Press.
- Febriyanti, F., Aslan, L. O. M., Iba, W., Patadjai, A. B., & Nurdin, A. R. 2019. Effect of various planting distances on growth and carrageenan yield of *Kappaphycus alvarezii* (doty) using seedlings produced from mass selection combined with tissue-cultured method. *IOP Conference Series: Earth and Environmental Science*, 278, 012027. <https://doi.org/10.1088/1755-1315/278/1/012027>
- Flukes, E. B., Wright, J. T., & Johnson, C. R. 2015. Phenotypic plasticity and biogeographic variation in physiology of habitat-forming seaweed: Response to temperature and nitrate. *Journal of Phycology*, 51(5), 896–909. <https://doi.org/10.1111/jpy.12330>
- Fowler, S., Roush, R., & Wise, J. 2013. *Concepts of Biology*. OpenStax, Rice University.
- Freshwater, D. W., & Rueness, J. 1994. Phylogenetic relationships of some European Gelidium (Gelidiales, Rhodophyta) species, based on *rbcl* nucleotide sequence analysis. *Phycologia*, 33(3), 187–194. <https://doi.org/10.2216/i0031-8884-33-3-187.1>
- Freshwater, D. W., Tudor, K., O'Shaughnessy, K., & Wysor, B. 2010. DNA barcoding in the red algal order Gelidiales: Comparison of COI with *rbcl* and verification of the “barcoding gap.” *Cryptogamie, Algologie*, 31(4), 435–449.
- Galimberti, A., Labra, M., Sandionigi, A., Bruno, A., Mezzasalma, V., & De Mattia, F. 2014. DNA Barcoding for Minor Crops and Food Traceability. *Advances in Agriculture*, 2014, 1–8. <https://doi.org/10.1155/2014/831875>
- Gall, L., & Saunders, G. 2010. DNA barcoding is a powerful tool to uncover algal diversity: A case study of the Phyllophoraceae (Gigartinales, Rhodophyta) in the Canadian flora. *Journal of Phycology*, 46, 374–389. <https://doi.org/10.1111/j.1529-8817.2010.00807.x>



- Gariepy, T. D., Bruin, A., Konopka, J., Scott-Dupree, C., Fraser, H., Bon, M., & Talamas, E. 2019. A modified DNA barcode approach to define trophic interactions between native and exotic pentatomids and their parasitoids. *Molecular Ecology*, 28(2), 456–470. <https://doi.org/10.1111/mec.14868>
- Gascuel, O. 2006. Neighbor-Joining Revealed. *Molecular Biology and Evolution*, 23(11), 1997–2000. <https://doi.org/10.1093/molbev/msl072>
- Gavio, B., & Fredericq, S. 2002. Grateloupia turuturu (Halymeniaceae, Rhodophyta) is the correct name of the non-native species in the Atlantic known as Grateloupia doryphora. *European Journal of Phycology*, 37(3), 349–359. <https://doi.org/10.1017/S0967026202003839>
- Gerrath, J. M., & Posluszny, U. 2007. *Shoot architecture in the Vitaceae*. 85, 11.
- Goecke, F., Klemetsdal, G., & Ergon, Å. 2020. Cultivar Development of Kelps for Commercial Cultivation—Past Lessons and Future Prospects. *Frontiers in Marine Science*, 7. <https://www.frontiersin.org/article/10.3389/fmars.2020.00110>
- Gómez-Ordóñez, E., & Rupérez, P. 2011. FTIR-ATR spectroscopy as a tool for polysaccharide identification in edible brown and red seaweeds. *Food Hydrocolloids*, 25(6), 1514–1520. <https://doi.org/10.1016/j.foodhyd.2011.02.009>
- Govindaraj, M., Vetriventhan, M., & Srinivasan, M. 2015. Importance of Genetic Diversity Assessment in Crop Plants and Its Recent Advances: An Overview of Its Analytical Perspectives. *Genetics Research International*, 2015, 1–14. <https://doi.org/10.1155/2015/431487>
- Guillemin, M.-L., Valero, M., Faugeron, S., Nelson, W., & Destombe, C. 2014. Tracing the Trans-Pacific Evolutionary History of a Domesticated Seaweed (*Gracilaria chilensis*) with Archaeological and Genetic Data. *PLoS ONE*, 9(12), e114039. <https://doi.org/10.1371/journal.pone.0114039>
- Guiry, M. D., & Guiry, G. M. 2022. *Kappaphycus striatus* (F.Schmitz) Doty ex P.C.Silva, 1996. ..*AlgaeBase. World-Wide Electronic Publication, National University of Ireland, Galway*. [http://www.algaebase.org/search/genus/detail/?genus\\_id=35125](http://www.algaebase.org/search/genus/detail/?genus_id=35125)
- Gulrez H., S. K., Al-Assaf, S., & O, G. 2011. Hydrogels: Methods of Preparation, Characterisation and Applications. In A. Carpi (Ed.), *Progress in Molecular and Environmental Bioengineering—From Analysis and Modeling to Technology Applications* (pp. 117–149). InTech. <https://doi.org/10.5772/24553>
- Gupta, V., Kumari, P., & Reddy, C. 2015. Development and Characterization of Somatic Hybrids of *Ulva reticulata* Forsskål (x) *Monostroma oxyspermum* (Kütz.)Doty. *Frontiers in Plant Science*, 6. <https://www.frontiersin.org/article/10.3389/fpls.2015.00003>
- Gurgel, C., & Fredericq, S. 2004. Systematics of the Gracilariaceae (Gracilariales, Rhodophyta): A Critical Assessment Based on *rbcL* Sequence Analyses. *Journal of Phycology*, 40, 138–159. <https://doi.org/10.1111/j.0022-3646.2003.02-129.x>
- Hadi, S. I. A., Santana, H., Brunale, P. P. M., Gomes, T. G., Oliveira, M. D., Matthiensen, A., Oliveira, M. E. C., Silva, F. C. P., & Brasil, B. S. A. F. 2016. DNA Barcoding Green Microalgae Isolated from Neotropical Inland Waters. *PLOS ONE*, 11(2), e0149284. <https://doi.org/10.1371/journal.pone.0149284>
- Halling, C., Wikström, S. A., Lilliesköld-Sjöö, G., Mörk, E., Lundsør, E., & Zuccarello, G. C. 2013. Introduction of Asian strains and low genetic variation in farmed seaweeds: Indications for new management practices. *Journal of Applied Phycology*, 25(1), 89–95. <https://doi.org/10.1007/s10811-012-9842-0>

- Hamsher, S. E., & Saunders, G. W. 2014. A floristic survey of marine tube-forming diatoms reveals unexpected diversity and extensive co-habitation among genetic lines of the *Berkeleya rutilans* complex (Bacillariophyceae). *European Journal of Phycology*, 49(1), 47–59. <https://doi.org/10.1080/09670262.2014.885582>
- Hardwick, J. L., Shapcott, A., Maunsell, S. C., Stork, N. E., & Kitching, R. L. 2017. A comparative study on the use of traditional DNA barcoding and next-generation sequencing for determining the trophic interactions of herbivorous insects. *Genome*, 60(11), 941+. Gale OneFile: Health and Medicine.
- Hayashi, L., Faria, G. S. M., Nunes, B. G., Zitta, C. S., Scariot, L. A., Rover, T., Felix, M. R. L., & Bouzon, Z. L. 2011. Effects of salinity on the growth rate, carrageenan yield, and cellular structure of *Kappaphycus alvarezii* (Rhodophyta, Gigartinales) cultured in vitro. *Journal of Applied Phycology*, 23(3), 439–447. <https://doi.org/10.1007/s10811-010-9595-6>
- Hayashi, L., Reis, R. P., dos Santos, A. A., Castelar, B., Robledo, D., de Vega, G. B., Msuya, F. E., Eswaran, K., Yasir, S. Md., Ali, M. K. M., & Hurtado, A. Q. 2017. The Cultivation of *Kappaphycus* and *Eucheuma* in Tropical and Sub-Tropical Waters. In A. Q. Hurtado, A. T. Critchley, & I. C. Neish (Eds.), *Tropical Seaweed Farming Trends, Problems and Opportunities* (pp. 55–90). Springer International Publishing. [https://doi.org/10.1007/978-3-319-63498-2\\_4](https://doi.org/10.1007/978-3-319-63498-2_4)
- Hebert, P. D. N., Cywinska, A., Ball, S. L., & deWaard, J. R. 2003. Biological identifications through DNA barcodes. *Proceedings of the Royal Society of London. Series B: Biological Sciences*, 270(1512), 313–321. <https://doi.org/10.1098/rspb.2002.2218>
- Hebert, P. D. N., Ratnasingham, S., & de Waard, J. R. 2003. Barcoding animal life: Cytochrome *c* oxidase *subunit 1* divergences among closely related species. *Proceedings of the Royal Society of London. Series B: Biological Sciences*, 270(suppl\_1). <https://doi.org/10.1098/rsbl.2003.0025>
- Hernandez-Kantun, J., Riosmena-Rodriguez, R., Adey, W., & Rindi, F. 2014. Analysis of the *cox2-3* spacer region for population diversity and taxonomic implications in rhodolith-forming species (Rhodophyta: Corallinales). *Phytotaxa*, 190, 331. <https://doi.org/10.11646/phytotaxa.190.1.20>
- Herrero, B., Madriñán, M., Vieites, J. M., & Espiñeira, M. 2010. Rapid Identification of Seaweeds in Food Products by PCR Combined with ALF-RFLP and FINS Methodologies. *Journal of Agricultural and Food Chemistry*, 58(22), 11586–11592. <https://doi.org/10.1021/jf103464b>
- Ho, V. T., Tran, T. K. P., Vu, T. T. T., & Widiarsih, S. 2021. Comparison of *matK* and *rbcl* DNA barcodes for genetic classification of jewel orchid accessions in Vietnam. *Journal of Genetic Engineering and Biotechnology*, 19(1), 93. <https://doi.org/10.1186/s43141-021-00188-1>
- Hollister, J. D., Greiner, S., Wang, W., Wang, J., Zhang, Y., Wong, G. K.-S., Wright, S. I., & Johnson, M. T. J. 2015. Recurrent Loss of Sex Is Associated with Accumulation of Deleterious Mutations in *Oenothera*. *Molecular Biology and Evolution*, 32(4), 896–905. <https://doi.org/10.1093/molbev/msu345>
- Hurtado, A. Q., Neish, I. C., & Critchley, A. T. 2015. Developments in production technology of *Kappaphycus* in the Philippines: More than four decades of farming. *Journal of Applied Phycology*, 27(5), 1945–1961. <https://doi.org/10.1007/s10811-014-0510-4>
- Hurtado, A. Q., Neish, I. C., & Critchley, A. T. 2019. Phyconomy: The extensive cultivation of seaweeds, their sustainability and economic value, with particular reference to important lessons to be learned and transferred from the practice of eucheumatoid farming. *Phycologia*, 58(5), 472–483. <https://doi.org/10.1080/00318884.2019.1625632>

- Hurtado, A., Reis, R., Loureiro, R., & Critchley, A. 2014. *Kappaphycus* (Rhodophyta) Cultivation: Problems and the Impacts of Acadian Marine Plant Extract Powder. In L. Pereira & J. Neto (Eds.), *Marine Algae* (pp. 251–299). CRC Press. <https://doi.org/10.1201/b17540-9>
- Imeson, A. P. 2009. 7—Carrageenan and furcellaran. In G. O. Phillips & P. A. Williams (Eds.), *Handbook of Hydrocolloids (Second Edition)* (pp. 164–185). Woodhead Publishing. <https://doi.org/10.1533/9781845695873.164>
- Imtiaz, A., Nor, S. A. M., & Naim, D. 2017. *Review: Progress and potential of DNA barcoding for species identification of fish species*. 12.
- Jinbo, U., Kato, T., & Ito, M. 2011. Current progress in DNA barcoding and future implications for entomology: DNA barcoding for entomology. *Entomological Science*, 14(2), 107–124. <https://doi.org/10.1111/j.1479-8298.2011.00449.x>
- Kannan, L., & Wheeler, W. C. 2012. *Maximum parsimony* on Phylogenetic networks. *Algorithms for Molecular Biology*, 7(1), 9. <https://doi.org/10.1186/1748-7188-7-9>
- Kasim, M., & Asnani, A. 2012. Penentuan Musim Reproduksi Generatif dan Preferensi Perekatan Spora Rumput Laut (*Eucheuma cottonii*) (Determining of Seasonal Generative Reproduction and Attaching Preferences of Seaweed Spores (*Eucheuma cottonii*)). *ILMU KELAUTAN: Indonesian Journal of Marine Sciences*, 17(4), 209–216. <https://doi.org/10.14710/ik.ijms.17.4.209-216>
- Kementerian Kelautan dan Perikanan, K. 2018. *Kelautan dan Perikanan dalam Angka*. <https://kkp.go.id/setjen/satudata/page/1453-kelautan-dan-perikanan-dalam-angka>
- Keskin, E., & Atar, H. H. 2013. DNA barcoding commercially important fish species of Turkey. *Molecular Ecology Resources*, 13(5), 788–797. <https://doi.org/10.1111/1755-0998.12120>
- Kim, M. S., Yang, M. Y., & Cho, G. Y. 2010. Applying DNA barcoding to Korean Gracilariaceae (Rhodophyta). *Cryptogamie Algologie*, 31(4), 16.
- Koh, Y. H., & Kim, M. S. 2018. DNA barcoding reveals cryptic diversity of economic red algae, *Pyropia* (Bangiales, Rhodophyta): Description of novel species from Korea. *Journal of Applied Phycology*, 30(6), 3425–3434. <https://doi.org/10.1007/s10811-018-1529-8>
- Kress, W. J., & Erickson, D. L. 2012. DNA Barcodes: Methods and Protocols. In W. J. Kress & D. L. Erickson (Eds.), *DNA Barcodes* (Vol. 858, pp. 3–8). Humana Press. [https://doi.org/10.1007/978-1-61779-591-6\\_1](https://doi.org/10.1007/978-1-61779-591-6_1)
- Kumar, C. S., Prabu, V. A., & Kumar, C. P. 2015. *DNA Barcode Genes (rbcL, 18s rRNA and ITS Phylogeny) in Skeletonema costatum Grevilli (Cleve, 1873)*. 10.
- Kumar, S., Stecher, G., Li, M., Knyaz, C., & Tamura, K. 2018. MEGA X: Molecular Evolutionary Genetics Analysis across Computing Platforms. *Molecular Biology and Evolution*, 35(6), 1547–1549. PubMed. <https://doi.org/10.1093/molbev/msy096>
- Leal, M. C., Pimentel, T., Ricardo, F., Rosa, R., & Calado, R. 2015. Seafood traceability: Current needs, available tools, and biotechnological challenges for origin certification. *Trends in Biotechnology*, 33(6), 331–336. <https://doi.org/10.1016/j.tibtech.2015.03.003>
- Lee, S. J., Hwang, M. S., Park, M. A., Baek, J. M., Ha, D.-S., Lee, J. E., & Lee, S.-R. 2015. Molecular identification of the algal pathogen *Pythium chondricola* (Oomycetes) from *Pyropia yezoensis* (Rhodophyta) using ITS and *cox1* markers. *ALGAE*, 30(3), 217–222. <https://doi.org/10.4490/algae.2015.30.3.217>

- Leonardi, P. I., Miravalles, A. B., Faugeron, S., Flores, V., Beltrán, J., & Correa, J. A. 2006. Diversity, phenomenology and epidemiology of epiphytism in farmed *Gracilaria chilensis* (Rhodophyta) in northern Chile. *European Journal of Phycology*, 41(2), 247–257. <https://doi.org/10.1080/09670260600645659>
- Li, L., Ni, R., Shao, Y., & Mao, S. 2014. Carrageenan and its applications in drug delivery. *Carbohydrate Polymers*, 103, 1–11. <https://doi.org/10.1016/j.carbpol.2013.12.008>
- Lim, P. E., Tan, J., Phang, S. M., Nikmatullah, A., Hong, D. D., Sunarpi, H., & Hurtado, A. Q. 2014. Genetic diversity of *Kappaphycus* Doty and *Eucheuma* J. Agardh (Solieriaceae, Rhodophyta) in Southeast Asia. *Journal of Applied Phycology*, 26(2), 1253–1272. <https://doi.org/10.1007/s10811-013-0197-y>
- Lim, P.-E., Yang, L.-E., Tan, J., Maggs, C. A., & Brodie, J. 2017. Advancing the taxonomy of economically important red seaweeds (Rhodophyta). *European Journal of Phycology*, 52(4), 438–451. <https://doi.org/10.1080/09670262.2017.1365174>
- Lindstrom, S. C., Hughey, J. R., & Martone, P. T. 2011. New, resurrected and redefined species of *Mastocarpus* (Phylloporaceae, Rhodophyta) from the northeast Pacific. *Phycologia*, 50(6), 661–683. <https://doi.org/10.2216/10-38.1>
- Liu, J., Yan, H.-F., Newmaster, S. G., Pei, N., Ragupathy, S., & Ge, X.-J. 2015. The use of DNA barcoding as a tool for the conservation biogeography of subtropical forests in China. *Diversity and Distributions*, 21(2), 188–199. <https://doi.org/10.1111/ddi.12276>
- Luo, A., Zhang, A., Ho, S. Y., Xu, W., Zhang, Y., Shi, W., Cameron, S. L., & Zhu, C. 2011. Potential efficacy of mitochondrial genes for animal DNA barcoding: A case study using eutherian mammals. *BMC Genomics*, 12(1), 84. <https://doi.org/10.1186/1471-2164-12-84>
- Mantri, V. A., Reddy, C. R. K., & Jha, B. 2010. Reproductive Processes in Red Algal Genus *Gracilaria* and Impact of Climate Change. In J. Seckbach, R. Einav, & A. Israel (Eds.), *Seaweeds and their Role in Globally Changing Environments* (Vol. 15, pp. 319–338). Springer Netherlands. [https://doi.org/10.1007/978-90-481-8569-6\\_18](https://doi.org/10.1007/978-90-481-8569-6_18)
- Mattio, L., & Payri, C. 2010. Assessment of five markers as potential barcodes for identifying *Sargassum* subgenus *Sargassum* species (Phaeophyceae, Fucales). *Cryptogamie, Algologie*, 31(4), 467–485.
- McDevit, D. C., & Saunders, G. W. 2010. A DNA barcode examination of the Laminariaceae (Phaeophyceae) in Canada reveals novel biogeographical and evolutionary insights. *Phycologia*, 49(3), 235–248. <https://doi.org/10.2216/PH09-36.1>
- Menges, F. 2017. *Spectroscopy Ninja presents: SPECTRAGRYPH*. Dr. Friedrich Menges Software-Entwicklung.
- Milgroom, M. G. 2017. CHAPTER 8: Clonal Populations. In Michael G. Milgroom (Ed.), *Population Biology of Plant Pathogens: Genetics, Ecology, and Evolution* (Vol. 1–0, pp. 185–213). The American Phytopathological Society. <https://doi.org/10.1094/9780890544525.008>
- Montecinos, A., Broitman, B. R., Faugeron, S., Haye, P. A., Tellier, F., & Guillemin, M.-L. 2012. Species replacement along a linear coastal habitat: Phylogeography and speciation in the red alga *Mazzaella laminarioides* along the south east pacific. *BMC Evolutionary Biology*, 12(1), 97. <https://doi.org/10.1186/1471-2148-12-97>
- Mount, D. W. 2008. *Maximum parsimony* Method for Phylogenetic Prediction. *Cold Spring Harbor Protocols*, 2008(5), pdb.top32-pdb.top32. <https://doi.org/10.1101/pdb.top32>



- Nan, F., Feng, J., Lv, J., Liu, Q., Fang, K., Gong, C., & Xie, S. 2017. Origin and evolutionary history of freshwater Rhodophyta: Further insights based on phylogenomic evidence. *Scientific Reports*, 7(1), 2934. <https://doi.org/10.1038/s41598-017-03235-5>
- Naseri, A., Holdt, S. L., & Jacobsen, C. 2019. Biochemical and Nutritional Composition of Industrial Red Seaweed Used in Carrageenan Production. *Journal of Aquatic Food Product Technology*, 28(9), 967–973. <https://doi.org/10.1080/10498850.2019.1664693>
- Nassaji, H. 2015. Qualitative and descriptive research: Data type versus data analysis. *Language Teaching Research*, 19(2), 129–132. <https://doi.org/10.1177/1362168815572747>
- Necas, J., & Bartosikova, L. 2013. Carrageenan: A review. *Veterinárni Medicína*, 58(No. 4), 187–205. <https://doi.org/10.17221/6758-VETMED>
- Negi, R. K., Nautiyal, P., Bhatia, R., & Verma, R. 2021. *rbcL*, a potential candidate DNA barcode loci for aconites: Conservation of himalayan aconites. *Molecular Biology Reports*, 48(10), 6769–6777. <https://doi.org/10.1007/s11033-021-06675-5>
- Nei, M. 1987. *Molecular Evolutionary Genetics*. Columbia University Press. <https://doi.org/10.7312/nei-92038>
- Neish, I. C. 2013. Social and economic dimensions of carrageenan seaweed farming in Indonesia. In D. Valderrama, J. Cai, N. Hishamunda, & N. Reidler (Eds.), *Social and economic dimensions of carrageenan seaweed farming* (pp. 61–89). FAO.
- Neish, I. C., Sepulveda, M., Hurtado, A. Q., & Critchley, A. T. 2017. Reflections on the Commercial Development of Eucheumatoid Seaweed Farming. In A. Q. Hurtado, A. T. Critchley, & I. C. Neish (Eds.), *Tropical Seaweed Farming Trends, Problems and Opportunities* (pp. 1–27). Springer International Publishing. [https://doi.org/10.1007/978-3-319-63498-2\\_1](https://doi.org/10.1007/978-3-319-63498-2_1)
- Neiva, J., Assis, J., Fernandes, F., Pearson, G. A., & Serrão, E. A. 2014. Species distribution models and mitokondrial DNA phylogeography suggest an extensive biogeographical shift in the high-intertidal seaweed *Pelvetia canaliculata*. *Journal of Biogeography*, 41(6), 1137–1148. <https://doi.org/10.1111/jbi.12278>
- Nelson, W. A., Leister, G. L., & Hommersand, M. H. 2011. *Psilophycus alveatus* gen. Et comb. Nov., a basal *taxon* in the Gigartinaceae (Rhodophyta) from New Zealand. *Phycologia*, 50(3), 219–231. <https://doi.org/10.2216/10.38.1>
- Nuryanto, A., & Kochzius, M. 2009. Highly restricted gene flow and deep evolutionary lineages in the giant clam *Tridacna maxima*. *Coral Reefs*, 28, 607–619. <https://doi.org/10.1007/s00338-009-0483-y>
- Okonechnikov, K., Golosova, O., Fursov, M., & the UGENE team. 2012. Unipro UGENE: a unified bioinformatics toolkit. *Bioinformatics*, 28(8), 1166–1167. <https://doi.org/10.1093/bioinformatics/bts091>
- Ondrejicka, D. A., Locke, S. A., Morey, K., Borisenko, A. V., & Hanner, R. H. 2014. Status and prospects of DNA barcoding in medically important parasites and vectors. *Trends in Parasitology*, 30(12), 582–591. <https://doi.org/10.1016/j.pt.2014.09.003>
- Pang, T., Liu, J., Liu, Q., Li, H., & Li, J. 2015. Observations on pests and diseases affecting a eucheumatoid farm in China. *Journal of Applied Phycology*, 27. <https://doi.org/10.1007/s10811-014-0507-z>
- Parenrengi, A., Sulaeman, Suryati, E., & Tenriula, A. 2006. Karakterisasi Genetika Rumput Laut *Kappaphycus alvarezii* Yang Dibudidayakan Di Sulawesi Selatan. *Jurnal Riset Akuakultur*, 1(1), 1–11.

- Pentinsaari, M., Salmela, H., Mutanen, M., & Roslin, T. 2016. Molecular evolution of a widely-adopted taxonomic marker (COI) across the animal tree of life. *Scientific Reports*, 6(1), 35275. <https://doi.org/10.1038/srep35275>
- Pereira, L., Critchley, A. T., Amado, A. M., & Ribeiro-Claro, P. J. A. 2009. A comparative analysis of phycocolloids produced by underutilized versus industrially utilized carrageenophytes (Gigartinales, Rhodophyta). *Journal of Applied Phycology*, 21(5), 599–605. <https://doi.org/10.1007/s10811-009-9447-4>
- Pereira, L., Gheda, S. F., & Ribeiro-Claro, P. J. A. 2013. Analysis by Vibrational Spectroscopy of Seaweed Polysaccharides with Potential Use in Food, Pharmaceutical, and Cosmetic Industries. *International Journal of Carbohydrate Chemistry*, 2013, 1–7. <https://doi.org/10.1155/2013/537202>
- Pereira, L., Sousa, A., Coelho, H., Amado, A. M., & Ribeiro-Claro, P. J. A. 2003. Use of FTIR, FT-Raman and <sup>13</sup>C-NMR spectroscopy for identification of some seaweed phycocolloids. *Biomolecular Engineering*, 20(4–6), 223–228. [https://doi.org/10.1016/S1389-0344\(03\)00058-3](https://doi.org/10.1016/S1389-0344(03)00058-3)
- Pereira, R., Yarish, C., & Critchley, A. T. 2013. *Seaweed Aquaculture for Human Foods in Land-Based and IMTA Systems*. 165.
- Peters, A., Couceiro, L., Tsiamis, K., Küpper, F., & Valero, M. 2015. Barcoding of Cryptic Stages of Marine Brown Algae Isolated from Incubated Substratum Reveals High Diversity in Acinetosporaceae (Ectocarpales, Phaeophyceae). *Cryptogamie Algologie*, 36, 3–29. <https://doi.org/10.7872/crya.v36.iss1.2015.3>
- Phang, S.-M., Yeong, H.-Y., Lim, P.-E., Md Nor, A. R., & Gan, K. T. 2010. Commercial varieties of *Kappaphycus* and *Eucheuma* in Malaysia. *Malaysian Journal of Science*, 29(3), 214–224. <https://doi.org/10.22452/mjs.vol29no3.4>
- Pieterse, W., Muller, D. L., & Vuuren, B. J. van. 2010. A Molecular Identification Approach for Five Species of Mealybug (Hemiptera: Pseudococcidae) on Citrus Fruit Exported from South Africa. *African Entomology*, 18(1), 23–28. <https://doi.org/10.4001/003.018.0104>
- Podsiadlo, Ł., & Polz-Dacewicz, M. 2013. Molecular evolution and phylogenetic implications in clinical research. *Annals of Agricultural and Environmental Medicine*, 20(3), 455–459.
- Pong-Masak, P. R., & Parenrengi, A. 2014. Petunjuk teknis produksi bibit unggul rumput laut *Kappaphycus alvarezii* dengan metode seleksi varietas. LP2BRL. Balitbang KP. KKP.
- Pong-Masak, P. R., & Sarira, N. H. 2018. Determination of Optimal Planting Distance between Seed Clump on Seaweed Verticulture Method. *Jurnal Perikanan Universitas Gadjah Mada*, 20(1), 23. <https://doi.org/10.22146/jfs.33310>
- Porse, H., & Rudolph, B. 2017. The seaweed hydrocolloid industry: 2016 updates, requirements, and outlook. *Journal of Applied Phycology*, 29(5), 2187–2200. <https://doi.org/10.1007/s10811-017-1144-0>
- Pyataeva, S. V., Hopcroft, R. R., Lindsay, D. J., & Collins, A. G. 2016. DNA barcodes unite two problematic taxa: The meiobenthic Boreohydra simplex is a life-cycle stage of Plotocnide borealis (Hydrozoa: Aplanulata). *Zootaxa*, 4150(1), 85. <https://doi.org/10.11646/zootaxa.4150.1.5>
- Ratnawati, P., Simatupang, N. F., Pong-Masak, P. R., Paul, N. A., & Zuccarello, G. C. 2020. Genetic Diversity Analysis of Cultivated *Kappaphycus* in Indonesian Seaweed Farms using COI Gene. *Squalen Bulletin of Marine and Fisheries Postharvest and Biotechnology*, 15(2), 65. <https://doi.org/10.15578/squalen.v15i2.466>

- Reddy, C. R. K., Yokoya, N. S., Yong, W. T. L., Luhan, M. R. J., & Hurtado, A. Q. 2017. Micro-propagation of *Kappaphycus* and *Eucheuma*: Trends and Prospects. In A. Q. Hurtado, A. T. Critchley, & I. C. Neish (Eds.), *Tropical Seaweed Farming Trends, Problems and Opportunities* (pp. 91–110). Springer International Publishing. [https://doi.org/10.1007/978-3-319-63498-2\\_5](https://doi.org/10.1007/978-3-319-63498-2_5)
- Resendiz, M. L. N., Dreckmann, K. M., Senties, A., Wynne, M. J., & León Tejera, H. 2019. Marine red algae (Rhodophyta) of economic use in the algal drifts from the Yucatan Peninsula, Mexico. *Phytotaxa*, 387(3), 219. <https://doi.org/10.11646/phytotaxa.387.3.3>
- Robba, L., Russell, S. J., Barker, G. L., & Brodie, J. 2006. Assessing the use of the mitokondrial *cox1* marker for use in DNA barcoding of red algae (Rhodophyta). *American Journal of Botany*, 93(8), 1101–1108. <https://doi.org/10.3732/ajb.93.8.1101>
- Roslin, T., & Majaneva, S. 2016. The use of DNA barcodes in food web construction—Terrestrial and aquatic ecologists unite! *Genome*, 59(9), 603–628. <https://doi.org/10.1139/gen-2015-0229>
- Rozas, J., Ferrer-Mata, A., Sánchez-DelBarrio, J. C., Guirao-Rico, S., Librado, P., Ramos-Onsins, S. E., & Sánchez-Gracia, A. 2017. DnaSP 6: DNA Sequence Polymorphism Analysis of Large Data Sets. *Molecular Biology and Evolution*, 34(12), 3299–3302. <https://doi.org/10.1093/molbev/msx248>
- Rueness, J. 2010. DNA barcoding of select freshwater and marine red algae (Rhodophyta). *Cryptogamie Algologie*, 31, 377–386.
- Sahu, S. K., Thangaraj, M., & Kathiresan, K. 2012. DNA Extraction Protocol for Plants with High Levels of Secondary Metabolites and Polysaccharides without Using Liquid Nitrogen and Phenol. *ISRN Molecular Biology*, 2012, 205049. <https://doi.org/10.5402/2012/205049>
- Sarkar, I. N., & Trizna, M. 2011. The Barcode of Life Data Portal: Bridging the Biodiversity Informatics Divide for DNA Barcoding. *PLoS ONE*, 6(7), e14689. <https://doi.org/10.1371/journal.pone.0014689>
- Saunders, G., & Kucera, H. 2010. An evaluation of *rbcL*, *tufA*, *UPA*, *LSU* and *ITS* as DNA barcode markers from the marine green macroalgae. *Cryptogamie, Algologie*, 31, 487–528.
- Saunders, G. W. 2005. Applying DNA barcoding to red macroalgae: A preliminary appraisal holds promise for future applications. *Philosophical Transactions of the Royal Society B: Biological Sciences*, 360(1462), 1879–1888. <https://doi.org/10.1098/rstb.2005.1719>
- Saunders, G. W. 2008. A DNA barcode examination of the red algal family Dumontiaceae in Canadian waters reveals substantial cryptic species diversity. 1. The foliose *Dilsea*–*Neodilsea* complex and *Weeksia* This paper is one of a selection of papers published in the Special Issue on Systematics Research. *Botany*, 86(7), 773–789. <https://doi.org/10.1139/B08-001>
- Schütze, O., Coello Coello, C. A., Tantar, A.-A., Tantar, E., Bouvry, P., Del Moral, P., & Legrand, P. (Eds.). 2013. *EVOLVE - A Bridge between Probability, Set Oriented Numerics, and Evolutionary Computation II* (Vol. 175). Springer Berlin Heidelberg. <https://doi.org/10.1007/978-3-642-31519-0>
- Sellers, A., Saltonstall, K., & Davidson, T. 2015. The introduced alga *Kappaphycus alvarezii* (Doty ex P.C. Silva, 1996) in abandoned cultivation sites in Bocas del Toro, Panama. *BiolInvasions Records*, 4(1), 1–7. <https://doi.org/10.3391/bir.2015.4.1.01>
- Seo, Y.-B., Lee, Y.-W., Lee, C.-H., & You, H.-C. 2010. Red algae and their use in papermaking. *Bioresource Technology*, 101(7), 2549–2553. <https://doi.org/10.1016/j.biortech.2009.11.088>
- Sherwood, A. R., Kurihara, A., Conklin, K. Y., Sauvage, T., & Presting, G. G. 2010. The Hawaiian Rhodophyta Biodiversity Survey (2006–2010): A summary of principal findings. *BMC Plant Biology*, 10(1), 258. <https://doi.org/10.1186/1471-2229-10-258>

- Sheth, B. P., & Thaker, V. S. 2017. DNA barcoding and traditional *taxonomy*: An integrated approach for biodiversity conservation. *Genome*, 60(7), 618–628. <https://doi.org/10.1139/gen-2015-0167>
- Solis, M. J. L., Draeger, S., & dela Cruz, T. E. E. 2010. Marine-derived fungi from *Kappaphycus alvarezii* and *K. striatum* as potential causative agents of *ice-ice* disease in farmed seaweeds. *Botanica Marina*, 53(6). <https://doi.org/10.1515/bot.2010.071>
- Steinke, D., Zemlak, T. S., & Hebert, P. D. N. 2009. Barcoding Nemo: DNA-Based Identifications for the Ornamental Fish Trade. *PLoS ONE*, 4(7), e6300. <https://doi.org/10.1371/journal.pone.0006300>
- Sunarpi, S., Ghazali, M., Nikmatullah, A., Lim, P.-E., & Phang, S.-M. 2013. Diversity and Distribution of Natural Populations of *Euclima* J. Agardh and *Kappaphycus* Doty In Nusa Tenggara Barat, Indonesia. *Malaysian Journal of Science*, 32(3), 127–140. <https://doi.org/10.22452/mjs.vol32no3.12>
- Suryani, I., Sari, D. I. P., Astutik, D. M., & Abdillah, A. 2019. *Kappa* and *iota* carrageenan combination of *Kappaphycus alvarezii* and *Euclima spinosum* as a gelatin substitute in ice cream raw material product. *IOP Conference Series: Earth and Environmental Science*, 236, 012114. <https://doi.org/10.1088/1755-1315/236/1/012114>
- Tablizo, F. A., & Lluisma, A. O. 2014. The mitokondrial genome of the red alga *Kappaphycus striatus* ("Green Sacol" variety): Complete nucleotide sequence, genome structure and organization, and comparative analysis. *Marine Genomics*, 18, 155–161. <https://doi.org/10.1016/j.margen.2014.05.006>
- Tan, J. 2013. Molecular Studies of *Kappaphycus* Doty and *Euclima* J. Agardh: Phylogenetics and DNA Barcode Assessment [Doctoral Thesis]. University of Malaya.
- Tan, J., Lim, P. E., Phang, S. M., Rahiman, A., Nikmatullah, A., Sunarpi, H., & Hurtado, A. Q. 2014. *Kappaphycus malesianus* sp. nov.: A new species of *Kappaphycus* (Gigartinales, Rhodophyta) from Southeast Asia. *Journal of Applied Phycology*, 26(2), 1273–1285. <https://doi.org/10.1007/s10811-013-0155-8>
- Tan, J., Lim, P.-E., & Phang, S.-M. 2013. Phylogenetic relationship of *Kappaphycus* Doty and *Euclima* J. Agardh (Solieriaceae, Rhodophyta) in Malaysia. *Journal of Applied Phycology*, 25(1), 13–29. <https://doi.org/10.1007/s10811-012-9833-1>
- Tan, J., Lim, P.-E., Phang, S.-M., & Hurtado, A. Q. 2017. Biodiversity, Biogeography and Molecular Genetics of the Commercially Important Genera *Kappaphycus* and *Euclima*. In A. Q. Hurtado, A. T. Critchley, & I. C. Neish (Eds.), *Tropical Seaweed Farming Trends, Problems and Opportunities* (pp. 29–43). Springer International Publishing. [https://doi.org/10.1007/978-3-319-63498-2\\_2](https://doi.org/10.1007/978-3-319-63498-2_2)
- Tan, P.-L., Poong, S.-W., Tan, J., Brakel, J., Gachon, C., Brodie, J., Sade, A., & Lim, P.-E. 2022. Assessment of genetic diversity within euclimatoid cultivars in east Sabah, Malaysia. *Journal of Applied Phycology*, 34(1), 709–717. <https://doi.org/10.1007/s10811-021-02608-8>
- Tasende, M. G., & Manriquez-Hernandez, J. 2016. Carrageenan Properties and Applications: A Review. In *Carrageenans: Sources and Extraction Methods, Molecular Structure, Bioactive Properties and Health Effects* (pp. 17–50).
- Thrimawithana, T. R., Young, S., Dunstan, D. E., & Alany, R. G. 2010. Texture and rheological characterization of *kappa* and *iota* carrageenan in the presence of counter ions. *Carbohydrate Polymers*, 9.



- Tinacci, L., Guidi, A., Toto, A., Guardone, L., Giusti, A., D'Amico, P., & Armani, A. 2018. DNA barcoding for the verification of supplier's compliance in the seafood chain: How the lab can support companies in ensuring traceability. *Italian Journal of Food Safety*, 7(2). <https://doi.org/10.4081/ijfs.2018.6894>
- Tsiresy, G., Preux, J., Lavitra, T., Dubois, P., Lepoint, G., & Eeckhaut, I. 2016. Phenology of farmed seaweed *Kappaphycus alvarezii* infestation by the parasitic epiphyte *Polysiphonia* sp. In Madagascar. *Journal of Applied Phycology*, 28(5), 2903–2914. <https://doi.org/10.1007/s10811-016-0813-8>
- Ulukapi, K., & Gul Nasircilar, A. 2019. Induced Mutation: Creating Genetic Diversity in Plants. In M. A. El-Esawi (Ed.), *Genetic Diversity in Plant Species—Characterization and Conservation*. IntechOpen. <https://doi.org/10.5772/intechopen.81296>
- Valderrama, D., Cai, J., Hishamunda, N., Ridler, N. B., & Food and Agriculture Organization of the United Nations (Eds.). 2013. *Social and economic dimensions of carrageenan seaweed farming*. Food & Agriculture Organization of the United Nations.
- van de Velde, F., Louren o, N. D., Pinheiro, H. M., & Bakker, M. 2002. Carrageenan: A Food-Grade and Biocompatible Support for Immobilisation Techniques. *Advanced Synthesis and Catalysis*, 344, 815–835.
- van Velzen, R., Weitschek, E., Felici, G., & Bakker, F. T. 2012. DNA Barcoding of Recently Diverged Species: Relative Performance of Matching Methods. *PLoS ONE*, 7(1), e30490. <https://doi.org/10.1371/journal.pone.0030490>
- Vis, M. L., Necchi, O., Chiasson, W. B., & Entwisle, T. J. 2012. Molecular Phylogeny of the Genus *Kumanoa* (Batrachospermales, Rhodophyta): Phylogeny of *Kumanoa*. *Journal of Phycology*, 48(3), 750–758. <https://doi.org/10.1111/j.1529-8817.2012.01141.x>
- Waikagul, J., & Thaenkham, U. 2014. Methods of Molecular Study. In *Approaches to Research on the Systematics of Fish-Borne Trematodes* (pp. 77–90). Elsevier. <https://doi.org/10.1016/B978-0-12-407720-1.00006-6>
- Ward, G. M., Faisan Jr, J. P., Cottier-Cook, E. J., Gachon, C., Hurtado, A. Q., Lim, P. E., Matoju, I., Msuya, F. E., Bass, D., & Brodie, J. 2020. A review of reported seaweed diseases and pests in aquaculture in Asia. *Journal of the World Aquaculture Society*, 51(4), 815–828. <https://doi.org/10.1111/jwas.12649>
- Webber, V., Carvalho, S. M. de, Ogliari, P. J., Hayashi, L., & Barreto, P. L. M. 2012. Optimization of the extraction of carrageenan from *Kappaphycus alvarezii* using response surface methodology. *Food Science and Technology*, 32(4), 812–818. <https://doi.org/10.1590/S0101-20612012005000111>
- Wernberg, T., Coleman, M. A., Bennett, S., Thomsen, M. S., Tuya, F., & Kelaher, B. P. 2018. Genetic diversity and kelp forest vulnerability to climatic stress. *Scientific Reports*, 8(1), 1851. <https://doi.org/10.1038/s41598-018-20009-9>
- West-Eberhard, M. J. 2008. Phenotypic Plasticity. In S. E. J rgensen & B. D. Fath (Eds.), *Encyclopedia of Ecology* (pp. 2701–2707). Academic Press. <https://doi.org/10.1016/B978-008045405-4.00837-5>
- Wiley, E. O., & Lieberman, B. S. 2011. *Phylogenetics: Theory and Practice of Phylogenetic Systematics* (2nd ed.). Wiley-Blackwell.
- Wong, L. L., Peatman, E., Lu, J., Kucuktas, H., He, S., Zhou, C., Na-nakorn, U., & Liu, Z. 2011. DNA Barcoding of Catfish: Species Authentication and Phylogenetic Assessment. *PLoS ONE*, 6(3), e17812. <https://doi.org/10.1371/journal.pone.0017812>

- Wongsawad, P., & Peerapornpisal, Y. 2014. Molecular identification and phylogenetic relationship of green algae, *Spirogyra ellipsospora* (Chlorophyta) using ISSR and *rbcL* markers. *Saudi Journal of Biological Sciences*, 21(5), 505–510. <https://doi.org/10.1016/j.sjbs.2014.01.003>
- Wyler, S. C., & Naciri, Y. 2016. Evolutionary histories determine DNA barcoding success in vascular plants: Seven case studies using intraspecific broad sampling of closely related species. *BMC Evolutionary Biology*, 16(1), 103. <https://doi.org/10.1186/s12862-016-0678-0>
- Wynne, M. J., & Schneider, C. W. 2010. Addendum to the synoptic review of red algal genera. *Botanica Marina*, 53(4). <https://doi.org/10.1515/BOT.2010.039>
- Xie, Z.-Y., Lin, S.-M., Liu, L.-C., Ang, P. O., & Shyu, J.-F. 2015. Genetic diversity and taxonomy of foliose Bangiales (Rhodophyta) from Taiwan based on *rbcL* and *cox1* sequences. *Botanica Marina*, 58(3), 189–202. <https://doi.org/10.1515/bot-2014-0063>
- Yang, E. C., Boo, S. M., Bhattacharya, D., Saunders, G. W., Knoll, A. H., Fredericq, S., Graf, L., & Yoon, H. S. 2016. Divergence time estimates and the evolution of major lineages in the florideophyte red algae. *Scientific Reports*, 6(1), 21361. <https://doi.org/10.1038/srep21361>
- Yang, E., Kim, M., Geraldino, P. J., Sahoo, D., Shin, J.-A., & Boo, S. M. (2008). Mitokondrial *cox1* and plastid *rbcL* genes of *Gracilaria vermiculophylla* (Gracilariaceae, Rhodophyta). *Journal of Applied Phycology*, 20. <https://doi.org/10.1007/s10811-007-9201-8>
- Yang, M. Y., Han, E. G., & Kim, M. S. 2013. Molecular identification of *Grateloupia elliptica* and *G. lanceolata* (Rhodophyta) inferred from plastid *rbcL* and mitokondrial COI genes sequence data. *Genes & Genomics*, 35(2), 239–246. <https://doi.org/10.1007/s13258-013-0083-7>
- Yang, Z., & Rannala, B. 2012. Molecular phylogenetics: Principles and practice. *Nature Reviews Genetics*, 13(5), 303–314. <https://doi.org/10.1038/nrg3186>
- Yoon, H. S., Nelson, W., Lindstrom, S. C., Boo, S. M., Poeschel, C., Qiu, H., & Bhattacharya, D. 2017. Rhodophyta. In J. M. Archibald, A. G. B. Simpson, & C. H. Slamovits (Eds.), *Handbook of the Protists* (pp. 89–133). Springer International Publishing. [https://doi.org/10.1007/978-3-319-28149-0\\_33](https://doi.org/10.1007/978-3-319-28149-0_33)
- Yunus, B., & Umar, M. T. 2018. Morphological appearance of the seaweed *Kappaphycus alvarezii* cultured in different habitats at Arungkeke. *Eco.Env.& Cons.*, 24(1), 232–239.
- Zhao, S., & He, P. 2011. Molecular identification based on ITS sequences for *Kappaphycus* and *Eucheuma* cultivated in China. *Chinese Journal of Oceanology and Limnology*, 29(6), 1287–1296. <https://doi.org/10.1007/s00343-011-1032-4>
- Zuccarello, G. C., Critchley, A. T., Smith, J., Sieber, V., Lhonneur, G. B., & West, J. A. 2007. Systematics and genetic variation in commercial *Kappaphycus* and *Eucheuma* (Solieriaceae, Rhodophyta). In R. Anderson, J. Brodie, E. Onsøyen, & A. T. Critchley (Eds.), *Eighteenth International Seaweed Symposium* (Vol. 1, pp. 417–425). Springer Netherlands. [https://doi.org/10.1007/978-1-4020-5670-3\\_50](https://doi.org/10.1007/978-1-4020-5670-3_50)
- Zuccarello, G., & Paul, N. 2019. A Beginner's Guide to Molecular Identification of Seaweed. *Squalen Bulletin of Marine and Fisheries Postharvest and Biotechnology*, 14, 43. <https://doi.org/10.15578/squalen.v14i1.384>