KOMBINASI CITRA SATELIT OPTIK DAN RADAR UNTUK PEMETAAN STOK KARBON MANGROVE DI KAWASAN CLUNGUP
MANGROVE CONSERVATION (CMC) KABUPATEN MALANG
MAULANA ABDUL HAKIM, Muhammad Kamal, S.Si., M.GIS., Ph.D. ; Dr.Sc. Sanjiwana Arjasakusuma, S.Si., M.GIS.
Universitas Gadjah Mada, 2022 | Diunduh dari http://etd.repository.ugm.ac.id/

DAFTAR PUSTAKA

Adan, M. S., Hussin, Y. A., & Kloosterman, D. E. H. (2017). *Intergrating Sentinel-2 Derived Vegetation Indices and Terrestrial Laser Scanner To Estimate Above-Ground Biomass/Carbon in Ayer Hitam Tropical Forest Malaysia*. 78. https://webapps.itc.utwente.nl/librarywww/papers_2017/msc/nrm/adan.pdf

Ahmed, N., & Glaser, M. (2016). Coastal aquaculture, mangrove deforestation and blue carbon emissions: Is REDD+ a solution? *Marine Policy*, *66*, 58–66. https://doi.org/10.1016/j.marpol.2016.01.011

Alan, J., Castillo, A., Apan, A. A., Maraseni, T. N., & Salmo, S. G. (2017). ISPRS Journal of Photogrammetry and Remote Sensing Estimation and mapping of above-ground biomass of mangrove forests and their replacement land uses in the Philippines using Sentinel imagery. *ISPRS Journal of Photogrammetry and Remote Sensing*, *134*, 70–85. https://doi.org/10.1016/j.isprsjprs.2017.10.016

Alongi, D. M. (2002). *Present state and future of the world ' s mangrove forests*. *29*(3), 331–349. https://doi.org/10.1017/S0376892902000231

Alongi, D. M. (2014). Carbon cycling and storage in mangrove forests. *Annual Review of Marine Science*, *6*, 195–219. https://doi.org/10.1146/annurev-marine-010213-135020

Arjasakusuma, S., Kusuma, S., Rafif, R., Saringatin, S., & Mada, U. G. (2020). *Combination of Landsat 8 OLI and Sentinel-1 SAR Time-Series Data for Mapping Paddy Fields in Parts of West and Central Java Provinces , Indonesia*. *November*. https://doi.org/10.3390/ijgi9110663

Aslan, A., Rahman, A. F., Warren, M. W., & Robeson, S. M. (2016). Mapping spatial distribution and biomass of coastal wetland vegetation in Indonesian Papua by combining active and passive remotely sensed data. *Remote Sensing of Environment*, *183*, 65–81. https://doi.org/10.1016/j.rse.2016.04.026

Badan Standar Nasional. (2011). *Pengukuran dan Penghitungan Cadangan Karbon – Pengukuran Lapangan untuk Penaksiran Cadangan Karbon Hutan (*

KOMBINASI CITRA SATELIT OPTIK DAN RADAR UNTUK PEMETAAN STOK KARBON MANGROVE DI KAWASAN CLUNGUP
MANGROVE CONSERVATION (CMC) KABUPATEN MALANG
MAULANA ABDUL HAKIM, Muhammad Kamal, S.Si., M.GIS., Ph.D. ; Dr.Sc. Sanjiwana Arjasakusuma, S.Si., M.GIS.
Universitas Gadjah Mada, 2022 | Diunduh dari http://etd.repository.ugm.ac.id/

Ground Based Forest Carbon Accounting). 1–24.

Belgiu, M., & Dra, L. (2016). *ISPRS Journal of Photogrammetry and Remote Sensing Random forest in remote sensing : A review of applications and future directions ˇ gut*. *114*, 24–31. https://doi.org/10.1016/j.isprsjprs.2016.01.011

Belgiu, M., & Drăgu, L. (2016). Random forest in remote sensing: A review of applications and future directions. *ISPRS Journal of Photogrammetry and Remote Sensing*, *114*, 24–31. https://doi.org/10.1016/j.isprsjprs.2016.01.011

Breiman, L. (2001). Random forests. *Random Forests*, 1–32. https://doi.org/10.1201/9780429469275-8

Byrd, K. B., Connell, J. L. O., Di, S., & Kelly, M. (2014). Remote Sensing of Environment Evaluation of sensor types and environmental controls on mapping biomass of coastal marsh emergent vegetation. *Remote Sensing of Environment*, *149*, 166–180. https://doi.org/10.1016/j.rse.2014.04.003

Cahyaningrum, S. T., Hartoko, A., & Suryanti. (2014). *Biomassa Karbon Mangrove Pada Kawasan Pulau Kemujan Taman Nasional Karimunjawa*. *3*, 34–42.

Cahyawati, A. (2017). Analisis Citra Alos Palsar untuk Estimasi Stok Karbon di Atas Permukaan pada Tegakan Tiap Ekosistem Hutan di SPTN 1 Sukadana Taman Nasional Gunung Palung, Provinsi Kalimantan Barat. Yogyakarta: Fakultas Geografi UGM.

Cahyono, W. E. (2015). Pengaruh Pemanasan Global Terhadap Lingkungan Bumi. *Berita Dirgantara LAPAN*, *16*, 28–31. http://jurnal.lapan.go.id/index.php/berita_dirgantara/article/download/732/649

Chen, C., Son, N., Chang, N., Chen, C., Chang, L., Valdez, M., Centeno, G., Thompson, C. A., & Aceituno, J. L. (2013). *Multi-Decadal Mangrove Forest Change Detection and Prediction in Honduras, Central America, with Landsat Imagery and a Markov Chain Model*. 6408–6426. https://doi.org/10.3390/rs5126408

Chen, L., Wang, Y., Ren, C., Zhang, B., & Wang, Z. (2019). Optimal combination

KOMBINASI CITRA SATELIT OPTIK DAN RADAR UNTUK PEMETAAN STOK KARBON MANGROVE DI KAWASAN CLUNGUP
MANGROVE CONSERVATION (CMC) KABUPATEN MALANG
MAULANA ABDUL HAKIM, Muhammad Kamal, S.Si., M.GIS., Ph.D. ; Dr.Sc. Sanjiwana Arjasakusuma, S.Si., M.GIS.
Universitas Gadjah Mada, 2022 | Diunduh dari http://etd.repository.ugm.ac.id/

of predictors and algorithms for forest above-ground biomass mapping from Sentinel and SRTM data. *Remote Sensing*, *11*(4), 1–20. https://doi.org/10.3390/rs11040414

Cougo, M. F., Souza-Filho, P. W. M., Silva, A. Q., Fernandes, M. E. B., Dos Santos, J. R., Abreu, M. R. S., Nascimento, W. R., & Simard, M. (2015). Radarsat-2 backscattering for the modeling of biophysical parameters of regenerating mangrove forests. *Remote Sensing*, *7*(12), 17097–17112. https://doi.org/10.3390/rs71215873

Coy, M., & Roger. (2005). Field Methods in Remote Sensing. In *Journal of Chemical Information and Modeling*.

Cutler, M. E. J., Boyd, D. S., Foody, G. M., & Vetrivel, A. (2012). Estimating tropical forest biomass with a combination of SAR image texture and Landsat TM data: An assessment of predictions between regions. *ISPRS Journal of Photogrammetry and Remote Sensing*, *70*, 66–77. https://doi.org/10.1016/j.isprsjprs.2012.03.011

Danoedoro, P. (1996). Pengolahan Citra Digital Teori dan Aplikasinya dalam Bidang Penginderaan Jauh. Fakultas Geografi UGM

Danoedoro, P. (2012). *Pengantar Penginderaan Jauh Digital*. Yogyakarta: Penerbit ANDI.

Darmawan, S., Takeuchi, W., Vetrita, Y., Wikantika, K., & Sari, D. K. (2015). Impact of topography and tidal height on ALOS palsar polarimetric measurements to estimate aboveground biomass of mangrove forest in Indonesia. *Journal of Sensors*, *2015*. https://doi.org/10.1155/2015/641798

Dat Pham, T., Xia, J., Thang Ha, N., Tien Bui, D., Nhu Le, N., & Tekeuchi, W. (2019). A review of remote sensing approaches for monitoring blue carbon ecosystems: Mangroves, sea grasses and salt marshes during 2010–2018. *Sensors (Switzerland)*, *19*(8). https://doi.org/10.3390/s19081933

Delegido, J., Verrelst, J., Alonso, L., & Moreno, J. (2011). Evaluation of sentinel-2 red-edge bands for empirical estimation of green LAI and chlorophyll content. *Sensors*, *11*(7), 7063–7081. https://doi.org/10.3390/s110707063

KOMBINASI CITRA SATELIT OPTIK DAN RADAR UNTUK PEMETAAN STOK KARBON MANGROVE DI KAWASAN CLUNGUP
MANGROVE CONSERVATION (CMC) KABUPATEN MALANG
MAULANA ABDUL HAKIM, Muhammad Kamal, S.Si., M.GIS., Ph.D. ; Dr.Sc. Sanjiwana Arjasakusuma, S.Si., M.GIS.
Universitas Gadjah Mada, 2022 | Diunduh dari http://etd.repository.ugm.ac.id/

Devara Prawira A., R. H. J. (2011). Analisis Koefisien Nilai Hamburan Balik Obyek Penutup Lahan Pada Data Digital Alos Palsar Berpolarisasi Ganda (HH dan HV) di Sebgaian Jakarta dan Tanggerang. *Fakultas Geografi UGM, Yogyakarta*.

Dharmawan, I. W. S., & Siregar, C. A. (2008). Karbon Tanah Dan Pendugaan KarbonTegakan Avicennia marina (Forsk.) Vierh. di Ciasem, Purwakarta. *Jurnal Penelitian Hutan Dan Konservasi Alam*, *5*(4), 317–328. https://doi.org/10.20886/jphka.2008.5.4.317-328

Donato, D. C., Kauffman, J. B., Murdiyarso, D., Kurnianto, S., & Stidham, M. (2011). Mangroves among the most carbon-rich forests in the tropics. *Nature Geoscience*, *4*(4), 1–5. https://doi.org/10.1038/ngeo1123

Donato, D. C., Kauffman, J. B., Murdiyarso, D., Kurnianto, S., Stidham, M., & Kanninen, M. (2012). Mangrove adalah salah satu hutan terkaya karbon di kawasan tropis. *CIFOR Brief*, *13*(12), 12.

Duarte, C. M., Losada, I. J., Hendriks, I. E., Mazarrasa, I., & Marbà, N. (2013). The role of coastal plant communities for climate change mitigation and adaptation. *Nature Climate Change*, *3*(11), 961–968. https://doi.org/10.1038/nclimate1970

ESA. (2014) Sentinels Scientific Data Hub, European Space Agency, viewed November, 2020

Field, C. D. (2007). *Rehabilitation of Mangrove Ecosystems : An Overview*. *37*(1997), 383–392.

Filipponi, F. (2019). Sentinel-1 GRD Preprocessing Workflow. *Proceedings*, *18*(1), 11. https://doi.org/10.3390/ecrs-3-06201

Frampton, W. J., Dash, J., Watmough, G., & Milton, E. J. (2013). Evaluating the capabilities of Sentinel-2 for quantitative estimation of biophysical variables in vegetation. *ISPRS Journal of Photogrammetry and Remote Sensing*, *82*, 83–92. https://doi.org/10.1016/j.isprsjprs.2013.04.007

Frampton, W. J., Dash, J., Watmough, G., & Milton, E. J. (2013). ISPRS Journal of Photogrammetry and Remote Sensing Evaluating the capabilities of Sentinel-

KOMBINASI CITRA SATELIT OPTIK DAN RADAR UNTUK PEMETAAN STOK KARBON MANGROVE DI KAWASAN CLUNGUP
MANGROVE CONSERVATION (CMC) KABUPATEN MALANG
MAULANA ABDUL HAKIM, Muhammad Kamal, S.Si., M.GIS., Ph.D. ; Dr.Sc. Sanjiwana Arjasakusuma, S.Si., M.GIS.
Universitas Gadjah Mada, 2022 | Diunduh dari http://etd.repository.ugm.ac.id/

2 for quantitative estimation of biophysical variables in vegetation. *ISPRS Journal of Photogrammetry and Remote Sensing*, *82*, 83–92. https://doi.org/10.1016/j.isprsjprs.2013.04.007

FWI. (2006). Lembar Informasi. Catatan Singkat : Potret Kondisi Hutan Indonesia dan Kinerja Pelaku di Sektor kehutanan. Bogor

FWI. (2009). Penghitungan potensi karbon di kawasan hutan. *Forest Watch Indonesia*, 11.

Ghosh, S. M., & Behera, M. D. (2018). Aboveground biomass estimation using multi-sensor data synergy and machine learning algorithms in a dense tropical forest. *Applied Geography*, *96*(March), 29–40. https://doi.org/10.1016/j.apgeog.2018.05.011

Giri Ananto, W. H., Hadi, H. A., Sandhini Putri, A. F., Hanum, D. N., Puji Wiryawan, B. K., Prabaswara, R. R., & Arjasakusuma, S. (2019). *Assessment of dual polarization in Sentinel-1 data for estimating forest aboveground biomass: case study of Barru Regency, South Sulawesi*. *1137214*(December 2019), 47. https://doi.org/10.1117/12.2540845

Giri, C., Ochieng, E., Tieszen, L. L., Zhu, Z., Singh, A., Loveland, T., Masek, J., & Duke, N. (2011). Status and distribution of mangrove forests of the world using earth observation satellite data. *Global Ecology and Biogeography*, *20*(1), 154–159. https://doi.org/10.1111/j.1466-8238.2010.00584.x

Goetz, S. J., Baccini, A., Laporte, N. T., Johns, T., Walker, W., Kellndorfer, J., Houghton, R. A., & Sun, M. (2009). Mapping and monitoring carbon stocks with satellite observations: A comparison of methods. *Carbon Balance and Management*, *4*, 1–7. https://doi.org/10.1186/1750-0680-4-2

Grimsditch, G., Alder, J., & Nakamura, T. (2013). The blue carbon special edition – Introduction and overview. *Ocean & Coastal Management*, *83*, 1–4. https://doi.org/10.1016/j.ocecoaman.2012.04.020

Hamdan, O., Khali Aziz, H., & Mohd Hasmadi, I. (2014). L-band ALOS PALSAR for biomass estimation of Matang Mangroves, Malaysia. *Remote Sensing of Environment*, *155*, 69–78. https://doi.org/10.1016/j.rse.2014.04.029

KOMBINASI CITRA SATELIT OPTIK DAN RADAR UNTUK PEMETAAN STOK KARBON MANGROVE DI KAWASAN CLUNGUP
MANGROVE CONSERVATION (CMC) KABUPATEN MALANG
MAULANA ABDUL HAKIM, Muhammad Kamal, S.Si., M.GIS., Ph.D. ; Dr.Sc. Sanjiwana Arjasakusuma, S.Si., M.GIS.
Universitas Gadjah Mada, 2022 | Diunduh dari http://etd.repository.ugm.ac.id/

Heumann, B. W. (2011). Satellite remote sensing of mangrove forests: Recent advances and future opportunities. *Progress in Physical Geography*, *35*(1), 87–108. https://doi.org/10.1177/0309133310385371

Hermayani, R. (2018). Analisis Citra Sentinel-1A Untuk Estimasi Stok Karbon Di Atas Permukaan (*Above Ground Carbon*) Hutan Mangrove Pulau Kemujan, Taman Nasional Karimunjawa. *Skripsi*. Fakultas Geografi Universitas Gadjah Mada

Hidayatullah, M. F. Estimasi Karbon Atas Permukaan Hutan Mangrove Berdasarkan Spesies Menggunakan Citra Wolrdview 2 Di Kawasan Clungup Mangrove Conservation,Kabupaten Malang. *Tesis*. Fakultas Geografi Universitas Gadjah Mada.

Hidayati, N. I. (2013). Ekstraksi Data Indeks Vegetasi Untuk Evauasi Ruang Terbuka Hijau Berdasarkan Citra Alos di Kecamatan Ngaglik Kabupaten Sleman Yogyakarta. *Agroteknologi*, *3*, 27–34. http://dx.doi.org/10.1016/j.encep.2012.03.001

Hilmi, E dan C. Kusmana.(1999). Ekosistem Mangrove: Antara Karakteristik, Teknik Sampling, dan Analisis Sistem. Program Pascasarjana IPB. Bogor

Hornong, N, 2004. *Global Land Vegetation; An Electronic Textbook*. NASA Goddard Space Flihgt Center Earth Sciences.

Huete, A. R. (1988). A Soil Adjusted Vegetation Index (SAVI). *Remote Sensing of Environment*, 295–309.

Ilman, M., Dargusch, P., Dart, P., & Onrizal. (2016). A historical analysis of the drivers of loss and degradation of Indonesia's mangroves. *Land Use Policy*, *54*, 448–459. https://doi.org/10.1016/j.landusepol.2016.03.010

Jachowski, N. R. A., Quak, M. S. Y., Friess, D. A., Duangnamon, D., Webb, E. L., & Ziegler, A. D. (2013). Mangrove biomass estimation in Southwest Thailand using machine learning. *Applied Geography*, *45*, 311–321. https://doi.org/10.1016/j.apgeog.2013.09.024

Jaya, I Nengah Surati. (2009). Analisis Citra Dijital: Perspektif Penginderaan Jauh Untuk Pengelolaan Dumberdaya Alam. Fakultas Kehutanan IPB. Bogor

KOMBINASI CITRA SATELIT OPTIK DAN RADAR UNTUK PEMETAAN STOK KARBON MANGROVE DI KAWASAN CLUNGUP
MANGROVE CONSERVATION (CMC) KABUPATEN MALANG
MAULANA ABDUL HAKIM, Muhammad Kamal, S.Si., M.GIS., Ph.D. ; Dr.Sc. Sanjiwana Arjasakusuma, S.Si., M.GIS.
Universitas Gadjah Mada, 2022 | Diunduh dari http://etd.repository.ugm.ac.id/

Joshi, N., Baumann, M., Ehammer, A., Fensholt, R., Grogan, K., Hostert, P., Jepsen, M. R., Kuemmerle, T., Meyfroidt, P., Mitchard, E. T. A., Reiche, J., Ryan, C. M., & Waske, B. (2016). A review of the application of optical and radar remote sensing data fusion to land use mapping and monitoring. *Remote Sensing*, *8*(1), 1–23. https://doi.org/10.3390/rs8010070

Kamal, M., Faqih, M., Mahyatar, P., & Muhammad, S. (2022). Remote Sensing Applications : Society and Environment Estimation of aboveground mangrove carbon stocks from WorldView-2 imagery based on generic and species-specific allometric equations. *Remote Sensing Applications: Society and Environment*, *26*(March), 100748. https://doi.org/10.1016/j.rsase.2022.100748

Kamal, M., Hartono, H., Wicaksono, P., Adi, N. S., & Arjasakusuma, S. (2016). Assessment of Mangrove Forest Degradation Through Canopy Fractional Cover in Karimunjawa Island, Central Java, Indonesia. *Geoplanning: Journal of Geomatics and Planning*, *3*(2), 107. https://doi.org/10.14710/geoplanning.3.2.107-116

Kamal, M., Phinn, S., Johansen, K., & Adi, N. S. (2016). Estimation of mangrove leaf area index from ALOS AVNIR-2 data (A comparison of tropical and sub-tropical mangroves). *AIP Conference Proceedings*, *1755*(July). https://doi.org/10.1063/1.4958480

Kathiresan, K., & Bingham, B. L. (2001). Biology of mangroves and mangrove ecosystems. *Advances in Marine Biology*, *40*, 81–251. https://doi.org/10.1016/S0065-2881(01)40003-4

Kauffman, J. B. O., Eider, C. H. H., & Orfolk, J. E. N. (2014). *Carbon stocks of intact mangroves and carbon emissions arising from their conversion in the Dominican Republic*. *24*(3), 518–527.

Kemenhut. 2007. Pedoman Inventarisasi Hutan Menyeluruh Berkala (IHMB) pada Usaha Pemanfaatan Hasil Hutan pada Hutan Produksi. Permenhut 34/2007

Kemenhut. 2017. Pejabat Pengelola Informasi dan Dokumentasi. http://ppid.menlhk.go.id/siaran pers.

UNIVERSITAS
GADJAH MADA
KOMBINASI CITRA SATELIT OPTIK DAN RADAR UNTUK PEMETAAN STOK KARBON MANGROVE DI KAWASAN CLUNGUP
MANGROVE CONSERVATION (CMC) KABUPATEN MALANG
MAULANA ABDUL HAKIM, Muhammad Kamal, S.Si., M.GIS., Ph.D. ; Dr.Sc. Sanjiwana Arjasakusuma, S.Si., M.GIS.
Universitas Gadjah Mada, 2022 | Diunduh dari http://etd.repository.ugm.ac.id/

Komiyama, A., Ong, J. E., & Poungparn, S. (2008). Allometry, biomass, and productivity of mangrove forests: A review. *Aquatic Botany*, *89*(2), 128–137. https://doi.org/10.1016/j.aquabot.2007.12.006

Komiyama, A., Poungparn, S., & Kato, S. (2005). Common allometric equations for estimating the tree weight of mangroves. *Journal of Tropical Ecology*, *21*(4), 471–477. https://doi.org/10.1017/S0266467405002476

Krisnawati, H., Adinugroho, W, C., & Imanuddin, R. (2012). *Monograf Model Model Alometrik Untuk Pendugaan Biomassa Pohon pada Berbagai Tipe Ekosistem Hutan di Indonesia*. Kementerian Kehutanan Badan Penelitian Dan Pengembangan Kehutanan Pusat Penelitian Dan Pengembangan Konservasi Dan Rehabilitasi.

Kuenzer, C., Bluemel, A., Gebhardt, S., Quoc, T. V., & Dech, S. (2011). Remote sensing of mangrove ecosystems: A review. In *Remote Sensing* (Vol. 3, Issue 5). https://doi.org/10.3390/rs3050878

Kumar, L., Sinha, P., Taylor, S., & Alqurashi, A. F. (2015). Review of the use of remote sensing for biomass estimation to support renewable energy generation. *Journal of Applied Remote Sensing*, *9*(1), 097696. https://doi.org/10.1117/1.jrs.9.097696

Laffoley, D., & Grimsditch, G. (2009). *The Management of Natural Coastal Carbon Sinks* (Issue November).

Lantzanakis, G., Mitraka, Z., & Chrysoulakis, N. (2016). Comparison of physically and image based atmospheric correction methods for Sentinel-2 satellite imagery. *Fourth International Conference on Remote Sensing and Geoinformation of the Environment (RSCy2016)*, *9688*, 96880A. https://doi.org/10.1117/12.2242889

Laurin, G. V., Balling, J., Corona, P., Mattioli, W., Papale, D., Puletti, N., Rizzo, M., Truckenbrodt, J., & Urban, M. (2018). Above-ground biomass prediction by Sentinel-1 multitemporal data in central Italy with integration of ALOS2 and Sentinel-2 data. *Journal of Applied Remote Sensing*, *12*(01), 1. https://doi.org/10.1117/1.jrs.12.016008

UNIVERSITAS GADJAH MADA
KOMBINASI CITRA SATELIT OPTIK DAN RADAR UNTUK PEMETAAN STOK KARBON MANGROVE DI KAWASAN CLUNGUP
MANGROVE CONSERVATION (CMC) KABUPATEN MALANG
MAULANA ABDUL HAKIM, Muhammad Kamal, S.Si., M.GIS., Ph.D. ; Dr.Sc. Sanjiwana Arjasakusuma, S.Si., M.GIS.
Universitas Gadjah Mada, 2022 | Diunduh dari http://etd.repository.ugm.ac.id/

Liu, M., Zhang, H., Lin, G., Lin, H., & Tang, D. (2018). Zonation and directional dynamics of mangrove forests derived from time-series satellite imagery in Mai Po, Hong Kong. *Sustainability (Switzerland)*, *10*(6), 3–5. https://doi.org/10.3390/su10061913

Lu, D. (2006). The potential and challenge of remote sensing-based biomass estimation. *International Journal of Remote Sensing*, *27*(7), 1297–1328. https://doi.org/10.1080/01431160500486732

Lu, D., Chen, Q., Wang, G., Liu, L., Li, G., & Moran, E. (2016). A survey of remote sensing-based aboveground biomass estimation methods in forest ecosystems. *International Journal of Digital Earth*, *9*(1), 63–105. https://doi.org/10.1080/17538947.2014.990526

Lucas, M. R., Lee, C. A., Armston, J., Carreiras, J. M. B., Viergever, K. M., Bunting, P., Clewley, D., Mahta, M., Siqueira, P., & Woodhouse, I. (2010). Ecosystem Function in Savannas. In *Ecosystem Function in Savannas*. https://doi.org/10.1201/b10275

Mahyatar, P. Pemetaan Cadangan Karbon Atas Permukaan Di kawasan Mangrove Clungup, Kabupaten Malang Menggunakan Citra Wolrdview 2. *Skripsi*. Fakultas Geografi Universitas Gadjah Mada.

McCoy, R. M. (2005). *Field Methods in Remote Sensing.* New York: The Guilford Press A Division of Guilford Publications. New York

Mohd Zaki, N. A., & Abd Latif, Z. (2017). Carbon sinks and tropical forest biomass estimation: a review on role of remote sensing in aboveground-biomass modelling. *Geocarto International*, *32*(7), 701–716. https://doi.org/10.1080/10106049.2016.1178814

Muhd-Ekhzarizal, M. E., Mohd-Hasmadi, I., Hamdan, O., Mohamad-Roslan, M. K., & Noor-Shaila, S. (2018). Estimation of aboveground biomass in mangrove forests using vegetation indices from SPOT-5 image. *Journal of Tropical Forest Science*, *30*(2), 224–233. https://doi.org/10.26525/jtfs2018.30.2.224233

Mumby, P. J. (2000). Mapping Mangroves. In *Remote Sensing Handbook for*

KOMBINASI CITRA SATELIT OPTIK DAN RADAR UNTUK PEMETAAN STOK KARBON MANGROVE DI KAWASAN CLUNGUP
MANGROVE CONSERVATION (CMC) KABUPATEN MALANG
MAULANA ABDUL HAKIM, Muhammad Kamal, S.Si., M.GIS., Ph.D. ; Dr.Sc. Sanjiwana Arjasakusuma, S.Si., M.GIS.
Universitas Gadjah Mada, 2022 | Diunduh dari http://etd.repository.ugm.ac.id/

Tropical Coastal Management.

Murdiyarso, D., Donato, D., Kauffman, J. B., Kurnianto, S., Stidham, M., & Kanninen, M. (2009). *Carbon storage in mangrove and peatland ecosystems A preliminary account from plots in Indonesia Carbon storage in mangrove and peatland ecosystems*.

Mutanga, O., Adam, E., & Azong, M. (2012). International Journal of Applied Earth Observation and Geoinformation High density biomass estimation for wetland vegetation using WorldView-2 imagery and random forest regression algorithm. *International Journal of Applied Earth Observations and Geoinformation*, *18*, 399–406. https://doi.org/10.1016/j.jag.2012.03.012

Nasution, F. R., & Ghifari, A. (2017). *Parameter Tuning in Random Forest Based on Grid Search Method for Gender Classification Based on Voice Frequency*. *Cece*, 625–629.

Noor, Y. R., Khazali, M., & Suryadiputra, I. N. N. (2006). *Panduan Pengenalan Mangrove di Indonesia* (PHKA/WI-IP (Wetlands International-Indonesia Programme). (ed.); 2nd ed., Issue May)

Nuthammachot, N., Askar, A., & Stratoulias, D. (2020). Combined use of Sentinel-1 and Sentinel-2 data for improving above-ground biomass estimation. *Geocarto International*, *0*(0), 1–11. https://doi.org/10.1080/10106049.2020.1726507

Of, S., Backscatter, M. S. A. R., Changes, T. O., Forest, O. F., & Biomass, A. (2013). *Sensitivity of multi-source sar backscatter to changes of forest aboveground biomass*. 2457–2460.

Omar, H., Misman, M. A., & Kassim, A. R. (2017). Synergetic of PALSAR-2 and sentinel-1A SAR polarimetry for retrieving aboveground biomass in dipterocarp forest of Malaysia. *Applied Sciences (Switzerland)*, *7*(7). https://doi.org/10.3390/app7070675

Patil, V., Singh, A., & Naik, N. (2014). *Estimation of Carbon Stocks in Avicennia marina Stand Using Allometry , CHN Analysis , and GIS Methods*. 379–391. https://doi.org/10.1007/s13157-013-0505-y

KOMBINASI CITRA SATELIT OPTIK DAN RADAR UNTUK PEMETAAN STOK KARBON MANGROVE DI KAWASAN CLUNGUP
MANGROVE CONSERVATION (CMC) KABUPATEN MALANG
MAULANA ABDUL HAKIM, Muhammad Kamal, S.Si., M.GIS., Ph.D. ; Dr.Sc. Sanjiwana Arjasakusuma, S.Si., M.GIS.
Universitas Gadjah Mada, 2022 | Diunduh dari http://etd.repository.ugm.ac.id/

Pflug, B., Makarau, A., & Richter, R. (2016). Processing Sentinel-2 data with ATCOR. *EGU General Assembly*, *66*(April), 2–3. https://doi.org/10.5194/isprsarchives-XL-7-W3-677-2015.(3)

Pham, L. T. H., & Brabyn, L. (2017). Monitoring mangrove biomass change in Vietnam using SPOT images and an object-based approach combined with machine learning algorithms. *ISPRS Journal of Photogrammetry and Remote Sensing*, *128*, 86–97. https://doi.org/10.1016/j.isprsjprs.2017.03.013

Pham, T. D., Le, N. N., Ha, N. T., Nguyen, L. V., & Xia, J. (2020). Estimating Mangrove Above-Ground Biomass Using Extreme Gradient Boosting Decision Trees Algorithm with Fused Sentinel-2 and ALOS-2 PALSAR-2 Data in. *Remote Sensing*. doi:10.3390/rs12050777

Pham, T. D., Yokoya, N., Bui, D. T., Yoshino, K., & Friess, D. A. (2019). Remote sensing approaches for monitoring mangrove species, structure, and biomass: Opportunities and challenges. *Remote Sensing*, *11*(3), 1–25. https://doi.org/10.3390/rs11030230

Pham, T. D., Yoshino, K., & Bui, D. T. (2017). Biomass estimation of Sonneratia caseolaris (l.) Engler at a coastal area of Hai Phong city (Vietnam) using ALOS-2 PALSAR imagery and GIS-based multi-layer perceptron neural networks. *GIScience and Remote Sensing*, *54*(3), 329–353. https://doi.org/10.1080/15481603.2016.1269869

Pham, T. D., Yoshino, K., Le, N. N., & Bui, D. T. (2018). Estimating aboveground biomass of a mangrove plantation on the Northern coast of Vietnam using machine learning techniques with an integration of ALOS-2 PALSAR-2 and Sentinel-2A data. *International Journal of Remote Sensing*, *39*(22), 7761–7788. https://doi.org/10.1080/01431161.2018.1471544

Phiri, D., Simwanda, M., Salekin, S., Nyirenda, R, V., Murayama, Y., & Ranagalage, M. (2020). remote sensing Sentinel-2 Data for Land Cover / Use Mapping : A Review. *Remote Sensing*, *2291*(12), 14.

Pons, Diego Hernán. (2010). Remote Sensing Technologies for Forest Monitoring and Carbon Stocks Estimations. Univercidad Nacional de Cordoba.CONAE.

UNIVERSITAS
GADJAH MADA
KOMBINASI CITRA SATELIT OPTIK DAN RADAR UNTUK PEMETAAN STOK KARBON MANGROVE DI KAWASAN CLUNGUP
MANGROVE CONSERVATION (CMC) KABUPATEN MALANG
MAULANA ABDUL HAKIM, Muhammad Kamal, S.Si., M.GIS., Ph.D. ; Dr.Sc. Sanjiwana Arjasakusuma, S.Si., M.GIS.
Universitas Gadjah Mada, 2022 | Diunduh dari http://etd.repository.ugm.ac.id/

Purnobasuki, H. (2012). Pemanfaatan hutan mangrove sebagai penyimpan karbon. *Buletin PSL Universitas Surabaya*, *28*(June), 3–5.

Rahmandika, M. R. A. (2017). Studi Zonasi Ekosistem Mangrove Di Clungup Mangrove Conservation (CMC) Sendang Biru Desa Tambakrejo Kecamatan Sumbermanjing Wetan Kabupaten Malang Jawa Timur. Skripsi. Universitas Brawijaya

Reddy, M. A., 2001, *Textbook of Remote Sensing and Geographical Information Systems*. BSP BS Publication, Hyderabad, India. ISBN: 8178001357

Rhyma, P. P., Norizah, K., Hamdan, O., Faridah-Hanum, I., & Zulfa, A. W. (2020). Integration of normalised different vegetation index and Soil-Adjusted Vegetation Index for mangrove vegetation delineation. *Remote Sensing Applications: Society and Environment*, *17*(December 2019), 100280. https://doi.org/10.1016/j.rsase.2019.100280

Rogers, K., Lymburner, L., Salum, R., Brooke, B. P., & Woodroffe, C. D. (2017). Mapping of mangrove extent and zonation using high and low tide composites of Landsat data. *Hydrobiologia*, *803*(1), 49–68. https://doi.org/10.1007/s10750-017-3257-5

Romeijn H.E. (2001) Random Search Methods. In: Floudas C.A., Pardalos P.M. (eds) Encyclopedia of Optimization. Springer, Boston, MA. https://doi.org/10.1007/0-306-48332-7_424

S, Quegan (2008). Radar Remote Sensing. Sheffield Centre for Earth Observation Science, University of Sheffield, U.K. Geoinformatics. Vol 1.

Septiana, B., Wijaya, A. P., & Suprayogi, A. (2017). *Jurnal Geodesi Undip Januari 2017 Metode SAR Simulation Terrain Correction Menggunakan Data SAR Sentinel – 1*. *6*, 148–157.

Shimada, M. (2011). Model-based polarimetric SAR calibration method using forest and surface-scattering targets. *IEEE Transactions on Geoscience and Remote Sensing*, *49*(5), 1712–1733. https://doi.org/10.1109/TGRS.2010.2090046

UNIVERSITAS
GADJAH MADA
KOMBINASI CITRA SATELIT OPTIK DAN RADAR UNTUK PEMETAAN STOK KARBON MANGROVE DI KAWASAN CLUNGUP
MANGROVE CONSERVATION (CMC) KABUPATEN MALANG
MAULANA ABDUL HAKIM, Muhammad Kamal, S.Si., M.GIS., Ph.D. ; Dr.Sc. Sanjiwana Arjasakusuma, S.Si., M.GIS.
Universitas Gadjah Mada, 2022 | Diunduh dari http://etd.repository.ugm.ac.id/

Sinaga, S. H., S. Andri dan Haniah. 2018. Analisis Ketersediaan Ruang Terbuka Hijau Dengan Metode *Normalized Difference Vegetation Index* Dan *Soil Adjusted Vegetation Index* Menggunakan Citra Satelit Sentinel-2a. Jurnal Geodesi Undip. 7: 1-10

Standar Nasional Indonesia, S. (2011). *Penyusunan persamaan alometrik untuk penaksiran cadangan karbon hutan berdasar pengukuran lapangan (ground based forest carbon accounting)*. 1–6. www.bsn.go.id

Sugiyono. (2011). *Memahami Penelitian Kualitatif*. Bandung: Alfabeta.

Su, Y., Guo, Q., Xue, B., Hu, T., Alvarez, O., Tao, S., & Fang, J. (2016). Spatial distribution of forest aboveground biomass in China: Estimation through combination of spaceborne lidar, optical imagery, and forest inventory data. *Remote Sensing of Environment*, *173*, 187–199. https://doi.org/10.1016/j.rse.2015.12.002

Taunk, K. (2019). *Ulasan Singkat Tetangga Terdekat Algoritma untuk Pembelajaran dan Klasifikasi*. *Iciccs*, 1255–1260.

Taylor, P., & Lu, D. (2007). *International Journal of Remote The potential and challenge of remote sensing - based biomass estimation*. *May 2013*, 37–41. https://doi.org/10.1080/01431160500486732

Toosi, N. B., Soffianian, A. R., Fakheran, S., Pourmanafi, S., Ginzler, C., & Waser, L. T. (2020). Land cover classification in Mangrove ecosystems based on VHR satellite data and machine learning-An upscaling approach. *Remote Sensing*, *12*(17). https://doi.org/10.3390/RS12172684

Tucker, C. J. (1979). Red and photographic infrared linear combinations for monitoring vegetation. *Remote Sensing of Environment*, *8*(2), 127–150. https://doi.org/10.1016/0034-4257(79)90013-0

Utari, D., Kamal, M., & Sidik, F. (2020). Above-ground biomass estimation of mangrove forest using WorldView-2 imagery in Perancak Estuary, Bali. *IOP Conference Series: Earth and Environmental Science*, *500*(1). https://doi.org/10.1088/1755-1315/500/1/012011

Vafaei, S., Soosani, J., Adeli, K., Fadaei, H., Naghavi, H., Pham, T. D., & Bui, D.

KOMBINASI CITRA SATELIT OPTIK DAN RADAR UNTUK PEMETAAN STOK KARBON MANGROVE DI KAWASAN CLUNGUP
MANGROVE CONSERVATION (CMC) KABUPATEN MALANG
MAULANA ABDUL HAKIM, Muhammad Kamal, S.Si., M.GIS., Ph.D. ; Dr.Sc. Sanjiwana Arjasakusuma, S.Si., M.GIS.
Universitas Gadjah Mada, 2022 | Diunduh dari http://etd.repository.ugm.ac.id/

T. (2018). Improving accuracy estimation of Forest Aboveground Biomass based on incorporation of ALOS-2 PALSAR-2 and Sentinel-2A imagery and machine learning: A case study of the Hyrcanian forest area (Iran). *Remote Sensing*, *10*(2). https://doi.org/10.3390/rs10020172

Valderrama-Landeros, L., Flores-de-Santiago, F., Kovacs, J. M., & Flores-Verdugo, F. (2018). An assessment of commonly employed satellite-based remote sensors for mapping mangrove species in Mexico using an NDVI-based classification scheme. *Environmental Monitoring and Assessment*, *190*(1). https://doi.org/10.1007/s10661-017-6399-z

Wang, D., Wan, B., Qiu, P., Su, Y., Guo, Q., Wang, R., Sun, F., & Wu, X. (2018). Evaluating the Performance of Sentinel-2 , Landsat 8 and Pl é iades-1 in Mapping Mangrove Extent and Species. *Remote Sensing*. https://doi.org/10.3390/rs10091468

Wang, D., Wan, B., Qiu, P., Su, Y., Guo, Q., & Wu, X. (2018). Artificial mangrove species mapping using Pléiades-1: An evaluation of pixel-based and object-based classifications with selected machine learning algorithms. *Remote Sensing*, *10*(2). https://doi.org/10.3390/rs10020294

Wang, L., Silván-cárdenas, J. L., & Sousa, W. P. (2008). *Neural Network Classification of Mangrove Species from Multi-seasonal Ikonos Imagery*. *74*(7), 921–927.

Wicaksono, P. (2015). Remote Sensing Model Development For Seagrass And Mangroves Carbon Stock Mapping. PhD. Thesis. Universitas Gadjah Mada

Wicaksono, P., Danoedoro, P., & Nehren, U. (2016). Mangrove biomass carbon stock mapping of the Karimunjawa Islands using multispectral remote sensing Mangrove biomass carbon stock mapping of the. *International Journal of Remote Sensing*, *37*(1), 26–52. https://doi.org/10.1080/01431161.2015.1117679

Wiley, J. & S. (2013). Satellite Synthetic Aperture Radar in Archaeology and Cultural Landscape : An Overview. *Wiley Online Library*, *78*, 71–78. https://doi.org/10.1002/arp

UNIVERSITAS
GADJAH MADA
KOMBINASI CITRA SATELIT OPTIK DAN RADAR UNTUK PEMETAAN STOK KARBON MANGROVE DI KAWASAN CLUNGUP MANGROVE CONSERVATION (CMC) KABUPATEN MALANG
MAULANA ABDUL HAKIM, Muhammad Kamal, S.Si., M.GIS., Ph.D. ; Dr.Sc. Sanjiwana Arjasakusuma, S.Si., M.GIS.
Universitas Gadjah Mada, 2022 | Diunduh dari http://etd.repository.ugm.ac.id/

Worthington, T., Spalding, M., Worthington, T., & Spalding, M. (2018). *Mangrove Restoration Potential A global map highlighting a critical opportunity critical opportunity*.

Wu, C., Shen, H., Shen, A., Deng, J., Gan, M., Zhu, J., Xu, H., & Wang, K. (2016). Comparison of machine-learning methods for above-ground biomass estimation based on Landsat imagery. *Journal of Applied Remote Sensing*, *10*(3), 035010. https://doi.org/10.1117/1.jrs.10.035010

Ying, X. (2019). An Overview of Overfitting and its Solutions. *Journal of Physics: Conference Series*, *1168*(2). https://doi.org/10.1088/1742-6596/1168/2/022022

Zheng, D., Rademacher, J., Chen, J., Crow, T., Bresee, M., Le, J., & Ryu, S. (2004). *Estimating aboveground biomass using Landsat 7 ETM + data across a managed landscape in northern Wisconsin , USA*. *93*, 402–411. https://doi.org/10.1016/j.rse.2004.08.008